ARRI LIGHTING KITS





ARRI LIGHTING KITS

Rugged, durable ARRI Lighting Kits help you bring studio quality lighting to portable productions. Available in 25 versatile combinations, they combine professional fixtures with a wide range of accessories. The 2007 ARRI Lighting Kit catalog contains two new, lower cost Fresnel kits: the 150/300/650 Compact Fresnel Kit and the 300/650 Compact Fresnel Kit. We've also designed a wheeled version of our popular Compact Kit Cases for better handling and mobility. All ARRI Kits that use these cases are now available either with or without wheels.



CHOOSING AN ARRI LIGHTING KIT

The best kit for your application depends on your production needs and artistic preferences. Ideally the kit should offer the flexibility to work in many different situations. You'll want to consider fixture types, total wattage and the size and weight of the kit. If you need softer lighting you should look carefully at the kits containing Chimera Softbanks. The first step is to determine what light source best suits your needs.

CHOOSING A LIGHT SOURCE

The two basic fixture types in ARRI Kits are open-faced ARRILITES and Fresnel-lensed lights. Both provide a focusable, even field of light that can be used to create a wide variety of light qualities and moods for your productions. As a general rule, ARRILITES provide higher output while Fresnels offer more control.



ARRILITE KITS

571905 ARRILITE 600/3 COMPACT KIT (40 lbs)

(3)	571600	ARRILITE 600
(3)	571610	Barndoor
(3)	531350	5" Full Single Scrim
(3)	531352	5" Full Double Scrim
(3)	571640	DYS 600W Lamp
(3)	570051	AS-01 Stand
(1)	571192	Compact 4-Light Case (32 1/2"x17"x10 1/2")
571905W		SAME AS ABOVE WITH WHEELS
571805 ARRILITE 600/3 COMPACT KIT (for 220V)		
571805W		SAME AS ABOVE WITH WHEELS

571915 ARRILITE 650/3 COMPACT KIT (40 lbs)

(3)	571065	ARRILITE 650
(3)	571110	Barndoor
(3)	571150	7 1/4" Full Single Scrim
(3)	571152	7 1/4" Full Double Scrim
(3)	571140	FAD 650W Lamp
(3)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
571915W		SAME AS ABOVE WITH WHEELS
571815 ARRILITE 650/3 COMPACT KIT (for 220V)		
571815W		SAME AS ABOVE WITH WHEELS

571925 ARRILITE 1000/3 COMPACT KIT (40 lbs)

(3)	571100	ARRILITE 1000
(3)	571110	Barndoor
(3)	571150	7 1/4" Full Single Scrim
(3)	571152	7 1/4" Full Double Scrim
(3)	571145	DXW 1000W Lamp
(3)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
571925W		SAME AS ABOVE WITH WHEELS
571825 ARRILITE 1000/3 COMPACT KIT (for 220V)		
571825W		SAME AS ABOVE WITH WHEELS

571951 ARRILITE 1000/4 HEAVY DUTY KIT (75 lbs)

(4)	571100	ARRILITE 1000	
(+)	571100	ANNILITE TOOD	
(4)	571110	Barndoor	
(4)	571150	7 1/4" Full Single Scrim	
(4)	571152	7 1/4" Full Double Scrim	
(4)	571145	DXW 1000W Lamp	
(4)	570050	AS-2 Stand	
(1)	571701	Accessory Pack	
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")	

571851 ARRILITE 1000/4 HEAVY DUTY KIT (for 220V)

571972 ARRILITE 2000/2 HEAVY DUTY KIT (60 lbs)

(2)	571200	ARRILITE 2000
(2)	571210	Barndoor
(2)	571250	10" Full Single Scrim
(2)	571252	10" Full Double Scrim
(2)	571240	FEY 2000W Lamp
(2)	570050	AS-2 Stand
(1)	571295	Heavy Duty Case (40"x19"x15")

571872 ARRILITE 2000/2 HEAVY DUTY KIT (for 220V)

ARRILITES (OPEN FACE)

- Focusable (spot to flood)
- Smooth field
- Wide beam spread
- Maximum output
- Often used indirectly as a "source of origin" (bounced off of ceiling, wall, bounce board, or directed through a silk or a Softbank.)
- Best Use: High output light source or source of origin



ARRILITE 600/3 Compact Kit #571905 When weight and size are important the ARRILITE 600/3 Compact kit is the ideal production tool.

FRESNEL KITS

ARRI FRESNELS

- Focusable (spot to flood)
- Smooth, even field improved by glass Fresnel lens
- Narrow beam spread in spot focus
- Easy to shape light with barndoors, flags, and nets
- Most popular choice to light talent directly
- Often used as key light, hair/separation light, or as accent/background lighting source
- Best Use: Controlled direct, hard light source for people, products and backgrounds where sharper, more defined shadows are desired



300/650 Fresnel Kit #571985

A total of 1900W — Key, fill and backlight all on one 20-amp circuit.

571902 150/4 FRESNEL MINI KIT (40 lbs)

(4)	530100	150W FRESNEL	
(4)	530110	Barndoor	
(4)	530120	Filter Frame	
(4)	530150	3" Full Single Scrim	
(4)	530152	3" Full Double Scrim	
(4)	530143	ESP 150W Lamp	
(1)	570112	Ceiling Scissor Clamp	
(4)	570051	AS-01 Stand	
(1)	571192	Compact 4-Light Case (32 1/2"x17"x10 1/2")	
571902W		SAME AS ABOVE WITH WHEELS	
57180	571802 150/4 FRESNEL KIT (for 220V)		
571802W		SAME AS ABOVE WITH WHEELS	

571994 150/300 FRESNEL MINI KIT (48 lbs)

(2)	530100	150W FRESNEL
(2)	530110	Barndoor
(2)	530120	Filter Frame
(2)	530150	3" Full Single Scrim
(2)	530152	3" Full Double Scrim
(2)	530143	ESP 150W Lamp
(2)	531300	300W FRESNEL
(2)	531310	Barndoor
(2)	531320	Filter Frame
(2)	531350	5" Full Single Scrim
(2)	531352	5" Full Double Scrim
(2)	531340	FKW 300W Lamp
(1)	570112	Ceiling Scissor Clamp
(4)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
571994W		SAME AS ABOVE WITH WHEELS
57189	94 150/300) FRESNEL MINI KIT (for 220V)
571894W		SAME AS ABOVE WITH WHEELS

571979 650/3 Compact Kit (50 lbs)

07.10		o oompaor nat (oo noo)	
(3)	531600	650W FRESNEL	
(3)	531610	Barndoor	
(3)	531620	Filter Frame	
(3)	531650	6 5/8" Full Single Scrim	
(3)	531652	6 5/8" Full Double Scrim	
(3)	531640	FRK 650W Lamp	
(3)	570051	AS-01 Stand	
(1)	571194	Compact 3-Light case (32 1/2"x17"x10 1/2")	
571979W		SAME AS ABOVE WITH WHEELS	
57187	571879 650/3 Compact Fresnel Kit (for 220V)		
571879W		SAME AS ABOVE WITH WHEELS	

571980 650/4 FRESNEL KIT (82 lbs)

(4)	531600	650W FRESNEL
(4)	531610	Barndoor
(4)	531620	Filter Frame
(4)	531650	6 5/8" Full Single Scrim
(4)	531652	6 5/8" Full Double Scrim
(4)	531640	FRK 650W Lamp
(4)	570050	AS-2 Stand
(1)	571700	Accessory Pack
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")

571880 650/4 FRESNEL KIT (for 220V)

571959 150/300/650 COMPACT FRESNEL KIT (45 lbs)

(1)	530100	150W FRESNEL
(1)	530110	Barndoor
(1)	530120	Filter Frame
(1)	530150	3" Full Single Scrim
(1)	530152	3" Full Double Scrim
(1)	530143	ESP 150W Lamp
(1)	531300	300W FRESNEL
(1)	531310	Barndoor
(1)	531320	Filter Frame
(1)	531350	5" Full Single Scrim
(1)	531352	5" Full Double Scrim
(1)	531340	FKW 300W Lamp
(1)	531600	650W FRESNEL
(1)	531610	Barndoor
(1)	531620	Filter Frame
(1)	531650	6 5/8" Full Single Scrim
(1)	531652	6 5/8" Full Double Scrim
(1)	531640	FRK 650W Lamp
(3)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
5719	59W	SAME AS ABOVE WITH WHEELS
5718	59 150/300	0/650 COMPACT FRESNEL KIT (for 220V)
571859W		SAME AS ABOVE WITH WHEELS

571983 150/300/650 FRESNEL KIT (80 lbs)

(2)	530100	150W FRESNEL	
(2)	530110	Barndoor	
(2)	530120	Filter Frame	
(2)	530150	3" Full Single Scrim	
(2)	530152	3" Full Double Scrim	
(2)	530143	ESP 150W Lamp	
(1)	531300	300W FRESNEL	
(1)	531310	Barndoor	
(1)	531320	Filter Frame	
(1)	531350	5" Full Single Scrim	
(1)	531352	5" Full Double Scrim	
(1)	531340	FKW 300W Lamp	
(2)	531600	650W FRESNEL	
(2)	531610	Barndoor	
(2)	531620	Filter Frame	
(2)	531650	6 5/8" Full Single Scrim	
(2)	531652	6 5/8" Full Double Scrim	
(2)	531640	FRK 650W Lamp	
(1)	571700	Accessory Pack	
(1)	570035	Super Clamp w/ 5/8" Stud	
(1)	570112	Ceiling Scissor Clamp	
(4)	570050	AS-2 Stand	
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")	
571883 150/300/650 FRESNEL KIT (for 220V)			

571883 150/300/650 FRESNEL KIT (for 220V)

571969 300/650 COMPACT FRESNEL KIT (47 lbs)

531300	300W FRESNEL	
531310	Barndoor	
531320	Filter Frame	
531350	5" Full Single Scrim	
531352	5" Full Double Scrim	
531340	FKW 300W Lamp	
531600	650W FRESNEL	
531610	Barndoor	
531620	Filter Frame	
531650	6 5/8" Full Single Scrim	
531652	6 5/8" Full Double Scrim	
531640	FRK 650W Lamp	
570051	AS-01 Stand	
571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")	
9W	SAME AS ABOVE WITH WHEELS	
571869 SOFTBANK D2 KIT (for 220V)		
9W	SAME AS ABOVE WITH WHEELS	
	531310 531320 531350 531352 531340 531600 531610 531620 531650 531652 531640 570051 571194 9W	

571985 300/650 FRESNEL COMBO KIT (85 lbs)

(2)	531300	300W FRESNEL
(2)	531310	Barndoor
(2)	531320	Filter Frame
(2)	531350	5" Full Single Scrim
(2)	531352	5" Full Double Scrim
(2)	531340	FKW 300W Lamp
(2)	531600	650W FRESNEL
(2)	531610	Barndoor
(2)	531620	Filter Frame
(2)	531650	6 5/8" Full Single Scrim
(2)	531652	6 5/8" Full Double Scrim
(2)	531640	FRK 650W Lamp
(4)	570050	AS-2 Stand
(1)	571700	Accessory Pack
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")

571885 300/650 FRESNEL COMBO KIT (for 220V)

571975 1000/3 FRESNEL KIT (86 lbs)

(3)	531100	1000W FRESNEL		
(3)	531110	Barndoor		
(3)	531120	Filter Frame		
(3)	531150	7 3/4" Full Single Scrim		
(3)	531152	7 3/4" Full Double Scrim		
(3)	531145	EGT 1000W Lamp		
(3)	570050	AS-2 Stand		
(1)	571700	Accessory Pack		
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")		

571875 1000/3 FRESNEL KIT (for 220V)

SOFTBANK KITS

LIGHT QUALITY

Light quality can be characterized by how "hard" or "soft" the shadow appears and is determined by the physical size of the source (not the intensity). In general, the larger, more diffused the light source, the softer the light quality. When diffusion material, such as frost or silk is placed in front of a lighting instrument the working size of the source is increased because the diffusion becomes the acting light source. Conversely, a sharp, well defined shadow edge (hard light) is best produced by a small lensed source - the ARRI Fresnel.



571984 SOFTBANK I KIT (86 lbs)

07.10			
(1)	531300	300W FRESNEL	
(1)	531310	Barndoor	
(1)	531320	Filter Frame	
(1)	531350	5" Full Single Scrim	
(1)	531352	5" Full Double Scrim	
(1)	531340	FKW 300W Lamp	
(2)	531600	650W FRESNEL	
(2)	531610	Barndoor	
(2)	531620	Filter Frame	
(2)	531650	6 5/8" Full Single Scrim	
(2)	531652	6 5/8" Full Double Scrim	
(2)	531640	FRK 650W Lamp	
(1)	571100	ARRILITE 1000	
(1)	571110	Barndoor	
(1)	571150	7 1/4" Full Single Scrim	
(1)	571152	7 1/4" Full Double Scrim	
(1)	571159	Chimera Video Pro Bank, Small (24"x32")	
(1)	571158	Chimera 7 1/4" Speed Ring	
(1)	571145	DXW 1000W Lamp	
(4)	570050	AS-2 Stand	
(1)	571700	Accessory Pack	
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")	
57188	571884 SOFTBANK I KIT (for 220V)		

571989 SOFTBANK II KIT (82 lbs)

(3)	531600	650W FRESNEL	
(3)	531610	Barndoor	
(3)	531620	Filter Frame	
(3)	531650	6 5/8" Full Single Scrim	
(3)	531652	6 5/8" Full Double Scrim	
(3)	531640	FRK 650W Lamp	
(1)	571100	ARRILITE 1000	
(1)	571110	Barndoor	
(1)	571150	7 1/4" Full Single Scrim	
(1)	571152	7 1/4" Full Double Scrim	
(1)	571159	Chimera Video Pro Bank, Small (24"x32")	
(1)	571158	Chimera 7 1/4" Speed Ring	
(1)	571145	DXW 1000W Lamp	
(4)	570050	AS-2 Stand	
(1)	571700	Accessory Pack	
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")	

571889 SOFTBANK II KIT (for 220V)

Softbank | Kit #571984

One 300W and two 650W ARRI Fresnels for control and the ARRILITE 1000 for use as a powerful fill light or as a large soft source when combined with a Softbank.

571991 SOFTBANK IV KIT (78 lbs)

(2)	530100	150W FRESNEL	
(2)	530110	Barndoor	
(2)	530120	Filter Frame	
(2)	530150	3" Full Single Scrim	
(2)	530152	3" Full Double Scrim	
(2)	530143	ESP 150W Lamp	
(1)	531300	300W FRESNEL	
(1)	531310	Barndoor	
(1)	531320	Filter Frame	
(1)	531350	5" Full Single Scrim	
(1)	531352	5" Full Double Scrim	
(1)	531340	FKW 300W Lamp	
(1)	531600	650W FRESNEL	
(1)	531610	Barndoor	
(1)	531620	Filter Frame	
(1)	531650	6 5/8" Full Single Scrim	
(1)	531652	6 5/8" Full Double Scrim	
(1)	531640	FRK 650W Lamp	
(1)	571100	ARRILITE 1000	
(1)	571110	Barndoor	
(1)	571150	7 1/4" Full Single Scrim	
(1)	571152	7 1/4" Full Double Scrim	
(1)	571145	DXW 1000W Lamp	
(1)	571159	Chimera Video Pro Bank, Small (24"x32")	
(1)	571158	Chimera 7 1/4" Speed Ring	
(1)	571700	Accessory Pack	
(1)	570035	Super Clamp w/ 5/8" Stud	
(1)	570112	Ceiling Scissor Clamp	
(4)	570050	AS-2 Stand	
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")	
57189	571891 SOFTBANK IV KIT (for 220V)		

ARRI 150W FRESNEL

The 150W Fresnels (#530100) found in many 120V kits use lamps with a dual contact bayonet base. The only 220V lamp available for this fixture is the 200W JCV (#530146).

The 150W Fresnel (#530102) found in many 220V kits is only for 220/230V operation. It uses the A1/248 lamp (#530144) with a 2-pin (GX6.35) base. There is no 120V lamp available for this fixture.

ARRI SOFTBANK KITS

ARRI Softbank Kits combine hard Fresnel sources with a Chimera Softbank. The larger diffused Softbank creates a soft, less defined shadow edge (soft light) like that of a cloudy day and is excellent for interview situations. The use of softer light sources is more forgiving when lighting people. However, diffused soft sources can be difficult to control as they disperse light in many directions. Use care to control the "spill light".



Softbank IV Kit #571991 Studio control in a portable kit. With four Fresnels, one ARRILITE and a Chimera Video Pro, the Softbank IV Kit offers the most flexibility in a portable kit.

SOFTBANK SERIES D KITS

SOFTBANK SERIES D KITS are designed for use with modern digital video cameras. The total wattage has been reduced for these more light sensitive cameras with no loss of control or light quality. ARRI Fresnels with their wide flood to spot ratio are easy to control and the Video Pro XS Softbank is great for interviews and the ideal size for tight locations. Try using a piece of opal or frost in the filter frame on the Fresnel to completely fill the Softbank and reduce the light level.



Softbank D1 Kit #571960

Perfect for use with your new DV camera. With three ARRI Fresnels and a Softbank, the D1 kit is lightweight and portable, but doesn't sacrifice great light quality.

571960 SOFTBANK D1 KIT (48 lbs)

571500 301		
(1)	530100	150W FRESNEL
(1)	530110	Barndoor
(1)	530120	Filter Frame
(1)	530150	3" Full Single Scrim
(1)	530152	3" Full Double Scrim
(1)	530143	ESP 150W Lamp
(1)	531300	300W FRESNEL
(1)	531310	Barndoor
(1)	531320	Filter Frame
(1)	531350	5" Full Single Scrim
(1)	531352	5" Full Double Scrim
(1)	531340	FKW 300W Lamp
(1)	531600	650W FRESNEL
(1)	531610	Barndoor
(1)	531620	Filter Frame
(1)	531650	6 5/8" Full Single Scrim
(1)	531652	6 5/8" Full Double Scrim
(1)	531658	Chimera Speed Ring
(1)	571659	Chimera Video Pro Bank, XS (16"x22")
(1)	531640	FRK 650W Lamp
(1)	570112	Ceiling Scissor Clamp
(3)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
5719	60W	SAME AS ABOVE WITH WHEELS
571860 SOFTBANK D1 KIT (for 220V)		
5718	60W	SAME AS ABOVE WITH WHEELS

571961 SOFTBANK D2 KIT (50 lbs)

5713	57 1501 501 1DANK DZ KIT (50 155)				
(2)	531300	300W FRESNEL			
(2)	531310	Barndoor			
(2)	531320	Filter Frame			
(2)	531350	5" Full Single Scrim			
(2)	531352	5" Full Double Scrim			
(2)	531340	FKW 300W Lamp			
(1)	531600	650W FRESNEL			
(1)	531610	Barndoor			
(1)	531620	Filter Frame			
(1)	531650	6 5/8" Full Single Scrim			
(1)	531652	6 5/8" Full Double Scrim			
(1)	531658	Chimera Speed Ring			
(1)	571659	Chimera Video Pro Bank, XS (16"x22")			
(1)	531640	FRK 650W Lamp			
(1)	570112	Ceiling Scissor Clamp			
(3)	570051	AS-01 Stand			
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")			
571961W		SAME AS ABOVE WITH WHEELS			
5718	61 SOFTB	ANK D2 KIT (for 220V)			
571861W		SAME AS ABOVE WITH WHEELS			

571962 SOFTBANK D3 KIT (44 lbs)

(2)	530100	150W FRESNEL
(2)	530110	Barndoor
(2)	530120	Filter Frame
(2)	530150	3" Full Single Scrim
(2)	530152	3" Full Double Scrim
(2)	530143	ESP 150W Lamp
(1)	531600	650W FRESNEL
(1)	531610	Barndoor
(1)	531620	Filter Frame
(1)	531650	6 5/8" Full Single Scrim
(1)	531652	6 5/8" Full Double Scrim
(1)	531658	Chimera Speed Ring
(1)	571659	Chimera Video Pro Bank, XS (16"x22")
(1)	531640	FRK 650W Lamp
(1)	570112	Ceiling Scissor Clamp
(3)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
571962W		SAME AS ABOVE WITH WHEELS
57186	S2 SOFTB	ANK D3 KIT (for 220V)
571862W		SAME AS ABOVE WITH WHEELS

571963 SOFTBANK D4 KIT (50 lbs)

(2)	530100	150W FRESNEL
(2)	530110	Barndoor
(2)	530120	Filter Frame
(2)	530150	3" Full Single Scrim
(2)	530152	3" Full Double Scrim
(2)	530143	ESP 150W Lamp
(1)	531300	300W FRESNEL
(1)	531310	Barndoor
(1)	531320	Filter Frame
(1)	531350	5" Full Single Scrim
(1)	531352	5" Full Double Scrim
(1)	531340	FKW 300W Lamp
(1)	531600	650W FRESNEL
(1)	531610	Barndoor
(1)	531620	Filter Frame
(1)	531650	6 5/8" Full Single Scrim
(1)	531652	6 5/8" Full Double Scrim
(1)	531658	Chimera Speed Ring
(1)	571659	Chimera Video Pro Bank, XS (16"x22")
(1)	531640	FRK 650W Lamp
(1)	570112	Ceiling Scissor Clamp
(4)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
5719	63W	SAME AS ABOVE WITH WHEELS
571863 SOFTBANK D4 FRESNEL KIT (for 220V)		ANK D4 FRESNEL KIT (for 220V)
5718	63W	SAME AS ABOVE WITH WHEELS

FIXTURE SELECTION: WATTAGE

Consider these important factors when deciding which size ARRI fixture is best for your production:

- Camera / Film Stock sensitivity
- Area of Coverage
- Depth-of-Field

CAMERA/FILM STOCK SENSITIVITY: Many film

and video projects today are recorded on film stocks and video cameras that are extremely light sensitive. In general, the more light sensitive the recording medium the less light you will need to record an image. Many of today's digital cameras are so light sensitive that you may only need the smallest of ARRI's lighting tools to capture your image.

571964 SOFTBANK D5 KIT (50 lbs)

(2)	530100	150W FRESNEL
(2)	530110	Barndoor
(2)	530120	Filter Frame
(2)	530150	3" Full Single Scrim
(2)	530152	3" Full Double Scrim
(2)	530143	ESP 150W Lamp
(2)	571065	ARRILITE 650
(2)	571110	Barndoor
(2)	571150	7 1/4" Full Single Scrim
(2)	571152	7 1/4" Full Double Scrim
(2)	571158	Chimera 7 1/4" Speed Ring
(2)	571659	Chimera Video Pro Bank, XS (16"x22")
(2)	571140	FAD 650W Lamp
(1)	570035	Super Clamp w/ 5/8" Stud
(1)	570112	Ceiling Scissor Clamp
(4)	570051	AS-01 Stand
(1)	571194	Compact 3-Light Case (32 1/2"x17"x10 1/2")
5719	64W	SAME AS ABOVE WITH WHEELS
571864 SOFTBANK D5 KIT (for 220V)		
5718	64W	SAME AS ABOVE WITH WHEELS
		·

COMBO KITS

AREA OF COVERAGE: How large an area do you have to light, and is there ambient light that you should consider? If you need to light a large area, you'll most likely start with higher wattage in order to place the instruments further from the subject. When shooting a single person interview, you can use smaller instruments to achieve your creative goals.

DEPTH OF FIELD: More light produces greater depth-offield (the area in focus), as the f-stop is increased and the aperture is reduced. For many of today's light sensitive digital cameras, using less light to shoot "wide open" is one of the only ways to achieve selective focus control when shooting with anything other than a telephoto lens.



ARRILITE/Fresnel Mini Kit #571993 Lightweight and portable for fast setups.

571986 SOFT/KEY KIT (66 lbs)

(2)	531600	650W FRESNEL	
(2)	531610	Barndoor	
(2)	531620	Filter Frame	
(2)	531650	6 5/8" Full Single Scrim	
(2)	531652	6 5/8" Full Double Scrim	
(2)	531640	FRK 650W Lamp	
(1)	536100	ARRISOFT 1000	
(1)	536120	Filter Frame	
(1)	581540	FCM 1000W Lamp	
(3)	570050	AS-2 Stand	
(1)	571196	Heavy Duty Case (40"x19 1/2"x12 3/4")	
571886 SOFT/KEY KIT (for 220V)			

571993 ARRILITE/FRESNEL MINI KIT (49 lbs)

(2)	531300	300W FRESNEL		
(2)	531310	Barndoor		
(2)	531320	Filter Frame		
(2)	531340	FKW 300W Lamp		
(2)	571600	ARRILITE 600		
(2)	571610	Barndoor		
(2)	571640	DYS 600W Lamp		
(4)	531350	5" Full Single Scrim		
(4)	531352	5" Full Double Scrim		
(4)	570051	AS-01 Stand		
(1)	571192	Compact 4-Light Case (32 1/2"x17"x10 1/2")		
5719	93W	SAME AS ABOVE WITH WHEELS		
57189	571893 ARRILITE/FRESNEL MINI KIT (for 220V)			
571893W		SAME AS ABOVE WITH WHEELS		

571996 ARRILITE/FRESNEL COMBO KIT (81 lbs)

(2)	531600	650W FRESNEL
(2)	531610	Barndoor
(2)	531620	Filter Frame
(2)	531650	6 5/8" Full Single Scrim
(2)	531652	6 5/8" Full Double Scrim
(2)	531640	FRK 650W Lamp
(2)	571100	ARRILITE 1000
(2)	571110	Barndoor
(2)	571150	7 1/4" Full Single Scrim
(2)	571152	7 1/4" Full Double Scrim
(2)	571145	DXW 1000W Lamp
(4)	570050	AS-2 Stand
(1)	571700	Accessory Pack
(1)	571197	Heavy Duty Case (40"x19"x13 1/2")
E7400		

571896 ARRILITE/FRESNEL COMBO KIT (for 220V)

ARRI also provides HMI, Fluorescent and Ceramic lighting fixtures. Please contact your ARRI dealer for details. The ARRI Accessory Pack is included with many ARRI Kits or may be purchased separately.

571700 ACCESSORY PACK (4.2 lbs)

(1)	571703	Accessory Pack Bag
(1)	571704	Ditty Bag
(1)	571705	Clothes Pins, 18 pack
(1)	571706	25' Extension Cable w/ Triple Tap
(1)	571707	Lamp Pack, Fresnel
(1)	850010	Grip Gloves
571701 ACCESSORY PACK (4.2 lbs)		

Same as above but uses #571808 Lamp Pack, ARRILITES

ALTERNATE LAMPS

Many ARRI Fixtures use a variety of different lamps allowing you to switch to a lower wattage lamp. Following is a partial list of alternate lamps for 120V fixtures.

Fixture	Cat. #	Туре	Watts	Color Temp	Life
AL 600	571645	EKB	420	3200°	75 hours
AL 650	571140	FAD	650	3200°	200 hours
FR 150	530140	ESR	100	2900°	750 hours
FR 650	531340	FKW	300	3200°	150 hours
FR 650	531645	FRG	500	3200°	150 hours
FR 1000	531140	EGR	750	3200°	200 hours

SCRIM BAGS

Use ARRI Scrim Bags to hang scrims and filter frames on the light stand while you are working.

571711	Scrim Bag for 3" – 5" Scrims
571712	Scrim Bag for 6 5/8" – 7 3/4" Scrims
571714	Scrim Bag for 9" – 10" Scrims

SAFETY CABLE

 Always use a safety cable when hanging lights from a grid or other overhead structure.

 853276
 Safety Cable

FILTERS

Dichroic Filters raise the color temperature to approximate daylight.		
571654	Dichroic Filter for ARRILITE 600	
571154	Dichroic Filter for ARRILITE 650 & 1000	
571254	Dichroic Filter for ARRILITE 2000	
Heat Filter Glass reduces heat without affecting color or intensity.		
571157	Heat Filter for ARRILITE 650 & 1000	

SNOOTS

Snoots help to cut the light down to a small circular pattern.

530130	Snoot for Fresnel 150
531330	Snoot for Fresnel 300
531630	Snoot for Fresnel 650
531130	Snoot for Fresnel 1000

For a complete list of lamps and accessories, please contact your ARRI dealer.

OPTIONAL ACCESSORIES

WIRE SCRIMS are placed in the slot between the front face of the instrument and the barndoors. Full single, double and triple scrims reduce the intensity without changing other characteristics of the beam. Half single, half double and half triple scrims 'cut down' only part of the light field.

- Green Scrim (Single) reduces light by approximately a 1/2 f-stop.
- Red Scrim (Double) reduces light by approximately 1 f-stop.
- Blue Scrim (Triple) reduces light by approximately 1 1/2 f-stop.

SCISSOR CLAMPS easily mount smaller lights to drop ceilings in offices and other industrial spaces. Normally used to hang an instrument directly above or behind the subject for hair/separation light.

SUPER CLAMPS are adjustable, versatile mounting clamps used to quickly attach lights to beams, pipes, ledges, etc.

CABLE CROSSOVERS

Cable Crossovers provide protection and a safe traffic path over cables.

571725	Cable Crossover, Small, Blue
571726	Cable Crossover, Small, Blue, 3 Pack
571727	Cable Crossover, Small, Blue, 6 Pack
571730	Accessory Bag - fits 3 Cable Crossovers

ARRI Kits use tough nylon roller blade wheels to withstand the abuse of life on the road.



ARRI KIT CASES

HEAVY DUTY KIT CASES

ARRI Heavy Duty Cases have a storage compartment in the top lid that's ideal for gels or foldable reflectors and includes the ARRI Accessory Pack with extension cord, lamp pack, and gloves.



1000/3 Fresnel Kit #571975 Three 1000W Fresnels for maximum light control and high output. Heavy Duty Case included (#571197).

COMPACT KIT CASES

ARRI Compact Kit Cases have a hidden flap in the top lid that will hold a few sheets of gel or diffusion.



150/4 Fresnel Kit #571902W Four small Fresnels for lightweight versatility and simplicity with great light control. Compact Case included (#571192W).

READY TO ROLL

Order the new, wheeled versions of ARRI Compact Kits for great portability and handling. Compact Kit Cases are now available with the same style wheels we use on our larger Heavy Duty Kit Cases. Rugged nylon roller blade wheels



withstand the abuse of portable production demands, while molded protection bumpers and the reinforced wheelbase provide durability and longevity. To order any Compact or Mini Kit with wheels add a "W" to the catalog number; to order Compact Cases with wheels use catalog numbers 571194W or 571192W.



ARRI Inc. 617 Route 303 Blauvelt NY, 10913-1109 Tel.+1(845)353-1400 Fax+1(845)425-1250 lighting-info@arri.com www.arri.com ARRI Inc. 600 N. Victory Blvd. Burbank CA, 91502-1639 Tel.+1(818)841-7070 Fax+1(818)848-4028 lighting-info@arri.com

ARRI Inc.

2385 Stirling Road Ft. Lauderdale FL, 33312 Tel.+1(954)322-4545 Fax+1(954)322-4188 lighting-info@arri.com www.arri.com ARRI Canada LTD. 415 Horner Avenue, Unit 11 Etobicoke, Ontario M8W 4W3, Canada Tel.+1(416)255-3335 Fax+1(416)255-3399 onlinesales@arrican.com www.arrican.com