



SOURCE 1
REPLACEMENT PARTS

York Sunline 2000
DM180, 240 & 300

Supersedes: Nothing

035-19036-000 Rev. A(0802)

Note: This is a non-comprehensive parts lists intended for stocking purposes for first production (style A) units. It is not intended to replace the complete, comprehensive list with subsequent changes.

Part Number	Description	Notes or code on wiring diagram	Model and Voltage										
			DM180			DM240			DM300				
			230V	460V	575V	230V	460V	575V	230V	460V	575V		
025-37467-000	ACTUATOR, BELIMO AF24	BAS Only	X	X	X	X	X	X	X	X	X	X	X
029-20424-000	BEARING,BALL PILLOW BLOCK R:A		X	X	X								
029-22145-000	BEARING,BALL,4 BOLT FLG R:A					X	X	X					
029-22144-000	BEARING,BALL,4-BOLT FLG R:A								X	X	X		
028-13333-000	BELT V 5VX860 R:A								X	X	X		
028-10382-000	BELT V BX68 69.8 R:A	HIGH SPEED	X	X	X								
028-12027-000	BELT V BX70 71.8 R:A	STD SPEED	X	X	X								
028-12017-000	BELT V BX81 82.8 R:A	HIGH SPEED				X	X	X					
028-12080-000	BELT V BX83 84.8 R:A	STD SPEED				X	X	X					
026-35494-000	BRACKET,BEARING R:A		X	X	X	X	X	X					
029-18431-000	BURNER,GAS R:F		X	X	X	X	X	X	X	X	X	X	X
028-13332-000	BUSHING,B1X1.438 BORE R:A								X	X	X		
024-21219-000	CAP.RUN,12.5/ MFD,370V R:B	POWER EXHAUST FAN	X	X	X	X	X	X	X	X	X	X	X
031-01956-000	CAPACITOR,100UF 50WVDC R:A	BAS Only, CAP	X	X	X	X	X	X	X	X	X	X	X
024-31976-000	CIRCUIT BREAKER 3.2A 250V	CB2	X	X	X	X	X	X	X	X	X	X	X
024-27583-000	CIRCUIT BREAKER 6.0A 250V	CB1	X	X	X	X	X	X	X	X	X	X	X
024-27517-000	CIRCUIT BREAKER 20A 250V	CB4	X	X	X	X	X	X	X	X	X	X	X
024-25989-000	CIRCUIT BREAKER,100A 240V	DS1*											
024-27675-000	CIRCUIT BREAKER,100A 480V	DS1*											
024-27514-000	CIRCUIT BREAKER,110A 600V	DS1*											
024-27513-000	CIRCUIT BREAKER,125A 600V	DS1*											
024-27512-000	CIRCUIT BREAKER,150A,600V	DS1*											
024-27510-000	CIRCUIT BREAKER,200A 600V	DS1*											
024-27509-000	CIRCUIT BREAKER,225A 600V	DS1*											
024-27574-000	CIRCUIT BREAKER,35A,600V	DS1*											
024-27652-000	CIRCUIT BREAKER,40A 600V	DS1*											
024-27643-000	CIRCUIT BREAKER,45A 480V	DS1*											
024-27573-000	CIRCUIT BREAKER,45A 600V	DS1*											
024-26063-000	CIRCUIT BREAKER,50A 480V	DS1*											
024-27647-000	CIRCUIT BREAKER,50A 600V	DS1*											
024-27572-000	CIRCUIT BREAKER,60A 600V	DS1*											
024-26059-000	CIRCUIT BREAKER,60A,480V	DS1*											
024-27508-000	CIRCUIT BREAKER,70A 480V	DS1*											
024-27571-000	CIRCUIT BREAKER,70A 600V	DS1*											
024-27503-000	CIRCUIT BREAKER,80A 240V	DS1*											
024-27644-000	CIRCUIT BREAKER,80A 480V	DS1*											
024-32037-000	CIRCUIT BREAKER,80A 600V	DS1*											
024-27507-000	CIRCUIT BREAKER,90A 480V	DS1*											
024-27570-000	CIRCUIT BREAKER,90A 600V	DS1*											
373-06404-000	COIL COND DM180 F R:F	FRONT	X	X	X								
373-06404-150	COIL COND DM180 F TC R:A	FRONT, TECHNICOAT	X	X	X								
373-06405-000	COIL COND DM180 R R:G	REAR	X	X	X								
373-06405-150	COIL COND DM180 R TC R:A	REAR, TECHNICOAT	X	X	X								
373-06295-000	COIL COND DM240 F R:E	FRONT				X	X	X					
373-06295-150	COIL COND DM240 F TC R:A	FRONT, TECHNICOAT				X	X	X					
373-06296-000	COIL COND DM240 R R:F	REAR				X	X	X					
373-06296-150	COIL COND DM240 R TC R:A	REAR, TECHNICOAT				X	X	X					
373-21391-101	COIL COND DM300/DH240 F R:B	FRONT							X	X	X		
373-21391-150	COIL COND DM300/DH240 F TCR:A	FRONT, TECHNICOAT							X	X	X		
373-21390-101	COIL COND DM300/DH240 R R:A	REAR							X	X	X		
373-21390-150	COIL COND DM300/DH240 R TCR:A	REAR, TECHNICOAT							X	X	X		
373-06227-000	COIL EVAP DM180 R:H		X	X	X								
373-06227-200	COIL EVAP DM180 TC R:A	TECHNICOAT	X	X	X								
373-06228-000	COIL EVAP DM240 R:J					X	X	X					
373-21474-001	COIL EVAP DM300 LOWER R:B	LOWER							X	X	X		
373-21473-001	COIL EVAP DM300 UPPER R:A	UPPER							X	X	X		
026-31432-001	COIL GUARD 15T R:A		X	X	X								
026-31432-002	COIL GUARD 20-25T R:A					X	X	X	X	X	X		
028-12342-000	COMPRESSOR, GROMMET	COMPR	X	X	X	X	X	X					
028-07772-000	COMPRESSOR, SPRING	COMPR	X	X	X								
015-02095-005	COMPRESSOR,H23A563DBEA	COMPR		X									
015-01643-005	COMPRESSOR,H23A563DBFA	COMPR			X								
015-02094-005	COMPRESSOR,H23A563DBLA	COMPR	X										
015-02053-001	COMPRESSOR,H2DA114DBEH	COMPR		X			X						
015-02054-001	COMPRESSOR,H2DA114DBFH	COMPR			X			X					
015-02052-001	COMPRESSOR,H2DA114DBLH	COMPR	X				X						
015-02707-004	COMPRESSOR,ZRT144KC-TF5	COMPR							X				
015-02708-004	COMPRESSOR,ZRT144KC-TFD	COMPR								X			
015-02709-004	COMPRESSOR,ZRT144KC-TFE	COMPR										X	
025-17620-014	CONT,PRESS,RFG380/300 O/C R:C	HPS	X	X	X	X	X	X					
024-24101-000	CONTACTOR,ELEC, R:A	M4 & M5	X	X	X	X	X	X					

* See UNIT NAMEPLATE or TECHNICAL LITERATURE for the required breaker/max fuse size.

Part Number	Description	Notes or code on wiring diagram	Model and Voltage								
			DM180			DM240			DM300		
			230V	460V	575V	230V	460V	575V	230V	460V	575V
024-25955-000	CONTACTOR,ELEC,30 AMP R:A	M1		X	X		X	X	X	X	X
		M2	X	X	X		X	X	X	X	X
		M3	X	X	X	X	X	X		X	X
		M4 & M5							X	X	X
024-25844-000	CONTACTOR,ELEC,40 AMP R:A	M3							X		
024-25846-000	CONTACTOR,ELEC,50 AMP R:A	M1	X			X					
		M2				X					
025-29012-004	CONTROL SPARK R:A	IC1 & IC2	X	X	X	X	X	X	X	X	X
031-01940-000	CONTROL,CPC 810-3060 R:A	BAS Only	X	X	X	X	X	X	X	X	X
031-00863-000	CONTROL,ENTHALPY	SINGLE ECONOMIZER / BAS	X	X	X	X	X	X	X	X	X
031-01938-000	CONTROL,HONEYWELL W7750 R:A	BAS Only	X	X	X	X	X	X	X	X	X
031-01937-000	CONTROL,JOHNSON UNIT 1126 R:A	BAS Only	X	X	X	X	X	X	X	X	X
031-01939-000	CONTROL,NOVAR ETC-3 R:A	BAS Only	X	X	X	X	X	X	X	X	X
031-01934-000	CONTROL,SIMPLICITY LOCKOUTR:A	SIMPLICITY	X	X	X	X	X	X	X	X	X
025-26366-009	CONTROL,TEMP R:A	LIMIT SWITCH	X	X	X	X	X	X	X	X	X
025-27733-002	CONTROL,TEMP R:A	ROLLOUT SWITCH	X	X	X	X	X	X	X	X	X
025-32655-000	CONTROL,TEMP R:A	AUX. LIMIT SWITCH	X	X	X	X	X	X	X	X	X
025-27723-001	CONTROL,TEMP R:A	LAS2	X	X	X	X	X	X			
025-27727-002	CONTROL,TEMP R:D	FS1 & FS2	X	X	X	X	X	X	X	X	X
025-35355-001	CONTROL,TEMP SPST 30F R:A	LAS3	X	X	X	X	X	X	X	X	X
025-32675-000	COVER,SWITCH DISC/BRKR	DS1*	X	X	X	X	X	X	X	X	X
029-22116-000	CRANKARM, BELIMO ACTUATOR	BAS Only	X	X	X	X	X	X	X	X	X
024-32007-000	DIRTY FLTR.SWITCH		X	X	X	X	X	X	X	X	X
026-35506-000	DISTR,14T,#10,.187X30S R:A								X	X	X
026-25558-000	FAN,PROP,24DIA,4BL,32DEG	POWER EXHAUST FAN	X	X	X	X	X	X	X	X	X
026-25579-000	FAN,PROP,30DIA,3BL,18DEG R:B	CONDENSER FAN	X	X	X	X	X	X	X	X	X
026-25532-000	FILTER AIR 2 X 12 X 24								X	X	X
026-25534-000	FILTER AIR 2 X 18 X 24		X	X	X						
026-28050-024	FILTER METAL 2 X 18 X 24	McDonald's	X	X	X						
026-28050-029	FILTER METAL 2 X 24 X 34	McDonald's							X	X	X
026-32670-005	FILTER, MEDIA POLYESTER 24X18X2	McDonald's	X	X	X						
026-32670-008	FILTER, MEDIA POLYESTER 24X34X2	McDonald's							X	X	X
026-38487-000	FILTER, PLEATED 2 X 12 X 24								X	X	X
026-35528-000	FILTER, PLEATED 2 X 16 X 20					X	X	X			
026-35529-000	FILTER, PLEATED 2 X 16 X 25					X	X	X			
026-35530-000	FILTER, PLEATED 2 X 18 X 24		X	X	X						
026-38555-000	FILTER, PLEATED 2 X 20 X 24								X	X	X
026-38553-000	FILTER, PLEATED 2 X 24 X 24								X	X	X
026-38029-000	FILTER, PLEATED 4 X 16 X 20					X	X	X			
026-38030-000	FILTER, PLEATED 4 X 16 X 25					X	X	X			
026-38031-000	FILTER, PLEATED 4 X 18 X 24		X	X	X						
026-03617-000	FILTER,AIR 2 X 16 X 20					X	X	X			
026-03616-000	FILTER,AIR 2 X 16 X 25					X	X	X			
026-35464-000	FILTER DRIER,SOLID CORE		X	X	X	X	X	X	X	X	X
025-04649-000	FU,DUAL,250V 30A, 9X16X2 R:D	FUSE 7 - 9	X								
025-15491-000	FU,DUAL,250V 35A,13X16X3 R:C	FUSE 7 - 9				X					
025-13292-000	FU,DUAL,250V 60A,13X16X3 R:E	FUSE 1 - 6	X			X			X		
025-13292-000	FU,DUAL,250V 60A,13X16X3 R:E	FUSE 7 - 9							X		
025-06079-000	FU,DUAL,600V 12A,13X16X5 R:C	FUSE 7 - 9						X			
025-05741-000	FU,DUAL,600V 15A,13Z16X5 R:C	FUSE 7 - 9					X				
025-04650-000	FU,DUAL,600V 30A,13X16X5 R:C	FUSE 1 - 3		X	X		X	X			
025-04650-000	FU,DUAL,600V 30A,13X16X5 R:C	FUSE 7 - 9							X	X	X
025-17407-000	FUHLR,# 1,600V, 30A,1P R:A	FUSE 16 - 17	X	X	X	X	X	X	X	X	X
025-17407-000	FUHLR,# 1,600V, 30A,1P R:A	120V GFCI OUTLET	X	X	X	X	X	X	X	X	X
025-18281-000	FUHLR,#19,250V, 30A,3P R:1	FUSE 7 - 9	X								
025-18283-000	FUHLR,#20,250V, 60A,3P R:1	FUSE 7 - 9	X			X			X		
025-18283-000	FUHLR,#20,250V, 60A,3P R:1	FUSE 7 - 9				X			X		
025-18284-000	FUHLR,#23,600V, 30A,3P R:1	FUSE 7 - 9		X	X		X	X		X	X
025-18285-000	FUHLR,#24,600V, 60A,3P R:1	FUSE 1 - 6		X	X		X	X		X	X
025-32733-001	FUSE,600V,30A,CLASS CC R:A	120V GFCI OUTLET	X	X	X	X	X	X	X	X	X
025-27750-000	FUSE,DUAL, 600V1 1/2A, R:A	FUSE 16 - 17	X	X	X	X	X	X	X	X	X
025-17392-000	FUSE,DUAL,600V60A,1 1/6 X R:C	FUSE 1 - 6		X	X		X	X		X	X
026-25549-000	GUARD, FAN CONDENSER		X	X	X	X	X	X	X	X	X
025-37487-016	HARNNESS,SMOKE DETECTOR R:A	10" LENGTH	X	X	X	X	X	X	X	X	X
025-37487-017	HARNNESS,SMOKE DETECTOR R:A	120" LENGTH	X	X	X	X	X	X	X	X	X
029-22126-000	HINGE CONT 8 X 1.5 R:A	HINGED FILTER DOOR	X	X	X	X	X	X	X	X	X
026-38657-000	HOOD,RAIN,FLUE **00	GAS HEAT	X	X	X	X	X	X	X	X	X
025-27709-001	HTR,ELEC,18.0KW,240/ R:A	ELEC HEAT	X			X			X		
025-27709-002	HTR,ELEC,18.0KW,480/ R:A	ELEC HEAT		X			X			X	
025-27709-003	HTR,ELEC,18.0KW,600/ R:A	ELEC HEAT			X			X			X
025-27709-004	HTR,ELEC,36.0KW,240 R:A	ELEC HEAT	X			X			X		
025-27709-005	HTR,ELEC,36.0KW,480 R:A	ELEC HEAT		X			X			X	
025-27709-006	HTR,ELEC,36.0KW,600/ R:A	ELEC HEAT			X			X			X
025-27709-007	HTR,ELEC,54.0KW,240/ R:A	ELEC HEAT	X			X			X		
025-27709-008	HTR,ELEC,54.0KW,480/ R:A	ELEC HEAT		X			X			X	
025-27709-009	HTR,ELEC,54.0KW,600/ R:A	ELEC HEAT			X			X			X
025-27709-010	HTR,ELEC,72.0KW,240/ R:A	ELEC HEAT	X			X			X		
025-27709-011	HTR,ELEC,72.0KW,480/ R:A	ELEC HEAT		X			X			X	
025-27709-012	HTR,ELEC,72.0KW,600/ R:A	ELEC HEAT			X			X			X
026-38571-000	HTX 6 TUBE SS R:A	GAS HEAT	X	X	X	X	X	X	X	X	X
026-38570-000	HTX 8 TUBE SS R:A	GAS HEAT	X	X	X	X	X	X	X	X	X

* See UNIT NAMEPLATE or TECHNICAL LITERATURE for the required breaker/max fuse size.

Part Number	Description	Notes or code on wiring diagram	Model and Voltage									
			DM180			DM240			DM300			
			230V	460V	575V	230V	460V	575V	230V	460V	575V	
025-27731-002	IGNITOR SPARK W/O TERM R:C	SPARK	X	X	X	X	X	X	X	X	X	X
335-18936-000	INSTR. DM180/240/300 R:A	INSTR. PACKET	X	X	X	X	X	X	X	X	X	X
029-21160-000	ECON 15 TON BAS	BAS Only	X	X	X							
029-22266-000	ECON 15T SINGLE ENTHALPY	PE Only	X	X	X							
029-22251-000	ECON 20T BAS	BAS Only				X	X	X				
029-22250-000	ECON 20T SINGLE ENTHALPY					X	X	X				
029-21172-000	ECON 25 TON BAS	BAS Only							X	X	X	
029-22264-000	ECON 25T SINGLE ENTHALPY								X	X	X	
029-22252-000	ECON MOTORIZED DAMPER 20 TON					X	X	X				
029-22265-000	ECON MOTORIZED DAMPER 25 TON					X	X	X				
029-22127-000	KNOB,TEE STUD. 25 X 20 R:A	TOOLESS ACCESS ONLY	X	X	X	X	X	X	X	X	X	X
035-10176-000	LABEL, DRAIN STD TRAP R:B		X	X	X	X	X	X	X	X	X	X
035-18919-000	LABEL, WIRING CMPNENT MAP R:A		X	X	X	X	X	X	X	X	X	X
035-18847-000	LABEL, WIRING DM/DH180DM240R:A		X	X	X	X	X	X				
035-18863-000	LABEL, WIRING DM300 R:A								X	X	X	
035-18541-000	LABEL, WIRING, CPC R:B	BAS Only	X	X	X	X	X	X	X	X	X	X
035-18526-000	LABEL, WIRING, E18 230V R:B		X			X			X			
035-18530-000	LABEL, WIRING, E18 460V R:B			X		X				X		
035-18534-000	LABEL, WIRING, E18 575V R:B				X			X				X
035-18527-000	LABEL, WIRING, E36 230V R:B		X			X			X			
035-18531-000	LABEL, WIRING, E36 460V R:B			X		X				X		
035-18535-000	LABEL, WIRING, E36 575V R:B				X			X				X
035-18528-000	LABEL, WIRING, E54 230V R:B		X			X			X			
035-18532-000	LABEL, WIRING, E54 460V R:B			X		X				X		
035-18536-000	LABEL, WIRING, E54 575V R:B				X			X				X
035-18529-000	LABEL, WIRING, E72 230V R:B		X			X			X			
035-18533-000	LABEL, WIRING, E72 460V R:B			X		X				X		
035-18537-000	LABEL, WIRING, E72 575V R:B				X			X				X
035-18538-000	LABEL, WIRING, HNYWLL R:B	BAS Only	X	X	X	X	X	X	X	X	X	X
035-18539-000	LABEL, WIRING, JHNSN R:B	BAS Only	X	X	X	X	X	X	X	X	X	X
035-18951-000	LABEL, WIRING, MTR DMPR 25T	Motorized Damper Only							X	X	X	
035-18862-000	LABEL, WIRING, MTRZD DAMPER		X	X	X	X	X	X				
035-18540-000	LABEL, WIRING, NOVAR R:B	BAS Only	X	X	X	X	X	X	X	X	X	X
035-13904-000	LABEL, YORK, 5.17 X 24.00 R:A		X	X	X	X	X	X	X	X	X	X
025-19282-000	LUG, GROUND		X	X	X	X	X	X	X	X	X	X
029-20081-000	MANIFOLD, GAS R:C	GAS HEAT	X	X	X	X	X	X	X	X	X	X
024-24104-000	MOTOR, 3/4 HP 230V 3 SPEED	POWER EXHAUST FAN	X			X			X			
024-24131-000	MOTOR, 3/4 HP 460V 3 SPEED	POWER EXHAUST FAN		X			X			X		
024-24104-001	MOTOR, 3/4 HP 575V 3 SPEED	POWER EXHAUST FAN			X			X			X	
024-27591-004	MOTOR, BLOWER 15HP, 230/460 R:A	ID FAN								X	X	
024-27591-005	MOTOR, BLOWER 15HP, 575 R:A	ID FAN									X	
024-27591-001	MOTOR, BLOWER 5HP, 230/460 R:A	ID FAN	X	X								
024-27591-002	MOTOR, BLOWER 5HP, 575 R:A	ID FAN			X							
024-27591-003	MOTOR, BLOWER 7.5HP, 575 R:A	ID FAN						X				
024-27591-006	MOTOR, BLOWER 7.5HP, 230/460R:A	ID FAN				X	X					
024-31939-002	MOTOR, FAN CONDENSER R:A	OD MOTOR	X	X		X	X		X	X		
024-31939-003	MOTOR, FAN CONDENSER R:A	OD MOTOR			X			X			X	
024-25005-001	MOTOR, VENTOR, 208/230 V R:B	DRAFT MOTOR	X			X			X			
024-25005-004	MOTOR, VENTOR, 460V R:B	DRAFT MOTOR		X	X		X	X		X	X	
029-20423-030	ORIFICE, GAS, BURNER, #30 R:A	GAS HEAT	X	X	X	X	X	X	X	X	X	X
029-20422-058	ORIFICE, GAS, PILOT, #58 R:A	8 TUBE	X	X	X	X	X	X	X	X	X	X
029-20422-065	ORIFICE, GAS, PILOT, #65 R:A	6 TUBE	X	X	X	X	X	X	X	X	X	X
028-13222-000	O-RING, SQUARE 1.609 ID R:A	McDONALDS	X	X	X	X	X	X	X	X	X	X
025-31987-000	OUTLET, CONVENIENCE R:A	120V GFCI OUTLET	X	X	X	X	X	X	X	X	X	X
031-01922-000	PHASE, MONITOR	PHS	X	X	X	X	X	X	X	X	X	X
024-32008-000	RELAY, SS DC CONTROL R:A	BAS Only, LR	X	X	X	X	X	X	X	X	X	X
024-23972-000	RELAY, CONT 24V50/60HZDPDT R:D	DMR	X	X	X	X	X	X	X	X	X	X
024-24111-000	RELAY, CONT 24V50/60HZDPST R:B	RW1	X	X	X	X	X	X	X	X	X	X
024-21678-000	RELAY, CONT 24V50/60HZSPDT R:C	RW2	X	X	X	X	X	X	X	X	X	X
024-24103-000	RELAY, CONT 24V50/60HZSPST R:B	HR, RW1, RW2	X	X	X	X	X	X	X	X	X	X
024-27552-001	RELAY, OVLD, 5.0- 8.0FLA R:A	BOR		X	X			X				
024-27552-002	RELAY, OVLD, 8.0-13.0FLA R:A	BOR					X					
024-27552-003	RELAY, OVLD, 12.0-20.0FLA R:A	BOR	X									X
024-27552-004	RELAY, OVLD, 16.0-25.0FLA R:A	BOR				X				X		
024-27552-005	RELAY, OVLD, 30.0-50.0FLA R:A	BOR							X			
031-01942-000	RESISTOR, 500 OHM R:A	BAS Only, HONEYWELL	X	X	X	X	X	X	X	X	X	X
026-34563-000	SCREEN 1.000X2.000 .062 R:A	GAS HEAT	X	X	X	X	X	X	X	X	X	X
025-27731-001	SENSOR FLAME W/TERM R:C	GAS HEAT, SENSOR	X	X	X	X	X	X	X	X	X	X
031-01120-000	SENSOR HE-6310-2 R:A	BAS, JOHNSON	X	X	X	X	X	X	X	X	X	X
031-00863-000	SENSOR, ENTHALPY R:B	BAS, HONEYWELL	X	X	X	X	X	X	X	X	X	X
031-01943-000	SENSOR, TEMP 20K OHM R:A	BAS, HONEYWELL	X	X	X	X	X	X	X	X	X	X
031-01945-000	SENSOR, TEMP, CPC R:A	BAS, CPC	X	X	X	X	X	X	X	X	X	X
031-01946-000	SENSOR, TEMP, JCI R:A	BAS, JOHNSON	X	X	X	X	X	X	X	X	X	X
031-01944-000	SENSOR, TEMP, NOVAR R:A	BAS, NOVAR	X	X	X	X	X	X	X	X	X	X
028-12026-000	SHEAVE, FXD, BK 90 1GRV, 1.000BORE R:A	STD SPEED	X	X	X							
028-10564-000	SHEAVE, FXD, BK 80 1GRV, 1.000BORE R:B	HIGH SPEED	X	X	X							
028-10577-000	SHEAVE, FXD, BK120 1GRV, 1.188BORE R:A	STD SPEED				X	X	X				
028-12012-000	SHEAVE, FXD, BK110 1GRV, 1.188BORE R:A	HIGH SPEED				X	X	X				
028-13330-000	SHEAVE, FXD, FIX, B5V110 1 GRV R:A	STD SPEED							X	X	X	
028-04761-000	SHEAVE, VAR, 1VP56, 1GRV, 1.125BORE R:C	MOTOR PULLEY	X	X	X							
028-12010-000	SHEAVE, VAR, 1VP68, 1GRV, 1.375BORE R:A	MOTOR PULLEY				X	X	X				

* See UNIT NAMEPLATE or TECHNICAL LITERATURE for the required breaker/max fuse size.

Part Number	Description	Notes or code on wiring diagram	Model and Voltage								
			DM180			DM240			DM300		
			230V	460V	575V	230V	460V	575V	230V	460V	575V
028-14721-000	SHEAVE,VARIABLE, 1VP75.1 GRV R:A	MOTOR PULLEY							X	X	X
029-22196-000	SMOKE DETECTOR ACCESSORY R:A	SUPPLY/RETURN W/ECON	X	X	X	X	X	X	X	X	X
029-22198-000	SMOKE DETECTOR ACCESSORY R:A	RETURN WO/ECON	X	X	X	X	X	X	X	X	X
026-37389-000	SUPPORT, OD MOTOR	OD MOTOR	X	X	X	X	X	X	X	X	X
024-26065-000	SWITCH, 120V OUTLET	120V GFCI OUTLET	X	X	X	X	X	X	X	X	X
023-16881-000	SWITCH, PRESSURE TAP R:A	BAS Only	X	X	X	X	X	X	X	X	X
024-21215-001	SWITCH,100A 600V	DS1									
024-27548-000	SWITCH,150A 600V	DS1									
025-32677-000	SWITCH,250A 600V	DS1									
025-27743-001	SWITCH,LIM,HLX,170/120DEG R:A	TLS ELEC HEAT (CONTROL VOLT)	X	X	X	X	X	X	X	X	X
025-27743-002	SWITCH,LIM,HLX,200/150DEG R:A	TLS ELEC HEAT (CONTROL VOLT)	X	X	X	X	X	X	X	X	X
025-26392-007	SWITCH,LIMIT R:A	TLS ELEC HEAT (CONTROL VOLT)				X			X		
025-26392-004	SWITCH,LIMIT (60TX11) R:A	TLS ELEC HEAT (CONTROL VOLT)	X	X	X	X	X	X	X	X	X
025-30249-000	SWITCH,LOW PRESSURE R:A	LPS	X	X	X	X	X	X	X	X	X
024-32007-000	SWITCH,PRESSURE DIFF R:A	DFS	X	X	X	X	X	X	X	X	X
025-27755-000	TERM BLOCK, 3P,250V 20A R:B	TB4	X	X	X	X	X	X	X	X	X
024-26089-000	TIME DELAY, GAS HEAT (DMC)	DMC	X	X	X	X	X	X	X	X	X
025-25973-000	TRANSF .075 KVA 208/230-24 R:D	BAS Only	X			X			X		
025-25974-000	TRANSF .075 KVA 460PRI-24 R:D	BAS Only		X			X			X	
025-25974-000	TRANSF .075 KVA 460PRI-24 R:D	T2		X			X			X	
025-27729-000	TRANSF .075 KVA 575V-24	BAS Only			X			X			X
025-25973-000	TRANSF .075KVA 208/230-24 R:D	T2	X			X			X		
025-27729-000	TRANSF .075KVA 575V/24V	T1-T3			X			X			X
025-17636-000	TRANSF .15KVA 240/480 R:D	T2			X			X			X
025-32672-240	TRANSF 208/230-120V R:A	120V GFCI OUTLET	X			X			X		
025-30383-000	TRANSF 3 KVA 600 PRI R:A	120V GFCI OUTLET			X			X			X
025-32762-000	TRANSF 3KVA 240/480	120V GFCI OUTLET		X			X			X	
025-37378-000	TRANSF.15 KVA 208/230-24 R:A	T1	X			X			X		
025-37378-002	TRANSF.15 KVA 460/575-24 R:A	T1		X	X		X	X		X	X
028-12479-000	TRAP,ADAPTER R:A	McDONALDS	X	X	X	X	X	X	X	X	X
028-13237-000	TRAP,CONDENSATE R:A	McDONALDS	X	X	X	X	X	X	X	X	X
029-20099-000	TUBE,CARRYOVER R:C	8 TUBE	X	X	X	X	X	X	X	X	X
029-20404-000	TUBE,CARRYOVER R:C	6 TUBE	X	X	X	X	X	X	X	X	X
026-32679-002	VALVE DISTR 4 TUBE # 4ORF R:A		X	X	X						
026-32679-003	VALVE DISTR 7 TUBE # 8ORF R:A					X	X	X			
026-32679-001	VALVE DISTR 8 TUBE # 8ORF R:A		X	X	X						
022-08998-000	VALVE, TXV R:00 R:A								X	X	X
022-06848-010	VALVE,EXP,THRM 48PSI R:A		X	X	X						
025-27720-000	VALVE,GAS,36C68-466 R:B	GV1&2	X	X	X	X	X	X	X	X	X
022-06852-001	VALVE,THERMAL EXPANSION R:A		X	X	X	X	X	X			
026-25529-004	WHEEL,BLO,15DIA15W1.0BORE R:C	ID BLOWER	X	X	X						
026-25529-003	WHEEL,BLO,18DIA15W1.2BORE R:C	ID BLOWER				X	X	X			
026-32631-000	WHEEL,BLO,18DIA15W1.4BORE R:A	ID BLOWER							X	X	X
026-32626-000	WHEEL,BLO,4DIA2WD,375BORE R:A	CCW DRAFT BLOWER	X	X	X	X	X	X	X	X	X
026-32625-000	WHEEL,BLO,4DIA2WD,375BORE R:A	CW DRAFT BLOWER	X	X	X	X	X	X	X	X	X
025-35366-009	WIRE,HARNESS JUMPER R:A	NO SMOKE DETECTOR	X	X	X	X	X	X	X	X	X

* See UNIT NAMEPLATE or TECHNICAL LITERATURE for the required breaker/max fuse size.