


QS800 PRODUCT SPECIFICATION

Name	Quantity
USB Cable	1
Scotch Brite Magic Cloth	1
Protective Film	1
Product Specification	1

Product Connection Instruction



: Anti-Theft Lock

: Power Supply

: Specific USB Port


: Common USB Port

QS800 Instruction




Area Function 2


Resident ID Card Phrase 2 LED RFID LED Power Supply LED Mandatory Capture Picture Button




Area Function 3




Direction and Position of Passport









QS800 产品说明书 QS800 User Manual

目录 Catalogue


1	附件 Accessories	. 3
	外观 Appearance	
	证件放置方向示意图 User Guide map	
	软件操作 Software Operation	


1 附件 Accesories

QS800 Contains:

Items	Quantiy
USB Cable (1.5M)	1
User Manual	1


2 外观 Appearance






3 证件放置方向示意图 User Guide Map

护照类 Passports




证件类 Identity Card



4 软件操作 Software Operation



主界面 Main





显示区 Display area

IR diagram shows

紅外国显示区

Text to be displayed

文字显示区

Acquisition diagram display area

采集图显示区

电子振片显示区

time 采集时间显示



FCC STATEMENT



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.