


Wireless steering-wheel-mount remote iPod controller with RDS transmission to display iPod text on RDS equipped radio. Also adds track forward and backward control of the iPod to any FM radio.

- 1 - CONNECT ISIMPLE DONGLE INTO IPOD 30-PIN DOCKING PORT
- 2 - PRESS MENU BUTTON ON IPOD TO ACCESS MAIN MENU
- 3 - USE CLICK WHEEL TO HILIGHT "RADIO" OPTION ON IPOD
- 4 - PRESS CLICK WHEEL TO SELECT
- 5 - USE CLICK WHEEL TO CHOOSE BORADCAST FREQUENCY
- 6 - TUNE RADIO TO THE SELECTED FREQUENCY
- 7 - PRESS IPOD MENU BUTTON TO RETURN TO MUSIC MENU
- 8 - USE CLICK WHEEL TO SELECT A SONG AND BEGIN PLAYBACK
 - IPOD AUDIO WILL PLAY THROUGH RADIO - RDS TEXT WILL BE DISPLAYED
- 9 - PRESS >> "NEXT TRACK" BUTTON TO ADVANCE FORWARD TO THE NEXT SONG
- 10 - PRESS << "PREVIOUS TRACK" BUTTON TO PLAY THE PREVIOUS SONG



FCC ID - XBD-REMOTE

Caution :

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Compliance statement:

1: This device is verified to comply with Part 15 of the FCC Rules. Operation subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

2: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

.