

ZHEJIANG SHUANGYU ELECTRONIC TECHNOLOGY CO.,LTD
LED panel
Manual instruction

(Please read the manual carefully before using the product)

Basic Features:

Product name: LED Panel

Rated input: 120V~60Hz

Rated Power: 46W

Power Factor: >0.9

Color temperature range: 4000K


Working Temperature: -10-+40°C



Working Humidity: 0%-85%

Lifetime: 50000 Hours

Control mode: triac dimmer


Product instruction (overview)




Parts	Description	Quantity
	Junction box screw	2
	Wire connector	3
	Retaining screw	4
	Wall anchor	4
	Mounting plate	1

Assembly instruction:


- 1、 Install the mounting plat on the junction box;




- 2、 Use a crayon to mark the location of the screw hole;




3、 Remove the mounting plate, drill holes in the marked position with electric drill, and install the wall anchor into the hole;




4、 As shown below, install the mounting plate;



5、 As shown in the figure, hang the hook on the mounting plate and connect the wires as required;



6、 Assemble the panel light onto the mounting plate as shown;



Attention:

1. Before using, please check the line voltage is to meet product voltage, avoiding any wrong voltage to damage product or other risk;
2. The product is irreplaceable, assembly must be electrical technician, when lifetime is ending, please replace the product;
3. Ceiling product yields heat energy, please keep the circumstance around the product in the air flow to help heat consumption.

Non-warranty items:

1. Repair without being allowed, misuse; collision; abuse; liquid entering; accident; change; damaging and painting the label or false mark;
2. Over warranty period;
3. Damage by Natural power with irresistible condition;
4. Doesn't fulfill the list on the 《product failure condition》;
5. Deliberately being wrong to operate the product which including accessory on the 《product failure condition》, such as working voltage, the phase cutting, or unmatched adapter ETC which applies in the condition non-defined by manufacturer ;

Manufacturer: ZHEJIANG SHUANGYU ELECTRONIC TECHNOLOGY CO.,LTD

Address: Tashan Industry Zone,Meilin Street,Ninghai County,Ningbo City,
315609,Zhejiang,P.R.China

Instruction: product instruction(manual), refer to 《design standard on Product package material standard》

FCC Statement:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.