5. Tap Internet Protocol Version 4(TCP/IPv4) then tap Properties.


Connect us	ing:			
🔮 Real	tek PCie GBE	Family Controller		
			Configu	ø.,
This come	ction uses the	following tems:		
₩ ± M	crosoft LLDP	vik Adapter Multiple Protocol Driver Jogy Discovery Maj		İ
N + 1 N + 1 N + 1 N + 1 N + 1	icrosoft LLDP rik: Layer Topo rik: Layer Topo temet Protoco	Protocol Driver	per 1/0 Driver ponder v6)	,
	crosoft LLDP rik Layer Topo rik Layer Topo ternet Protocol	Protocol Dever logy Decovery May logy Decovery Res I Version 5 (TCP/IP	per I/O Driver ponder v9	
	krosoft LLDP rik Layer Topo rik Layer Topo ternet Protocol	Protocol Driver Rogy Discovery May Rogy Discovery Res I Version 5 (TCP/IP	per 1/0 Driver ponder v6)	, r

6. Tap Obtain an IP address automatically then tap OK.


	automatically if your network supports and to ask your network administrator
Obtain an IP address automy	abcally
O Uge the following IP address	
P address:	
Signet music	
Qefault gatemay	
Option D16 server address a	automatically
Use the following DNS serve	r addresses:
(helered 0/6 server)	
Stanute DKS server	
III Validate settings upon exit	Adgenced

NOTE: Proceed to the next steps if you are using PPPoE connection.


7. Return to the **Network and Sharing Center** window then tap **Set up a new connection or network.**



8. Select Connect to the Internet then tap Next.



9. Tap Broadband (PPPoE).



- 10. Type your User name, Password, and Connection name then tap **Connect.**
- 11. Tap **Close** to finish the configuration.
- 12. Tap an the taskbar then tap the connection you just created.
- 13. Type your user name and password then tap **Connect** to start connecting to the Internet.

type the information	in from your Internet service prov	rider (152)
joe karke	A9.6	
excert.		
	Shen characters Generative the password	
Convection game	ABCConnection	
	e to use this connection renyeme with excess to this computer to so	a this connection.

Configuring a static IP network connection



2

- 1. Repeat steps 1 to 5 under Configuring a dynamic IP/PPPoE network connection.
 - Tap Use the following IP address.
- 3. Type the IP address, Subnet mask and Default gateway from your service provider.
- 4. If needed, you can also type the preferred DNS server address and alternate DNS server address then tap **OK**.

General	
	uteratically if your naturals aupports of to eak your retriork administrator
O gittain an IP address automa	tcally
€ Upt the following 2ª address:	
(P address:	192 - 940 - 120 - 2
Sybnetimaaku	255 . 255 . 255 . 0
Default pateward	192 . 168 . 128 . 2
C OpenDid serve addess a	constato
See the tolowing Drid server	ACCHERGES:
Energeneed DNS server	
Atemate D16 servers	· · · · ·
U Vijidelte settings upon exit	Adgenced
	OK Carol

Turning your Notebook PC off

You can turn off your Notebook PC by doing either of the following procedures:

- Tap from the Charms bar then tap > Shut down to do a normal shutdown.
 From the log-in screen, tap > Shut down.
 From the log-in screen, tap > Shut down.
 You can also shut down your Notebook PC using Desktop mode. To do this, launch the desktop then press *alt* + *f4* to launch the Shut Down window. Select Shut Down from the drop-down list then select OK.
 - If your Notebook PC is unresponsive, press and hold the power button for at least four (4) seconds until your Notebook PC turns off.

Putting your Notebook PC to sleep

To put your Notebook PC on Sleep mode, press the power button once.



You can also put your Notebook PC to sleep mode using Desktop mode. To do this, launch the desktop then press alt + f4 to launch the Shut Down window. Select **Sleep** from the drop-down list then select **OK**.

1	^
h	h
v	v

Chapter 4: ASUS apps

Featured ASUS Apps

LifeFrame

Enhance your webcam functions through the LifeFrame app. Create snapshots, edit photos, record videos, record audio files, use your webcam as a security monitoring device, and play games using this app.

To launch LifeFrame



a function's saved files in thumbnail view.

The archive toolbar displays

LifeFrame functions



Camera

Use this function to take pictures using your webcam.



Camcorder

Use this function to take videos through your webcam.



Monitor

This function lets you use your webcam as a security video monitor as it automatically detects movement then captures it on photo.



Voice Recorder

Use this function to record audio files in your Notebook PC.



Game


This function lets you play games using the webcam.

Power4Gear Hybrid

Optimize the performance of your Notebook PC using the power saving modes in Power4Gear.

NOTE: Unplugging the Notebook PC from its power adapter automatically switches Power4Gear Hybrid to Battery Saving mode.

To launch Power4Gear Hybrid



Performance mode

Use this mode when doing high-performance activities like playing games or conducting business presentations using your Notebook PC.

Battery Saving mode

This mode extends your Notebook PC's battery life while plugged in to the power adapter or while running on battery power only.

Instant On

Save battery power while your Notebook PC is on deep sleep mode (Deep S3) using Instant On.

NOTE: Deep S3 is a technology that lets you save more battery power while your ASUS Notebook PC is on sleep mode.

IMPORTANT! The standby time varies according to your Notebook PC's remaining battery capacity, computer model, configuration, and operating conditions.

Performance mode

This mode is default-enabled in your Notebook PC. It allows the system to return to its last working state in two seconds, even after your Notebook PC has entered into deep sleep mode.



Battery saving mode

This mode enables longer standby times allowing the battery to last for up to thirty (30) days or more. When enabled, the Notebook PC returns to its last working state in as fast as seven seconds, four hours after entering into deep sleep mode.



USB Charger+

USB Charger+ allows you to quick-charge mobile devices via your ASUS Notebook PC's USB charge port.

This feature can also be used even while your Notebook PC is on sleep, hibernate, or shutdown mode (available on selected models only).

NOTE: USB Charger+ is available in your USB 3.0 charge port with the **4** icon.

WARNING: If your connected device overheats, remove it immediately.

Using the USB Charger+ Settings

The USB Charger+ Settings lets you set the charge limit when your ASUS Notebook PC is running on battery power and allows you to charge devices while your Notebook PC is on sleep, hibernate, or shutdown mode.



- Right-click on the USB Charger+ icon
 on the desktop tray, then click Settings.
- 2. Tick Enable USB Charger+ in battery mode.



3. Select one or both of these charging options: Enable quick charge when the system is running or Enable quick charge when the system is in sleep/hibernate/ shutdown mode.

NOTE: On some models, the USB Charger+ automatically selects both options. You can deselect these two options, if necessary.

- Move the percentage slider to the left or to the right to set the limit for charging devices.
- 5. Tap **OK** to save the settings made. Otherwise, tap **Cancel.**



_	
1	4

Chapter 5: Power-on Self Test (POST)

The Power-on Self Test (POST)

The Power-on Self Test (POST) is a series of software-controlled diagnostic tests that run when you turn on or restart your Notebook PC. The software that controls the POST is installed as a permanent part of the Notebook PC's architecture.

Using POST to access BIOS and Troubleshoot

During POST, you can access the BIOS settings or run troubleshooting options using the function keys of your Notebook PC. You may refer to the following information for more details.

BIOS

The Basic Input and Output System (BIOS) stores system hardware settings that are needed for system startup in the Notebook PC.

The default BIOS settings apply to most conditions of your Notebook PC. Do not change the default BIOS settings except in the following circumstances:

- An error message appears onscreen during system bootup and requests you to run the BIOS Setup.
- You have installed a new system component that requires further BIOS settings or updates.

WARNING: Using inappropriate BIOS settings may result to system instability or boot failure. We strongly recommend that you change the BIOS settings only with the help of a trained service personnel.

Accessing BIOS

🚦 Restart your Notebook PC then press 😡 🖓 during POST.


BIOS Settings

NOTE: The BIOS screens in this section are for reference only. The actual screens may differ by model and territory.

Boot

This menu allows you to set your boot option priorities. You may refer to the following procedures when setting your boot priority.

1. On the **Boot** screen, select **Boot Option #1**.



2. Press and select a device as the **Boot Option #1**.

Aptio Se Main Advance Bo	etup Utility - Copyright (C) 2012 Amer: pot Security Save & Exit	ican Megatrends, Inc.
Boot Configuration		Sets the system boot order
Fast Boot	[Enabled]	order
Launch CSM	[Disabled]	
Driver Option Prior Boot Option Priori Boot Option #1 Add New Boot Option Delete Boot Option	tier Boot Option #1 Windows Boot Manager Disabled	→← : Select Screen ↑↓ : Select Item Enter: Select +/- : Change Opt. F1 : General Help F9 : Optimized Defaults F10 : Save & Exit ESC : Exit
Version	2.15.1226. Copyright (C) 2012 America	n Megatrends, Inc.

Security

This menu allows you to set up the administrator and user password of your Notebook PC. It also allows you to control the access to your Notebook PC's hard disk drive, input/output (I/O) interface, and USB interface.

NOTE:

- If you install a **User Password**, you will be prompted to input this before entering your Notebook PC's operating system.
- If you install an **Administrator Password**, you will be prompted to input this before entering BIOS.

Aptio Setup Utility - Main Advance Boot Security	- Copyright (C) 2012 America Save & Exit	n Megatrends, Inc.
Password Description If ONLY the Administrator's pass Setup: If ONLY the user's pass a power on password and must be Setup. In Setup, the User will b	ordisidset, when this is entered to boot or enter	Set Administrator Password. The password length must be in the following range: Minimum length 3 Maximum length 20
Administrator Password Status	NOT INSTALLED	
User Password Status	NOT INSTALLED	
Administrator Password		
User Password		
HDD User Pwd Status :	NOT INSTALLED	
Set Master Password		
Set User Password		→← : Select Screen ↑↓ : Select Item Enter: Select
I/0 Interface Security		+/- : Change Opt.
System Mode state	Setup	F1 : General Help F9 : Optimized Defaults
Secure Boot state	Disabled	F10 : Save & Exit ESC : Exit
Version 2.15.1226. C	opyright (C) 2012 American M	fegatrends, Inc.

To set the password:

- 1. On the Security screen, select Administrator Password or User Password.
- 2. Type in a password then press

enter_

3. Re-type to confirm the password then press

enter______•

To clear the password:

- 1. On the Security screen, select Administrator Password or User Password.
- 2. Type in the current password then press
- 3. Leave the **Create New Password** field blank then press
- 4. Select **Yes** in the confirmation box then press

enter_

I/O Interface Security

In the Security menu, you can access I/O Interface Security to lock or unlock some interface functions of your Notebook PC.



To lock an interface:

- 1. On the Security screen, select I/O Interface Security.
- 2. Select an interface you would like to lock then press



3. Select Lock.

USB Interface Security

Through the I/O Interface Security menu, you can also access USB Interface Security to lock or unlock ports and devices.

Aptio Setup Utility - Copyright (C) 2012 American Megatrends, Inc. Security		
USB Interface Security		If LOCKED, all USB devices will
USB Interface	UnLock	be disabled
External Ports	[UnLock]	
Bluetooth	[UnLock]	
CMOS Camera	USB Interface	$ \begin{array}{c} \stackrel{\rightarrow \leftarrow : Select \; Screen}{ \underset{n \leftarrow r: \; Select \; Item \\ n \leftarrow r: \; Select \; \\ +/- \; : \; Change \; Opt. \\ F1 \; : \; General \; Help \\ F9 : \; Optimized \; Defaults \\ F10 \; : \; Save \; s \; Exit \\ ESC \; : \; Exit \\ \end{array} $
Version 2.15	5.1226. Copyright (C) 2012 America	an Megatrends, Inc.

To lock the USB interface:

- 1. On the Security screen, select I/O Interface Security > USB Interface Security.
- 2. Select an interface that you would like to lock then select **Lock**.

NOTE: Setting the **USB Interface** to **Lock** also locks and hides the **External Ports** and other devices included under **USB Interface Security.**

Set Master Password

In the Security menu, you can use **Set Master Password** to set up a password-enabled access to your hard disk drive.

Aptio Setup Utility - Copyright (C) 2012 American Megatrends, Inc.			
Main Advance Boot Securit	y Save & Exit		
Password Description		Set HDD Master Password.	
limits accessito Setup and is on Setup. If ONLY the user's pass a power on password and must be Setup. In Setup, the User will b	word is set, then this is entered to boot or enter	***Advisable to Power Cycle System after Setting Hard Disk Passwords***	
Administrator Password Status	NOT INSTALLED		
User Password Status Administrator Password	NOT INSTALLED		
User Password			
HDD User Pwd Status :	NOT INSTALLED		
Set Master Password			
Set User Password		→← : Select Screen ↑↓ : Select Item Enter: Select	
I/0 Interface Security		+/- : Change Opt.	
System Mode state	Setup	F1 : General Help	
Secure Boot state	Disabled	F9 : Optimized Defaults F10 : Save & Exit ESC : Exit	
Version 2 15 1226	Copyright (C) 2012 American M	egatrends Ing	

To set the HDD password:

- 1. On the Security screen, select Set Master Password.
- 2. Type in a password then press
- 3. Re-type to confirm the password then press

4. Select **Set User Password** then repeat the previous steps to set up the user password.

enter,

Save & Exit

To keep your configuration settings, select **Save Changes and Exit** before exiting the BIOS.



To update the BIOS:

- 1. Verify the Notebook PC's exact model then download the latest BIOS file for your model from the ASUS website.
- 2. Save a copy of the downloaded BIOS file to a flash disk drive.
- 3. Connect your flash disk drive to your Notebook PC.
- 4. Restart your Notebook PC then press 🐖 🖄 during POST.
- 5. From the BIOS menu, Select Advanced > Start Easy Flash, then


press enter,

Wake On Lid Open [] Power Off Energy Saving []	Enabled]	Press Enter to run the
AS03 035 Charger+ In Dattery mode	Enabled] Enabled] Disabled]	utility to select and update BIOS.
Intel AES-NI	Enabled] Enabled] Enabled]	
 DPTF Configuration Intel (R) Anti-Theft Technology Corpo USB Configuration Network Stack 	pration	<pre>→ : Select Screen ↑↓ : Select Item Enter: Select +/- : Change Opt. F1 : General Help F9 : Optimized Defaults F10 : Save & Exit ESC : Exit</pre>

6. Locate your downloaded BIOS file in the flash disk drive then

press

enter,



7. After the BIOS update process, select **Exit > Restore Defaults** to restore the system to its default settings.

Troubleshoot

By pressing during POST, you can access Windows[®] 8 troubleshoot options which includes the following:

- Refresh your PC
- Reset your PC
- Advanced options

Refresh your PC

Use **Refresh your PC** if you want to refresh your system without losing your current files and applications.

To access this during POST:

- **;....**;
- Restart your Notebook PC then press get ouring POST.

Wait for Windows® to load the Choose an option

- - 3. Tap **Refresh your PC.**
 - 4. In the Refresh your PC screen, read the bullet points to learn more about using this option then tap **Next.**
 - 5. Tap the account you would like to refresh.

screen then tap Troubleshoot.

- 6. Type your account password then tap **Continue.**
- 7. Tap Refresh.

IMPORTANT! Ensure that your Notebook PC is plugged in to a power source before refreshing your system.

Reset your PC

IMPORTANT! Back up all your data before performing this option.

Use **Reset your PC** to restore your Notebook PC to its default settings.

To access this during POST:

- **;:::::**



- Wait for Windows[®] to load the Choose an option screen then tap **Troubleshoot.**
- 3. Tap Reset your PC.
- or 4. In the Reset your PC screen, read the bullet points to learn more about using this option then tap **Next.**
 - 5. Tap your preferred reset option: Just remove my files or Fully clean the drive.
 - 6. Tap Reset.

IMPORTANT! Ensure that your Notebook PC is plugged in to a power source before resetting your system.

Advanced options

Use **Advanced options** to perform additional troubleshooting options in your Notebook PC.

To access this during POST:

- - Wait for Windows[®] to load the Choose an option screen then tap **Troubleshoot.**



- . Tap Advanced options.
- or 4. In the Advanced options screen, select the troubleshooting option you wish to perform.
 - 5. Follow the succeeding steps to complete the process.

Using System Image Recovery

Under **Advanced options**, you can use **System Image Recovery** to recover your system using your Notebook PC's original image file.

To access this during POST:

-
- Restart your Notebook PC then press get '9 during POST.



- Wait for Windows[®] to load the Choose an option screen then tap **Troubleshoot.**
- . Tap Advanced options.

or

- 4. In the Advanced options screen, select **System Image Recovery.**
- 5. Choose an account you would like to recover using a system image file.
- 6. Type your account password then tap **Continue.**
- Select Use the latest available system image (recommended), then tap Next. You can also choose Select a system image if your system image is in an external device or DVD.
- 8. Follow the succeeding steps to complete the system image recovery procedure.

NOTE: We strongly recommend that you regularly backup your system to prevent data loss in case your Notebook PC stops working.

υ	

Appendices

DVD-ROM Drive Information (on selected models)

The DVD-ROM drive allows you to view and create your own CDs and DVDs. You can purchase an optional DVD viewer software to view DVD titles.

Regional Playback Information

Playback of DVD movie titles involves decoding MPEG2 video, digital AC3 audio and decryption of CSS protected content. CSS (sometimes called copy guard) is the name given to the content protection scheme adopted by the motion picture industry to satisfy a need to protect against unlawful content duplication.

Although the design rules imposed on CSS licensors are many, one rule that is most relevant is playback restrictions on regionalized content. In order to facilitate geographically staggered movie releases, DVD video titles are released for specific geographic regions as defined in "Region Definitions" below. Copyright laws require that all DVD movies be limited to a particular region (usually coded to the region at which it is sold). While DVD movie content may be released for multiple regions, CSS design rules require that any system capable of playing CSS encrypted content must only be capable of playing one region.

IMPORTANT! The region setting may be changed up to five times using the viewer software, then it can only play DVD movies for the last region setting. Changing the region code after that will require factory resetting which is not covered by warranty. If resetting is desired, shipping and resetting costs will be at the expense of the user.

Region Definitions

Region 1

Canada, US, US Territories

Region 2

Czech, Egypt, Finland, France, Germany, Gulf States, Hungary, Iceland, Iran, Iraq, Ireland, Italy, Japan, Netherlands, Norway, Poland, Portugal, Saudi Arabia, Scotland, South Africa, Spain, Sweden, Switzerland, Syria, Turkey, UK, Greece, Former Yugoslav Republics, Slovakia

Region 3

Burma, Indonesia, South Korea, Malaysia, Philippines, Singapore, Taiwan, Thailand, Vietnam

Region 4

Australia, Caribbean (Except US Territories), Central America, New Zealand, Pacific Islands, South America

Region 5

CIS, India, Pakistan, Rest of Africa, Russia, North Korea

Region 6

China

Blu-ray ROM Drive Information (on selected models)

The Blu-ray ROM Drive allows you to view high definition (HD) videos and other disc file formats such as DVDs and CDs.

Region Definitions

Region A

North, Central and South American countries, and their territories; Taiwan, Hong Kong, Macao, Japan, Korea (South and North), South East Asian countries and their territories.

Region B

European, African, and South West Asian countries and their territories; Australia and New Zealand.

Region C

Central, South Asian, Eastern European countries and their territories; China and Mongolia.

NOTE: Refer to Blu-ray Disc website at www.blu-raydisc.com/en/ Technical/FAQs/Blu-rayDiscforVideo.aspx for more details.

Internal Modem Compliancy

The Notebook PC with internal modem model complies with JATE (Japan), FCC (US, Canada, Korea, Taiwan), and CTR21. The internal modem has been approved in accordance with Council Decision 98/482/EC for pan-European single terminal connection to the public switched telephone network (PSTN). However due to differences between the individual PSTNs provided in different countries, the approval does not, of itself, give an unconditional assurance of successful operation on every PSTN network termination point. In the event of problems you should contact your equipment supplier in the first instance.

Overview

On 4th August 1998 the European Council Decision regarding the CTR 21 has been published in the Official Journal of the EC. The CTR 21 applies to all non voice terminal equipment with DTMF-dialling which is intended to be connected to the analogue PSTN (Public Switched Telephone Network).

CTR 21 (Common Technical Regulation) for the attachment requirements for connection to the analogue public switched telephone networks of terminal equipment (excluding terminal equipment supporting the voice telephony justified case service) in which network addressing, if provided, is by means of dual tone multifrequency signalling.

Network Compatibility Declaration

Statement to be made by the manufacturer to the Notified Body and the vendor: "This declaration will indicate the networks with which the equipment is designed to work and any notified networks with which the equipment may have inter-working difficulties"

Network Compatibility Declaration

Statement to be made by the manufacturer to the user: "This declaration will indicate the networks with which the equipment is designed to work and any notified networks with which the equipment may have inter-working difficulties. The manufacturer shall also associate a statement to make it clear where network compatibility is dependent on physical and software switch settings. It will also advise the user to contact the vendor if it is desired to use the equipment on another network."

Up to now the Notified Body of CETECOM issued several pan-European approvals using CTR 21. The results are Europe's first modems which do not require regulatory approvals in each individual European country.

Non-Voice Equipment

Answering machines and loud-speaking telephones can be eligible as well as modems, fax machines, auto-dialers and alarm systems. Equipment in which the end-to-end quality of speech is controlled by regulations (e.g. handset telephones and in some countries also cordless telephones) is excluded.

This table shows the countries currently under the CTR21 standard.

Country	Applied	More Testing
Austria ¹	Yes	No
Belgium	Yes	No
Czech Republic	No	Not Applicable
Denmark ¹	Yes	Yes
Finland	Yes	No
France	Yes	No
Germany	Yes	No
Greece	Yes	No
Hungary	No	Not Applicable
Iceland	Yes	No
Ireland	Yes	No
Italy	Still Pending	Still Pending
ltaly Israel	Still Pending No	Still Pending No
	÷	
Israel	No	No
lsrael Lichtenstein	No Yes	No No
lsrael Lichtenstein Luxemburg	No Yes Yes	No No No
lsrael Lichtenstein Luxemburg The Netherlands ¹	No Yes Yes Yes	No No Yes
lsrael Lichtenstein Luxemburg The Netherlands ¹ Norway	No Yes Yes Yes Yes	No No Yes No
Israel Lichtenstein Luxemburg The Netherlands ¹ Norway Poland	No Yes Yes Yes No	No No Yes No Not Applicable
Israel Lichtenstein Luxemburg The Netherlands ¹ Norway Poland Portugal	No Yes Yes Yes No No	No No Yes No Not Applicable Not Applicable
Israel Lichtenstein Luxemburg The Netherlands ¹ Norway Poland Portugal Spain	No Yes Yes Yes No No No	No No Yes No Not Applicable Not Applicable

This information was copied from CETECOM and is supplied without liability. For updates to this table, you may visit http://www.cetecom. de/technologies/ctr_21.html

1 National requirements will apply only if the equipment may use pulse dialling (manufacturers may state in the user guide that the equipment is only intended to support DTMF signalling, which would make any additional testing superfluous).

In The Netherlands additional testing is required for series connection and caller ID facilities.

Federal Communications Commission Statement

This device complies with FCC Rules Part 15. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 15 of the Federal Communications Commission (FCC) rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

WARNING! The use of a shielded-type power cord is required in order to meet FCC emission limits and to prevent interference to the nearby radio and television reception. It is essential that only the supplied power cord be used. Use only shielded cables to connect I/O devices to this equipment. You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

(Reprinted from the Code of Federal Regulations #47, part 15.193, 1993. Washington DC: Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office.)

RF Exposure Information (SAR)

This device meets the government's requirements for exposure to radio waves. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government.

The exposure standard employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. Tests for SAR are conducted using standard operating positions accepted by the FCC with the EUT transmitting at the specified power level in different channels.

The highest SAR values for the device as reported to the FCC are indicated in the following table:

Model	FCC ID	IC ID	SAR Value
TAICHI21	MSQTAICHI21	3568A-TAICHI21	1.26 W/kg.
TAICHI31	MSQTAICHI31	3568A-TAICHI31	1.23 W/kg.

The FCC has granted an Equipment Authorization for this device with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this device is on file with the FCC and can be found under the Display Grant section of www.fcc.gov/oet/ea/fccid after searching on FCC ID: MSQTAICHI21, MSQTAICHI31.

FCC Radio Frequency (RF) Exposure Caution Statement

WARNING! Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. "The manufacture declares that this device is limited to Channels 1 through 11 in the 2.4GHz frequency by specified firmware controlled in the USA."

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. To maintain compliance with FCC RF exposure compliance requirements, please avoid direct contact to the transmitting antenna during transmitting. End users must follow the specific operating instructions for satisfying RF exposure compliance.

This device operates within a 5.15-5.25 GHz frequency range and is restricted for indoor use only. Outdoor operation within 5150-5250MHz is prohibited.

Declaration of Conformity (R&TTE directive 1999/5/EC)

The following items were completed and are considered relevant and sufficient:

- Essential requirements as in [Article 3]
- Protection requirements for health and safety as in [Article 3.1a]
- Testing for electric safety according to [EN 60950]
- Protection requirements for electromagnetic compatibility in [Article 3.1b]
- Testing for electromagnetic compatibility in [EN 301 489-1] & [EN 301 489-17]
- Effective use of the radio spectrum as in [Article 3.2]
- Radio test suites according to [EN 300 328-2]

CE Marking

CE marking for devices without wireless LAN/Bluetooth

The shipped version of this device complies with the requirements of the EEC directives 2004/108/EC "Electromagnetic compatibility" and 2006/95/EC "Low voltage directive".

€€

CE marking for devices with wireless LAN/ Bluetooth

This equipment complies with the requirements of Directive 1999/5/ EC of the European Parliament and Commission from 9 March, 1999 governing Radio and Telecommunications Equipment and mutual recognition of conformity.

IC Radiation Exposure Statement for Canada

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. To maintain compliance with IC RF exposure compliance requirements, please avoid direct contact to the transmitting antenna during transmitting. End users must follow the specific operating instructions for satisfying RF exposure compliance.

Operation is subject to the following two conditions:

- This device may not cause interference and
- This device must accept any interference, including interference that may cause undesired operation of the device.

To prevent radio interference to the licensed service (i.e. co-channel Mobile Satellite systems) this device is intended to be operated indoors and away from windows to provide maximum shielding. Equipment (or its transmit antenna) that is installed outdoors is subject to licensing.

Déclaration d'Industrie Canada relative à l' exposition aux ondes radio

Cet appareil est conforme aux limites d'exposition aux radiations d' Industrie Canada définies pour un environnement non-contrôlé. Pour maintenir la conformité avec les exigences d'exposition RF d'IC, veuillez éviter tout contact direct avec l'antenne pendant l' émission. Les utilisateurs finaux doivent suivre les instructions de fonctionnement spécifiques pour satisfaire la conformité aux expositions RF.

Son utilisation est sujette aux deux conditions suivantes :

- Cet appareil ne peut pas causer d'interférence, et
- Cet appareil doit accepter toute interférence, y compris les interférences qui pourraient causer un fonctionnement non souhaité de l'appareil.

Pour éviter les interférences radio avec le service sous licence (c'est à-dire le partage de canal avec les systèmes de téléphonie satellite), cet appareil est destiné à être utilisé en intérieur et loin des fenêtres pour fournir un blindage maximal. Tout appareil (ou son antenne d' émission) qui est installé en extérieur est sujet à cette licence.

Wireless Operation Channel for Different Domains

N. America	2.412-2.462 GHz	Ch01 through CH11
Japan	2.412-2.484 GHz	Ch01 through Ch14
Europe ETSI	2.412-2.472 GHz	Ch01 through Ch13

France Restricted Wireless Frequency Bands

Some areas of France have a restricted frequency band. The worst case maximum authorized power indoors are:

- 10mW for the entire 2.4 GHz band (2400 MHz–2483.5 MHz)
- 100mW for frequencies between 2446.5 MHz and 2483.5 MHz

NOTE: Channels 10 through 13 inclusive operate in the band 2446.6 MHz to 2483.5 MHz.

There are few possibilities for outdoor use: on private property or on the private property of public persons, use is subject to a preliminary authorization procedure by the Ministry of Defense, with maximum authorized power of 100mW in the 2446.5–2483.5 MHz band. Use outdoors on public property is not permitted.

In the departments listed below, for the entire 2.4 GHz band:

- Maximum authorized power indoors is 100mW
- Maximum authorized power outdoors is 10mW

Departments in which the use of the 2400–2483.5 MHz band is permitted with an EIRP of less than 100mW indoors and less than 10mW outdoors:

01 Ain	02 Aisne	03 Allier
05 Hautes Alpes	08 Ardennes	09 Ariège
11 Aude	12 Aveyron	16 Charente
24 Dordogne	25 Doubs	26 Drôme
32 Gers	36 Indre	37 Indre et Loire
41 Loir et Cher	45 Loiret	50 Manche
55 Meuse	58 Nièvre	59 Nord
60 Oise	61 Orne	63 Puy du Dôme
64 Pyrénées Atlantique	66 Pyrénées Orientales	67 Bas Rhin
68 Haut Rhin	70 Haute Saône	71 Saône et Loire
75 Paris	82 Tarn et Garonne	84 Vaucluse
88 Vosges	89 Yonne	90 Territoire de Belfort
94 Val de Marne		

This requirement is likely to change over time, allowing you to use your wireless LAN card in more areas within France. Please check with ART for the latest information (www.arcep.fr)

NOTE: Your WLAN Card transmits less than 100mW, but more than 10mW.

UL Safety Notices

Required for UL 1459 covering telecommunications (telephone) equipment intended to be electrically connected to a telecommunication network that has an operating voltage to ground that does not exceed 200V peak, 300V peak-to-peak, and 105V rms, and installed or used in accordance with the National Electrical Code (NFPA 70).

When using the Notebook PC modem, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

- DO NOT use the Notebook PC near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- DO NOT use the Notebook PC during an electrical storm. There may be a remote risk of electric shock from lightning.
- DO NOT use the Notebook PC in the vicinity of a gas leak.

Required for UL 1642 covering primary (nonrechargeable) and secondary (rechargeable) lithium batteries for use as power sources in products. These batteries contain metallic lithium, or a lithium alloy, or a lithium ion, and may consist of a single electrochemical cell or two or more cells connected in series, parallel, or both, that convert chemical energy into electrical energy by an irreversible or reversible chemical reaction.

- Do not dispose the Notebook PC battery pack in a fire, as they may explode. Check with local codes for possible special disposal instructions to reduce the risk of injury to persons due to fire or explosion.
- Do not use power adapters or batteries from other devices to reduce the risk of injury to persons due to fire or explosion. Use only UL certified power adapters or batteries supplied by the manufacturer or authorized retailers.

Power Safety Requirement

Products with electrical current ratings up to 6A and weighing more than 3Kg must use approved power cords greater than or equal to: H05VV-F, 3G, 0.75mm² or H05VV-F, 2G, 0.75mm².

TV Tuner Notices

Note to CATV System Installer—Cable distribution system should be grounded (earthed) in accordance with ANSI/NFPA 70, the National Electrical Code (NEC), in particular Section 820.93, Grounding of Outer Conductive Shield of a Coaxial Cable – installation should include bonding the screen of the coaxial cable to the earth at the building entrance.

REACH

Complying with the REACH (Registration, Evaluation, Authorization, and Restriction of Chemicals) regulatory framework, we publish the chemical substances in our products at ASUS REACH website at http://csr.asus.com/english/REACH.htm.

Nordic Lithium Cautions (for lithium-ion batteries)

CAUTION! Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Dispose of used batteries according to the manufacturer's instructions. (English)

ATTENZIONE! Rischio di esplosione della batteria se sostituita in modo errato. Sostituire la batteria con un una di tipo uguale o equivalente consigliata dalla fabbrica. Non disperdere le batterie nell'ambiente. (Italian) VORSICHT! Explosionsgefahr bei unsachgemäßen Austausch der Batterie. Ersatz nur durch denselben oder einem vom Hersteller empfohlenem ähnlichen Typ. Entsorgung gebrauchter Batterien nach Angaben des Herstellers. (German)

ADVARSELI! Lithiumbatteri - Eksplosionsfare ved fejlagtig håndtering. Udskiftning må kun ske med batteri af samme fabrikat og type. Levér det brugte batteri tilbage til leverandøren. (Danish)

VARNING! Explosionsfara vid felaktigt batteribyte. Använd samma batterityp eller en ekvivalent typ som rekommenderas av apparattillverkaren. Kassera använt batteri enligt fabrikantens instruktion. (Swedish)

VAROITUS! Paristo voi räjähtää, jos se on virheellisesti asennettu. Vaihda paristo ainoastaan laitevalmistajan sousittelemaan tyyppiin. Hävitä käytetty paristo valmistagan ohjeiden mukaisesti. (Finnish)

ATTENTION! Il y a danger d'explosion s'il y a remplacement incorrect de la batterie. Remplacer uniquement avec une batterie du mêre type ou d'un type équivalent recommandé par le constructeur. Mettre au rebut les batteries usagées conformément aux instructions du fabricant. (French)

ADVARSEL! Eksplosjonsfare ved feilaktig skifte av batteri. Benytt samme batteritype eller en tilsvarende type anbefalt av apparatfabrikanten. Brukte batterier kasseres i henhold til fabrikantens instruksjoner. (Norwegian)

標準品以外の使用は、危険の元になります。交換品を使用する場合、製造者 に指定されるものを使って下さい。製造者の指示に従って処理して下さい。 (Japanese)

ВНИМАНИЕ! При замене аккумулятора на аккумулятор иного типа возможно его возгорание. Утилизируйте аккумулятор в соответствии с инструкциями производителя. (Russian)

Optical Drive Safety Information

Laser Safety Information

CD-ROM Drive Safety Warning

CLASS 1 LASER PRODUCT

WARNING! To prevent exposure to the optical drive's laser, do not attempt to disassemble or repair the optical drive by yourself. For your safety, contact a professional technician for assistance.

Service warning label

WARNING! INVISIBLE LASER RADIATION WHEN OPEN. DO NOT STARE INTO BEAM OR VIEW DIRECTLY WITH OPTICAL INSTRUMENTS.

CDRH Regulations

The Center for Devices and Radiological Health (CDRH) of the U.S. Food and Drug Administration implemented regulations for laser products on August 2, 1976. These regulations apply to laser products manufactured from August 1, 1976. Compliance is mandatory for products marketed in the United States.

WARNING! Use of controls or adjustments or performance of procedures other than those specified herein or in the laser product installation guide may result in hazardous radiation exposure.

Macrovision Corporation Product Notice

This product incorporates copyright protection technology that is protected by method claims of certain U.S.A. patents and other intellectual property rights owned by Macrovision Corporation and other rights owners. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only *unless otherwise authorized by Macrovision Corporation*. Reverse engineering or disassembly is prohibited.

CTR 21 Approval (for Notebook PC with built-in Modem)

Danish	•Udstyret er i henhold til Rådets beslutning 98/482/EF EU-godkendt til at blive opkoblet på de offentlige telefonnet som enkellforbundet terminal. På grund af forskelle mellem de offentlige telefonnet i de forskellige lande giver godkendelsen dog ikke i sig selv ubetinget garanti for, at udstyret kan fungere korrekt på samtlige uettermineringspenkter på de offentlige telefonnet.
	I tilhelde af problemer ber De i færste omgang henvende Dem til leveranderen af udstyret
Dutch	»Dit apparaat is goedgekeund volgens Beschikking 98/482/EG van de Raad voor de pan-Europese aansluiting van enkelvoodige eindapparatuur op het openbare geschakelde telefoonnetwerk (PSTN). Gezien de verschillen tussen de individuele PSTN's in de verschillende landen, biedt deze goed- keuring op zichzelf geen onvoorwaardelijke garantie voor een succesvelle werking op elk PSTN-netwerkaansluitpunt.
	Neem bij problemen in cerste instantie contact op met de leverancier van het apparaat.".
English	The equipment has been approved in accordance with Council Decision 98/482/EC for pan-European single terminal connection to the public switched telephone network (PSTN). However, due to differences between the individual PSTNs provided in different countries, the approval does not, of itself, give an unconditional assurance of successful operation on every PSTN network termination point.
	In the event of problems, you should contact your equipment supplier in the first instance.'
Finnish	"Tämä laite on hyväksytty neuvoston päätöksen 98/482/EV mukaisesti liitettäväksi yksittäisenä laitteena yleiseen kytkentäiseen puhelinverkkoon (PSTN) EU:n jäsemaltioissa. Eri maiden yleisten kytkentäisten puhelinverkkojen välillä on kuitenkin eroja, joten hyväksyntä ei sellaisenaan takaa häinötöntä toimintaa kaikkien yleisten lyväentäisen puhelinverkkojen läytymtipäistessä.
	Ongelmien ilmetessä ottakaa viipymättä yhteyttä laitteen toimittajaan."
French	 Cet équipement a reçu l'agrément, conformément à la décision 98/482/CE du Conseil, concernant la connexion paneuropéenne de terminal unique aux réseaux téléphoniques publies commutés (RTPC). Toutefois, comme il existe des différences d'un pays à l'autre entre les RTPC, l'agrément en soi ne constitue pas une garantie absolue de fonctionnement optimal à chuque point de terminaison du réseau RTPC.
	En cas de problème, vous devez contacter en premier lieu votre fournisseur.»
German	"Dieses Gerät wurde gemäß der Entscheidung 98/482/EG des Rates europaweit zur Anschaltung ab einzehn: Endeinrichtung an das öffentliche Fernsprechnetz zugelassen. Aufgrund der zwischen den öffentlichen Fernsprechnetzen verschiedener Staaten bestehenden Unterschiede stellt diese Zulassung an sich jedoch keine unbedingte Gewähr für einen erfolgreichen Betrieb des Geräts an jedem Netzabschuligunkt dar.
	Falls beim Betrieb Probleme auftreten, sollten Sie sich zunächst an ihren Fachhändler wenden."
Greek	«Ο τζοτλισμές έχει εγκριδεί για ποντεφαταϊκή σύνδεση μεμονομέσε περιατικού με το δημόσιο πηλεφωνικό δόκτων μεταγωγής (PSTN), σύμφωνα με την απόφαση 98/482/ΕΚ του Συμδουλίου ωσούσο, επαιδη υπόρχουν διαφορές μεταξό των επιμέρους PSTN που παρέχονται σε διάφορες γόμες, η έγκριση δεν παρέχει οφ' αυτής ανεπιφέλοιτη εξοσφάλιση επιτυχούς λειτουργίας τα κάθε σημείο απόληξης του δικτίου (PSTN).
	Είνι ανακόψουν προβλήματα, δα πρέπει και' αρχάς να απαιθύνεστε στον προμηθευτή του εξοπλοσμού σας »
Italian	•La presente apparecchiatura terminale è stata approvata in conformità della decisione 98/482/CE del Consiglio per la connessione paneuropea come terminale singolo ad una rete analogica PSTN. A causa delle differenze tra le reti dei differenti posei, l'approvazione non garantisce però di per sè il funzionamento corretto in tutti i punti di terminazione di rete PSTN.
	In caso di problemi contattare in primo luogo il fornitore del predotto
Portuguese	 Este equipamento foi apeovado para ligação pan-europeia de um único terminal à rede telefónica pública consutada (RTPC) nos termos da Decisito 59/482/CE. No entanto, devido às diferenças existentes entre as RTPC dos diversos países, a aprovação no gamate insondicionalmente, por si sú.

publica comutada (KTPC) not termos da Decisio 95/08/2/CL. No entanto, devido as dinerençais existentes entre as RTPC des diversos países, a aprovação ndo gazinte insendicionalmente, por si só, um funcionamento correcto em todos os pontos terminais da rede da RTPC.

Em caso de problemas, deve entrar-se em contacto, em primeiro lugar, com o fornecedor do equipamento.»

Spanish	-Este equipo ha sido homologado de conformidad con la Decisión 98/482/CE del Consejo para la conesión panearopea de un terminal simple a la red telefónica pública commutada (RTPC). No obstante, a la vista de las diferencias que existen entre las RTPC que se ofrecen en diferentes países, la homologación no constituye por si sola una garantia incondicional de funcionamiento satisfactorio en todos los puntos de terminación de la red de una RTPC.
	En caso de surgir algún problema, procede ponerse en contacto en primer lugar con el proveedor del equipos.
Swedish	"Utrustningen har godkänts i enlighet med rådets beslut 98/482/EG för alleuropeisk anslutning som enskild terminal till det allmånt tillgångliga kopplade telenåtet (PSTN). På grund av de skillnader som finns mellan edenätet i olika länder utgör godkännande e emelletrid inte i sig sjäht en absolut garanti för att utrustningen kommer att fungera tillfredsställande vid varje telenäsandutningspunkt.
	Om rechtem unsstär ble ni i förste hand kontakte leverantören av utrustningen."

Japan Technical Conformity Mark

The internal wireless module of this Notebook PC has been certified by Japan Telec.

Intel 6235ANHMW

	003WWA111040	003XWA111042
Ŀ	003WWA111041	003YWA111043

ENERGY STAR complied product



ENERGY STAR is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy helping us all save money and protect the environment through energy efficient products and practices.

All ASUS products with the ENERGY STAR logo comply with the ENERGY STAR standard, and the power management feature is enabled by default. The monitor and computer are automatically set to sleep after 15 and 30 minutes of user inactivity. To wake your computer, click the mouse or press any key on the keyboard. Please visit http://www.energy.gov/powermanagement for detail information on power management and its benefits to the environment. In addition, please visit http://www.energystar.gov for detail information on the ENERGY STAR joint program.

NOTE: Energy Star is NOT supported on FreeDOS and Linux-based operating systems.

European Union Eco-label

This Notebook PC has been awarded the EU Flower label, which means that this product has the following characteristics:

- 1. Decreased energy consumption during use and stand-by modes.
- 2. Limited use of toxic heavy metals.
- 3. Limited use of substances harmful to the environment and health.
- 4. Reduction of the use of natural resources by encouraging recycling.
- 5. Designed for easy upgrades and longer lifetime through providing compatible spare parts such as batteries, power supplies, the keyboard, the memory, and if available the CD drive or DVD drive.
- 6. Reduced solid waste through takeback policy.

For more information on the EU Flower label, please visit the European Union Eco-label website at http://www.ecolabel.eu.

Prevention of Hearing Loss

To prevent possible hearing damage, do not listen at high volume levels for long periods.



Global Environmental Regulation Compliance and Declaration

ASUS follows the green design concept to design and manufacture our products, and makes sure that each stage of the product life cycle of ASUS product is in line with global environmental regulations. In addition, ASUS disclose the relevant information based on regulation requirements.

Please refer to http://csr.asus.com/english/Compliance.htm for information disclosure based on regulation requirements ASUS is complied with:

Japan JIS-C-0950 Material Declarations

EU REACH SVHC

Korea RoHS

Swiss Energy Laws

ASUS Recycling/Takeback Services

ASUS recycling and takeback programs come from our commitment to the highest standards for protecting our environment. We believe in providing solutions for you to be able to responsibly recycle our products, batteries, other components as well as the packaging materials. Please go to http://csr.asus.com/english/Takeback.htm for detailed recycling information in different regions.

Coating Notice

IMPORTANT! To provide electrical insulation and maintain electrical safety, a coating is applied to insulate the device except on the areas where the I/O ports are located.

Regional Notice for Singapore

Complies with IDA Standards DB103778 This ASUS product complies with IDA Standards.

EC Declara	EC Declaration of Conformity	EC Declar	EC Declaration of Conformity
We, the undersigned,		We, the undersigned,	
Address. City:	45. No. 150. LI-TE RD., PEITOU, TAIPEI 112. TAIWAN R.O.C.	Manuracturer: Address. Citv:	4F No 150 III-TERA PETCUL TAIPEL 112 TAIWAN R.O.C.
Countrur	TAIWAN	Country:	TAWAN
Distribution di monocompetitio (n Ermonor		Authorized representative in Europe:	ASUS COMPUTER GmbH
Autionized representative III Europe.		Address, City.	HARKORT STR. 21-23, 40830 RATINGEN
Address, City:	MARKURI SIR. 21-23, 40880 RAHINGEN	Country:	GERMANY
Country:	GERMANY	declare the following apparatus:	
declare the following apparatus:		Product name :	Notebook P.C
Product name :	Notebook P.C	Model name ·	TAICHI31
Model name :	Taichi21	conform with the essential requirements of the following directives:	the following directives:
conform with the essential requirements of the following directives:	onts of the following directives:	22004/108/EC-EMC Directive	
X EN 5502:2010 X EN 5502:2010 X EN 61000-3-2:2006	X EN 55024:2010 X EN 61001-3-3:2008	X EN 55022.2010 X EN 61000.3.2.2006+A2.2009 T EN 55013.2001+A1.2003+A2.2006	X EN 55024:2010 T EN 55024:2010 T EN 55070-2007-4011-2011
EN 55013:2001+A1:2003+A2:2006	EN 55020/200/+A11/2011	X1999/6/EC-R &TTE Directive	
X EN 300 328 V1.7.1(2006-10)	🔀 EN 301 489-1 V1.9.2(2011-09)	EN 300 328 V1.7.1(2006-10)	EN 301 480-3 V1 4 1/2002-08)
EN 300 440-2 V1.4. ((2010-08) EN 301 511 V9.0.2(2003-03)	EN 301 488-4 V1.3.1(2002-48) EN 301 488-4 V1.3.1(2002-48) EN 301 488-4 V1.3.1(2005-11)	EN 300 440-2 V1 4.1 (2010-08) EN 301 511 V9.0 2(2003-03)	EN 301 489-7 V13.1(2006-11) EN 301 489-9 V14.1(2006-11) EN 301 489-9 V14.1(2007-11)
EN 301 908-2 V3.2.1(2007-05)	EN 301438-9 V1.4.1(2007-11)	EN 301 908-2 V5.2.1(2011-07) EN 301 583 V16.1(2011-11) EN 307 584-2 V14 1 (2006-01)	EN 301 489-24 V1.5 ((2010-09)
EN 302 555 V1.4.1(2009-01)	EN 302 326-2 V1.2.2(2007-06)	EN 302 623 V1.1.1(2008-01)	EN 302 32012 Y 1.2.42007-00
X EN 52311.2008 X EN 62209-2(2010-6) T1 EN 50385:2002	EN 301 357-2 V1.3.1(2006-05) EN 302 623 V1.1.1(2009-01)	EN 300 330-2 V1.5.1(2010-02)	EN 62311:2008
⊠2006/95/EC-LVD Directive			🗙 EN 62209-2(2010-06)
EN 60950-1 / A11:2009	EN 60065/2002+A1/2006+A11/2008		
K EN 60950-1 / A12:2011	EN 60065:2002 / A12:2011	EN 60950-17 A11:2009	EN 60065;2002 / A2:2010
⊠2009/125/EC-ErP Directive		🛛 EN 60950-17 A12 2011	EN 60065:2002 / A12:2011
Regulation (EC) No. 1275/2008	Regulation (EC) No. 278/2009	X2009/125/EC-ErP Directive	
X EN 62301:2005	X EN 62301:2005	Regulation (EC) No. 1275/2008	Kegulation (EC) No. 278/2009
Regulation (EC) No. 642/2009	1	Regulation (EC) No. 642/2009	
EN 62301:2005	Ver. 120601	C2011/65/EU-RoHS Directive	Ver
⊠CE marking		⊠ <u>CE marking</u>	C F (
<u></u>		ر ا	(EC conformity marking)
	Position : CEO Name : <u>Jerry Shen</u>		Position: CEO Name: <u>Jerry Shen</u>
	Q		Den
Declaration Date: Oct. 13, 2012 Year to begin affixing CE marking:2012	012 Signature :	Declaration Date: Nov. 12, 2012 Year to begin affixing CE marking:2012	2012 Signature :

Ver. 121001