


## On/Off Adapter with Receiver Installation and Operation Instructions

### Installation

1. Remove the cover on the back of the Remote Transmitter to expose the code switches. Slide the code switches to your choice of ON or OFF positions. **FACTORY SETTING IS ALL "OFF"**.
2. There is also a code switch at the back of the Receiver
3. Unscrew the screw and remove the cover. Please refer to the diagram shown below.



Remove the screw and the cover to  
expose the code switches

4. Adjust the positions of the code switch on the Receiver to exactly match the Remote Transmitter.
5. Put the cover back onto the Receiver. Make sure you put the screw back onto the Receiver to prevent the cover from falling off the Receiver accidentally.
6. Put 3 pieces fresh AAA size alkaline batteries into the Remote Transmitter and replace the back cover.
7. Plug the Receiver to a supply outlet. And the Remote Control is ready for operation.
8. Replace the batteries in the Remote Transmitter at least every 6 months.

### Operation

1. Press the On/Off button on the Remote Transmitter once to turn on the Receiver.
2. Press the On/Off button on the Remote Transmitter again to turn off the Receiver.
3. You can also use the button on the Receiver to turn it on and off.
4. Press the button on the Receiver once to turn on the Receiver.
5. Press the button on the Receiver again to turn off the Receiver.
6. It takes some time for the Receiver to response to the On/Off button on the Remote Transmitter as well as the button on the Receiver. Do not press these buttons more than once within in 2 seconds for correct operation.

### Specification

1. Transmission distance: 40 feet (typical)
2. Maximum output current: 15 Amp (resistive loading)  
7 Amp (inductive loading)

**This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.**

**NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.**