FCC compliance statement and FCC user's warning from installation instructions.

## **FCC**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio or television communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

## **Specifications**

| Input voltage2                               | .7 to 3.3VDC    |
|--|-----------------|
| supplied by 3V 2/3A li                       | thium battery   |
| Typical current                              | 22µA            |
| Typical battery life                         | vears           |
| Transmitter frequency                        | 345 Mhz         |
| Transmit conditionalarm, tamper, low battery |                 |
| Detection range                              |                 |
| Mounting height6' to 1                       | 0' (1.8 to 3 m) |
| Number of curtains                           | 9 <sup>°</sup>  |
| Operating temperature, 6 to 131°F(           | -18° to +55°C)  |
| Relative humidity10 to 90% non-condensing    |                 |
| RFI immunity>20V/meter from 0 to 1000Mhz     |                 |
| Dimensions (w x d x h)2                      |                 |
| Dimensions:                                  |                 |
| Width  | 2.8" (7.1 cm)   |
| Depth  |                 |
| Height                                       |                 |
| Weight                                       |                 |
| Color  | white           |
| Recommended receiverAD                       | EMCO 5881       |

- Re-orient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PCC ID: CFS8DL58450W

## **Ordering**

| Model number  | Description |
|---|-------------|
| AP450W Sentrol wireless PIR with transmitter and battery. |             |