

# AirTies



C:60  
M:60  
Y:40  
K:100



C:0  
M:85  
Y:100  
K:0

## QIG (Printed Material Specification)

Dimension after binding	A6
Cover Printing Color	colour printing
Inner Printing Color	colour printing
Cover page Material	128g copperplate paper
Inner pages Material	128g copperplate paper
Cover Pages Coating	varnishing
Inner pages Coating	varnishing
Binding & Folding Process	saddle stitch
Output lpi	200 Lpi
Tolerance	L*W:±1.5mm
AirTies Part Number:	YM.SB.7410.UM.EN.F01

 **AirTies**

Wireless life




# User Manual

**Air 7410X Wireless UHD Set-Top Box**

**HDMI**

## Using Your Air 7410X



over a broadband IP connection.

The Air 7410X gives you access to Live TV Channels, Catch-up TV, some online video and radio applications on your UHD television.

The following items are included in the box:

- This user manual
- 1 x Air 7410X Set-Top Box
- 1 x Power Adapter
- 1 x IR Remote Control
- 2 x AAA Batteries
- 1 x 3.5mm Jack to SCART Cable
- 1 x CAT5 STP Cable
- 1 x HDMI Cable
- Digital Terrestrial Input

5. On power up, it is possible that the device would check the network and upgrade its firmware to the latest version. In this case, the **Power LED** would alternately blink. When the upgrade is finished, the device will automatically restart.
6. The “**POWER**” LED will light up indicating that the unit is now powered up and ready for operation.
7. In order to display the video from Air 7410X, you may need to change the settings on your television set so that its input matches to the television’s physical connection to the Set-Top Box.

You should be able to select **Menu** options using your remote control.

When you press the “**POWER**” button on your remote control, the Air 7410X will go to standby mode.

For more information, please refer to section titled “**Using Your Air 7410X**”.

If you are facing any problems with your device please contact your Service Provider.


## Setting up a Wireless Connection

Air 7410X can receive video transmissions over Wi-Fi eliminating the need to run Ethernet cables throughout your home.

Air 7410X can also act as an AP (Access Point), connecting to other AP devices over Wi-Fi with AirTies Mesh technology, to efficiently distribute video within the home. Air 7410X provides a wireless connection to clients closest to it, significantly reducing the retransmission overhead, improving airtime, and expanding home Wi-Fi network coverage.

Please contact your service provider for information on how to setup Air 7410X as an AP and supported AP devices.

Below, Air 7410X is depicted as a mesh node with Air 4920s.



**Note:** USB 3.0 devices may have adverse effect on the wireless performance. It is recommended that such devices are attached to the USB port with a 25 cm USB cable.