


# PARTS MANUAL

2011  
WIC DEFOLIATOR  
8 ROW 22/6 ROW 30

Amity  
TECHNOLOGY




2800 7<sup>TH</sup> Avenue North  
Fargo, ND 58102

Phone: (701) 232-4199  
Fax: (701) 234-1716  
[www.amitytech.com](http://www.amitytech.com)




# TABLE OF CONTENTS

|                                                     |       |
|-----------------------------------------------------|-------|
| HITCH ASSEMBLY .....                                | 1-2   |
| DRIVE TRAIN .....                                   | 3-4   |
| #1 FLAILS.....                                      | 5-14  |
| #2 FLAILS.....                                      | 15-18 |
| #3 FLAILS.....                                      | 19-22 |
| FLAIL TUBE ASSEMBLY .....                           | 23-24 |
| FLAIL TUBE MOUNTING .....                           | 25-26 |
| FLAIL TUBE MOUNTING - STEEL FRONT DRUM OPTION ..... | 27-28 |
| DOORS AND SHIELDS.....                              | 29-32 |
| STANDARD REAR STRUTS-11.2 X 24 TIRES.....           | 33-34 |
| STANDARD REAR STRUTS-7.6 X 15 TIRES.....            | 35-36 |
| STEERABLE REAR STRUTS-11.2 X 24 TIRES.....          | 37-40 |
| STEERABLE REAR STRUTS-7.6 X 15 TIRES.....           | 41-44 |
| SCALPER BAR ASSEMBLY.....                           | 45-46 |
| SCALPER BASKET.....                                 | 47-48 |
| SCALPER HYDRAULICS.....                             | 49-50 |
| SELF-CENTERING ROW FINDER 8ROW.....                 | 51-52 |
| ROW FINDER HYDRAULICS.....                          | 53-54 |
| HYDRAULIC ROW FINDER.....                           | 55-58 |
| HITCH HYDRAULICS.....                               | 59-60 |
| LIGHT KIT.....                                      | 61-62 |
| DECALS.....                                         | 63-66 |
| GEARBOX-L TYPE #68065 .....                         | 67-68 |
| GEARBOX-L TYPE W/OVERRUN CLUTCH #68066.....         | 69-70 |
| GEARBOX-T TYPE #68067 .....                         | 71-72 |
| GEARBOX-T TYPE #68068.....                          | 73-74 |
| STANDARD PTO (1-3/8" & 1-3/4") #52402 & #52400..... | 75-76 |
| 1-3/8" CONSTANT VELOCITY PTO #52395.....            | 77-78 |
| 1-3/4" CONSTANT VELOCITY PTO #52394.....            | 77-78 |
| CLUTCH-TORQUE LIMITER #63299.....                   | 79-80 |
| FRONT DRIVELINE #52399 & #68604.....                | 81-82 |
| SIDE DRIVELINE #52397.....                          | 81-82 |
| COUPLER-UNIVERSAL JOINT #68443.....                 | 83-84 |
| HYDRAULIC CYLINDER 2X6 #58888.....                  | 85-86 |
| HYDRAULIC CYLINDER 3X8 #63499.....                  | 87-88 |
| HYDRAULIC CYLINDER 3.25X8 #63500.....               | 89-90 |
| HYDRAULIC CYLINDER 4X8 #58891.....                  | 91-92 |
| HYDRAULIC CYLINDER 3X8 #58890.....                  | 93-94 |



# HITCH ASSEMBLY


| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
| 1    | 50341    | WLDMT - STD HITCH PIVOT          | 1   |
| 2    | 68277    | WLDMT - DRAWPOLE DEF             | 1   |
| 3    | 57930    | WLDMT-HITCH PLATE                | 1   |
| 4    | 62101    | WLDMT-PIN                        | 1   |
| 5    | 1012059  | BOLT-HEX: .75 X 3.00 NC GR5 ZP   | 6   |
| 6    | 1012061  | WASHER-LOCK: .75 ZP              | 6   |
| 7    | 1011620  | NUT-HEX: .75 NC GR2 ZP           | 6   |
| 8    | 64476    | PLATE-PULL HITCH                 | 1   |
| 9    | 62477    | BOLT-HITCH DRILLED               | 1   |
| 10   | 62088    | NUT-SLOTTED: 1.13 NC GR5 ZP      | 1   |
| 11   | 1013473  | PIN-COTTER: .19 X 2.00 NP        | 1   |
| 12   | 50678    | PIN                              | 1   |
| 13   | 1015117  | BOLT-HEX: .63 X 4.00 NC GR8 ZP   | 1   |
| 14   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP       | 1   |
| 15   | 1030756  | BOLT-HEX: 1.25 X 10.50 NC GR5 ZP | 1   |
| 16   | 1030759  | NUT-TOPLOCK: 1.25 NC ZP          | 1   |
| 17   | 1011748  | ZERK - GREASE                    | 5   |
| 18   | 1030757  | BOLT-HEX: 1.38 X 4.25 NC GR5 ZP  | 2   |
| 19   | 1030760  | WASHER-LOCK: 1.38 ZP             | 2   |
| 20   | 1030758  | NUT-HEX: 1.38 NC ZP              | 2   |
| 21   | 58891    | CYLINDER-HYDRAULIC 4 X 8" 3000   | 2   |
| 22   | 63995    | TOP_BRACKET - RH                 | 1   |
| 23   | 63996    | TOP_BRACKET - LH                 | 1   |
| 24   | 63383    | POLY GUIDE BLOCK                 | 1   |
| 25   | 63999    | WLDMT - BOTTOM_BRACKET           | 1   |
| 26   | 1016211  | BOLT-HEX: .25 X 2.00 NC GR5      | 4   |
| 27   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP       | 4   |
| 28   | 63359    | COLLAR-SET: .56 ZP               | 1   |
| 29   | 52073    | WLDMT-STAND                      | 2   |
| 30   | 52408    | SPRING PIN: .50 X 3.50           | 2   |
| 31   | 68534    | LINER-FRONT                      | 2   |
| 32   | 56886    | RIVET-POP: .19 X .675 ZP         | 44  |
| 33   | 52407    | RATCHET JACK-PAINTED             | 1   |
| 34   | 64615    | TUBE-SPACER 2.00 X 1.25          | 1   |
|      | 64614    | TUBE-SPACER 2.00 X 1.63          |     |
| 35   | 58925    | WASHER-HARDENED: 4.00 X 1.63     | 1   |
| 36   | 63406    | PIN-CLEVIS: 1.00 X 4.00 ZP       | 1   |
| 37   | 52248    | DECAL-CAUTION                    | 1   |
| 38   | 63405    | DECAL-DEPTH GAUGE                | 1   |
| 39   | 69107    | STRIP-LINER BACK 8R              | 2   |



# DRIVE TRAIN

| ITEM | PART NO. | DESCRIPTION                              | QTY |
|------|----------|------------------------------------------|-----|
| 1    | 69681    | CONSTANT VELOCITY PTO 1.38"              | 1   |
|      | 69682    | CONSTANT VELOCITY PTO 1.75"              |     |
|      | 52402    | STANDARD PTO 1.38"                       |     |
|      | 69480    | STANDARD PTO 1.75"                       |     |
| 2    | 52389    | SHIELD CONE-LARGE                        | 1   |
| 3    | 63972    | SHIELD-CONE SMALL DRILLED                | 2   |
| 4    | 68065    | GEARBOX-S2125 1.35:1 L                   | 1   |
| 5    | 68604    | CROSS SHAFT - 8R                         | 1   |
| 6    | 68449    | BOLT-HEX: M16 X 2.0 X L30                | 22  |
| 7    | 1011813  | WASHER-LOCK: .63 ZP                      | 22  |
| 8    | 68066    | GEARBOX-S2125 1.35:1 L W/OVERRUN CLUTCH  | 1   |
| 9    | 68067    | GEARBOX-S2125 1.35:1 T (NON STEEL FLAIL) | 1   |
|      | 68068    | GEARBOX-S2125 1:1.93 T (STEEL FLAIL)     |     |
| 10   | 68067    | GEARBOX-S2125 1.35:1 T                   | 2   |
| 11   | 52397    | DRIVELINE-SIDE                           | 2   |
| 12   | 68450    | BOLT-HEX: M10 X 1.5 X L20                | 12  |
| 13   | 1011828  | WASHER-FLAT: .38 ZP                      | 12  |
| 14   | 1011586  | WASHER-LOCK: .38 ZP                      | 12  |
| 15   | 68443    | COUPLER-U-JOINT                          | 1   |
| 16   | 68970*   | PLATE-GEARBOX SUPPORT                    | 2   |
| 17   | 72063*   | BOLT-CRG: .63 X 1.50 NC GR5 ZP           | 2   |
| 18   | 1013024* | WASHER-FLAT: .63 ZP                      | 4   |
| 19   | 1016595* | NUT-TOPLOCK: .63 NC GR5 ZP               | 2   |

\* USE WITH STEEL FRONT DRUM ONLY






# RUBBER FLAILS ON #1 DRUM FORWARD

## 22" SPACING (#52123)



| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58084    | PLATE-REINFORCEMENT ZP         | 4   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 8   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 12  |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51839    | FLAIL ROD                      | 4   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 4   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 4   |
| 12   | 52356    | FLAIL-STUDDER 1 X 12           | 22  |
| 13   | 51549    | SPACER 1                       | 4   |
| 14   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |



# RUBBER FLAILS ON #1 DRUM FORWARD

## 30" SPACING (#52126)

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58084    | PLATE-REINFORCEMENT ZP         | 4   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 8   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 12  |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51840    | FLAIL ROD                      | 4   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 4   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 4   |
| 12   | 52356    | FLAIL-STUDDER 1 X 12           | 26  |
| 13   | 51549    | SPACER 1                       | 4   |
| 14   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |





## RUBBER FLAILS ON #1 DRUM REVERSE 22" SPACING

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58167    | WLDMT-FRONT BAIL               | 2   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 4   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 8   |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 4   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51839    | FLAIL ROD                      | 4   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 4   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 4   |
| 12   | 52356    | FLAIL-STUDDER 1 X 12           | 22  |
| 13   | 51549    | SPACER 1                       | 4   |

### IN BETWEEN ROWS: 22" SPACING

|    |         |                             |   |
|----|---------|-----------------------------|---|
| 14 | 58542*  | ASSY-FLAIL #1 22" REVERSE   | 1 |
| 15 | 52356   | FLAIL-STUDDER 1 X 12        | 7 |
| 16 | 51549   | SPACER 1                    | 2 |
| 17 | 64600   | WLDMT-FLAIL ROD REVERSE 22" | 2 |
| 18 | 51547   | SPACER 5/16                 | 2 |
| 19 | 1026259 | NUT-JAM: .63 NC GR2 ZP      | 4 |

\*ITEMS ARE 1-13 ARE INCLUDED IN ITEM 14





## RUBBER FLAILS ON #1 DRUM REVERSE 30" SPACING

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 62254    | WLDMT-FRONT BAIL               | 2   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 4   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 8   |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 4   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51840    | FLAIL ROD                      | 4   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 4   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 4   |
| 12   | 52356    | FLAIL-STUDDER 1 X 12           | 26  |
| 13   | 51549    | SPACER 1                       | 4   |

### IN BETWEEN ROWS: 30" SPACING

|    |         |                             |    |
|----|---------|-----------------------------|----|
| 14 | 58543*  | ASSY-FLAIL #1 22" REVERSE   | 1  |
| 15 | 52356   | FLAIL-STUDDER 1 X 12        | 13 |
| 16 | 51549   | SPACER 1                    | 2  |
| 17 | 64755   | WLDMT-FLAIL ROD REVERSE 30" | 2  |
| 18 | 51547   | SPACER 5/16                 | 2  |
| 19 | 1026259 | NUT-JAM: .63 NC GR2 ZP      | 4  |

\*ITEMS ARE 1-13 ARE INCLUDED IN ITEM 14







## STEEL CUP FLAILS #1 DRUM REVERSE



| ITEM                   | PART NO. | DESCRIPTION                    | QTY |
|------------------------|----------|--------------------------------|-----|
| 1                      | 52062    | FLAIL RING LH - ZP             | 2   |
| 2                      | 52061    | FLAIL RING RH - ZP             | 2   |
| 3                      | 58084    | PLATE                          | 4   |
| 4                      | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 4   |
| 5                      | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 6   |
| 6                      | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7                      | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |
| 8                      | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 9                      | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 10                     | 68479    | FLAIL-CUP 8"                   | 6   |
| 11                     | 68546    | SPACER 1.45"                   | 6   |
| 12                     | 68553    | BUSHING-FLAIL 10.50"           | 2   |
| 13                     | 68549    | WLDMT-FLAIL ROD CUP            | 2   |
| <b>IN BETWEEN ROWS</b> |          |                                |     |
| 14                     | 68545*   | ASSY-FLAIL CUP 6.63"           | 1   |
| 15                     | 68479    | FLAIL-CUP 8"                   | 6   |
| 16                     | 68546    | SPACER 1.45"                   | 6   |
| 17                     | 68553    | BUSHING-FLAIL 10.50"           | 2   |
| 18                     | 68549    | WLDMT-FLAIL ROD CUP            | 2   |
| 19                     | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 2   |

\*ITEMS 1-13 ARE INCLUDED IN ITEM 14





## FLAILS ON #2 DRUM

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58084    | PLATE-REINFORCEMENT ZP         | 4   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 2   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 8   |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51839    | FLAIL ROD                      | 6   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 6   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 6   |
| 12   | 52356    | FLAIL-STUDDER 1 X 12           | 27  |
|      | 52354    | FLAIL-RUBBER 1 X 12 (PREMIER)  | 27  |
| 13   | 51547    | SPACER 5/16                    | 27  |
| 14   | 51548    | SPACER 1-7/16                  | 6   |
| 15   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |





## FLAILS ON #2 DRUM 30" SPACING

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58084    | PLATE-REINFORCEMENT ZP         | 4   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 2   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 8   |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51840    | FLAIL ROD                      | 6   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 6   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 6   |
| 12   | 52356    | FLAIL-STUDDER 1 X 12           | 33  |
|      | 52354    | FLAIL-RUBBER 1 X 12 (PREMIER)  | 33  |
| 13   | 51547    | SPACER 5/16                    | 33  |
| 14   | 51548    | SPACER 1-7/16                  | 6   |
| 15   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |



## FLAILS ON #3 DRUM


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58084    | PLATE-REINFORCEMENT ZP         | 4   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 2   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 8   |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51839    | FLAIL ROD                      | 6   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 6   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 6   |
| 12   | 52355    | FLAIL-SWEEP 1 X 13-1/4         | 12  |
| 13   | 58255    | FLAIL-SPLIT TAPER 2 X 12       | 18  |
|      | 52356    | FLAIL-STUDDER 1 X 12           | 18  |
| 14   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |





## FLAILS ON #3 DRUM 30" SPACING

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 52062    | FLAIL RING-LH                  | 2   |
| 2    | 52061    | FLAIL RING-RH                  | 2   |
| 3    | 58084    | PLATE-REINFORCEMENT ZP         | 4   |
| 4    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP | 2   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 8   |
| 6    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 2   |
| 7    | 1014443  | WASHER-FLAT: .50 ZP            | 2   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 4   |
| 9    | 51840    | FLAIL ROD                      | 6   |
| 10   | 1011623  | BOLT-HEX: .63 X 2.00 NC GR5 ZP | 6   |
| 11   | 1013024  | WASHER-FLAT: .63 ZP            | 6   |
| 12   | 52355    | FLAIL-SWEEP 1 X 13-1/4         | 12  |
| 13   | 58255    | FLAIL-SPLIT TAPER 2 X 12       | 30  |
|      | 52354    | FLAIL-RUBBER 1 X 12            | 30  |
| 14   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 2   |




# FLAIL TUBE ASSEMBLY

| ITEM | PART NO. | DESCRIPTION                         | QTY |
|------|----------|-------------------------------------|-----|
| 1    | 68490*   | FLAIL TUBE - 0822 TT (COMPLETE)     | 2   |
| 2    | 68417    | SCREW: S-H-CAP .38 X 2.75 NC        | 24  |
| 3    | 68418    | WASHER-LOCK: .38 HIGH COLLAR        | 24  |
| 4    | 1030766  | ZERK-GREASE: .13 NPT                | 4   |
| 5    | 68412    | DRIVE SLEEVE                        | 4   |
| 6    | 64163    | TRANSTORQUE: 1.750" X 3.375"        | 4   |
| 7    | 64184    | RING-RETAINING 1.750"               | 4   |
| 8    | 1011599  | BOLT-HEX: .38 X .75 NC GR5 ZP       | 12  |
| 9    | 1011586  | WASHER-LOCK: .38 ZP                 | 12  |
| 10   | 68445    | SHAFT-IDLER                         | 3   |
| 11   | 68611    | ASSY-STEEL DRUM LH 0822 (COMPLETE)  | 1   |
|      | 68626    | ASSY-STL CUP DRM LH 0822 (COMPLETE) |     |
| 12   | 68618    | ASSY-STEEL DRUM RH 0822 (COMPLETE)  | 1   |
|      | 68632    | ASSY-STL CUP DRM RH 0822 (COMPLETE) |     |
| 13   | 68442    | SHAFT-SPLINED COUPLING              | 1   |

## OPTIONAL L-KNIFE


|    |         |                                |    |
|----|---------|--------------------------------|----|
| 14 | 68400   | WLDMT-FLAIL HOLDER             | 40 |
| 15 | 58680   | FLAIL-STEEL                    | 80 |
| 16 | 68427   | BUSHING-L KNIFE                | 40 |
| 17 | 65825   | BOLT-HEX: .63 X 3.25 NC GR5 ZP | 40 |
| 18 | 1016595 | NUT-TOPLOCK: .63 NC GR5 ZP     | 40 |
| 19 | 68426   | SPACER- L KNIFE                | 80 |

\* QUANTITY OF 3 ON A NON-STEEL FRONT DRUM



## FLAIL TUBE MOUNTING


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 68244    | WLDMT-BEARING PLATE            | 3   |
| 2    | 52382    | SEAL PROTECTOR 1.75            | 3   |
| 3    | 52404    | BEARING-FLANGE 1.75            | 3   |
| 4    | 1011660  | BOLT-CRG: .50 X 1.50 NC GR5 ZP | 12  |
| 5    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 12  |
| 6    | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP | 24  |
| 7    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 24  |
| 8    | 68413    | COUPLER-DRIVE                  | 3   |
| 9    | 68414    | O-RING 70 BUNA                 | 3   |
| 10   | 68415    | SNAP RING                      | 6   |
| 11   | 68462    | WLDMT-IDLER SHIELD             | 3   |
| 12   | 1011586  | WASHER-LOCK: .38 ZP            | 6   |
| 13   | 1011599  | BOLT-HEX: .38 X .75 NC GR5 ZP  | 6   |
| 14   | 51809    | WLDMT-SHIELD ANTI-WRAP         | 3   |



## FLAIL TUBE MOUNTING - STEEL FRONT TUBE OPTION

| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 51809    | WLDMT - SHIELD ANTI WRAP NARROW | 3   |
| 2    | 68244    | WLDMT-BEARING PLATE             | 3   |
| 3    | 52382    | SEAL PROTECTOR 1.75             | 4   |
| 4    | 52404    | BEARING-FLANGE 1.75             | 2   |
| 5    | 1011660  | BOLT-CRG: .50 X 1.50 NC GR5 ZP  | 12  |
| 6    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP      | 16  |
| 7    | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP  | 24  |
| 8    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP      | 24  |
| 9    | 63506    | BEARING-FLANGE 1.75 N-SEAL      | 2   |
| 10   | 68413    | COUPLER-DRIVE                   | 4   |
| 11   | 68414    | O-RING 70 BUNA                  | 4   |
| 12   | 68415    | SNAP RING                       | 8   |
| 13   | 68462    | WLDMT-IDLER SHIELD              | 3   |
| 14   | 1011586  | WASHER-LOCK: .38 GR5 ZP         | 6   |
| 15   | 1011599  | BOLT-HEX: .38 X .75 NC GR5 ZP   | 6   |
| 16   | 52383*   | LOCK PROTECTOR 1.75             | 1   |
| 17   | 68634    | WLDMT-HANGER BOLT-ON            | 1   |
| 18   | 1012060  | BOLT-HEX: .75 X 2.00 NC GR5 ZP  | 6   |
| 19   | 1030702  | WASHER-FLAT: .75 ZP             | 6   |
| 20   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5     | 4   |
| 21   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP      | 6   |

\* Replaces lock collar provided with bearing for the center






## DOORS AND SHIELDS


| ITEM | PART NO. | DESCRIPTION                         | QTY |
|------|----------|-------------------------------------|-----|
| 1    | 63148    | WLDMT-DOOR                          | 4   |
| 2    | 63147    | TARP                                | 2   |
| 3    | 63149    | BRACKET-TOP STL DEF COVER           | 4   |
| 4    | 1013423  | BOLT-HEX: .25 X 1.00 NC GR5 ZP      | 56  |
| 5    | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP          | 81  |
| 6    | 1011725  | BOLT-HEX: .38 X 2.00 NC GR5 ZP      | 8   |
| 7    | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP          | 20  |
| 8    | 63447    | BAR-REAR FLAP                       | 4   |
| 9    | 63448    | WLDMT-REAR FLAP MOUNT               | 4   |
| 10   | 63458    | U-BOLT: .50 X 9.25 X 4.00 X 9.25 ZP | 4   |
| 11   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP          | 8   |
| 12   | 52358    | FLAP-REAR                           | 1   |
| 13   | 1011583  | WASHER-FLAT: .31 ZP                 | 60  |
| 14   | 1013424  | BOLT-HEX: .31 X 1.75 NC GR5 ZP      | 4   |
| 15   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP          | 36  |
| 16   | 1011598  | BOLT-HEX: .31 X 1.00 NC GR5 ZP      | 26  |
| 17   | 52239    | HOOD BRACKET-LARGE                  | 4   |
| 18   | 52237    | ANCHOR BRACKET-LARGE                | 2   |
| 19   | 1013462  | SCREW-R-H-SL: .19 X .50 NC GR2      | 12  |
| 20   | 1026591  | NUT-K-LOCK: .19 NC GR2 ZP           | 12  |
| 21   | 52238    | RUBBER HOOK-LARGE                   | 4   |
| 22   | 1011285  | BOLT-HEX: .31 X 2.00 NC GR5 ZP      | 4   |
| 23   | 64701    | SHAFT-RETAINING SHIELD              | 2   |
| 24   | 64648    | FLAP-RUBBER WR                      | 14  |
| 25   | 1012375  | PIN-COTTER: .19 X 1.50 ZP           | 4   |
| 26   | 1020416  | WASHER-FLAT: .25 ZP                 | 70  |
| 27   | 68201    | PANEL-TOP SHIELD                    | 1   |
| 28   | 68386    | WLDMT-REAR SIDE DOOR                | 1   |
| 29   | 72680    | WLDMT-DOOR HINGE                    | 2   |
| 30   | 68387    | WLDMT-FRONT SIDE DOOR               | 1   |
| 31   | 68324    | PLATE-DEF MANUAL CASE               | 1   |
| 32   | 51303    | DOOR HINGE ROD ZP                   | 2   |
| 33   | 1011974  | RIVET-POP: .19 X .531 ZP            | 4   |
| 34   | 68320    | TARP BRACKET                        | 2   |
| 35   | 64140    | WLDMT-DOOR LATCH ZP                 | 4   |
| 36   | 68602    | BOLT-CRG: .25 X .75 NC GR5 ZP       | 21  |
| 37   | 1011828  | WASHER-FLAT: .38 ZP                 | 16  |
| 38   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP      | 4   |
| 39   | 1011597  | BOLT-HEX: .31 X .75 NC GR5 ZP       | 2   |
| 40   | 1016362  | BOLT-CRG: .38 X 1.25 NC GR5 ZP      | 8   |

CONTINUED



## DOORS AND SHIELDS (CONTINUED)


| ITEM | PART NO. | DESCRIPTION                        | QTY |
|------|----------|------------------------------------|-----|
| 41   | 68968    | PLATE-DOOR CROSS 8R LH             | 1   |
|      | 68969    | PLATE-DOOR CROSS 8R RH (NOT SHOWN) | 1   |
| 42   | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP      | 4   |
| 43   | 64635    | CASE-MANUAL STORAGE                | 1   |
| 44   | 69141    | PLATE-DOOR LATCH SPACER            | 2   |
| 45   | 51304    | DOOR LOCK ZP                       | 2   |
| 46   | 68715    | HANDLE GRAB DOOR                   | 2   |



## STANDARD REAR STRUTS - 11.2 X 24 TIRES

| ITEM | PART NO. | DESCRIPTION                         | QTY |
|------|----------|-------------------------------------|-----|
| 1    | 68331    | WLDMT-SPINDLE HOUSING (44")         | 1   |
|      | 68236    | WLDMT-SPINDLE HOUSING (NARROW)      | 1   |
|      | 68766    | WLDMT-SPINDLE HOUSING- 6" OFFSET RH | 1   |
|      | 68767    | WLDMT-SPINDLE HOUSING- 6" OFFSET LH | 1   |
| 2    | 68332    | WLDMT-STD STRUT UPPER               | 1   |
| 3    | 58408    | BAR - BOLTING                       | 4   |
| 4    | 1018839  | BOLT-HEX: 1.00 X 7.00 NC GR8 ZP     | 8   |
| 5    | 1013539  | WASHER-LOCK: 1.00 ZP                | 8   |
| 6    | 1012664  | NUT-HEX: 1.00 NC GR2 ZP             | 8   |
| 7    | 69956    | WLDMT- DEF STRUT CLAMP              | 2   |
| 8    | 69971    | PLASTIC-STRUT CLAMP                 | 2   |
| 9    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP          | 2   |
| 10   | 52954*   | SPINDLE                             | 2   |
| 11   | 53623*   | HUB-WHEEL 8-BOLT                    | 2   |
| 12   | 1030728* | WASHER-FLAT: .SAE 1.000 ZP          | 2   |
| 13   | 1030726* | NUT-SPINDLE: 1.00 NF                | 2   |
| 14   | 53622*   | BEARING CUP INNER                   | 2   |
| 15   | 52407    | RATCHET JACK-PAINTED                | 1   |
| 16   | 1030797* | PIN-COTTER: .19 X 1.75 NP           | 2   |
| 17   | 53621*   | BEARING CONE INNER                  | 2   |
| 18   | 53619*   | SEAL                                | 2   |
| 19   | 52243*   | BEARING CUP OUTER                   | 2   |
| 20   | 53620*   | BEARING CONE OUTER                  | 2   |
| 21   | 56903    | WHEEL W10 X 24 8 BOLT               | 2   |
| 22   | 56976    | TIRE 11.2-24 10 PLY R1              | 2   |
|      | 68973    | TUBE-REPAIR 11.2-24 ( NOT SHOWN)    | AR  |
| 23   | 53624*   | CAP-HUB                             | 2   |
| 24   | 1011618  | BOLT-HEX: .50 X 5.00 NC GR5 ZP      | 2   |
| 25   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP          | 2   |
| 26   | 53167    | ASSY HUB & SPINDLE                  | 2   |
| 27   | 52248    | DECAL-CAUTION                       | 1   |
| 28   | 53625*   | NUT-WHEEL: .63-18NF                 | 16  |
| 29   | 1013068  | BOLT-HEX .63 X 6.00 NC GR5 ZP       | 2   |
| 30   | 66336    | NUT-JAM: .63 NF GR2 ZP              | 2   |
| 31   | 1030703  | BOLT-HEX: .63 X 1.25 NF GR5 ZP      | 2   |


\* Items are included in Item 26



## STANDARD REAR STRUTS - 7.60 X 15 TIRES

| ITEM | PART NO. | DESCRIPTION                         | QTY |
|------|----------|-------------------------------------|-----|
| 1    | 58281    | WLDMT-SPINDLE HOUSING               | 1   |
|      | 64402    | WLDMT-SPINDLE HOUSING- 6" OFFSET RH | 1   |
|      | 64406    | WLDMT-SPINDLE HOUSING- 6" OFFSET LH | 1   |
| 2    | 63559    | WLDMT-STD STRUT UPPER               | 1   |
| 3    | 58408    | BAR - BOLTING                       | 2   |
| 4    | 1018839  | BOLT-HEX: 1.00 X 7.00 NC GR8 ZP     | 4   |
| 5    | 1013539  | WASHER-LOCK: 1.00 ZP                | 4   |
| 6    | 1012664  | NUT-HEX: 1.00 NC GR2 ZP             | 4   |
| 7    | 60547    | U-BOLT: .63 X 5.25 X 4.00 X 5.25    | 1   |
| 8    | 1011813  | WASHER-LOCK: .63 ZP                 | 2   |
| 9    | 1011578  | NUT-HEX: .63 NC GR2 ZP              | 2   |
| 10   | 52138*   | SPINDLE                             | 2   |
| 11   | 52247*   | HUB-WHEEL 6-BOLT                    | 2   |
| 12   | 1012377* | WASHER-SPINDLE: .81 X 2.00 NP       | 2   |
| 13   | 1012376* | NUT-SLOTTED: .75 NF GR5 NP          | 2   |
| 14   | 52243*   | CUP-BEARING INNER                   | 2   |
| 15   | 52407    | RATCHET JACK-PAINTED                | 1   |
| 16   | 1012375* | PIN-COTTER: .19 X 1.50 NP           | 2   |
| 17   | 52245*   | CONE-BEARING INNER                  | 2   |
| 18   | 52242*   | SEAL                                | 2   |
| 19   | 52244*   | CUP-BEARING OUTER                   | 2   |
| 20   | 52246*   | CONE-BEARING OUTER                  | 2   |
| 21   | 52411    | WHEEL 6.00-15 6 BOLT                | 2   |
| 22   | 52410    | TIRE 7.60-15 I-3 6 PLY              | 2   |
|      | 68974    | TUBE-REPAIR 7.60-15 (NOT SHOWN)     | AR  |
| 23   | 52241*   | CAP-HUB                             | 2   |
| 24   | 1011612  | BOLT-HEX: .50 X 3.50 NC GR5 ZP      | 2   |
| 25   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP          | 2   |
| 26   | 52116    | ASSY HUB & SPINDLE                  | 2   |
| 27   | 52248    | DECAL-CAUTION                       | 1   |
| 28   | 1013426* | BOLT-LUG: .50 X 1.00 NF GR5 ZP      | 12  |


\* Items are included in Item 26





# STEERABLE REAR STRUTS - 11.2 X 24 TIRES


| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 68236    | WLDMT-SPINDLE HOUSING (NARROW)  | 2   |
| 2    | 68237    | WLDMT-STEERABLE STRUT UPPER     | 2   |
| 3    | 58408    | BAR - BOLTING                   | 10  |
| 4    | 1018839  | BOLT-HEX: 1.00 X 7.00 NC GR8 ZP | 20  |
| 5    | 1013539  | WASHER-LOCK: 1.00 ZP            | 20  |
| 6    | 1012664  | NUT-HEX: 1.00 NC GR2 ZP         | 20  |
| 7    | 1013068  | BOLT-HEX .63 X 6.00 NC GR5 ZP   | 2   |
| 8    | 66336    | NUT-JAM: .63 NF GR2 ZP          | 2   |
| 9    | 1030703  | BOLT-HEX: .63 X 1.25 NF GR5 ZP  | 2   |
| 10   | 52954*   | SPINDLE                         | 4   |
| 11   | 53623*   | HUB-WHEEL 8 BOLT                | 4   |
| 12   | 1030728* | WASHER-FLAT: SAE 1.00 ZP        | 4   |
| 13   | 1030726* | NUT-SPINDLE: 1.00 NF NP         | 4   |
| 14   | 53622*   | BEARING CUP INNER               | 2   |
| 15   | 52407    | RATCHET JACK-PAINTED            | 2   |
| 16   | 1030797* | PIN-COTTER: .19 X 1.75 NP       | 4   |
| 17   | 53621*   | BEARING CONE INNER              | 4   |
| 18   | 53619*   | SEAL                            | 4   |
| 19   | 52243*   | BEARING CUP OUTER               | 4   |
| 20   | 53620*   | BEARING CONE OUTER              | 4   |
| 21   | 56903    | WHEEL W10 X 24 8 BOLT           | 4   |
| 22   | 56976    | TIRE 11.2-24 10 PLY R1          | 4   |
|      | 68973    | TUBE-REPAIR 11.2-24 (NOT SHOWN) | AR  |
| 23   | 53624*   | CAP-HUB                         | 4   |
| 24   | 1011612  | BOLT-HEX: .50 X 3.50 GR5 ZP     | 2   |
| 25   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP      | 7   |
| 26   | 68238    | WLDMT-PIVOT MOUNT               | 2   |
| 27   | 59204    | BUSHING - BORED                 | 4   |
| 28   | 58274    | SHAFT                           | 2   |
| 29   | 1011748  | ZERK - GREASE                   | 4   |
| 30   | 68234    | WLDMT-CYLINDER BRACKET          | 1   |
| 31   | 62319    | CYLINDER HYDRAULIC 2 X 4        | 1   |
| 32   | 58203    | WLDMT-TIE ROD END LH            | 1   |
| 33   | 1014124  | BOLT-HEX: .31 X 1.50 NC GR5 ZP  | 2   |
| 34   | 1030729  | NUT-HEX: 1.25 NC GR2 LH ZP      | 1   |
| 35   | 58186    | WLDMT-TIE ROD END RH            | 1   |
| 36   | 1011621  | NUT-HEX: 1.25 NC GR2 ZP         | 1   |
| 37   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP      | 2   |
| 38   | 1016858  | BOLT-HEX: .50 X 2.75 NC GR5 ZP  | 1   |
| 39   | 1011626  | BOLT-HEX: 1.00 X 3.50 NC GR5 ZP | 2   |
| 40   | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP     | 2   |



## STEERABLE REAR STRUTS - 11.2 X 24 TIRES (CONTINUED)

| ITEM              | PART NO. | DESCRIPTION                   | QTY |
|-------------------|----------|-------------------------------|-----|
| 41                | 52421    | FTG-ELBOW: 6MB-8FPX 90        | 2   |
| 42                | 52261    | HOSE: .50 X 276 8MP-8MP       | 2   |
| 43                | 53631    | PIONEER TIP 8010-4            | 2   |
| 44                | 50714    | CLAMP 1/2" ZP                 | 2   |
| 45                | 58488    | WLDMT-TIE ROD MALE 85"        | 1   |
| 46                | 58486    | WLDMT-TIE ROD FEMALE 85"      | 1   |
| 47                | 53167    | ASSY-HUB & SPINDLE            | 4   |
| 48                | 1011618  | BOLT-HEX: .50 X 5.00 NCGR5 ZP | 4   |
| 49                | 53625*   | NUT-WHEEL: .63-18NF           | 32  |
| 50                | 64737    | FTG-RESTRICTOR 8MP-8FPX .063  | 1   |
| 51                | 69956    | WLDMT- DEF STRUT CLAMP        | 2   |
| 52                | 69971    | PLASTIC-STRUT CLAMP           | 2   |
| 53                | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP    | 2   |
| <b>WIDE (44")</b> |          |                               |     |
| 1                 | 68331    | WLDMT-SPINDLE HOUSING (44")   | 2   |
| 31                | 58890    | CYLINDER-HYDRAULIC 3 X 8      | 1   |
| 54                | 68769    | WLDMT-3" CYLINDER STOP        | 1   |


\* Items are included in Item 47



# STEERABLE REAR STRUTS - 7.6 X 15 TIRES

| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
| 1    | 58281    | WLDMT-SPINDLE HOUSING            | 2   |
| 2    | 63558    | WLDMT-STEERABLE STRUT UPPER      | 2   |
| 3    | 58408    | BAR - BOLTING                    | 6   |
| 4    | 1018839  | BOLT-HEX: 1.00 X 7.00 NC GR8 ZP  | 12  |
| 5    | 1013539  | WASHER-LOCK: 1.00 ZP             | 12  |
| 6    | 1012664  | NUT-HEX: 1.00 NC GR2 ZP          | 12  |
| 7    | 60547    | U-BOLT: .63 X 5.25 X 4.00 X 5.25 | 2   |
| 8    | 1011813  | WASHER-LOCK: .63 ZP              | 4   |
| 9    | 1011578  | NUT-HEX: .63 NC GR2 ZP           | 4   |
| 10   | 52138*   | SPINDLE                          | 4   |
| 11   | 52247*   | HUB-WHEEL 6 BOLT                 | 4   |
| 12   | 1012377* | WASHER-SPINDLE: .81 X 2.00 NP    | 4   |
| 13   | 1012376* | NUT-SLOTTED: .75 NF GR5 NP       | 4   |
| 14   | 52243*   | CUP-BEARING INNER                | 4   |
| 15   | 52407    | RATCHET JACK-PAINTED             | 2   |
| 16   | 1012375* | PIN-COTTER: .19 X 1.50 ZP        | 4   |
| 17   | 52245*   | CONE-BEARING INNER               | 4   |
| 18   | 52242*   | SEAL                             | 4   |
| 19   | 52244*   | CUP-BEARING OUTER                | 4   |
| 20   | 52246*   | CONE-BEARING OUTER               | 4   |
| 21   | 52411    | WHEEL 6.00-15 6 BOLT             | 4   |
| 22   | 52410    | TIRE 7.60-15 I-3 6 PLY           | 4   |
|      | 68974    | TUBE-REPAIR 7.60-15 (NOT SHOWN)  | AR  |
| 23   | 52241*   | CAP-HUB                          | 4   |
| 24   | 1011612  | BOLT-HEX: .50 X 3.50 GR5 ZP      | 6   |
| 25   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP       | 7   |
| 26   | 58283    | WLDMT-PIVOT MOUNT                | 2   |
| 27   | 59204    | BUSHING - BORED                  | 4   |
| 28   | 58274    | SHAFT                            | 2   |
| 29   | 1011748  | ZERK - GREASE                    | 4   |
| 30   | 58410    | WLDMT-CYLINDER BRACKET           | 1   |
| 31   | 58888    | CYLINDER HYDRAULIC 2 X 6         | 1   |
| 32   | 58203    | WLDMT-TIE ROD END LH             | 1   |
| 33   | 1014124  | BOLT-HEX: .31 X 1.50 NC GR5 ZP   | 2   |
| 34   | 1030729  | NUT-HEX: 1.25 NC GR2 LH ZP       | 1   |
| 35   | 58186    | WLDMT-TIE ROD END RH             | 1   |
| 36   | 1011621  | NUT-HEX: 1.25 NC GR2 ZP          | 1   |
| 37   | 1030700  | NUT-HEX: .31 NC GR5 ZP           | 2   |
| 38   | 1016858  | BOLT-HEX: .50 X 2.75 NC GR5 ZP   | 1   |
| 39   | 1011626  | BOLT-HEX: 1.00 X 3.50 NC GR5 ZP  | 2   |
| 40   | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP      | 2   |

CONTINUED




# STEERABLE REAR STRUTS - 7.6 X 15 TIRES

## (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                  | QTY |
|------|----------|------------------------------|-----|
| 41   | 54013    | FTG-ELBOW: 8MB-8FPX 90       | 2   |
| 42   | 52261    | HOSE: .50 X 276 8MP-8MP      | 2   |
| 43   | 53631    | PIONEER TIP 8010-4           | 2   |
| 44   | 50714    | CLAMP 1/2" ZP                | 2   |
| 45   | 58486    | WLDMT-TIE ROD FEMALE 85"     | 1   |
| 46   | 58488    | WLDMT-TIE ROD MALE 85"       | 1   |
| 47   | 52116    | ASSY-HUB & SPINDLE           | 4   |
| 48   | 1013426* | BOLT-LUG: .50 X 1.00 GR 5 ZP | 24  |

\* Items are included in Item 47






## SCALPER BAR ASSEMBLY


| ITEM | PART NO. | DESCRIPTION                    | QTY  |      |
|------|----------|--------------------------------|------|------|
|      |          |                                | 8R22 | 6R30 |
| 1    | 58890    | CYLINDER HYDRAULIC 3 X 8       | 2    | 2    |
| 2    | 68239    | WLDMT - MOUNT                  | 2    | 2    |
| 3    | 69126    | WLDMT-SCALPER ARM MNT          | 2    | 2    |
| 4    | 69127    | WLDMT-BAR MNT BRACKET          | 2    | 2    |
| 5    | 51864    | SCALPER BAR                    | 1    | 1    |
| 6    | 1017526  | BOLT-HEX .63 X 2.25 NC GR5 ZP  | 4    | 4    |
| 7    | 1011813  | WASHER-LOCK: .63 ZP            | 4    | 4    |
| 8    | 1011578  | NUT-HEX: .63 NC GR2 ZP         | 4    | 4    |
| 9    | 63462    | ASSY-SCALPER BASKET            | 6    | 6    |
| 10   | 1013682  | BOLT-HEX: .50 X 4.50 NC GR5 ZP | 8    | 8    |
| 11   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 40   | 32   |
| 12   | 69954    | U-BOLT: .50 X 4.50 X 3 X 4.50  | 16   | 12   |
| 13   | 56263    | U-BOLT: .75 X 5.5 X 8 X 5.5    | 4    | 4    |
| 14   | 1012061  | WASHER-LOCK: .75 ZP            | 8    | 8    |
| 15   | 1011620  | NUT-HEX: .75 NC GR2 ZP         | 8    | 8    |
| 16   | 1018007  | BOLT-HEX: 1.0 X 3.00 NC GR5 ZP | 2    | 2    |
| 17   | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP    | 2    | 2    |
| 18   | 51782    | SCALPER KNIFE-HEAT TREAT       | 8    | 6    |
| 19   | 1011660  | BOLT-CRG: .50 X 1.50 NC GR5 ZP | 16   | 12   |
| 20   | 1014443  | WASHER-FLAT: .50 ZP            | 16   | 12   |
| 21   | 1011581  | WASHER-LOCK: .50 ZP            | 16   | 12   |
| 22   | 1011577  | NUT-HEX: .50 NC ZP             | 16   | 12   |
| 23   | 69129*   | PLATE-SCALPER EXTENSION        | 4    | 4    |

\*USED WITH LARGER TIRE OPTION




## SCALPER BASKET

| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 63551    | WLDMT-BASKET MOUNT              | 1   |
| 2    | 63556    | WLDMT-UPPER LINK                | 1   |
| 3    | 63555    | BAR-PARALLEL LINK               | 1   |
| 4    | 63463    | BAR-LINK THREADED               | 1   |
| 5    | 63550    | WLDMT-BASKET FRAME              | 1   |
| 6    | 63459    | BUSHING-FLANGE                  | 8   |
| 7    | 1029446  | BOLT-HEX: .63 X 12.00 NC GR5 ZP | 4   |
| 8    | 1011578  | NUT-HEX: .63 NC GR2 ZP          | 4   |
| 9    | 1011748  | ZERK-GREASE .25 UNF STRAIGHT    | 4   |



# SCALPER HYDRAULICS

| ITEM | PART NO. | DESCRIPTION                       | QTY |
|------|----------|-----------------------------------|-----|
| 1    | 53631    | PIONEER TIP 8010-4                | 2   |
| 2    | 50714    | CLAMP .50 ZP                      | 4   |
| 3    | 58560    | FTG-ELBOW: 8MB-8MJ-90             | 2   |
| 4    | 1019844  | FITTING-RESTRICTOR (8FJ-8MJ .090) | 2   |
| 5    | 56226    | FTG-ADAPTER: 8MB-8MJ              | 2   |
| 6    | 57667    | FTG-TEE: 8MJ-8MJ-8MJ              | 2   |
| 7    | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP    | 4   |
| 8    | 1011586  | WASHER-LOCK: .38 ZP               | 4   |
| 9    | 68249    | HOSE: .38 X 220 8MP-8FJX          | 2   |
| 10   | 68247    | HOSE: .38 X 60 8FJX-8FJX          | 2   |
| 11   | 68248    | HOSE: .38 X 68 8FJX-8FJX          | 2   |



NON-AMITY SCALPER MOUNTING


## SELF-CENTERING ROW FINDER - 8 ROW

| ITEM | PART NO. | DESCRIPTION                     | QTY      |
|------|----------|---------------------------------|----------|
| 1    | 69972    | WLDMT-DEF ROW FINDER MOUNT      | 1        |
| 2    | 69560    | PLATE-DEF CYL MNT STRAP         | 1        |
| 3    | 69996    | WLDMT-DEF VALVE MNT             | 1        |
| 4    | 64288    | PLATE-BRACKET BACKING           | 2        |
| 5    | 69954    | U-BOLT: .50 X 4.50 X 3 X 4.50   | 2        |
| 6    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP      | 8 OR 12* |
| 7    | 64289    | BOLT-HEX: .38 X 5.50 NC GR5 ZP  | 4        |
| 8    | 69557    | WLDMT-TIE ROD CLAMP             | 1        |
| 9    | 1011602  | BOLT-HEX: .38 X 1.50 NC GR5 ZP  | 2        |
| 10   | 1014608  | WASHER-FLT: SAE .38 ZP          | 4        |
| 11   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP      | 6        |
| 12   | **NOTE** | HYDRAULIC ROW FINDER            | 1        |
| 13   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR 5 ZP | 4 OR 8*  |
| 14   | 69654*   | WLDMT-RF MOUNT EXTENSION        | 2        |
| 15   | 69999    | VALVE-DEF RF RETURN             | 1        |
| 16   | 1030778  | BOLT-HEX: .31 X 4.00 NC GR5 ZP  | 2        |
| 17   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP      | 2        |
| 18   | 50714    | CLAMP .50" ZP                   | 10       |
| 19   | 1014608  | WASHER-FLAT: SAE .38 XP         | 5        |
| 20   | 1011586  | WASHER-LOCK: .38 ZP             | 5        |
| 21   | 1013239  | BOLT-HEX: .38 X 3.00 NC GR5 ZP  | 4        |

\* ITEM 14 AND HARDWARE USED ONLY WITH NON AMITY  
SCALPER BASKETS

**\*\*NOTE\*\***


- ROWFINDER NEEDS TO BE OPEN CENTER (PLUG REMOVED)
- PLACE ROWFINDER ON THE FIRST ROW LEFT OF CENTER
- FOR PARTS, REFERENCE ROWFINDER MANUAL PAGE





# ROW FINDER HYDRAULICS


| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 1    | 69999    | VALVE-DEF ROWFINDER RETURN           | 1   |
| 2    | 57664    | FTG-ELBOW: 12MP-8MJ 90               | 2   |
| 3    | 1031847  | FTG-ELBOW: 8MP-8MJ 90                | 2   |
| 4    | 69200    | CYLINDER-HYD 3 X 4 4PORT 23.5 CLOSED | 1   |
| 5    | 56226    | FTG-ADAPTER: 8MB-8MJ                 | 6   |
| 6    | 58560    | FTG-ELBOW: 8MB-8MJ 90                | 8   |
| 7    | 1015801  | FTG-ELBOW: 8MB-8FJX 90               | 1   |
| 8    | 69167    | PIN-CLYNDER W/CLIPS 1.00 X 2.25      | 2   |
| 9    | 50714    | CLAMP .50" ZP                        | 10  |
| 10   | 1011603  | BOLT-HEX: .38 X 1.75 NC GR5 ZP       | 1   |
| 11   | 1013239  | BOLT-HEX: .38 X 3.00 NC GR5 ZP       | 4   |
| 12   | 1014608  | WASHER-FLAT: SAE .38 ZP              | 5   |
| 13   | 1011586  | WASHER-LOCK: .38 ZP                  | 5   |
| 14   | 66199    | PIONEER TIP 8010-15 (#8 ORB)         | 4   |
| 15   | 69572    | HOSE: .50 X 258 8MB-8FJX90L          | 1   |
| 16   | 69564    | HOSE: .50 X 108 8FJX-8FJX90          | 1   |
| 17   | 69565    | HOSE: .50 X 108 8FJX-8FJX90L         | 1   |
| 18   | 69566    | HOSE: .50 X 114 8FJX-8FJX90L         | 1   |
| 19   | 69567    | HOSE: .50 X 102 8FJX-8FJX90          | 3   |
| 20   | 69568    | HOSE: .50 X 090 8FJX-8FJX            | 1   |
| 21   | 69569    | HOSE: .50 X 336 8MB-8FJX90           | 1   |
| 22   | 69570    | HOSE: .50 X 252 8FJX-8MB             | 1   |
| 23   | 69571    | HOSE: .50 X 258 8MB-8FJX90           | 1   |



# HYDRAULIC ROW FINDER


| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 52567    | BUSHING-ZP                            | 1   |
| 2    | 62520    | ASSY-MAIN FRAME                       | 1   |
| 3    | 55206    | BUSHING-MACH: 1.25 NR 14GA            | 9   |
| 4    | 51139    | ASSY - SWIVEL                         | 1   |
| 5    | 51130    | WLDMT-FLIPPER                         | 1   |
| 6    | 1030793  | PIN-ROLL: .31 X 1.75 ZP               | 5   |
| 7    | 1030798  | PIN-ROLL: .31 X 1.75 ZP               | 5   |
| 8    | 51690    | SHAFT ZP                              | 1   |
| 9    | 52566    | TENSIONER ARM                         | 1   |
| 10   | 51131    | SENSOR ARM-L.H.                       | 1   |
| 11   | 52564    | SENSOR ARM-R.H.                       | 1   |
| 12   | 1030797  | PIN-COTTER: .19 X 1.75 NP             | 2   |
| 13   | 51137    | COLLAR                                | 1   |
| 14   | 52565    | ADJUSTMENT BOLT                       | 1   |
| 15   | 1013004  | WASHER-FLAT: SAE .63 ZP               | 3   |
| 16   | 1013024  | WASHER-FLAT: .63 ZP                   | 2   |
| 17   | 51692    | SPRING: .21 X 1.44 OD X 6.00 15 COILS | 1   |
| 18   | 1026259  | NUT-JAM: .63 NC GR2 ZP                | 3   |
| 19   | 1011578  | NUT-HEX: .63 NC GR2 ZP                | 4   |
| 20   | 51691    | EYEBOLT: .63 X 3.25 ZP                | 1   |
| 21   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 1   |
| 22   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP        | 2   |
| 23   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP        | 1   |
| 24   | 51129    | PLATE                                 | 1   |
| 25   | 1014608  | WASHER-FLT: SAE .38 ZP                | 1   |
| 26   | 1020416  | WASHER-FLAT: .25 ZP                   | 2   |
| 27   | 1011583  | WASHER-FLAT: .31 ZP                   | 2   |
| 28   | 1011586  | WASHER-LOCK: .38 ZP                   | 2   |
| 29   | 1029115  | WASHER-LOCK: .31 ZP                   | 2   |
| 30   | 1011576  | NUT-HEX: .38 NC GR2 ZP                | 2   |
| 31   | 1011575  | NUT-HEX: .31 NC GR2 ZP                | 2   |
| 32   | 52582    | SPRING CAP                            | 4   |
| 33   | 51689    | SPRING                                | 2   |
| 34   | 1019828  | BOLT-HEX: .38 X 2.75 NC GR5 ZP        | 2   |
| 35   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP            | 3   |
| 36   | 51128    | SPRING PLATE                          | 1   |
| 37   | 1030792  | NUT-JAM: .38 NF GR2 ZP                | 1   |
| 38   | 62350    | VALVE-ROWFINDER O/C                   | 1   |
| 39   | 62540    | PLATE STUD ZP                         | 1   |
| 40   | 64157    | PIN-ROLL: .19 X 1.125 ZP              | 1   |

CONTINUED




## HYDRAULIC ROW FINDER (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 41   | 51136    | UNIBALL COUPLING               | 1   |
| 42   | 64570    | PIN-COTTER: .13 X 1.00 ZP      | 1   |
| 43   | 1011285  | BOLT-HEX: .31 X 2.00 NC        | 2   |
| 44   | 52181    | MOUNTING BRACKET               | 1   |
| 45   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP | 4   |
| 46   | 1011584  | WASHER-FLAT: SAE .50 ZP        | 4   |
| 47   | 1011581  | WASHER-LOCK: .50 ZP            | 8   |
| 48   | 1011577  | NUT-HEX: .50 NC GR2 ZP         | 8   |
| 49   | 62871    | WLDMT-BRACKET                  | 1   |
| 50   | 1012060  | BOLT-HEX: .75 X 2.00 NC GR5 ZP | 2   |
| 51   | 1013537  | NUT-TOPLOCK: .75 NC GR5 ZP     | 2   |
| 52   | 62882    | TIGHTENER BOLT-ZP              | 1   |
| 53   | 1011748  | ZERK - GREASE                  | 3   |



# HITCH HYDRAULICS


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 54800    | WLDMT-HOSE SUPPORT             | 1   |
| 2    | 1011611  | BOLT-HEX: .50 X 3.00 NC GR5 ZP | 1   |
| 3    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 1   |
| 4    | 63869    | CAPLUG-2" SQ                   | 1   |
| 5    | 53631    | PIONEER TIP 8010-4             | 2   |
| 6    | 50714    | CLAMP .50 ZP                   | 2   |
| 7    | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP | 2   |
| 8    | 57667    | FTG-TEE: 8MJ-8MJ-8MJ           | 2   |
| 9    | 58515    | FTG-ELBOW: 8MB-8MJ-45          | 2   |
| 10   | 58560    | FTG-ELBOW: 8MB-8MJ-90          | 2   |
| 11   | 58376    | HOSE: .50 X 108 8MP-8FJX       | 2   |
| 12   | 57000    | HOSE .50 X 34 8FJX-8FJX        | 2   |
| 13   | 44174    | HOSE: .50 X 24 8FJX-8FJX       | 2   |
| 14   | 1011586  | WASHER-LOCK: .38 ZP            | 2   |






# LIGHT KIT

| ITEM | PART NO. | DESCRIPTION                        | QTY |
|------|----------|------------------------------------|-----|
| 1    | 64287    | PLATE-LIGHT BRACKET                | 2   |
| 2    | 64288    | PLATE-BRACKET BACKING              | 9   |
| 3    | 64246    | MOUNT-SMV SIGN                     | 1   |
| 4    | 65329    | SIGN-SMV ASAE                      | 1   |
| 5    | 65954    | LAMP-AMBER TAIL                    | 2   |
| 6    | 65953    | LAMP-RED TAIL                      | 2   |
| 7    | 62900    | LIGHT-FLOOD                        | 4   |
| 8    | 64289    | BOLT-HEX: .38 X 5.50 NC GR5 ZP     | 18  |
| 9    | 68573    | WLDMT-LIGHT BRACKET AMBER/FLOOD RH | 1   |
| 10   | 68574    | WLDMT-LIGHT BRACKET AMBER/FLOOD LH | 1   |
| 11   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP         | 18  |
| 12   | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP      | 2   |
| 13   | 1013940  | BOLT-HEX: .25 X 1.25 NC GR5        | 16  |
| 14   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP         | 18  |
| 15   | 63872    | HARNESS-DEFOLIATOR 12R             | 1   |
| 16   | 1013122  | TIE-CABLE, NYLON 14.00"            | 12  |
| 17   | 65341    | MODULE-INTERFACE                   | 1   |
| 18   | 0100615  | BOLT-HEX: .19 X .75 NC GR5 ZP      | 4   |
| 19   | 1011588  | NUT-JAM: .19 NC GR2 ZP             | 4   |
| 20   | 65681    | WASHER-LOCK: .19 ZP                | 4   |
| 21   | 68718    | HARNESS-"Y" EXTENSION              | 2   |




FRONT VIEW




REAR VIEW

# DECALS


| ITEM | PART NO. | DESCRIPTION                        | QTY |
|------|----------|------------------------------------|-----|
| 1    | 52341    | DECAL-WARNING SHIELDS              | 1   |
| 2    | 52334    | DECAL-WARNING NO RIDE              | 2   |
| 3    | 52329    | DECAL-DANGER MOVING PARTS          | 1   |
| 4    | 52339    | DECAL-WARNING OPERATION            | 1   |
| 5    | 52340    | DECAL-DANGER                       | 4   |
| 6    | 52338    | DECAL DANGER ROTATION              | 1   |
| 7    | 52336    | DECAL-CAUTION                      | 4   |
| 8    | 64617    | DECAL-DANGER CRAWL UNDERNEATH      | 2   |
| 9    | 63465    | DECAL-AMITY LOGO SMALL             | 2   |
| 10   | 65331    | DECAL-RETROFLECTIVE-YELLOW         | 2   |
| 11   | 65330    | DECAL-RETROFLECTIVE-RED            | 2   |
| 12   | 65332    | DECAL-RED ORANGE FLUORESCENT       | 2   |
| 13   | 62964    | DECAL-WARNING HIGH PRESSURE FLUIDS | 1   |



RIGHT SIDE DOOR




RIGHT SIDE  
UNDERNEATH DOOR



LEFT SIDE

# DECALS


| ITEM | PART NO. | DESCRIPTION                   | QTY |
|------|----------|-------------------------------|-----|
| 1    | 52341    | DECAL-WARNING SHIELDS         | 1   |
| 2    | 52329    | DECAL-DANGER MOVING PART      | 1   |
| 3    | 53742    | DECAL-WIC LOGO SMALL          | 2   |
| 4    | 65331    | DECAL-YELLOW RETROFLECTIVE    | 2   |
| 5    | 69399    | DECAL-AMITY LOGO 12X24        | 2   |
| 6    | 69402    | DECAL-3500 6X12 (8R22, 6R30)  | 2   |
|      | 69403    | DECAL-3600 6X12 (9R)          |     |
|      | 69404    | DECAL-3700 6X12 (12R22, 8R30) |     |
| 7    | 69406    | DECAL-LH STRIPE               | 1   |
| 8    | 69408    | DECAL-RH STRIPE               | 1   |
| 9    | 69405    | DECAL-LH CURVE                | 1   |
| 10   | 69407    | DECAL-RH CURVE                | 1   |



# GEARBOX L-TYPE

| ITEM | PART NO. | DESCRIPTION                                   | QTY |
|------|----------|-----------------------------------------------|-----|
| --   | 68065    | GEARBOX-S2125 1.35:1 L                        | -   |
| 1    | 68181    | HOUSING                                       | 1   |
| 2    | 68182    | SHAFT                                         | 1   |
| 3    | 68183    | INPUT SHAFT                                   | 1   |
| 4    | 68184    | SLEEVE                                        | 1   |
| 5    | 68185    | SCREW-BOLT HEX M10 X 25 CL8.8                 | 8   |
| 6    | 68186    | WASHER                                        | 8   |
| 7    | 52521    | SNAP RING: EXTERNAL                           | 1   |
| 8    | 54209    | SNAP RING                                     | 1   |
| 9    | 54210    | SNAP RING                                     | 2   |
| 10   | 54218    | SPACER RING -- .012 PER M THICKNESS           | AR  |
|      | 54219    | SPACER RING -- .016 PER M THICKNESS           |     |
|      | 54220    | SPACER RING -- .024 PER M THICKNESS           |     |
|      | 54221    | SPACER RING -- .032 PER M THICKNESS           |     |
|      | 54222    | SPACER RING -- .040 PER M THICKNESS           |     |
|      | 64421    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 10) |     |
| 11   | 54223    | SPACER RING -- .012 PER M THICKNESS           | AR  |
|      | 54224    | SPACER RING -- .016 PER M THICKNESS           |     |
|      | 54225    | SPACER RING -- .024 PER M THICKNESS           |     |
|      | 54226    | SPACER RING -- .032 PER M THICKNESS           |     |
|      | 59958    | SPACER RING -- 1.00 PER M THICKNESS           |     |
|      | 64422    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 11) |     |
| 12   | 54212    | BEARING ROLLER                                | 3   |
| 13   | 68187    | BEARING ROLLER                                | 1   |
| 14   | 54214    | SEALING RING                                  | 2   |
| 15   | 54217    | CLOSING CAP                                   | 1   |
| 16   | 54204    | VENT PLUG                                     | 1   |
| 17   | 54215    | OIL PLUG                                      | 5   |
| 18   | 68188    | BEVEL GEAR SET*                               | 1   |


\*SET INCLUDES GEAR CROWN & GEAR PINNION





# GEARBOX L-TYPE WITH OVERRUN


| ITEM | PART NO. | DESCRIPTION                                   | QTY |
|------|----------|-----------------------------------------------|-----|
| --   | 68066    | GEARBOX-S2125 1.35:1 L W/OVER RUN CLUTCH      | -   |
| 1    | 68181    | HOUSING                                       | 1   |
| 2    | 68182    | SHAFT                                         | 1   |
| 3    | 68189    | SHAFT-OUTPUT                                  | 1   |
| 4    | 68190    | SLEEVE                                        | 1   |
| 5    | 68184    | SLEEVE                                        | 1   |
| 6    | 68191    | PLUG                                          | 6   |
| 7    | 68185    | SCREW-BOLT HEX M10 X 25 CL8.8                 | 8   |
| 8    | 68186    | WASHER                                        | 8   |
| 9    | 68196    | SNAP RING-EXTERNAL                            | 1   |
| 10   | 52521    | SNAP RING: EXTERNAL                           | 1   |
| 11   | 54209    | SNAP RING                                     | 1   |
| 12   | 54210    | SNAP RING                                     | 2   |
| 13   | 54218    | SPACER RING -- .012 PER M THICKNESS           | AR  |
|      | 54219    | SPACER RING -- .016 PER M THICKNESS           |     |
|      | 54220    | SPACER RING -- .024 PER M THICKNESS           |     |
|      | 54221    | SPACER RING -- .032 PER M THICKNESS           |     |
|      | 54222    | SPACER RING -- .040 PER M THICKNESS           |     |
|      | 64421    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 10) |     |
| 14   | 54223    | SPACER RING -- .012 PER M THICKNESS           | AR  |
|      | 54224    | SPACER RING -- .016 PER M THICKNESS           |     |
|      | 54225    | SPACER RING -- .024 PER M THICKNESS           |     |
|      | 54226    | SPACER RING -- .032 PER M THICKNESS           |     |
|      | 59958    | SPACER RING -- 1.00 PER M THICKNESS           |     |
|      | 64422    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 11) |     |
| 15   | 59960    | SPRING-GEARBOX SHAFT                          | 12  |
| 16   | 54212    | BEARING ROLLER                                | 3   |
| 17   | 68187    | BEARING ROLLER                                | 1   |
| 18   | 54214    | SEALING RING                                  | 2   |
| 19   | 54217    | CLOSING CAP                                   | 1   |
| 20   | 54204    | VENT PLUG                                     | 1   |
| 21   | 54215    | OIL PLUG                                      | 5   |
| 22   | 68192    | BEVEL GEAR SET*                               | 1   |
|      |          | *SET INCLUDES GEAR CROWN & GEAR PINNION       |     |



# GEARBOX T-TYPE

| ITEM | PART NO. | DESCRIPTION                                   | QTY |
|------|----------|-----------------------------------------------|-----|
| --   | 68067    | GEARBOX-S2125 1.35:1 T                        | -   |
| 1    | 68181    | HOUSING                                       | 1   |
| 2    | 68193    | SHAFT-THRU                                    | 1   |
| 3    | 68194    | SHAFT                                         | 1   |
| 4    | 68184    | SLEEVE                                        | 1   |
| 5    | 68185    | SCREW-BOLT HEX M10 X 25 CL8.8                 | 8   |
| 6    | 68186    | WASHER                                        | 8   |
| 7    | 52521    | SNAP RING: EXTERNAL                           | 1   |
| 8    | 54209    | SNAP RING                                     | 1   |
| 9    | 54210    | SNAP RING                                     | 2   |
| 10   | 54218    | SPACER RING - - .012 PER M THICKNESS          | AR  |
|      | 54219    | SPACER RING - - .016 PER M THICKNESS          |     |
|      | 54220    | SPACER RING - - .024 PER M THICKNESS          |     |
|      | 54221    | SPACER RING - - .032 PER M THICKNESS          |     |
|      | 54222    | SPACER RING - - .040 PER M THICKNESS          |     |
|      | 64421    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 10) |     |
| 11   | 54223    | SPACER RING - - .012 PER M THICKNESS          | AR  |
|      | 54224    | SPACER RING - - .016 PER M THICKNESS          |     |
|      | 54225    | SPACER RING - - .024 PER M THICKNESS          |     |
|      | 54226    | SPACER RING - - .032 PER M THICKNESS          |     |
|      | 59958    | SPACER RING - - 1.00 PER M THICKNESS          |     |
|      | 64422    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 11) |     |
| 12   | 54212    | BEARING ROLLER                                | 3   |
| 13   | 68187    | BEARING ROLLER                                | 1   |
| 14   | 54214    | SEALING RING                                  | 2   |
| 15   | 54204    | VENT PLUG                                     | 1   |
| 16   | 54215    | OIL PLUG                                      | 5   |
| 17   | 68188    | BEVEL GEAR SET*                               | 1   |




\*SET INCLUDES GEAR CROWN & GEAR PINNION



# GEARBOX T-TYPE



| ITEM | PART NO. | DESCRIPTION                                   | QTY |
|------|----------|-----------------------------------------------|-----|
| --   | 68068    | GEARBOX-S2125 1:1.93 T                        | -   |
| 1    | 68181    | HOUSING                                       | 1   |
| 2    | 68193    | SHAFT-THRU                                    | 1   |
| 3    | 68184    | SLEEVE                                        | 1   |
| 4    | 68185    | SCREW-BOLT HEX M10 X 25 CL8.8                 | 8   |
| 5    | 68186    | WASHER                                        | 8   |
| 6    | 54209    | SNAP RING                                     | 1   |
| 7    | 54210    | SNAP RING                                     | 2   |
| 8    | 54218    | SPACER RING - - .012 PER M THICKNESS          | AR  |
|      | 54219    | SPACER RING - - .016 PER M THICKNESS          |     |
|      | 54220    | SPACER RING - - .024 PER M THICKNESS          |     |
|      | 54221    | SPACER RING - - .032 PER M THICKNESS          |     |
|      | 54222    | SPACER RING - - .040 PER M THICKNESS          |     |
|      | 64421    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 10) |     |
| 9    | 54223    | SPACER RING - - .012 PER M THICKNESS          | AR  |
|      | 54224    | SPACER RING - - .016 PER M THICKNESS          |     |
|      | 54225    | SPACER RING - - .024 PER M THICKNESS          |     |
|      | 54226    | SPACER RING - - .032 PER M THICKNESS          |     |
|      | 59958    | SPACER RING - - 1.00 PER M THICKNESS          |     |
|      | 64422    | KIT-SPACER RING (INCLUDES SPACERS IN ITEM 11) |     |
| 10   | 54212    | BEARING ROLLER                                | 3   |
| 11   | 68187    | BEARING ROLLER                                | 1   |
| 12   | 54214    | SEALING RING                                  | 2   |
| 13   | 54204    | VENT PLUG                                     | 1   |
| 14   | 54215    | OIL PLUG                                      | 5   |
| 15   | 68195    | BEVEL GEAR SET*                               | 1   |

\*SET INCLUDES GEAR CROWN & GEAR PINNION



# PTO - STANDARD 1 3/8-21 #52402 & 1 3/4-20 #52400


| ITEM | PART NO. | DESCRIPTION                | QTY |
|------|----------|----------------------------|-----|
| 1    | 54198    | YOKE 1 3/8-21 SPLINE       | 1   |
|      | 54249    | YOKE 1 3/4-20 SPLINE       | -   |
| 2    | 54235    | CROSS KIT                  | 2   |
| 3    | 55361    | CIRCLIP                    | 8   |
| 4    | 54236    | GREASE NIPPLE              | 2   |
| 5    | 54242    | YOKE-OUTER TUBE            | 1   |
| 6    | 55364    | FLEXIBLE PIN               | 1   |
| 7    | 55318    | CM CARDAN TUBE OUTER       | 1   |
| 8    | 63293    | DECAL-DRIVELINE            | 1   |
| 9    | 55319    | CM CARDAN TUBE INNER       | 1   |
| 10   | 55367    | FLEXIBLE PIN               | 1   |
| 11   | 54234    | INNER TUBE YOKE            | 1   |
| 12   | 63299    | CLUTCH TORQUE LIMITER      | 1   |
| 13   | 54238    | BRG RING-OUTER SHIELD      | 1   |
| 14   | 55374    | SHIELD CONE-OUTER          | 1   |
| 15   | 54200    | OUTER SHIELD               | 1   |
| 16   | 63294    | DECAL-DRIVELINE            | 1   |
| 17   | 54201    | INNER SHIELD               | 1   |
| 18   | 55320    | CONE SET-INNER SHIELD      | 1   |
| 19   | 54240    | BRG RING-INNER SHIELD      | 1   |
| 20   | 64419    | BALL COLLAR KIT (1 3/8-21) | 1   |
|      | 64633    | BALL COLLAR KIT (1 3/4-20) |     |
| 21   | 63582    | CHAIN                      | 2   |





**PTO CV 1-3/8-21 #68395  
& 1-3/4-20 #68396**

| ITEM | PART NO. | DESCRIPTION                  | QTY |
|------|----------|------------------------------|-----|
| 1    | 68758    | YOKE-CV 1.375                | 1   |
|      | 68734    | YOKE-CV 1.750                |     |
| 2    | 68735    | CROSS-KIT                    | 1   |
| 3    | 68736    | YOKE-CV OUTER EXT TUBE       | 1   |
| 4    | 68737    | CENTRAL BODY-CV JOINT        | 1   |
| 5    | 68738    | PIN-ROLL                     | 1   |
| 6    | 68739    | TUBE-OUTER                   | 1   |
| 7    | 68740    | TUBE-INNER                   | 1   |
| 8    | 68741    | PIN-ROLL                     | 1   |
| 9    | 68742    | YOKE-CV INNER TUBE           | 1   |
| 10   | 68743    | CLUTCH-TORQUE LIMITER        | 1   |
| 11   | 68744    | CROSS-KIT                    | 1   |
| 12   | 68745    | CONE-SHIELD OUTER            | 1   |
| 13   | 68746    | BEARING-SHIELD OUTER         | 1   |
| 14   | 68747    | BEARING-SHIELD CONE          | 1   |
| 15   | 68748    | CREW-SELF TAPPING            | 12  |
| 16   | 68749    | SHIELD-SAFETY TUBE OUTER     | 1   |
| 17   | 68750    | SHIELD-SAFETY TUBE INNER     | 1   |
| 18   | 68751    | CONE-SHIELD INNER            | 1   |
| 19   | 68752    | BEARING-SHIELD INNER         | 1   |
| 20   | 68753    | WASHER                       | 6   |
| 21   | 68754    | CHAIN-COMPLETE               | 2   |
| 22   | 63293    | DECAL-DRIVELINE              | 1   |
| 23   | 63294    | DECAL-DRIVELINE              | 1   |
| 24   | 68759    | KIT-BALL COLLAR 1.375        | 1   |
|      | 68755    | KIT-BALL COLLAR 1.750        |     |
| 25   | 68756    | PIN W/NUT & WASHER           | 1   |
| 26   | 54248    | LINING                       | 4   |
| 27   | 68760    | KIT-SHIELD COMPLETE W/CHAINS | 1   |



## CLUTCH TORQUE LIMITER #63299

| ITEM | PART NO. | DESCRIPTION     | QTY |
|------|----------|-----------------|-----|
| 1    | 54198    | YOKE (COMPLETE) | 1   |
| 2    | 63300    | SCREW           | 8   |
| 3    | 63301    | YOKE-FLANGE     | 1   |
| 4    | 63295    | BUSHING         | 1   |
| 5    | 54248    | LINING          | 4   |
| 6    | 55415    | PLATE-LINING    | 1   |
| 7    | 63302    | PLATE-INNER     | 1   |
| 8    | 63303    | HUB             | 1   |
| 9    | 63304    | KIT-TAPER PIN   | 1   |
| 10   | 63305    | PLATE-THRUST    | 1   |
| 11   | 63297    | SPACER          | 1   |
| 12   | 63306    | SPRING          | 1   |
| 13   | 63307    | SPRING          | 1   |




## FRONT DRIVELINE #52399 & #68604

| ITEM | PART NO. | DESCRIPTION                 | QTY   |       |
|------|----------|-----------------------------|-------|-------|
|      |          |                             | 52399 | 68604 |
| 1    | 54241    | TRACTOR YOKE                | 2     | 2     |
| 2    | 54235    | CROSS KIT                   | 2     | 2     |
| 3    | 55361    | SNAP RING                   | 8     | 8     |
| 4    | 54236    | GREASE ZERK                 | 2     | 2     |
| 5    | 54242    | OUTER TUBE YOKE             | 1     | 1     |
| 6    | 55364    | ROLL PIN                    | 1     | 1     |
| 7    | 63595    | OUTER DRIVE TUBE            | 1     | -     |
|      | 63602    | OUTER DRIVE TUBE            | -     | 1     |
| 8    | 63596    | INNER DRIVE TUBE            | 1     | -     |
|      | 63603    | INNER DRIVE TUBE            | -     | 1     |
| 9    | 55367    | ROLL PIN                    | 1     | 1     |
| 10   | 54234    | INNER TUBE YOKE             | 1     | 1     |
| 11   | 54238    | BEARING RING - OUTER SHIELD | 1     | 1     |
| 12   | 55374    | OUTER SHIELD CONE           | 1     | 1     |
| 13   | 63597    | OUTER SHIELD TUBE           | 1     | -     |
|      | 63604    | OUTER SHIELD TUBE           | -     | 1     |
| 14   | 63598    | INNER SHIELD TUBE           | 1     | -     |
|      | 63605    | INNER SHIELD TUBE           | -     | 1     |
| 15   | 55320    | INNER SHIELD CONE           | 1     | 1     |
| 16   | 54240    | BEARING RING - INNER SHIELD | 1     | 1     |
| 17   | 63594    | TAPER PIN KIT               | 2     | 2     |
| 18   | 63293    | DECAL-DRIVELINE             | 1     | 1     |
| 19   | 63294    | DECAL-DRIVELINE             | 1     | 1     |
| 20   | 63582    | CHAIN                       | 2     | 2     |


## SIDE DRIVELINE #52397

| ITEM | PART NO. | DESCRIPTION   | QTY |
|------|----------|---------------|-----|
| 21   | 54241    | TRACTOR YOKE  | 2   |
| 22   | 54244    | YOKE          | 2   |
| 23   | 63593    | SHAFT-SPLINED | 1   |
| 24   | 63594    | TAPER PIN KIT | 2   |
| 25   | 54235    | CROSS KIT     | 2   |
| 26   | 55361    | SNAP RING     | 8   |
| 27   | 54236    | GREASE ZERK   | 2   |
| 28   | 63472    | PIN-ROLL      | 1   |



## COUPLER-UNIVERSAL JOINT #68443


| ITEM | PART NO. | DESCRIPTION                        | QTY |
|------|----------|------------------------------------|-----|
| 1    | 54235    | CROSS KIT                          | 2   |
| 2    | 68731    | YOKE-COUPLER TAPER PIN 1.750       | 1   |
| 3    | 68780    | FLANGE-YOKE COUPLER                | 2   |
| 4    | 68732    | YOKE COUPLER 1.750                 | 1   |
| 5    | 68781    | PLATE-LINER COUPLER                | 1   |
| 6    | 68591    | WASHER-LOCK: M14                   | 4   |
| 7    | 68444    | NUT-HEX: M14                       | 4   |
| 8    | 69019    | BOLT-HEX: M14 X 2.0 X L50 CL8.8 ZP | 4   |
| 9    | 68782    | KIT-TAPER PIN 1.750                | 1   |






## HYDRAULIC CYLINDER: 2X6 #58888

| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
|      | 59241    | SEAL KIT - CYLINDER 2"; 3000 PSI |     |
| 1    |          | BACKUP WASHER - END CAP          | 2   |
| 2    |          | O-RING - END CAP                 | 2   |
| 3    |          | WEAR RING - PISTON               | 1   |
| 4    |          | O-RING                           | 1   |
| 5    |          | PISTON SEAL                      | 1   |
| 6    |          | SEAL-ROD WIRE                    | 1   |
| 7    |          | SEAL-ROD DUST                    | 1   |




## HYDRAULIC CYLINDER: 3 X 8 #63499

| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
|      | 59243    | SEAL KIT - CYLINDER 3"; 3000 PSI |     |
| 1    |          | BACKUP WASHER - END CAP          | 2   |
| 2    |          | O-RING - END CAP                 | 2   |
| 3    |          | WEAR RING - PISTON               | 1   |
| 4    |          | O-RING                           | 1   |
| 5    |          | PISTON SEAL                      | 1   |
| 6    |          | SEAL-ROD WIPER                   | 1   |
| 7    |          | SEAL-ROD DUST                    | 1   |




## HYDRAULIC CYLINDER: 3.25 X 8 #63500

| ITEM | PART NO. | DESCRIPTION               | QTY |
|------|----------|---------------------------|-----|
|      | 66083    | SEAL KIT - CYLINDER 3.25" |     |
| 1    |          | BACKUP WASHER - END CAP   | 2   |
| 2    |          | O-RING - END CAP          | 2   |
| 3    |          | WEAR RING - PISTON        | 1   |
| 4    |          | O-RING                    | 1   |
| 5    |          | PISTON SEAL               | 1   |
| 6    |          | SEAL-ROD WIPER            | 1   |
| 7    |          | SEAL-ROD DUST             | 1   |



## HYDRAULIC CYLINDER: 4X8 #58891

| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
|      | 59244    | SEAL KIT - CYLINDER 4"; 3000 PSI |     |
| 1    |          | BACKUP WASHER-END CAP            | 2   |
| 2    |          | O-RING-END CAP                   | 2   |
| 3    |          | WEAR RING-PISTON                 | 1   |
| 4    |          | O-RING                           | 1   |
| 5    |          | PISTON SEAL                      | 1   |
| 6    |          | SEAL-ROD WIPER                   | 1   |
| 7    |          | SEAL-ROD DUST                    | 1   |





## HYDRAULIC CYLINDER: 3X8 #58890

| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
|      | 59243    | SEAL KIT - CYLINDER 3"; 3000 PSI |     |
| 1    |          | BACKUP WASHER - END CAP          | 2   |
| 2    |          | O-RING END CAP                   | 2   |
| 3    |          | WEAR RING - PISTON               | 1   |
| 4    |          | O-RING                           | 1   |
| 5    |          | PISTON SEAL                      | 1   |
| 6    |          | SEAL-ROD WIPER                   | 1   |
| 7    |          | SEAL-ROD DUST                    | 1   |