

User Manual

Roav SmartCharge F3

Safety Instructions

Important Safety Instructions

SAVE THESE INSTRUCTIONS - This manual contains important safety and operating instructions for the car charger of Roav SmartCharge F3 (Model R5132).

Please read and understand all instructions before using this product. If damage is caused by failure to follow the instructions, the warranty does not apply.

- Read all instructions and cautionary markings before using this product.
- Do not expose to rain, moisture, or snow.
- Use of an attachment is not recommended or sold by the manufacturer may result in a risk of fire, electric shock, or injury to persons.
- Do not operate this car charger if it has received a sharp blow, been dropped, or otherwise damaged in any way; take it to a qualified service person.
- Do not disassemble this car charger; take it to a qualified service person when service or repair is required. Incorrect reassembly may result in a risk of electric shock or fire.
- To reduce risk of electric shock, unplug this car charger before d'utiliser ce produit. attempting any maintenance or cleaning. Turning off controls will not reduce this risk.
- To reduce risk of fire or electric shock, do not interconnect output terminations.

This device can not be re-charging by notebook computer and it can't be charging by AC ,The device can only be used in a car

- Avoid long exposure to direct sunlight, which may cause damage to the device.
- Exposing this product to open flames may cause it to explode.
- Do not use this product in strong magnetic fields. Use a dry, soft lint-free cloth to clean. Do not use any
- CAUTION For continued protection against risk of fire. replace only with the same type and ratings of fuse, fuse rating is 63V DC / 7A.
- Always obey traffic laws and pay attention to the road. Do not attempt to use this device while driving, as some features are limited while the vehicle is in motion. Failure to pay full attention to the operation of your vehicle could result in death, serious injury or property damage. You assume total responsibility and risk for using this device.

Consignes de sécurité importantes

corrosive cleaner or oil to clean.

CONSERVEZ CES CONSIGNES - Ce manuel contient d'importantes instructions de sécurité et d'utilisation relatives au chargeur de voiture modèle R5132.

Veuillez lire et comprendre toutes les instructions avant d'utiliser ce produit. Si le non-respect des instructions entraîne des dommages, la garantie ne s'appliquera pas.

- Lisez toutes les instructions et les mises en garde avant
- Ne pas exposer à la pluie. l'humidité ou la neige.
- par le fabricant peut entraîner un risque d'incendie, de choc électrique ou de blessure.

L'utilisation d'un accessoire non recommandé ou vendu


- Ne pas utiliser ce chargeur de voiture s'il a recu un coup violent, s'il est tombé ou s'il a été endommagé de quelque facon que ce soit : l'apporter à un technicien qualifié.
- Ne pas démonter ce chargeur de voiture : l'apporter à un technicien qualifié lorsqu'une réparation est nécessaire. Un réassemblage incorrect peut entraîner un risque d'électrocution ou d'incendie.
- Pour réduire les risques d'électrocution, débrancher le chargeur de voiture avant d'effectuer toute opération d'entretien ou de nettoyage. La désactivation des commandes ne réduit pas ce risque.
- Pour réduire les risques d'incendie ou d'électrocution, ne pas interconnecter les terminaisons de sortie.
- Éviter toute exposition prolongée à la lumière directe du soleil. qui pourrait endommager l'appareil. • L'exposition de ce produit à des flammes nues peut provoquer
- son explosion. • Ne pas utiliser ce produit dans des champs magnétiques
- Utiliser un chiffon sec. doux et non pelucheux pour le nettoyage. Ne pas utiliser de nettoyant corrosif ni d'huile.

puissants.

 ATTENTION - Pour une protection continue contre les risques d'incendie, ne remplacer le fusible que par un fusible de même type et de même spécification. Le fusible utilisé est de 63V DC / 7A.

Note: Please contact our customer service center if Roav SmartCharge F3 cannot fit into your car's cigarette lighter socket. You can return your Roay SmartCharge F3 for a full refund.


What's Included




-

At a Glance

Roav SmartCharge F3



-



Manual

Press and hold O for 5 seconds to power on/off.

LED Display	Status
NOTCONNECTED	Bluetooth not connected
*	
8 flashes	
II FM 107.5	Bluetooth connected
*	
*The FM frequency	
may vary depending	
on the default setting.	
NO CARD	No microSD card detected

1 Quick Charge 3.0 USB port / Multi-function button

AUX socket 6 Microphone

4 USB port

6 LED display

MicroSD card slot 6 M /Mode button

different modes.

Press the button to

display the FM frequency.

(3) ◀ / ▶

O CH

LED Display Guide

3 Download the Roav Charger app from the App Store (smartphones running iOS 10.2 or higher) or Google Play (smartphones running Android 5.0 or higher).



- 4 Enable Bluetooth on your smartphone and search for available Bluetooth devices.
- Select "Roav F3 XXXX" and connect.
- ➤ Once successfully connected, 😵 will stop flashing.





FM Transmitter The Roay SmartCharge F3 allows you to connect your phone to

1. Use the F3

Press and hold CH for one second when using the F3 for the first time

your car's stereo via FM signal. There are two ways to set up:

- > F3 begins to search an unoccupied FM frequency.
- 2 Turn on the FM radio in your car and tune it to the FM frequency set on the F3.
- To customize your FM frequency:
- a. Press CH on F3.
- > FM frequency displays on the LED screen.
- b. Press ◀ / ▶ to select a FM frequency. Make sure the transmitting frequency matches the frequency your radio is tuned to





USB ERROR

lighter socket.

Start your vehicle's engine.

Status

Reading a microSD card

No USB drive detected

Reading a USB drive

drive cannot be read.

Press and hold M.

Getting Started

The LED display will light up, and show the ROAV logo

1 Plug Roav SmartCharge F3 into your vehicle's cigarette

and current voltage of the car battery.

The UI is subject to change without notice.

cannot be read.

A card error has occurred and the card

A USB error has occurred and the USB

When the USB drive or microSD card is

Shuffle, Repeat All, Repeat One

read, music mode shows from left to right:

2. Use the Roay Charger App

Follow the on-screen instructions in the Roay Charger app to complete connection via FM Radio.

- 1 Tap the "FM radio".
- Tap "SmartScan" (Figure a).
- The Roay Charger App begins to search an unoccupied
- 3 Press and hold one preset station to customize stations.
- Adjust the slider or tap
 ✓ / ▶ to choose a radio frequency. (Figure b).



102.4

6 Turn on the FM radio in your car and tune to a frequency that

stereo by using a 3.5mm AUX cable.



5 Tap " Set ". Once chosen, the previous presets are replaced by	
the new ones.	

- matches the frequency set on the Roav Charger App.
- Play audio from your phone.
- You will hear the audio from the car stereo.

You can also connect the car charger to your car's

Playing Music

When the car charger F3 is successfully connected to your smartphone, you can press the multi-functional button (1) to play music from your phone. Music can then be streamed to your car's sound system via FM transmitter or the AUX socket. You can also insert a USB flash drive or a microSD card to enjoy music that is stored on these devices.



Hands-Free Calling

When the car charger is successfully connected to your smartphone, you can enjoy convenient hands-free calling.

nswer / End a call	Press 🔘	
ject a call	Press and hold of for 2 seconds	

Charging Your Devices

Roav SmartCharge F3 has two USB charging ports (one 5V/1A output port and one Quick Charge 3.0 port). You can charge two devices at the same time with a maximum output of 22W.



 $\overline{}$

Specifications

Specifications are subject to change without notice.

DC input: 12V - 24V

Ouick Charge 3.0 output: 3.6V-6.5V == 3A , 6.5V-9V == 2A. 9V-12V == 1.5A

Bluetooth: V4.2

Bluetooth transmission distance: 10 m / 32.8 ft

USB audio format: .mp3 .wma .flac .wav

FM frequency range: 87.5-108 MHz

FM transmission range: 2 m / 78.7 in USB file system: FAT, FAT32, exFAT

Operating temperature range: -20°C to 40°C/ -4°F to 104°F Storage temperature range: -40°C to 85°C/ -40°F to 185°F

Notice

FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. The following importer is the responsible party.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: (1) Reorient or relocate the receiving antenna. (2) Increase the separation between the equipment and receiver. (3) Connect

the equipment into an outlet on a circuit different from that to which the receiver is connected. (4) Consult the dealer or an experienced radio/TV technician for help.

* Please note that your rights under applicable law governing the sale of consumer goods remain unaffected by the warranties

Customer Service



12-month limited warranty

Lifetime technical support





+1(800) 988 7973 (US) Mon-Fri 9:00-17:00 (PT)







©Anker Innovations Limited. All rights reserved. ROAV and the ROAV logo are trademarks of Anker Innovations Limited, registered in the United States and other countries. All other trademarks are the property of their respective owners.

Model: R5132 51005001139 V02

ROAV

MHz

Play / Pause

Previous / Next track

Select a music mode

your car's audio system.

Press ()

To further reduce echo and background noise on your calls and

music, you can connect a 3.5 mm AUX cable (not provided)

to the AUX socket of the car charger and the AUX-In socket of

Press **4** / ▶

Press and hold **M**. Press ◀ / ▶

Company Name: Fantasia Trading LLC

Cucamonga, CA, 91730, US

Trademark

Telephone: +1 (909) 484 1530

Address: 9155 Archibald Avenue, Suite 202, Rancho

Apple and the Apple logo are trademarks of Apple Inc.,

registered in the U.S. and other countries. App Store is a service

Google Play and the Google Play logo are trademarks of Google

mark of Apple Inc., registered in the U.S. and other countries.

given in this Limited Warranty.













- English: "

This device complies with Industry Canada licence-exempt RSS standard(

- s). Operation is subject to the following two conditions:
- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device."

- French:"

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil nedoit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement."