User Manual 3MP Color LCD Display C32SP+/C32S+





Content

1.	SA	FETY SYMBOLS & PRECAUTIONS	3 -
	1.1	SAFETY SYMBOLS Precautions	3-
	1.2		
2.	IN	TRODUCTION	- 6 -
3.	QU	JICK START	7 -
4.	AD	DJUSTMENT	9 -
5.	OS	D MENU	- 10 -
6.	TR	ROUBLE SHOOTING	- 11 -
7.		EANING	
8.		CKAGE AND ACCESSORY	
9.	SPI	ECIFICATION	- 14 -
(9.1.	SPECIFICATION	
(Э.2.	DVI-D CONNECTOR	
(Э.З.	DISPLAYPORT CONNECTOR	- 14 -

1. Safety Symbols & Precautions

1.1 Safety Symbols

This manual uses below safety symbols. They denote critical information. Please read them carefully.

	WARNING
\wedge	Failure to abide by the information in a WARNING may result in serious injury and can be
	life threatening.
	CAUTION
	Failure to abide by the information in a CAUTION may result in moderate injury and/or
	property or product damage.
4	Alert electrical hazard.
\Diamond	Indicates a prohibited action.
	Indicates to ground for safety.

To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture.

The design of this apparatus is safe to patient.

Do not connect this apparatus to household devices.

We will try the best to assure the newest information be shown in this manual, but the information in this document is subject to change without prior notice.

1.2 Precautions

To ensure personal safety and proper maintenance, please read this section and the caution statements on the unit.

If the unit begins to emit smoke, smells like something is burning, or makes strange noises, disconnect all power connections immediately and contact your dealer for advice.

Attempting to use a malfunctioning unit may result in fire, electric shock, or equipment damage.

Do not open the cabinet or modify the unit.

Opening the cabinet or modifying the unit may result in fire, electric shock, or burn.


Refer all servicing to qualified service personnel.

Do not attempt to service this product yourself as opening or removing covers may result in fire, electric shock, or equipment damage.

Keep small objects or liquids away from the unit.

Small objects accidentally falling through the ventilation slots into the cabinet or spillage into the cabinet may result in fire, electric shock, or equipment damage. If an object or liquid falls/spills into the cabinet, unplug the unit immediately. Have the unit checked by a qualified service engineer before using it again.





Handle with care when carrying the unit.

Disconnect the power cord and signal cables and remove the optional unit. Moving the unit with the cord or the option attached is dangerous. It may result in injury.

When handling the unit, grip the bottom of the unit firmly with both hands ensuring the panel faces outward before lifting.

Dropping the unit may result in injury or equipment damage.

Do not block the ventilation slots on the cabinet.

- Do not place any objects on the ventilation slots.

- Do not install the unit in a closed space.
- Do not use the unit laid down or upside down.
- Blocking the ventilation slots prevents proper airflow and may result in fire, electric shock, or equipment damage.

Do not touch the plug with wet hands.

Doing so may result in electric shock.

Periodically clean the area around the plug.

Dust, water, or oil on the plug may result in fire.

Unplug the unit before cleaning it.

Cleaning the unit while it is plugged into a power outlet may result in electric shock.

If you plan to leave the unit unused for an extended period, disconnect the power cord from the wall socket after turning off the power switch for the safety and the power conservation.

LCD PANEL

When the monitor is cold and brought into a room or the room temperature goes up quickly, dew condensation may occur inside and outside the monitor. In that case, do not turn the monitor on and wait until dew condensation disappears, otherwise it may cause some damages to it.

In order to suppress the luminosity change by long-term use and to maintain the stable luminosity, please use the monitor with the lower brightness.

The screen may have defective pixels. These pixels may appear as slightly light or dark area on the screen. This is due to the characteristics of the panel itself, and not the product.

The backlight of the LCD panel has a fixed life span. When the screen becomes dark or begins to flicker, please contact your dealer.

Do not press on the panel or edge of the frame strongly, as this may result in damage to the screen. There will be prints left on the screen if the pressed image is dark or black. If pressure is repeatedly applied to the screen, it may deteriorate or damage your LCD panel. Leave the screen white to decrease the prints.

Do not scratch or press on the panel with any sharp objects, such as a pencil or pen as this may result in damage to the panel. Do not attempt to brush with tissues as this may scratch the LCD panel.

When the screen image is changed after displaying the same image for extended periods of time, an afterimage may appear. Use the screen saver or timer to avoid displaying the same image for extended periods of time.



O۴




2. Introduction


C32SP+/C32S+ 3MP Color LCD display, with high resolution 2048x1536, is intended to be used in displaying and viewing digital images, for review and analysis by trained medical practitioners. Each monitor has been precisely calibrated to comply with DICOM Part 14 at factory. With built-in brightness stabilization circuit, front sensor and ambient light sensor, stable brightness and persistent calibration can be guaranteed. The display can support both landscape and portrait mode. The anti-reflection coated protective screen can prevent display from damage under hard using conditions, make the clean and disinfect easier.

2.1. OSD and Interface

a. Front



b. Back




3. Quick start

Note: turn off the power to your computer and monitor.

1. Cable Connection

Connect all cables to the appropriate connectors, as shown in below picture.




2. Adjust the height, position and angle of monitor.

Screen Rotation

Before rotating, the screen must be raised to the highest level to avoid knocking the screen on the desk or pinching with your fingers. To raise the screen, push the button rightward (marked with red circle in below picture) to unlock the lift firstly and place hands on each side of the monitor and lift up to the highest position. To rotate screen, place hands on each side of the monitor screen and turn counter-clockwise from Landscape to Portrait or clockwise from Portrait to Landscape.

Tilt: Grasp both sides of the monitor screen with your hands and adjust the tilt as desired. **Swivel:** Grasp both sides of the monitor screen with your hands and adjust the swivel as desired.



3. Turn on the monitor, the power indicator light will become green. Start the computer and set mode of monitor as below: 1536 x 2048 (in portrait mode) or 2048 x 1536 (in landscape mode). NOTE:


If no picture, please refer to the Troubleshooting section of this manual.

The original screen deflection, turn on the video card control interface, alter the rotation angle to the required display effect.

Please use the attached power cable and connect it to the standard power socket. Make sure the power connector be fully connected to the power socket. To prevent fire or electric shock, the power cable should be used at specified electric voltage.

This apparatus should be connected to well grounded power socket.

4. Adjustment



LED indicator

LED Color	The status of the monitor
Green.	Normal operation
Orange	Stand-by mode
None	Off mode

Key Functions in the OSD Menu

Кеу	Action				
Menu	Activate OSD or "Enter Key"				
Exit	Return to previous menu or exit menu				
Left	"Left Key"				
Right	"Right Key"				
Down	"Down Key"				
Up	"Up Кеу"				

Hotkey Menu

Keys	Action		
Menu	Show OSD menu		
LEFT/RIGHT	Backlight control		
UP/DOWN	Contrast control		

Note: Press LEFT/RIGHT, UP/DOWN key to adjust backlight/Contrast while there is no menu displayed.

5. OSD MENU

Main Menu Function Opt		Option	Description		
Input	Input	DP DVI	Select Input source		
	Brightness	0-100	Adjust black level		
	Contrast	0-100	Adjust Contrast		
Image	Gamma	DICOM DSA DSI CT MRI 2.2 2.0 1.8	Select Gamma Curve		
	Color Temp.	>>>	Go to Color Temp. sub menu		
	Aspect Ratio	Full Screen Native	Select Aspect Ratio mode		
	Language	English 中文	Select OSD language		
	OSD Position	Center Bottom	Select the position of OSD Menu		
	OSD Rotation	OFF/90/ 180/270	Adjust the viewing angle of the OSD menu		
Setup	Auto Scan Input	Off On	Select the scan mode		
	Amb Light Ctrl	ON/OFF	Backlight auto adaptation to ambient light Enable/Disable		
	Factory Reset	>>>	Reset to factory default settings.		
	Firmware version	Eg: V1.01	Firmware version imformation		
Status	Main Input	DVI/DP	Input imformation		
	Main Format	Eg:2048X1536/60Hz	Input Format imformation		

6. Trouble Shooting

If a problem persists even after applying the suggested remedies, contact a deale	er.
-----------------------------------------------------------------------------------	-----

Problems	Points to check with Possible Solutions			
1. No picture	Check if the power cord is correctly connected. If the problem			
Indicator status: Off	persists, turn off the monitor for a few minutes, then turn it on and			
	try again.			
Indicator status: Orange	Press the keyboard of computer or click the mouse, turn off the			
	monitor and then restart.			
2. The screen is too bright or too	Adjust the <brightness> (The backlight of the LCD monitor has a</brightness>			
dark.	fixed life span. When the screen becomes dark or begins to			
	flicker, please contact your dealer.)			
3.Image sticking issue appears.	- Please check if you use the screen saver or timer when			
	displaying the same image for long time.			
	- Image sticking is inherent characteristic of the panel. Avoid			
	displaying the same image for long time.			
4. The screen has defective pixels	This is due to the characteristics of the panel itself, not the LCD			
(e.g. slightly light or dark).	monitor.			

7. Cleaning

Periodic cleaning is recommended to keep the monitor clean and to prolong its operation lifetime. **Note:** Never use thinner, benzene, alcohol (ethanol, methanol, or isopropyl alcohol), abrasive cleaners, or other strong solvents, as these may cause damage to the cabinet or LCD panel.

Cabinet

To remove stains, wipe the cabinet with a soft, lightly moistened cloth using a mild detergent. Do not spray wax or cleaner directly into the cabinet.

LCD Panel

The LCD surface can be cleaned with a soft cloth, such as cotton or lens paper.

If necessary, stubborn stains can be removed by moistening part of a cloth with water to enhance its cleaning power.

8. Package and Accessory

C32SP+/C32S+ LCD Monitor Graphics card Displayport cable USB cable Power cable Power adapter User manual Graphics card driver disk

9. Specification

9.1. Specification

Panel	21.3", TFT Color LCD screen, antigalre				
Brightness (typ.)	800 cd/m ²				
CR (typ.)	1400:1				
Viewing angle	R/L 176°, U/D 176° Typ. (CR > 10)				
Pixel Pitch	0.2115 mm				
Native resolution	2048 x1536				
Display area	433.152mm (H) x 324.864 mm (V)				
Power	DC12V/10A				
Power consumption	MAX.120W				
Input signals	DVI-D,Display Port				
Plug and play	VESA DDC 2B				
Operating temperature and	Temperature: 5°C ~ 35°C				
humidity:	Humidity: 15% ~85%				
Storage temperature and	Temperature: -20°C ~ 60°C				
humidity:	Humidity:10% ~90%				


9.2. DVI-D Connector

0	#	C

Pin	Signal	Pin	Signal Pin		Signal
1	TMDS Data 2-	9	TMDS Data 1-	17	TMDS Data 0-
2	TMDS Data 2+	10	TMDS Data 1+	18	TMDS Data 0+
3	TMDS Data 2/4 Shield	11	TMDS Data 1/3 Shield	19	TMDS Data 0/5 Shield
4	TMDS Data 4-	12	TMDS Data 3-	20	TMDS Data 5-
5	TMDS Data 4+	13	TMDS Data 3+	21	TMDS Data 5+
6	DDC Clock (SCL)	14	+5V Power	22	TMDS Clock shield
7	DDC Data (SDA)	15	Ground (For +5V)	23	TMDS Clock+
8	NC	16	Hot Plug Detect	24	TMDS Clock-

(*NC: no connection)

9.3. Displayport Connector



Pin	Signal	Pin	Signal	Pin	Signal	Pin	Signal
1	ML3(n)	6	ML2(p)	11	GND	16	GND
2	GND	7	ML1(n)	12	ML0(p)	17	AUX(n)
3	ML3(p)	8	GND	13	GND	18	HPD
4	ML2(n)	9	ML1(p)	14	GND	19	RTN
5	GND	10	ML0(n)	15	AUX(p)	20	PWR

10. FCC Statement:

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - -Reorient or relocate the receiving antenna.
 - -Increase the separation between the equipment and receiver.
 - -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - -Consult the dealer or an experienced radio/TV technician for help.
- Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.



Shenzhen Beacon Display Technology Co.,Ltd

Room 201, Incubator Building, CASTD, High-tech South 1st Street, Nanshan District, Shenzhen Tel: +86 755 26050699 26995355 Fax: +86 755 26995755 Website: www.beacon-display.cn