

ISW-BGB1-SAX
ISW-BGB1-SAY



wLSN Glassbreak Detector
Installation Instructions

3 - P/N:24585

3 - P/N:15053

2- AA
P/N:16556

ISW-BGB1-SAX
ISW-BGB1-SAY

106 mm (4.2 in.)

32 mm (1.25 in.) 122 mm (4.8 in.)

-10°C - +55°C (+14°F - +131°F)
UL: 0°C - +49°C (+32°F - +120°F)
Environmental Class II

868 MHz (ISW-BGB1-SAX)
915 MHz (ISW-BGB1-SAY)

< 95%

ISW-BGB1-S135X (868 MHz):
CE
EN50131-1 Grade 2

ISW-BGB1-S135Y (915 MHz):
FCC, Part 15
IC: Industry Canada RSS-210
UL639: Intrusion Detection Units
ULC-S306-03: Intrusion Detection Units

≥2 m (6.5 ft)

≤7.6 m (25 ft)

≤7.6 m (25 ft)

≥1 m (3.25 ft)

1

2




3

www.boschsecurity.com





© 2007 Bosch Security Systems, Inc.
F01U027173-01a






3





4




5




6



7



VER	CP#	DATE	REVISION RECORD	DR	AUTH
01	X	8/13/07	ACCEPTED DRAWING	JF	PP



PROPRIETARY DATA
 DATA CONTAINED HEREIN SHALL NOT BE USED,
 DUPLICATED OR DISCLOSED IN WHOLE OR PART
 OUTSIDE OF BOSCH SECURITY SYSTEMS
 WITHOUT EXPRESSED WRITTEN PERMISSION OF SAME.

MATERIAL NO. F01U0xxxxx			
BOSCH SECURITY SYSTEMS, INC. 130 PERINTON PARKWAY FAIRPORT, NEW YORK, 14450-9199 USA (585) 223 4060 FAX (585) 223 9180			 BOSCH
DRAWING TITLE			
wLSN Regulatory Insert			
DATE DRAWN: 8/13/07		DRAWN BY: J Freiberger	
DWG TYPE	DRAWING NUMBER	VERSION	SCALE
DRW	F01U0xxxxx	01b	SHEET 1 OF 1