


ISW-BSM1-SX
ISW-BSM1-SY



wLSN Smoke Detector
Installation Instructions



ISW-BSM1-SX
ISW-BSM1-SY




2




2




2-
123A




1




2




3



142 mm (5.6 in.)






61 mm (2.4 in.)



www.boschsecurity.com

© 2007 Bosch Security Systems, Inc.
F01U012075-01a





-10°C - +55°C(+14°F - +131°F)

UL: 0°C - +49°C (+32°F - +120°F)



<90%

Environmental Class II



868 MHz (ISW-BSM1-SX)

915 MHz (ISW-BSM1-SY)

ISW-BSM1-WX (868 MHz):

CE

EN14604

ISW-BSM1-WY (915 MHz):

FCC, Part 15

IC: Industry Canada RSS-210

UL268: Standard for Smoke Detectors for Fire Alarm Signaling Systems


ULC-S529-02: Smoke Detectors for Fire Alarm Signaling Systems

© 2007 Bosch Security Systems, Inc.
F01U012075-01a




Recyclable

| VER | CP# | DATE | REVISION RECORD | DR | AUTH |
|-----|-----|---------|------------------|----|------|
| 01 | X | 8/13/07 | ACCEPTED DRAWING | JF | PP |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



PROPRIETARY DATA
DATA CONTAINED HEREIN SHALL NOT BE USED,
DUPLICATED OR DISCLOSED IN WHOLE OR PART
OUTSIDE OF BOSCH SECURITY SYSTEMS
WITHOUT EXPRESSED WRITTEN PERMISSION OF SAME.

| | | | |
|------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------|----------------------------------------------------------------------------------------------------|
| MATERIAL NO. F01U0xxxxx | | | |
| BOSCH SECURITY SYSTEMS, INC. 130 PERINTON PARKWAY FAIRPORT, NEW YORK, 14450-9199 USA (585) 223 4060 FAX (585) 223 9180 | | |  BOSCH |
| DRAWING TITLE | | | |
| wLSN Regulatory Insert | | | |
| DATE DRAWN: 8/13/07 | | DRAWN BY: J Freiberger | |
| DWG TYPE | DRAWING NUMBER | VERSION | SCALE |
| DRW | F01U0xxxxx | 01b | SHEET 1 OF 1 |