telefication bv The Netherlands Chamber of Commerce 51565536 www.telefication.com



# Certificate of Conformity

No.: 13224011/AA/00

Telefication declares that the listed product complies with the Technical standards and specifications as indicated under Annex 2 of this certificate.

Product description: Call Station Kit Modules

Trademark: See annex 3
Family name: Praesideo
Type designation: See annex 3
Serial No: See annex 3

Hard-|Software release No: See annex 3

Manufacturer: Bosch Security Systems B.V.

Address: Torenallee 49
City: 5617 BA Eindhoven

Country: Netherlands

This certificate is granted to:

Name: Bosch Security Systems B.V.

Address: **Torenallee 49**City: **5617 BA Eindhoven** 

City. 3017 BA Ellianove

Country: Netherlands

This certificate has THREE Annexes.

Zevenaar, 28 April 2014

 $\epsilon$ 

W.J.M. Jong
Manager Product Certification







Annex 1 to Certificate of Conformity Number: 13224011/AA/00

28 April 2014 Annex 1, Page 1 of 1

The validity of this Certificate is limited to products, which are equal to the one examined.

#### Remarks and observations

The following conditions are applicable:

The Call Station Module, Call Station Keypad Module and Remote Call Station Module can be placed in four Praesideo systems:

- \* Praesideo 3.5 system based on network controller PRS-NCO-B and PRS-SW software version 3.5x (where x can be 0, 1, 2 or 3)
- \* Praesideo 3.6 system based on network controller PRS-NCO-B and PRS-SW software version 3.6y (where v can be 0 or 1)
- \* Praesideo 4.0 system based on network controller PRS-NCO3 and PRS-SW software version 4.0y (where y can be 0 or 1)
- \* Praesideo 4.1 system based on network controller PRS-NCO3 and PRS-SW software version 4.1

The Call Station Module, Call Station Keypad Module and Remote Call Station Module are in compliance with the EN 60945 (IEC 60945) EMC requirements for "all other bridge-mounted equipment". Additionally environmental testing has been performed, excluding corrosion.

Compass Safe Distance of the combination Call Station Module, PRS-CSM, and Call Station Keypad Module, PRS-CSKPM, has been determined to be: STD: 0.75 m and STEER: 0.50 m. Compass Safe Distance of the combination Call Station Keypad Module, PRS-CSKPM, and Remote Call Station Module, PRS-CSRM, has been determined to be: STD: 0.85 m and STEER: 0.50 m.



Annex 2 to Certificate of Conformity Number: 13224011/AA/00 28 April 2014 Annex 2, Page 1 of 2

### **Documentation lodged for this Certificate of Conformity**

#### Test Reports:

- Telefication B.V.: 20134648201 rev1.0, 14 April 2014 - Telefication B.V.: 20134648800 Ver. 1.00, 28 March 2014

#### Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electric diagrams
- Photos
- User manual

### **Technical Standards and Specifications**

The product shows no non-compliances with:

- EN 60945: October, 2002, Edition 4 - IEC 60945: August, 2002, Edition 4 - IEC 60945/Corrigendum 1: April, 2008, Edition 4



Annex 2 to Certificate of Conformity Number: 13224011/AA/00 28 April 2014 Annex 2, Page 2 of 2

### **Technical features and characteristics**

The product includes the following features and characteristics:

Not specified



Annex 3 to Certificate of Conformity Number: 13224011/AA/00

28 April 2014 Annex 3, Page 1 of 1

## The product as described in this Certificate of Conformity includes the following type designations:

- Product description: Call Station Module

Trademark: BOSCH
Family name: Praesideo
Type Designation: PRS-CSM
Serial number: N/A
Hardware version: 11/00

- Software version: Praesideo software PRS-SW: 3.5x & 3.6y & 4.0y & 4.1

- Product description: Call Station Keypad Module

- Trademark: BOSCH- Family name: Praesideo- Type Designation: PRS-CSKPM

- Serial number: N/A - Hardware version: 11/00

- Software version: Praesideo software PRS-SW: 3.5x & 3.6y & 4.0y & 4.1

- Product description: Remote Call Station Module

- Trademark: BOSCH- Family name: Praesideo- Type Designation: PRS-CSRM

- Serial number: N/A - Hardware version: 11/00

- Software version: Praesideo software PRS-SW: 3.5x & 3.6y & 4.0y & 4.1