

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**8B Backhoe (For 4005, 990, 870, 970, 1070 OOS Tractors)
Equipment for Base Machine**

8.5 ft. (2.6 m) Digging Depth Quik-Tatch Mounting 180 Degree Swing Control Console Two Lever Control Six Spool Control Valve 12 In. Bucket Operators Seat with Transport Lock	Hydraulic Stabilizers with Combination Grouser and Smooth Pads Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 4005, 870, 970,990 and 1070 Tractors
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1840M		8B Backhoe (For 4005, 990, 870, 970, 1070 OOS Tractors) <i>Tractors Must be Equipped with a Front Loader and Require BM18010 Power Beyond Kit. For 990 Tractors Above Serial No. LV0990G590001, Refer to Sales Manual for Additional Parts.</i>	9,175.00
-------	--	--	----------

MOUNTINGS, HYDRAULICS, SUBFRAME, AND REAR HANGER

1000		Mountings, Hydraulics, Subframe and Rear Hanger Brackets for 4005, 870, 970, 990 and 1070 Tractors	In Base Price
1004		Less Mountings, Hydraulics and Subframe	-1,428.00

Buckets:

3000		12 In. Bucket	In Base Price
3001		18 In. Bucket	77.00
3002		24 In. Bucket	161.00
3004		Less Bucket	-608.00

ATTACHMENTS - ORDER AS DESIRED

ATTACHMENTS FOR FIELD CONVERSION

Buckets:			
BM19568		12 In. Standard Bucket (1.53 Cu. Ft.)	717.20
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	807.40
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	906.40
Hydraulics:			
BM18010		Power Beyond Kit	341.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

8B Backhoe (For 4005, 990, 870, 970, 1070 OOS Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous:	
AH75164		Elbow Assy., 90 Degree Adjustable <i>Order AH75164 or AV43772 When 8, 8A or 8B Backhoe is Mounted on 850 (SN 009000 and Below) or 950 (SN 012000 and Below) Tractors.</i>	11.58
BM17019		Mountings, Hydraulics, Subframe and Rear Hanger Brackets (4005, 870, 970, 990, 1070)	1,683.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**260 Backhoe (For 2305, 2210, 1023E, 1025R, 1026R OOS Tractors)
Equipment for Base Machine**

6 ft. 2 In. (1.89 m) Digging Depth	Hydraulics
One Double Acting Swing Cylinder	8 In. Bucket
150 Degree Swing	Swivel Seat Bracket
Narrow Control Console	Transport Locking Pins
Two Lever Control	Hydraulic Stabilizers
Six Spool Control Valve	Subframe Mounting

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1161LV	260 Backhoe (For 2305, 2210, 1023E, 1025R, 1026R OOS Tractors) <i>Tractors Must be Equipped with a Front Loader and a Power Beyond Hydraulic kit LVB25956 (except 2305 and 2210). If Ordering for a 2210 Tractor, LVB24980 Seat Kit is Required. Tire chains are not compatible with backhoe.</i> <i>Only 17 digit Serial No. 260 backhoes (with updated mainframe) are compatible with 1023E, 1025R, and 1026R.</i> <i>1023E tractors, SN 410165 and above, are not compatible with swivel seat. For backhoe compatibility and use order alternate seat, LVA15326, from parts.</i>	5,764.00
--------	--	----------

SUBFRAME MOUNTING/POWER BEYOND HYDRAULICS

1001	Subframe Mounting/Power Beyond Hydraulics (For 2305 Tractors) <i>AM105466 and AM105467 Couplers are required or need to be included in code.</i>	-72.00
1005	Subframe Mounting (For 1023E Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	In Base Price
1006	Subframe Mounting (For 1025R and 1026R Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	Same Price
1010	Less Subframe Mounting/Power Beyond Hydraulics	-1,129.00

Buckets:

2000	8 In. Bucket (0.63 Cu. Ft.)	In Base Price
2001	12 In. Bucket (0.90 Cu. Ft.)	57.00
2002	16 In. Bucket (1.31 Cu. Ft.)	97.00
2010	Less Bucket	-314.00

ATTACHMENTS FOR FIELD CONVERSION

	Buckets:		
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	436.70

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

260 Backhoe (For 2305, 2210, 1023E, 1025R, 1026R OOS Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	486.20
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	370.70
LVB25956		Hydraulics: Power Beyond Kit	174.90
BM19556		Miscellaneous: Rubber Street Pad Kit	138.60
LVB24980		Seat Kit (2210) <i>2210 Tractor Seats need to be Upgraded to the 2305 Seat to Work with Swivel Mechanism. Kit Includes Bracket for SMV Sign.</i>	165.00
LVB24982		Stabilizer Cylinder Protection Kit	124.30
BLV10161		Mountings and Hardware for Tractors: Subframe Mounting (For 1023E Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	1,332.10
BLV10162		Subframe Mounting (For 1025R, 1026R Tractors) <i>Power Beyond kit LVB25956 is required on tractor.</i>	1,332.10
LVB25969		Subframe Mounting/Power Beyond Hydraulics Kit (For 2305 Tractors with 260 Backhoe)	1,246.30

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**46 Backhoe (For 2032R, 2520, 2720, 4100, 4110, 4115 OOS Tractors)
Equipment for Base Machine**

6.5 ft. (2.0 m) Digging Depth	9 In. Bucket
Two Double Acting Swing Cylinders	Operator's Seat with Transport Lock
180 Degree Swing	Hydraulic Stabilizers with Flip-Over Pads
Narrow Control Console	Subframe Mounting
Two Lever Control	
Six Spool Control Valve	
Hydraulics	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1150LV	46 Backhoe (For 2032R, 2520, 2720, 4100, 4110, 4115 OOS Tractors) <i>The 46 Backhoe is not Compatible with a Mid-Mount Mower Deck, See Sales Manual. Tractors Must be Equipped with a 200X/200CX Front Loader and Power Beyond Kit. With Full Axle Oscillation and Sharp Turning Angle, Tires have some Interference with 200X/200CX Loader Tubes when 46 Backhoe is Installed on 4115 Tractors. This Condition is Worse with R3 Tires than R4's. 4100, 4110, 4115 Tractors Require Folding ROPS and Tall ROPS Upper Hoop Kit (LVB25573).</i>	7,240.00
--------	--	----------

SUBFRAME MOUNTING

1004	Subframe Mounting (For 2032R, 2520, 2720)	Same Price
1010	Less Subframe Mounting	-1,020.00

Buckets:

2000	9 In. Bucket (0.64 Cu. Ft.)	In Base Price
2001	13 In. Bucket (1.04 Cu. Ft.)	47.00
2002	16 In. Bucket (1.33 Cu. Ft.)	78.00
2003	20 In. Bucket (1.74 Cu. Ft.)	153.00
2004	24 In. Bucket (2.14 Cu. Ft.)	210.00
2010	Less Bucket	-351.00

ATTACHMENTS FOR FIELD CONVERSION

	Buckets:		
BM19558		13 In. Bucket (1.04 Cu. Ft.)	479.60
BM19559		16 In. Bucket (1.33 Cu. Ft.)	515.90
BM19560		20 In. Bucket (1.74 Cu. Ft.)	607.20
BM19561		24 In. Bucket (2.14 Cu. Ft.)	675.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

46 Backhoe (For 2032R, 2520, 2720, 4100, 4110, 4115 OOS Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19557		9 In. Bucket (0.64 Cu. Ft.)	422.40
		Hydraulics:	
LVB25603		Power Beyond Kit <i>Not Compatible with Third SCV kit BLV1038/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2320, 2520, 2720 Tractors. Equipped with Dual SCV.</i>	357.50
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit BLV1038/LVB26166 Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2025R, 2032R, 2320, 2520, 2720, 4100, 4110, and 4115 Tractors Equipped with Dual SCV.</i>	480.70
		Mountings and Hardware for Tractors:	
LVB24842		Subframe Mounting Kit (For 2025R, 2320 Tractors with 46 Backhoe)	1,201.20
LVB25883		Subframe Mounting Kit (For 2032R, 2520, 2720 Tractors with 46 Backhoe)	1,201.20
		Operator Environment:	
LVB25573		Tall ROPS Upper Hoop Kit <i>Required for Use with 46 Backhoe on 4100, 4110, 4115 Tractors.</i>	212.30
		Operator Manual and Decal Kit:	
LVB25581		Operator's Manual and Decal Kit - French	No Charge

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**375A Backhoe (3033R-3046R Cab and OOS Tractors)
Equipment for Base Machine**

7.5 ft. Digging Depth
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
9 In. Bucket

Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6160LV		375A Backhoe (3033R-3046R Cab and OOS Tractors) <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	9,007.00
--------	--	---	----------

SUBFRAME MOUNTING

1010		Less Mounting	-1,001.00
1001		Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Cab Only)	Same Price
1005		Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	In Base Price

Buckets:

3000		9 In. Bucket (0.684 Cu. Ft.)	In Base Price
3010		12 In. Bucket (1.12 Cu. Ft.)	66.00
3020		16 In. Bucket (1.50 Cu. Ft.)	154.00
3030		20 In. Bucket (1.88 Cu. Ft.)	242.00
3040		24 In. Bucket (2.26 Cu. Ft.)	330.00
3050		18 In. HD Bucket (1.69 Cu. Ft.)	271.00
3060		Less Bucket	-489.00

OPERATORS MANUAL

0409		English Operator's Manual and Decal Kit	In Base Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0413		French Operator's Manual and Decal Kit	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Buckets:

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375A Backhoe (3033R-3046R Cab and OOS Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10339	12 In. Bucket (1.12 Cu Ft.)	610.50
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	707.30
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft)	836.00
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	804.10
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	900.90
	BLV10338	9 In. Bucket (0.684 Cu. Ft)	537.90
		Hydraulics:	
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	449.90
		Miscellaneous:	
	BLV10353	Mechanical Thumb	668.31
	BM19556	Rubber Street Pad Kit	138.60
		Mountings and Hardware for Tractors:	
	BLV10345	Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (Cab Only)	1,210.00
	BLV10460	Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	1,210.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**385A Backhoe (3033R-3046R OOS Tractors)
Equipment for Base Machine**

8.5 ft. Digging Depth
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics
12 In. Bucket

Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6170LV		385A Backhoe (3033R-3046R OOS Tractors) <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	9,744.00
--------	--	---	----------

SUBFRAME MOUNTING

1010		Less Mounting	-1,001.00
1005		Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	In Base Price

Buckets:

3000		9 In. Bucket (0.684 Cu. Ft.)	66.00
3010		12 In. Bucket (1.12 Cu. Ft.)	In Base Price
3020		16 In. Bucket (1.50 Cu. Ft.)	88.00
3030		20 In. Bucket (1.88 Cu. Ft.)	176.00
3040		24 In. Bucket (2.26 Cu. Ft.)	264.00
3050		18 In. HD Bucket (1.69 Cu. Ft.)	205.00
3060		Less Bucket	-555.00

OPERATORS MANUAL

0409		English Operator's Manual and Decal Kit	In Base Price
0437		Spanish North American Operator's Manual and Decal Kit	Same Price
0413		French Operator's Manual and Decal Kit	Same Price

ATTACHMENTS FOR FIELD CONVERSION

		Buckets: 12 In. Bucket (1.12 Cu Ft.)	610.50
--	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

385A Backhoe (3033R-3046R OOS Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	707.30
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft)	836.00
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	804.10
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	900.90
	BLV10338	9 In. Bucket (0.684 Cu. Ft)	537.90
		Hydraulics:	
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3033R-3046R Open Station Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	412.50
		Miscellaneous:	
	BM19556	Rubber Street Pad Kit	138.60
		Mountings and Hardware for Tractors:	
	BLV10460	Rockshaft Assist Mounting Brackets and Hardware for 3033R-3046R Tractors (OOS Only)	1,210.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485A Backhoe (4044M-4066M OOS and 4044R-4066R Cab and OOS Tractors)
Equipment for Base Machine

8.5 ft. Digging Depth	Operator's Seat
180 Degree Swing	Hydraulic Stabilizers
Narrow Control Console	Subframe Mounting (3 Point Hitch Assist)
Two Lever Control	Transport Locks
Six Spool Control Valve	
Hydraulics	
12 In. Bucket	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6180LV	485A Backhoe (4044M-4066M OOS and 4044R-4066R Cab and OOS Tractors) <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i>	10,449.00
--------	---	-----------

SUBFRAME MOUNTING

1010	Less Mounting	-1,001.00
1003	Rockshaft Assist Mounting Brackets and Hardware for 4044M-4066M and 4044R-4066R Tractors (Cab and OOS)	In Base Price

Buckets:

3000	9 In. Bucket (0.684 Cu. Ft.)	66.00
3010	12 In. Bucket (1.12 Cu. Ft.)	In Base Price
3020	16 In. Bucket (1.50 Cu. Ft.)	88.00
3030	20 In. Bucket (1.88 Cu. Ft.)	176.00
3040	24 In. Bucket (2.26 Cu. Ft.)	264.00
3050	18 In. HD Bucket (1.69 Cu. Ft.)	205.00
3060	Less Bucket	-555.00

OPERATORS MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price
0413	French Operator's Manual and Decal Kit	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Buckets:	
BLV10339	12 In. Bucket (1.12 Cu Ft.)	610.50

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

485A Backhoe (4044M-4066M OOS and 4044R-4066R Cab and OOS Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10340	16 In. Bucket (1.50 Cu. Ft.)	707.30
	BLV10343	18 In. Heavy Duty Bucket (1.69 Cu. Ft.)	836.00
	BLV10341	20 In. Bucket (1.88 Cu. Ft.)	804.10
	BLV10342	24 In. Bucket (2.26 Cu. Ft.)	900.90
	BLV10338	9 In. Bucket (0.684 Cu. Ft.)	537.90
		Hydraulics:	
	BLV10039	Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4044M/R-4066M/R Tractors. See Sales Manual (SCV Reference Table) or ordering details.</i>	314.60
		Miscellaneous:	
	BM19556	Rubber Street Pad Kit	138.60
		Mountings and Hardware for Tractors:	
	BLV10334	Rockshaft Assist Mounting Brackets and Hardware for 4044M/R-4066M/R Tractors (Cab and Open Station)	1,210.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**375 Backhoe (For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors)
Equipment for Base Machine**

7 ft. 8 In. (2.3 m) Digging Depth Quik-Tatch Mounting Two Double Acting Swing Cylinders 180 Degree Swing Narrow Control Console Two Lever Control Six Spool Control Valve Hydraulics	9 In. Bucket Operator's Seat with Transport Lock Hydraulic Stabilizers with Flip-Over Pads Rockshaft Assist Mounting Brackets and Hardware for 3120-3720, 4105 Open Station Tractors
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6120LV	375 Backhoe (For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors) <i>Tractor's Must be Equipped with a Front Loader and Power Beyond Kit. 4105 Tractor Requires LVB25930 Parking Extension Kit. See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	8,619.00
--------	---	----------

MOUNTING BRACKETS AND HARDWARE FOR TRACTOR

1002	Rockshaft Assist Mounting Brackets and Hardware for 3120-3720, 4105 OOS Tractors	In Base Price
1004	Rockshaft Assist Mounting Brackets and Hardware for 4300-4400 and 4310-4410 Tractors with Heavy Duty Sub-Frame	501.00
1005	Rockshaft Assist Mounting Brackets and Hardware for 3320-3720 Cab Tractors	321.00
1010	Less Mounting Brackets and Hardware	-479.00

Buckets:

3000	9 In. Bucket (0.64 Cu. Ft.)	In Base Price
3001	13 In. Bucket (1.04 Cu. Ft.)	48.00
3002	16 In. Bucket (1.33 Cu. Ft.)	80.00
3003	20 In. Bucket (1.74 Cu. Ft.)	156.00
3004	24 In. Bucket (2.14 Cu. Ft.)	214.00
3005	36-Inch Bucket (3.01 Cu. Ft.)	385.00
3010	Less Bucket	-358.00

ATTACHMENTS - ORDER AS DESIRED

Spanish North American Kit:

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe (For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9430		ATTACHMENTS - ORDER AS DESIRED Continued... Spanish North American Operator's Manual and Decal Kit	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
Buckets:			
	BM19558	13 In. Bucket (1.04 Cu. Ft.)	479.60
	BM19559	16 In. Bucket (1.33 Cu. Ft.)	515.90
	BM19560	20 In. Bucket (1.74 Cu. Ft.)	607.20
	BM19561	24 In. Bucket (2.14 Cu. Ft.)	675.40
	BM19562	36 In. Bucket (3.34 Cu. Ft.)	845.90
	BM19557	9 In. Bucket (0.64 Cu. Ft.)	422.40
Hydraulics:			
	LVB25085	Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	342.10
	LVB25781	Power Beyond Kit (Cab Tractors Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
	LVB26069	Power Beyond Kit (Cab Tractors Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB26064	Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
	LVB25505	Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
	LVB25221	Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	412.50
Miscellaneous:			
	BM19556	Rubber Street Pad Kit	138.60
	LVB26056	Thumb <i>Only compatible with a 2010 model or later backhoe with a serial number greater than LV0375X030000. Not compatible with 9 In. Bucket (BM19557).</i>	803.00
Mountings and Hardware for Tractors:			
	LVB24795	Heavy-Duty Subframe Kit <i>See Sales Manual for 4300-4400, 4310-4410 Tractor/Backhoe Requirements.</i>	591.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

375 Backhoe (For 3120-3720, 4105, 4300-4400, 4310-4410 Cab and OOS Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25611	Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	564.30
	BM19564	Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	564.30
	LVB26149	Rockshaft Assist Mounting Brackets and Hardware (3320-3720 Cab Tractors)	941.60
		Operator Manual and Decal Kit:	
	BLV10058	Spanish North American Operator's Manual and Decal Kit	17.60

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**485 Backhoe (For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors,
4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3,
5103-5403 OOS Tractors)
Equipment for Base Machine**

8 ft. 9 In.(2.7 m) Digging
Depth
Quick-Tatch Mounting
Two Double Acting Swing
Cylinders
180 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics

12 In. Bucket
Operator's Seat with
Transport Locks
Hydraulic Stabilizers with
Flip-Over Pads
Rockshaft Assist Mounting
Brackets, Hardware and
Adapter Frame Plate for
4510-4710 and 4120-4720
Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6131LV		485 Backhoe (For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors, 4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3, 5103-5403 OOS Tractors) <i>Does Not Fit Cab 3320-3720 Tractors.</i> <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit.</i> <i>5 Series Tractors do not require a Power Beyond Kit.</i> <i>Installation of LVB25628 PRT Oil Cooler Kit is Recommended for 4000 Twenty Series Tractors with a PRT Trans. and Equipped with a Backhoe that will be used for Extended Continuous Periods of Time.</i> <i>See Sales Manual for 4300 Through 4710 Tractor/Backhoe Requirements.</i>	10,047.00
--------	--	---	-----------

MOUNTING BRACKETS AND HARDWARE FOR TRACTOR

1001		Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410) with Heavy Duty Sub-Frame	-269.00
1005		Rockshaft Assist Mounting Brackets and Hardware (3120-3720 OOS Tractors)	-439.00
1006		Subframe Mounting Brackets, Hydraulics and Hardware For 5045E-5075E Series Tractors and 5103-5403 Series Tractors <i>Compatible with serial numbers after PY5103U013641, PY5203U005570, PY5303U007753, and PY5403U000735.</i>	110.00
1007		Rockshaft Assist Mounting Brackets and Hardware (4120-4720. See notes below on 4500-4700 and 4510-4710) <i>4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	In Base Price
1010		Less Mounting Brackets and Hardware	-917.00

ADAPTER FRAME FOR BACKHOE

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**485 Backhoe (For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors,
4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3,
5103-5403 OOS Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2000		ADAPTER FRAME FOR BACKHOE Continued... Adapter Frame Weldment Plate (3120-3720, 4300-4400, 4310-4410)	-42.00
2003		Adapter Frame Weldment Plate (4120-4720, 4500-4700 and 4510-4710)	In Base Price
2010		Less Adapter Frame Weldment Plate	-934.00

Buckets:

3000		12-Inch Bucket (1.53 Cu. Ft.)	In Base Price
3001		18-Inch Bucket (2.47 Cu. Ft.)	77.00
3002		24-Inch Bucket (3.48 Cu. Ft.)	161.00
3010		Less Bucket	-608.00

ATTACHMENTS - ORDER AS DESIRED

9430		Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

LVB25613		Backhoe Adapter Frames: Adapter Frame Weldment Plate (3120-3720, 4300-4400, 4310-4410)	1,041.70
LVB26163		Adapter Frame Weldment Plate (4120-4720, 4500-4700 and 4510-4710)	1,120.90
BM19568		Buckets: 12 In. Standard Bucket (1.53 Cu. Ft.)	717.20
LVB25173		14 In. Heavy Duty Bucket (1.74 Cu. Ft.)	793.10
LVB25174		18 In. Heavy Duty Bucket (2.68 Cu. Ft.)	872.30
BM19569		18 In. Standard Bucket (2.47 Cu. Ft.)	807.40
LVB25175		24 In. Heavy Duty Bucket (3.71 Cu. Ft.)	975.70
BM19570		24 In. Standard Bucket (3.48 Cu. Ft.)	906.40
LVB25177		40 In. Heavy Duty Bucket (6.41 Cu. Ft.)	1,267.20
LVB25085		Hydraulics: Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4310-4410 Tractors.</i>	342.10
LVB25780		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4320-4720 Cab Tractors.</i>	343.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**485 Backhoe (For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors,
4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3,
5103-5403 OOS Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26071		Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	421.30
LVB26064		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25505		Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
LVB25512		Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	412.50
LVB26066		Power Beyond Kit (Open Station Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	412.50
LVB25220		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4500-4700 Tractors.</i>	412.50
LVB25221		Power Beyond Kit with RCV Filter <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 4300-4400 Tractors.</i>	412.50
LVB26039		Miscellaneous: Creep to Reposition Kit <i>Only compatible with 4520 and 4720 tractors starting with Model Year 2011, and the latest 485 Backhoe LVB26189 and Adaptor LVB26163. Ensure software is LVA16028P or later. Previous software versions are not compatible with this kit.</i>	975.70
BM19556		Rubber Street Pad Kit	138.60
LVB26057		Thumb <i>Only compatible with a 2010 model or later backhoe with a serial number greater than LV0485X030000. Not compatible with 12 In. Standard Bucket (BM19568) or 14 In. Heavy Duty Bucket (LVB25173).</i>	1,034.00
LVB25876		Mountings and Hardware for Tractors: Cab/Backhoe/Mid PTO Additional Mounting Kit <i>Required in addition to Order Code 1003 for 4320-4720 Cab Tractors Equipped with Mid PTO.</i>	116.60
LVB24795		Heavy-Duty Subframe Kit <i>Required for Use on 4300-4400, 4310-4410 Tractors with a 48, 448 or 485 Backhoe.</i>	591.80
LVB25611		Rockshaft Assist Mounting Brackets and Hardware (3120-3720 Open Station Tractors)	564.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**485 Backhoe (For 3120-3720 OOS Tractors, 4120-4720 Cab and OOS Tractors,
4300-4400, 4310-4410, 4500-4700, 4510-4710, 5045E-5075E OOS Tractors 9/3,
5103-5403 OOS Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26148		Rockshaft Assist Mounting Brackets and Hardware (4120-4720. See notes below on 4500-4700 and 4510-4710) <i>4320-4720 Cab Tractors Equipped with Mid-PTO Require LVB25876 Cab/Backhoe/Mid PTO Additional Mounting Kit. See Sales Manual for Serial Numbers. For 4500-4700 and 4510-4710 Tractors Manufactured Before Nov. '02, See Sales Manual for Additional Required Service Parts.</i>	1,080.20
BM19564		Rockshaft Assist Mounting Brackets and Hardware (4300-4400, 4310-4410)	564.30
LVB26092		Subframe Mounting Brackets, Hydraulics and Hardware For 5045E-5075E Series Tractors and 5103-5403 Series Tractors <i>Compatible with serial numbers after PY5103UO13641, PY5203U005570, PY5303U007753, and PY5403U000735.</i>	2,236.30
BLV10058		Operator Manual and Decal Kit: Spanish North American Operator's Manual and Decal Kit	17.60
LVB25865		Transmission: PRT Oil Cooler Kit <i>Required for 4120-4720 PRT Tractors</i>	286.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**270A Backhoe (For 2025R, 2320 OOS Tractors)
Equipment for Base Machine**

7 ft. Digging Depth
One Double Acting Swing
Cylinder
150 Degree Swing
Narrow Control Console
Two Lever Control
Six Spool Control Valve
Hydraulics

8 In. Bucket
Operator's Seat
Hydraulic Stabilizers
Subframe Mounting (3 Point Hitch
Assist)
Transport Locks

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6150LV		270A Backhoe (For 2025R, 2320 OOS Tractors) <i>Tractors Must be Equipped with a Front Loader and Power Beyond Kit. Mechanical mower lift system will not work with backhoe mounted.</i>	8,025.00
--------	--	--	----------

Buckets:

3001		8 In. Bucket (0.63 Cu. Ft.)	In Base Price
3002		12 In. Bucket (0.90 Cu. Ft.)	61.00
3003		16 In. Bucket (1.31 Cu. Ft.)	106.00

SUBFRAME MOUNTING

1003		Subframe Mounting (For 2025R, 2320 Tractors)	In Base Price
1010		Less Subframe Mounting	-1,263.00

ATTACHMENTS - ORDER AS DESIRED

Spanish North American Kit:			
9430		Spanish North American Operator's Manual and Decal Kit	No Charge
9413		French Operator's Manual and Decal Kit	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Buckets:			
BLV10025		12 In. Bucket (0.66 Cu. Ft.)	443.30
BLV10026		16 In. Bucket (0.90 Cu. Ft.)	492.80
BLV10024		8 In. Bucket (0.42 Cu. Ft.)	376.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

270A Backhoe (For 2025R, 2320 OOS Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Hydraulics:	
LVB25603		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 2320 Tractors. Equipped with Dual SCV. Not Compatible with Third SCV kit BLV1038/LVB26166</i>	357.50
		Miscellaneous:	
BM19556		Rubber Street Pad Kit	138.60
BLV10023		Thumb <i>Not compatible with 8 In. Bucket (BLV10024).</i>	658.90
		Mountings and Hardware for Tractors:	
BLV10021		Subframe Mounting Kit (For 2025R, 2320 Tractors with 270A Backhoe)	1,489.40
		Operator Manual and Decal Kit:	
BLV10068		Operator's Manual and Decal Kit - French	See Parts
BLV10057		Spanish North American Operator's Manual and Decal Kit	17.60

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)

Equipment for Base Machine

54 In. Clearing Width "Straight" 48 In. Clearing Width "Fully Angled" Replaceable Cutting Edge Heavy 11-Gauge, Curved Blade Angled Left or Right Up to 27 Degrees	Two Adjustable Skid Shoes Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin Less Front Hitch Less Hydraulic Angling
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1491M	54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors) <i>X700, X710, X465, X475 and 425 Require BM20761 Hydraulic Coupler Kit.</i> <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>See Sales Manual for Ballast Requirements.</i>	515.00
-------	--	--------

FRONT QUICK-HITCH

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
1001	Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	638.00
1006	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
1007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
1008	Front Quick-Hitch and Hydraulic Lift(1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
1010	Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING (REQUIRED FOR OPERATION)

2000	Hydraulic Angling (For X400/X500 HDGT's, X700's) <i>BM20761 Hydraulic Coupler Kit Required on X700, X710, X465 and X475.</i>	189.00
2001	Hydraulic Angling (425, 445, 455) <i>BM20761 Hydraulic Coupler Kit Required on 425 Tractor.</i>	165.00
2005	Hydraulic Angling (2210, 2305)	191.00
2006	Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HYDRAULIC ANGLING (REQUIRED FOR OPERATION)			
Continued...			
2007		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
2010		Less Hydraulic Angling	In Base Price

ATTACHMENTS - ORDER AS DESIRED

9100		European CE Kit: European CE Certification Kit	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Front Hitch:			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	731.89
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
Hydraulics:			
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM17650		Hydraulic Angling (415, 425, 445, 455)	189.39
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
Miscellaneous:			
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
AM119321		Heavy Duty Skid Shoe (1)	55.70
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		Order Zone:	
LP54000		54 In. Tractor Shovel <i>For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.</i>	744.95
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**366 Front Mounted Blade (For 3120-3720, 3033R-3046R Tractors)
Equipment for Base Machine**

66 In. Blade with Spring Trip Hydraulic Angling Skid Shoes A-frame Quick Change System (Common with 59 In. Snow	Blower) Hydraulic Hoses Mounting Frame
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6004M		366 Front Mounted Blade (For 3120-3720, 3033R-3046R Tractors) <i>3120-3720 Tractors with Mid-Mount Mowers for use with Front. Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i> <i>Not for use with 4200-4410 Tractors.</i>	3,600.00
-------	--	---	----------

FRONT HITCH

1000		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720, 3033R-3046R)	In Base Price
1010		Less Front Three-Point Hitch with A-Frame Quick Attach System	-1,328.00

ATTACHMENTS FOR FIELD CONVERSION

Front Hitch:			
BLV10316		A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878		Front Three-Point Hitch (3120-3720)	1,286.14
Front PTO:			
LVB25759		Front PTO Bracket (3120-3720)	84.53
Miscellaneous:			
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and AutoConenct Mowers.</i>	164.79
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	233.26

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

84 Front Mounted Blade (For 4500-4700, 4510-4710 Tractors)
Equipment for Base Machine

84 In. Blade with Spring Trip
Hydraulic Angling
Skid Shoes
Lift Cylinder
Hydraulic Hoses

Mounting Frame

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3680M		84 Front Mounted Blade (For 4500-4700, 4510-4710 Tractors) <i>Tractor Requires Dual Selective Control Valve. Not for Use with 4120-4720 Tractors.</i>	3,655.00
-------	--	--	----------

JOHN DEERE TURF & UTILITY PRODUCTS

iMatch Quick Hitch

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
LVB25621		AutoHitch Implement Side Components - Tillers: AutoHitch Implement Components for John Deere 647 <i>LVB24978 AutoHitch Retrofit Kit is Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	231.00
LVB25622		AutoHitch Implement Components for John Deere 655 <i>LVB24946 AutoHitch Retrofit Kit is Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	271.70
LVB25676		AutoHitch Implement Components for John Deere 665, 673 <i>LVB25744 AutoHitch Retrofit Kit is Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.</i>	305.80
LVB25677		AutoHitch Implement Components for John Deere 681 <i>LVB25588 AutoHitch Retrofit Kit is Required for Proper Installation on 681 Tillers With Serial Numbers Prior to LV0681B010001.</i>	317.90
LVB24978		AutoHitch Retrofit Kit (647 Tiller) <i>Required for Proper Installation on 647 Tillers With Serial Numbers Prior to LV0647B010001.</i>	134.20
LVB24946		AutoHitch Retrofit Kit (655 Tiller) <i>Required for Proper Installation on 655 Tillers With Serial Numbers Prior to LV0655B010001.</i>	169.40
LVB25744		AutoHitch Retrofit Kit (665, 673 Tiller) <i>Required for Proper Installation on 665 Tillers With Serial Numbers Prior to LV0665B010001, and 673 Tillers With Serial Numbers Prior to LV0673B010001.</i>	169.40
LVB25976		Hitch: iMatch Quick Hitch Category 1 with adjustable top hook	357.50
LVB25821		Miscellaneous: AutoHitch DVD	3.57
LVB24964		AutoHitch Implement Components for Frontier RC1048, RC1060, RC2048, RC2060 John Deere LX4, LX5 Rotary Cutters <i>LX4 and LX5 Require (2) LVU19248 From Service Parts.</i>	425.70
LVB24965		AutoHitch Implement Components for Frontier RC1072, RC2072 & John Deere LX6 Rotary Cutters <i>LX6 Require (2) LVU19248 From Service Parts.</i>	376.20
LVB24961		AutoHitch Implement Components for John Deere MX5 Rotary Cutter	443.30
LVB24963		AutoHitch Implement Components for John Deere MX6 Rotary Cutter	376.20
LVU19248		LX AutoHitch Lower Bushing <i>(2) Required per LX Rotary Cutter.</i>	27.82
LVB25675		iMatch AutoHitch PTO Coupler	546.70

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

D120 Loader
Equipment for Base Machine

49 In.(1250 mm) Pin-On Hood Guard
Materials Bucket
Basic Loader Mounting System
Mounting Frame for 1023E, 1025R
and Non-Current 1026R Series
Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1751P		D120 Loader <i>For 1023E, 1025R and Non-Current 1026R Tractors.</i>	2,599.00
-------	--	--	----------

DESTINATION

Operator's Manual

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>French OM and Decal Kit BW15952 Print-On-Demand through JD Bookstore.</i>	Same Price

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

6000		Ballast Box	228.00
6010		Ballast Box with Extension	336.00
6995		Less Ballast Box	In Base Price

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:

9112		Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Ballast Box:

BW15073		Ballast Box	275.00
BW15074		Ballast Box Extension	130.90

Buckets:

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D120 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
		Carrier:	
BW15939		John Deere CUT Carrier <i>Compatible with Quick-Change Buckets</i>	294.80
		Hood Guards:	
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors)	229.90
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors)	206.80
		Miscellaneous (Australia Only):	
BW16242		Anti Spill Kit <i>For H120 Loader - Australia Only.</i>	283.80
BW16244		Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
BW16274		Service Lock <i>For H120 - Australia Only.</i>	187.00
		Miscellaneous:	
BW15476		Bucket Level Indicator	61.60
BW15953		Spanish North American Operator's Manual and Decal Kit	See Parts
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
BW15898		Mounting Frame <i>For 1023E and 1026R Tractors.</i>	416.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

H120 Loader
Equipment for Base Machine

49 In.(1250 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame for 1023E, 1025R and Non-Current 1026R Series Tractors	Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas: Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1761P		H120 Loader <i>For 1023E, 1025R and Non-Current 1026R Tractors.</i>	3,334.00
-------	--	--	----------

DESTINATION

Operator's Manual

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>French OM and Decal Kit BW15952 Print-On-Demand through JD Bookstore.</i>	Same Price
0230		Australia <i>Australian Code of Practice and Decals. Requires Code 9608 - Australian Compliance Kit.</i>	Same Price
0237		New Zealand <i>Operator's Manual.</i>	Same Price

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

6000		Ballast Box	228.00
6010		Ballast Box with Extension	336.00
6995		Less Ballast Box	In Base Price

CARRIERS

7020		John Deere CUT Carrier	In Base Price
7095		Less Carrier	-244.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H120 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BUCKETS			
8110		49 In. (1250 mm) Quick Change Materials Bucket	In Base Price
8111		49 In. (1250 mm) Pin-On Materials Bucket	-45.00
8115		53 In. (1350 mm) Quick Change Materials Buckets	52.00
8995		Less Bucket	-611.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9112		Spanish North American Operator's Manual and Decal Kit	No Charge
Miscellaneous (Australia Only):			
9608		Australian Compliance Kit <i>Required when ordering Destination Code 0230.</i>	415.00
		<i>Kit consists of: BW16242 - Anti Spill Kit BW16244 - Australian Code of Practice BW16274 - H120 Service Lock</i>	
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box:			
BW15073		Ballast Box	275.00
BW15074		Ballast Box Extension	130.90
Buckets:			
BW14144		49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
BW15896		49 in. (1250mm) Materials Bucket - Pin ON	684.20
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
Carrier:			
BW15939		John Deere CUT Carrier <i>Compatible with Quick-Change Buckets</i>	294.80
Hood Guards:			
BW15901		Deluxe Hood Guard (1023E, 1025R & 1026R Tractors)	229.90
BW15900		Hood Guard (1023E, 1025R & 1026R Tractors)	206.80
Miscellaneous:			
BW15476		Bucket Level Indicator	61.60
BW16182		Hoses and Clamp <i>To Update H120 Loaders for Cab Tractors.</i>	71.50
BW15953		Spanish North American Operator's Manual and Decal Kit	See Parts
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H120 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Mounting Frames:	
	BW15898	Mounting Frame <i>For 1023E and 1026R Tractors.</i>	416.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

H130 Loader
Equipment for Base Machine

49 In.(1250 mm) Quik Tach Materials Bucket (6.0 ft ³) Quik-Park Loader Mounting System Mounting Frame for 2025R and Non-Current 2320 Tractors Hood Guard for 2025R and Non-Current 2210, 2305, 2320	Tractors Quik-Tach Attachment Carrier Mechanical Bucket Level Indicator Oil Line Cover
---	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2371P		H130 Loader <i>For 2025R and 2032R and Non-Current 2305, 2320, 2520, 2720 Tractors.</i>	3,426.00
-------	--	--	----------

DESTINATION

Operator's Manual

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>French OM and Decal Kit BW15952 Print-On-Demand through JD Bookstore.</i>	Same Price
0230		Australia <i>Australian Code of Practice and Decals. Requires Code 9608 - Australian Compliance Kit.</i>	Same Price
0237		New Zealand <i>Operator's Manual.</i>	Same Price

TRACTOR MOUNTING FRAMES

1200		Mounting Frame <i>For 2305</i>	Same Price
1201		Mounting Frame <i>For 2025R and Non-Current 2320</i>	In Base Price
1202		Mounting Frame <i>For Non-Current 2520</i>	Same Price
1203		Mounting Frame <i>For 2032R and Non-Current 2720</i>	Same Price
1995		Less Mounting Frame	-345.00

HOOD GUARDS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H130 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HOOD GUARDS Continued...			
5200		Hood Guard <i>For 2025R and Non-Current 2210, 2305, 2320</i>	In Base Price
5201		Hood Guard <i>For 2032R and Non-Current 2520, 2720</i>	Same Price
5995		Less Hood Guard	-203.00
<hr/>			
BALLAST BOX			
<i>Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	228.00
6010		Ballast Box with Extension	336.00
6995		Less Ballast Box	In Base Price
<hr/>			
CARRIERS			
7020		John Deere CUT Carrier <i>Order with Bucket Codes 8110, 8115, 8120</i>	In Base Price
7095		Less Carrier	-244.00
<hr/>			
BUCKETS			
8110		49 In. (1250 mm) Quick Change Materials Bucket	In Base Price
8111		49 In. (1250 mm) Pin-On Materials Bucket	-45.00
8115		53 In. (1350 mm) Quick Change Materials Buckets	52.00
8120		61 In. (1550 mm) Materials Bucket	91.00
8995		Less Bucket	-611.00
<hr/>			
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9104		Spanish North American Operator's Manual and Decal Kit	No Charge
Miscellaneous (Australia Only):			
9608		Australian Compliance Kit <i>Required when ordering Destination Code 0230.</i>	679.00
<i>Kit consists of: BW16198 - Anti Spill Kit BW16244 - Australian Code of Practice BW16278 - H130 Service Lock W56435 - Operators Manual (Australia)</i>			
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
	BW15073	Ballast Box: Ballast Box	275.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H130 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW15074	Ballast Box Extension	130.90
		Buckets:	
	BW14144	49 In. (1250mm) Loader Materials Bucket - Quik Change	738.10
	BW15896	49 in. (1250mm) Materials Bucket - Pin ON	684.20
	BW14145	53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
		Carrier:	
	BW15939	John Deere CUT Carrier	294.80
		Hood Guards:	
	BW15217	Hood Guard (2025R, 2210, 2305, 2320) <i>For 2025R and noncurrent 2210, 2305, 2320 Tractors</i>	245.30
	BW15634	Hood Guard (2032R, 2520, 2720) <i>For 2032R and noncurrent 2520, 2720 Tractors</i>	259.60
		Miscellaneous (Australia Only):	
	BW16198	Anti Spill Kit <i>For H120, H130 Loader - Australia Only.</i>	559.90
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16278	Service Lock <i>For H130 - Australia Only.</i>	187.00
		Miscellaneous:	
	BW15476	Bucket Level Indicator	61.60
	BW16413	Spanish North American Operator's Manual and Decal Kit	See Parts
	BW15056	iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
	BW15324	Mounting Frame <i>For 2025R and Non-Current 2320 Tractors</i>	416.90
	BW15426	Mounting Frame <i>For Non-Current 2305 Tractors</i>	416.90
	BW15731	Mounting Frame <i>For Non-Current 2520 Tractors</i>	416.90
	BW15730	Mounting Frame <i>For 2032R and Non-Current 2720 Tractors</i>	416.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

305 Loader
Equipment for Base Machine

Non Parking Loader	61 In. (1550mm) Materials Bucket
Quik Change Attachment Carrier	Less Ballast Box
Mounting Frame	
Hood Guard	
Single Lever Control Valve (2 Function)	
Tractor to Valve Oil Line Kit	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas: Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2561P	305 Loader	For 3032E and 3038E Tractors.	4,122.00
-------	------------	-------------------------------	----------

TRACTOR MOUNTING FRAMES

1000	Mounting Frame (for 3032E and 3038E Tractors)		In Base Price
------	---	--	---------------

HYRDAULIC CONTROLS

2000	Single Lever Control Valve (2 Function) and Tractor to Valve Oil Line Kit		In Base Price
------	---	--	---------------

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

4095	Less Ballast Box	Three Point Hitch Ballast Is Required For Loader Stability. Please Review the Tractor Ballast Requirements in the Sales Manual for Proper Ballasting. BW15073 Ballast Box and BW15074 Ballast Box Extension Available for Order Under Attachments for Field Conversion.	In Base Price
------	------------------	---	---------------

HOOD GUARDS

5000	Hood Guard (for 3032E and 3038E Tractors)		In Base Price
------	---	--	---------------

BUCKETS

8122	61 In. (1550 mm) Materials Bucket		In Base Price
------	-----------------------------------	--	---------------

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:

9100	Spanish North American Operator's Manual and Decal Kit		No Charge
9102	French North American Operator's Manual and Decal Kit		No Charge

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

305 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9608		Miscellaneous (Australia Only): Australian Compliance Kit <i>Kit consists of:</i> <i>BW16288 - 305 Anti Spill Kit</i> <i>BW16289 - 305 Service Lock</i> <i>BW16244 - Australian Code of Practice.</i>	608.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Ballast Box:	
	BW15073	Ballast Box	275.00
	BW15074	Ballast Box Extension	130.90
		Buckets:	
	BW15863	61 In. (1550mm) Loader Materials Bucket	848.10
		Hood Guards:	
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		Miscellaneous (Australia Only):	
	BW16288	Anti Spill Kit <i>For 305 and D160 Loader - Australia Only.</i>	451.00
	BW16289	Service Lock <i>For 305 Loader and D160 - Australia Only.</i>	150.70
		Miscellaneous:	
	BW15834	European CE Conversion Kit, 305 Loader and D160 Loaders	See Parts
	BW16397	French North American Operator's Manual and Decal Kit	See Parts
	BW15872	Parking Stand Kit	405.90
	BW15835	Spanish North American Operator's Manual and Decal Kit	0.00
	BW15056	iMatch / Quik-Coupler Bushing Kit	92.40

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

D160 Loader
Equipment for Base Machine

Non Parking Loader
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Single Lever Control Valve (2
Function)

Tractor to Valve Oil Line Kit
61 In. (1550mm) Materials Bucket
Less Ballast Box

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1460P		D160 Loader <i>For 3032E and 3038E Tractors.</i>	4,204.00
-------	--	---	----------

TRACTOR MOUNTING FRAMES

1000		Mounting Frame (for 3032E and 3038E Tractors)	In Base Price
------	--	---	---------------

HYRDAULIC CONTROLS

2000		Single Lever Control Valve (2 Function) and Tractor to Valve Oil Line Kit	In Base Price
------	--	---	---------------

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

4095		Less Ballast Box <i>Three Point Hitch Ballast Is Required For Loader Stability. Please Review the Tractor Ballast Requirements in the Sales Manual for Proper Ballasting. BW15073 Ballast Box and BW15074 Ballast Box Extension Available for Order Under Attachments for Field Conversion.</i>	In Base Price
------	--	--	---------------

HOOD GUARDS

5000		Hood Guard (for 3032E and 3038E Tractors)	In Base Price
------	--	---	---------------

BUCKETS

8122		61 In. (1550 mm) Materials Bucket	In Base Price
------	--	-----------------------------------	---------------

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous:			
9100		Spanish North American Operator's Manual and Decal Kit	No Charge
9102		French North American Operator's Manual and Decal Kit	No Charge

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D160 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9105		Export Decals Kit	No Charge
9608		<p>Miscellaneous (Australia Only): Australian Compliance Kit <i>Kit consists of:</i></p> <p><i>BW16288 - 305 Anti Spill Kit</i> <i>BW16289 - 305 Service Lock</i> <i>BW16244 - Australian Code of Practice.</i></p>	620.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Buckets:	
	BW15863	61 In. (1550mm) Loader Materials Bucket	848.10
		Hood Guards:	
	LVB25998	Hood Guard <i>Hood Guard is Standard with 305 Loader.</i>	259.60
		Miscellaneous (Australia Only):	
	BW16288	Anti Spill Kit <i>For 305 and D160 Loader - Australia Only.</i>	451.00
	BW16289	Service Lock <i>For 305 Loader and D160 - Australia Only.</i>	150.70
		Miscellaneous:	
	BW15834	European CE Conversion Kit, 305 Loader and D160 Loaders	See Parts
	BW16365	Export Decals Kit	0.00
	BW16397	French North American Operator's Manual and Decal Kit	See Parts
	BW15872	Parking Stand Kit	405.90
	BW15835	Spanish North American Operator's Manual and Decal Kit	0.00
	BW15056	iMatch / Quik-Coupler Bushing Kit	92.40

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

300X Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2521P		300X Loader <i>For 3120-3720, 3203, 4200, 4400, 4210, 4410 Tractors.</i>	4,369.00
-------	--	---	----------

TRACTOR MOUNTING FRAMES

2000		Mounting Frame and Hoses (3120-3720, 3203 Open Station Tractors, 4200-4400, 4210-4410)	In Base Price
2005		Mounting Frame and Hoses (3320-3720 Cab Tractors)	Same Price
2095		Less Mounting Frame and Hoses	-469.00

HOOD GUARDS

5000		Hood Guard (4200-4400, 4210-4410)	Same Price
5005		Hood Guard (3120-3720)	In Base Price
5010		Deluxe Hood Guard (3120-3720)	268.00
5030		Hood Guard (3203)	Same Price
5095		Less Hood Guard	-214.00

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

4000		Ballast Box	228.00
4010		Ballast Box with Extension	336.00
4095		Less Ballast Box	In Base Price

BUCKETS

Additional Bucket Options are Available as "9000" Codes.

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8000		BUCKETS Continued... 61 In. (1550 mm) Materials Bucket	In Base Price
8095		Less Bucket	-699.00
ATTACHMENTS - ORDER AS DESIRED			
Buckets:			
9015		53 In. (1350mm) Loader Materials Bucket - Quik Change	728.00
9020		61 In. (1550mm) Loader Materials Bucket - Quik Change	771.00
9025		73 In. (1850mm) Loader Materials Bucket	885.00
9030		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	943.00
Miscellaneous:			
9100		Spanish North American Operator's Manual and Decal Kit	No Charge
Miscellaneous (Australia Only):			
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box:			
BW15073		Ballast Box	275.00
BW15074		Ballast Box Extension	130.90
Buckets:			
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	800.80
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
BW14147		73 In. (1850mm) Loader Materials Bucket	973.50
Hood Guards:			
BWA1190		Deluxe Hood Guard	586.30
BW15222		Deluxe Hood Guard Attachment	326.70
BW14378		Hood Guard <i>For 4200-4400, 4210-4400 Tractors.</i>	259.60
BW15219		Hood Guard	259.60
BW15534		Hood Guard (3203)	259.60
Miscellaneous (Australia Only):			
BW15389		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	See Parts
Miscellaneous:			
BW15223		Bucket Level Indicator	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW15838		Spanish North American Operator's Manual and Decal Kit	See Parts
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
BW15456		Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	222.20
BW15204		Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	222.20
BWA1191		Mounting Frame with Hoses (3203)	568.70
BWA1248		Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	568.70
		Tooth Bars:	
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	473.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

H160 Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1440P		H160 Loader <i>For 3033R, 3039R, 3046R and 3120-3720, 3203, 4200, 4400, 4210, 4410 Tractors.</i>	4,500.00
-------	--	---	----------

DESTINATION

0202		United States	In Base Price
0184		Canada	Same Price

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price

TRACTOR MOUNTING FRAMES

1305		Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, and 3720 Open Operator Station Tractors.</i>	In Base Price
1310		Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3320, 3520, and 3720 Cab Tractors.</i>	Same Price
1995		Less Mounting Frame and Hoses	-435.00

HOOD GUARDS

5995		Less Hood Guard	-215.00
5240		Hood Guard (3033R, 3039R, 3046R)	Same Price
5245		Deluxe Hood Guard (3033R, 3039R, 3046R)	270.00
5250		Hood Guard <i>For 4300, 4400, 4310, and 4410 Tractors.</i>	Same Price
5255		Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H160 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HOOD GUARDS Continued...			
5260		Deluxe Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	270.00
5280		Hood Guard <i>For 3203 Tractors.</i>	Same Price

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

6000		Ballast Box	228.00
6010		Ballast Box with Extension	336.00
6995		Less Ballast Box	In Base Price

BUCKETS

8115		53 In. (1350 mm) Quick Change Materials Buckets	-39.00
8120		61 In. (1550 mm) Materials Bucket	In Base Price
8750		Less Bucket	-702.00

ATTACHMENTS - ORDER AS DESIRED

Miscellaneous (Australia Only):

ATTACHMENTS FOR FIELD CONVERSION

BW15073	Ballast Box: Ballast Box	275.00
BW15074	Ballast Box Extension	130.90
BWA1190	Hood Guards: Deluxe Hood Guard	586.30
BW15222	Deluxe Hood Guard Attachment	326.70
BW14378	Hood Guard <i>For 4200-4400, 4210-4400 Tractors.</i>	259.60
BW15219	Hood Guard	259.60
BW15534	Hood Guard (3203)	259.60
BW15389	Miscellaneous (Australia Only): Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	See Parts
BW15223	Miscellaneous: Bucket Level Indicator	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H160 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
BW15456		Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	222.20
BW15204		Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	222.20
BWA1191		Mounting Frame with Hoses (3203)	568.70
BWA1248		Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	568.70
		Tooth Bars:	
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	473.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

300CX Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2532P		300CX Loader <i>For 3120-3720, 3203, 4005, 4105, 990, 970, 1070, 4300-4400, 4310-4410 Tractors.</i>	4,988.00
-------	--	--	----------

DESTINATION

Operator's Manual

0202		United States <i>Operator's Manual.</i>	In Base Price
0184		Canada <i>English Operator's Manual and French Operator's Manual, Decal Kit.</i>	Same Price
0230		Australia <i>Operator's Manual.</i>	Same Price
0237		New Zealand <i>Operator's Manual.</i>	Same Price

TRACTOR MOUNTING FRAMES

2005		Mounting Frame and Hoses (3320-3720 Cab Tractors)	Same Price
2000		Mounting Frame and Hoses (3120-3720 Open Station Tractors, 4300-4400, 4310-4410)	In Base Price
2010		Mounting Frame and Hoses (4005, 990, 970, 1070 Tractors) <i>For 970, 990 (Serial No. - LV0990G590000) and 1070 Tractors, Refer to Parts Catalog for Additional Oil Lines Required.</i>	22.00
2020		Mounting Frame and Hoses (3203)	35.00
2030		Mounting Frame and Hoses (4105)	101.00
2095		Less Mounting Frame and Hoses	-433.00

HOOD GUARDS

5000		Hood Guard (4300-4400, 4310-4410)	Same Price
------	--	-----------------------------------	------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HOOD GUARDS Continued...			
5005		Hood Guard (3120-3720)	In Base Price
5010		Deluxe Hood Guard (3120-3720)	268.00
5030		Hood Guard (3203)	Same Price
5095		Less Hood Guard	-214.00
5015		Hood Guard (990, 970, 1070) <i>Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	-65.00
5020		Hood Guard (4105) <i>Required for Loader Installation.</i>	Same Price
5025		Hood Guard (4005)	Same Price
BALLAST BOX			
<i>Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
4000		Ballast Box	228.00
4010		Ballast Box with Extension	336.00
4095		Less Ballast Box	In Base Price
BUCKETS			
<i>Additional Bucket Options are Available as "9000" Codes.</i>			
8000		61 In. (1550 mm) Materials Bucket	In Base Price
8095		Less Bucket	-699.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9100		Spanish North American Operator's Manual and Decal Kit	No Charge
9200		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	580.00
9049		Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	379.00
Buckets:			
9020		61 In. (1550mm) Loader Materials Bucket - Quik Change	771.00
9025		73 In. (1850mm) Loader Materials Bucket	885.00
9030		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	943.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED Continued...	
9035		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,057.00
9040		73 In. (1850 mm) Loader High Volume Bucket	1,268.00
9041		85 In. (2150 mm) Loader High Volume Bucket	1,563.00
9608		Miscellaneous (Australia Only): Australian Compliance Kit <i>Kit consists of:</i> <i>BW16253 - 300X Anti Spill Kit</i> <i>BW16260 - 300X Service Lock</i> <i>BW16244 - Australian Code of Practice</i>	715.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Ballast Box:	
	BW15073	Ballast Box	275.00
	BW15074	Ballast Box Extension	130.90
		Buckets:	
	AT332288	56 in. Dirt Bucket (12.3 cu. ft.) with Edge	912.00
	AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge	954.00
	BW14764	61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
	BW14146	61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
	KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge	1,128.00
	KV11636	66 in. Foundry Bucket (14.6 cu. ft.)	876.00
	KV22801	66 in. Utility Bucket (20.6 cu. ft.)	953.00
	LVB25341	72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,152.80
	BW14765	73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,162.70
	BW14658	73 In. (1850 mm) Loader High Volume Bucket	1,394.80
	BW14147	73 In. (1850mm) Loader Materials Bucket	973.50
	BW15273	85 In. (2150 mm) Loader High Volume Bucket	1,719.30
		Cutting Edges:	
	T225190	56 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	115.07
	KV17819	60 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	121.13
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	158.40
		Hood Guards:	

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BWA1190	Deluxe Hood Guard	586.30
	BW15222	Deluxe Hood Guard Attachment	326.70
	BW14378	Hood Guard <i>For 4300-4400, 4310-4410 Tractors.</i>	259.60
	BW15219	Hood Guard	259.60
	BW15416	Hood Guard <i>For 970, 990 and 1070 Tractors. Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	259.60
	BW15848	Hood Guard (3005, 4005)	259.60
	BW15534	Hood Guard (3203)	259.60
	BW16040	Hood Guard (4105)	259.60
		Hoses and Parts:	
	BW15352	Hoses and Parts <i>For 4005, 990, 970, 1070 Tractors.</i>	265.10
	BW15599	Hoses and Parts <i>For 3203 and 4105.</i>	346.50
	BW15762	Hoses and Parts <i>For 3120, 3320, 3520, 3720, 4300, 4400, 4310 and 4410 Open Station Tractors. For 3320, 3520 and 3720 Cab Tractors.</i>	303.60
		Miscellaneous (Australia Only):	
	BW16253	Anti Spill Kit <i>For 300CX - Australia Only.</i>	589.60
	BW15389	Australian Code of Practice Kit <i>For 300CX, 400CX, H165 - Australia Only. Kit Includes Australian Warning Labels.</i>	See Parts
	BW16244	Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
	BW16260	Service Lock <i>For 300CX - Australia Only.</i>	196.90
		Miscellaneous:	
	U16748	66 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	127.19
	T32742	72 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	145.36
	BW16050	Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders</i>	363.00
	BW16049	Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders</i>	363.00
	BW15223	Bucket Level Indicator	63.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

300CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW16138		Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	416.90
BW15244		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	638.00
BW15838		Spanish North American Operator's Manual and Decal Kit	See Parts
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
BW15347		Mounting Frame <i>For 4005, 970, 990, and 1070 Tractors.</i>	303.60
BW15456		Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	222.20
BW15682		Mounting Frame (4105)	301.40
BW15204		Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	222.20
BWA1191		Mounting Frame with Hoses (3203)	568.70
BWA1201		Mounting Frame with Hoses (4005, 990, 970, 1070 Tractors) <i>Must Order Appropriate Hood Guard. For 970, 990 (Serial No. - LV0990G590000) and 1070 Tractors, Refer to Parts Catalog for Additional Oil Lines Required.</i>	568.70
BWA1276		Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	525.80
BWA1452		Mounting Frame with Hoses and Parts (4105)	647.90
BWA1200		Mounting Frame with Hoses and Parts (4300-4400, 4310-4410, 3120-3720 Open Station Tractors)	525.80
		Tooth Bars:	
AT337951		56 in. Tooth Bar - 6 Teeth	438.00
KV12292		60 in. Tooth Bar - 7 Teeth	445.00
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	473.00
KV12294		66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	463.00
KV11598		72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	502.00
BW15228		73 In. (1850 mm) Tooth Bar for Bucket	550.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

H165 Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
61 In.(1550 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1450P		H165 Loader <i>For 3033R, 3039R, 3046R and 3120-3720, 3203, 4005, 4105, 990, 970, 1070, 4300-4400, 4310-4410 Tractors.</i>	5,198.00
-------	--	---	----------

DESTINATION

0202		United States	In Base Price
0184		Canada	Same Price
0230		Australia <i>Operator's Manual.</i>	Same Price
0237		New Zealand <i>Operator's Manual.</i>	Same Price

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price

TRACTOR MOUNTING FRAMES

1305		Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3120, 3320, 3520, and 3720 Open Operator Station Tractors.</i>	In Base Price
1310		Mounting Frame and Hoses <i>For 3033R, 3039R, 3046R, 3320, 3520, and 3720 Cab Tractors.</i>	Same Price
1315		Mounting Frame and Hoses <i>For 970, 990, 1070, and 4005 Tractors.</i>	35.00
1320		Mounting Frame and Hoses <i>For 3203 Tractors.</i>	35.00
1325		Mounting Frame and Hoses	101.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
TRACTOR MOUNTING FRAMES Continued...			
<i>For 4105.</i>			
1995		Less Mounting Frame and Hoses	-435.00
HOOD GUARDS			
5995		Less Hood Guard	-215.00
5240		Hood Guard (3033R, 3039R, 3046R)	Same Price
5245		Deluxe Hood Guard (3033R, 3039R, 3046R)	270.00
5250		Hood Guard <i>For 4300, 4400, 4310, and 4410 Tractors.</i>	Same Price
5255		Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	In Base Price
5260		Deluxe Hood Guard <i>For 3120, 3320, 3520, 3720 Tractors.</i>	270.00
5265		Hood Guard <i>For 970 and 1070 Tractors</i> <i>Note: Required for loader installation.</i>	Same Price
5270		Hood Guard <i>For 4105 Tractors</i> <i>Note: Required for loader installation.</i>	Same Price
5275		Hood Guard <i>For 4005 Tractors.</i>	Same Price
5280		Hood Guard <i>For 3203 Tractors.</i>	Same Price
BALLAST BOX			
<i>Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	228.00
6010		Ballast Box with Extension	336.00
6995		Less Ballast Box	In Base Price
BUCKETS			
8120		61 In. (1550 mm) Materials Bucket	In Base Price
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	157.00
8130		73 In. (1850mm) Materials Bucket	104.00
8135		73 In. (1850 mm) Heavy Duty Bucket with Holes for Cutting Edge	260.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BUCKETS Continued...	
8140		73 In. (1850 mm) High Volume Bucket	452.00
8145		85 In. (2150 mm) High Volume Bucket	721.00
8750		Less Bucket	-702.00

ATTACHMENTS - ORDER AS DESIRED

		Miscellaneous:	
9210		Text Free Decals for Export	No Charge
		Miscellaneous (Australia Only):	
9608		Australian Compliance Kit <i>3x20 OOS Kit consists of:</i> <i>BW16607 - Service Locks</i> <i>BW16253 - Anti Spill Kit</i>	715.00
9609		Australian Compliance Kit 3x20 Cab <i>Kit consists of:</i> <i>BW16607 Service Locks</i> <i>BW16324 Anti Spill Kit</i>	715.00
9610		Australian Compliance Kit 3R OOS and Cab <i>Kit consists of:</i> <i>BW16607 Service Locks</i> <i>BW16605 Anti Spill Kit</i>	715.00

ATTACHMENTS FOR FIELD CONVERSION

		Ballast Box:	
BW15073		Ballast Box	275.00
BW15074		Ballast Box Extension	130.90
		Buckets:	
AT332288		56 in. Dirt Bucket (12.3 cu. ft.) with Edge	912.00
AT333697		60 in. Dirt Bucket (14.3 cu. ft.) with Edge	954.00
KV24751		66 in. Construction Bucket (16.2 cu. ft.) with Edge	1,128.00
KV11636		66 in. Foundry Bucket (14.6 cu. ft.)	876.00
KV22801		66 in. Utility Bucket (20.6 cu. ft.)	953.00
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,152.80
		Cutting Edges:	
T225190		56 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	115.07
KV17819		60 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	121.13

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW14762		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	158.40
		Hood Guards:	
BWA1190		Deluxe Hood Guard	586.30
BW15222		Deluxe Hood Guard Attachment	326.70
BW14378		Hood Guard <i>For 4300-4400, 4310-4410 Tractors.</i>	259.60
BW15219		Hood Guard	259.60
BW15416		Hood Guard <i>For 970, 990 and 1070 Tractors. Required For Loader Installation on 970, 990, 1070 Tractors, Includes Front Weight Bracket.</i>	259.60
BW15848		Hood Guard (3005, 4005)	259.60
BW15534		Hood Guard (3203)	259.60
BW16040		Hood Guard (4105)	259.60
		Hoses and Parts:	
BW15352		Hoses and Parts <i>For 4005, 990, 970, 1070 Tractors.</i>	265.10
BW15599		Hoses and Parts <i>For 3203 and 4105.</i>	346.50
BW15762		Hoses and Parts <i>For 3120, 3320, 3520, 3720, 4300, 4400, 4310 and 4410 Open Station Tractors. For 3320, 3520 and 3720 Cab Tractors.</i>	303.60
		Miscellaneous (Australia Only):	
BW16253		Anti Spill Kit <i>For 300CX - Australia Only.</i>	589.60
BW16324		Anti Spill Kit <i>For H165 Loader - Australia Only.</i>	See Parts
BW16605		Anti Spill Kit <i>For H165 Loader - Australia Only.</i>	See Parts
BW15389		Australian Code of Practice Kit <i>For 300CX, 400CX, H165 - Australia Only. Kit Includes Australian Warning Labels.</i>	See Parts
BW16244		Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00
BW16607		Service Lock <i>For H165 Loader - Australia Only.</i>	See Parts
		Miscellaneous:	
U16748		66 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	127.19

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
T32742		72 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	145.36
BW16050		Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders</i>	363.00
BW16049		Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders</i>	363.00
BW15223		Bucket Level Indicator	63.80
BW16138		Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	416.90
BW15244		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	638.00
BW16329		Text Free Decals for Export	See Parts
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
BW15347		Mounting Frame <i>For 4005, 970, 990, and 1070 Tractors.</i>	303.60
BW15456		Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	222.20
BW15682		Mounting Frame (4105)	301.40
BW15204		Mounting Frame (4200-4400, 4210-4400, 3120-3720, 3203 Open Station Tractors)	222.20
BWA1191		Mounting Frame with Hoses (3203)	568.70
BWA1201		Mounting Frame with Hoses (4005, 990, 970, 1070 Tractors) <i>Must Order Appropriate Hood Guard. For 970, 990 (Serial No. - LV0990G590000) and 1070 Tractors, Refer to Parts Catalog for Additional Oil Lines Required.</i>	568.70
BWA1276		Mounting Frame with Hoses and Parts (3320-3720 Cab Tractors)	525.80
BWA1452		Mounting Frame with Hoses and Parts (4105)	647.90
BWA1200		Mounting Frame with Hoses and Parts (4300-4400, 4310-4410, 3120-3720 Open Station Tractors)	525.80
		Tooth Bars:	
AT337951		56 in. Tooth Bar - 6 Teeth	438.00
KV12292		60 in. Tooth Bar - 7 Teeth	445.00
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	473.00
KV12294		66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	463.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H165 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	KV11598	72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	502.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket	550.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

400X Loader
Equipment for Base Machine

Quik-Park Loader Mounting System Less Ballast Box
Quik Change Attachment Carrier
Mounting Frame
Hood Guard
Bucket Level Indicator
73 In.(1850 mm) Materials Bucket

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2541P		400X Loader <i>For 4120-4720, 4500-4700, 4510-4710 Tractors.</i>	5,345.00
-------	--	---	----------

TRACTOR MOUNTING FRAMES

2000		Mounting Frame (4120-4720 Open Station Tractors, 4500-4700, 4510-4710, 4120-4720) Tractors.	In Base Price
2005		Mounting Frame (4320-4720 Cab Tractors)	Same Price
2095		Less Mounting Frame	-183.00

HOOD GUARDS

5000		Hood Guard (4500-4700, 4510-4710)	Same Price
5005		Hood Guard (4120-4720)	In Base Price
5010		Deluxe Hood Guard (4120-4720)	269.00
5095		Less Hood Guard	-214.00

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

4000		Ballast Box	228.00
4010		Ballast Box with Extension	336.00
4095		Less Ballast Box	In Base Price

BUCKETS

Additional Bucket Options are Available as "9000" Codes.

8000		73 In. (1850 mm) Materials Bucket	In Base Price
------	--	------------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8095		BUCKETS Continued... Less Bucket	-802.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9100		Spanish North American Operator's Manual and Decal Kit	No Charge
9049		Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	379.00
9200		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	580.00
Buckets:			
9020		61 In. (1550mm) Loader Materials Bucket - Quik Change	771.00
9030		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	943.00
9035		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,057.00
9040		73 In. (1850 mm) Loader High Volume Bucket	1,268.00
9041		85 In. (2150 mm) Loader High Volume Bucket	1,563.00
Miscellaneous (Australia Only):			
9095		Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box:			
BW15073		Ballast Box	275.00
BW15074		Ballast Box Extension	130.90
Buckets:			
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
KV24751		66 in. Construction Bucket (16.2 cu. ft.) with Edge	1,128.00
KV11636		66 in. Foundry Bucket (14.6 cu. ft.)	876.00
KV22801		66 in. Utility Bucket (20.6 cu. ft.)	953.00
LVB25343		72 In. Quik-Tatch Heavy Duty 4-in-1 Front Loader Bucket	3,621.20
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge	1,387.10
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket	1,152.80

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW14765	73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,162.70
	BW14658	73 In. (1850 mm) Loader High Volume Bucket	1,394.80
	LVB25345	84 In. Light Material Bucket	1,420.10
	BW15273	85 In. (2150 mm) Loader High Volume Bucket	1,719.30
		Cutting Edges:	
	BW14762	61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	158.40
		Hood Guards:	
	BWA1184	Deluxe Hood Guard (4120-4720 Tractors)	586.30
	BW15222	Deluxe Hood Guard Attachment	326.70
	BW14378	Hood Guard	259.60
	BW15221	Hood Guard (4120-4720)	259.60
		Hoses and Parts:	
	BW15760	Hoses and Parts	240.90
		Miscellaneous (Australia Only):	
	BW15389	Australian Code of Practice Kit <i>Kit Includes Australian Warning Labels.</i>	See Parts
		Miscellaneous:	
	U16748	66 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	127.19
	T32742	72 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	145.36
	BW15223	Bucket Level Indicator	63.80
	AW34781	European CE (France) Anti-Drop Valve Kit	2,062.43
	BW16139	Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	416.90
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	638.00
	BW15838	Spanish North American Operator's Manual and Decal Kit	See Parts
	BW15056	iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	222.20
	BW15205	Mounting Frame (4500-4700, 4510-4710, 4120-4720 Open Station Tractors)	222.20
		Tooth Bars:	
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket	473.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400X Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	KV12294	66 in. Tooth Bar - 7 Teeth	463.00
	KV11598	72 in. Tooth Bar - 7 Teeth	502.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket	550.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

D170 Loader
Equipment for Base Machine

4M Mounting Frame
Single Lever Control Valve
Assembly
Less Ballast Box
73 in. (1850 mm) Materials
Bucket

Quik Change Attachment Carrier
Hood Guard (part of the bracing
system)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1401P		D170 Loader <i>For 4044M, 4052M, 4066M, 4R OOS Tractors.</i>	5,305.00
-------	--	---	----------

TRACTOR MOUNTING FRAMES

1400		Mounting Frame <i>For 4M Series Tractors and 4R Open Operator Station Tractors.</i>	In Base Price
------	--	--	---------------

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price

HYDRAULIC CONNECTION

4405		Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Loader joystick and valve assembly are mounted to the loader frame.</i>	In Base Price
4406		Two Function Single Lever Control - for D170 and 4R tractor compatibility (OOS only) <i>Loader joystick is integrated into the tractor and loader hoses connect to tractor mid-valve assembly.</i>	-643.00

BALLAST BOX

Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.

6995		Less Ballast Box	In Base Price
------	--	------------------	---------------

BUCKETS

8000		73 In. (1850 mm) Materials Bucket	In Base Price
------	--	------------------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

D170 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous:	
BLV10015		Two Function Single Lever Control - for D170 and 4M tractor compatibility <i>Hydraulic hoses, SLC, and ICV for D170 on 4M</i>	1,217.70
BLV10016		Two Function Single Lever Control - for D170 and 4R tractor compatibility <i>Hydraulic hoses and parts for D170 on 4R</i>	440.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

400CX Loader
Equipment for Base Machine

Quik-Park Loader Mounting System 73 In. (1850 mm) Materials Bucket
 Quik Change Attachment Carrier Less Ballast Box
 Mechanical Self-Leveling
 Mounting Frame
 Hood Guard
 Bucket Level Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

2552P	400CX Loader	For 4120-4720, 4500-4700, 4510-4710 Tractors.	5,948.00
-------	--------------	---	----------

DESTINATION

Operator's Manual

0202	United States	Operator's Manual.	In Base Price
0184	Canada	English Operator's Manual and French Operator's Manual, Decal Kit.	Same Price
0230	Australia	Operator's Manual.	Same Price
0237	New Zealand	Operator's Manual.	Same Price

TRACTOR MOUNTING FRAMES

2000	Mounting Frame (4500-4700, 4510-4710, 4120-4720)		In Base Price
2095	Less Mounting Frame		-183.00
2005	Mounting Frame (4320-4720 Cab Tractors)		Same Price

HOOD GUARDS

5000	Hood Guard (4500-4700, 4510-4710)		Same Price
5005	Hood Guard (4120-4720)		In Base Price
5010	Deluxe Hood Guard (4120-4720)		269.00
5095	Less Hood Guard		-214.00

BALLAST BOX

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BALLAST BOX Continued...			
<i>Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
4000		Ballast Box	228.00
4010		Ballast Box with Extension	336.00
4095		Less Ballast Box	In Base Price
<hr/>			
BUCKETS			
<i>Additional Bucket Options are Available as "9000" Codes.</i>			
8000		73 In. (1850 mm) Materials Bucket	In Base Price
8095		Less Bucket	-802.00
<hr/>			
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9100		Spanish North American Operator's Manual and Decal Kit	No Charge
9200		Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	580.00
9049		Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	379.00
Buckets:			
9020		61 In. (1550mm) Loader Materials Bucket - Quik Change	771.00
9030		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	943.00
9035		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,057.00
9040		73 In. (1850 mm) Loader High Volume Bucket	1,268.00
9041		85 In. (2150 mm) Loader High Volume Bucket	1,563.00
Miscellaneous (Australia Only):			
9608		Australian Compliance Kit <i>Kit consists of:</i> <i>BW16210 - 400CX Service Lock BW16244 - Australia Code of Practice</i>	195.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
Ballast Box:			
	BW15073	Ballast Box	275.00
	BW15074	Ballast Box Extension	130.90

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400CX Loader

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Buckets:			
BW14764		61 In. (1550 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,037.30
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	848.10
KV24751		66 in. Construction Bucket (16.2 cu. ft.) with Edge	1,128.00
KV11636		66 in. Foundry Bucket (14.6 cu. ft.)	876.00
KV22801		66 in. Utility Bucket (20.6 cu. ft.)	953.00
LVB25343		72 In. Quik-Tatch Heavy Duty 4-in-1 Front Loader Bucket <i>Requires Skid Steer Attachment Carrier and Third Function Hydraulic Line and Hose Kit. CWP Powered Buckets come with Flat Face Couplers and Turf Loaders do not. A Coupler Change out on the 3rd SCV Line Kit will be Required to Properly Interface with the CWP Hydraulic Attachments. See Sales Manual.</i>	3,621.20
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge <i>Requires Skid Steer Attachment Carrier.</i>	1,387.10
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,152.80
BW14765		73 In. (1850 mm) Loader Heavy Duty Bucket with Holes for Cutting Edge	1,162.70
BW14658		73 In. (1850 mm) Loader High Volume Bucket	1,394.80
LVB25345		84 In. Light Material Bucket <i>Requires Skid Steer Attachment Carrier.</i>	1,420.10
BW15273		85 In. (2150 mm) Loader High Volume Bucket	1,719.30
Cutting Edges:			
BW14762		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	158.40
Hood Guards:			
BWA1184		Deluxe Hood Guard (4120-4720 Tractors)	586.30
BW15222		Deluxe Hood Guard Attachment	326.70
BW14378		Hood Guard <i>For 4500-4700, 4510-4710 Tractors.</i>	259.60
BW15221		Hood Guard (4120-4720)	259.60
Hoses and Parts:			
BW15760		Hoses and Parts	240.90
Miscellaneous (Australia Only):			
BW15389		Australian Code of Practice Kit <i>For 300CX, 400CX, H165 - Australia Only. Kit Includes Australian Warning Labels.</i>	See Parts
BW16244		Australian Code of Practice Kit <i>For D120, H130, 300CX, 400CX Loader - Australia Only.</i>	0.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

400CX Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BW16210	Service Lock <i>For 400CX - Australia Only.</i>	214.50
	U16748	Miscellaneous: 66 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	127.19
	T32742	72 in. Bolt-On Cutting Edge <i>Requires additional hardware; see Parts.</i>	145.36
	BW15446	Bucket Level Indicator	68.20
	AW34729	Coupler Conversion Kit	19.61
	AW34781	European CE (France) Anti-Drop Valve Kit	2,062.43
	BW16139	Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	416.90
	BW15244	Skid Steer Attachment Carrier <i>See Sales Manual for Compatible Attachments.</i>	638.00
	BW15838	Spanish North American Operator's Manual and Decal Kit	See Parts
	BW15056	iMatch / Quik-Coupler Bushing Kit	92.40
		Mounting Frames:	
	BW15456	Mounting Frame (3320-3720, 4320-4720 Cab Tractors)	222.20
	BW15205	Mounting Frame (4500-4700, 4510-4710, 4120-4720 Open Station Tractors)	222.20
		Tooth Bars:	
	BW15227	61 In. (1550 mm) Tooth Bar for Bucket	473.00
	KV12294	66 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	463.00
	KV11598	72 in. Tooth Bar - 7 Teeth <i>Toothbars cannot be on a Bucket along with a HD Cutting Edge. Requires Installation Instruction KV15661. Compatible with Appropriate CWP Attachments Only.</i>	502.00
	BW15228	73 In. (1850 mm) Tooth Bar for Bucket	550.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

H180 Loader
Equipment for Base Machine

Mounting Frame (Cab)	73 In. (1850 mm) Materials Bucket
Non-Self Leveling Boom	CUT Carrier
Hoses to Tractor Mid-Valve and Parts	
Hood Guard for 4R Tractor	
Less Ballast Box	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas; Martinez, Georgia; Waterloo, Iowa; Frisco, Texas; Grimsby, Ontario

1421P		H180 Loader <i>For 4044R, 4052R, 4066R and 4120-4720, 4500-4700, 4510-4710 Tractors.</i>	5,975.00
-------	--	---	----------

DESTINATION

0202		United States	In Base Price
0184		Canada	Same Price
0230		Australia <i>Operator's Manual.</i>	Same Price
0237		New Zealand <i>Operator's Manual.</i>	Same Price

OPERATOR'S MANUAL

0409		English	In Base Price
0413		French North America	Same Price
0437		Spanish North America	Same Price

TRACTOR MOUNTING FRAMES

1401		Mounting Frame <i>For 4R Series Open Station and Non-Current 4120, 4320, 4520, 4720, 4500, 4600, 4700, 4510, 4610, and 4710 Open Station Tractors</i>	Same Price
1402		Mounting Frame <i>For 4R Series Cab and Non-Current 4320, 4520, and 4720 Cab Tractors</i>	In Base Price
1995		Less Mounting Frame	-478.00

LOADER CONFIGURATION

2401		H180 Standard Loader (NSL)	In Base Price
2402		H180 Mechanical Self-Leveling Loader (MSL)	657.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
LOADER CONFIGURATION Continued...			
HYDRAULIC CONNECTION			
4400		Single Point Hydraulic Connector (OOS Only) <i>Single point hydraulic connection, tractor and loader half. Tractor half mounts to operator platform with bracket.</i>	159.00
4401		Hoses to tractor mid-valve <i>Hoses from loader to quickcouplers at midvalve.</i>	In Base Price
4995		Less Hydraulic Connection	-410.00
HOOD GUARDS			
5350		Hood Guard <i>For 4500, 4600, 4700, 4510, 4610, and 4710 Tractors</i>	49.00
5360		Hood Guard <i>For 4120, 4320, 4520, and 4720 Tractors</i>	49.00
5361		Deluxe Hood Guard <i>For 4120, 4320, 4520, and 4720 Tractors</i>	319.00
5370		Hood Guard <i>For 4044R, 4052R, and 4066R Tractors.</i>	In Base Price
5371		Deluxe Hood Guard <i>For 4044R, 4052R, and 4066R Tractors.</i>	137.00
5995		Less Hood Guard	-232.00
BALLAST BOX			
<i>Three Point Hitch Ballast is Required For Loader Stability. See Operator's Manual For Ballast Recommendations. For Ballast Box Use with iMatch Quik Hitch, BW15056 is Required.</i>			
6000		Ballast Box	228.00
6010		Ballast Box with Extension	336.00
6995		Less Ballast Box	In Base Price
CARRIERS			
7400		John Deere CUT Carrier	In Base Price
7410		Skid Steer Carrier	284.00
7095		Less Carrier	-244.00
BUCKETS			
<i>Additional Bucket Options are Available as "9000" Codes.</i>			
8120		61 In. (1550 mm) Materials Bucket <i>Order with Code 7400.</i>	-104.00
8125		61 In. (1550 mm) Heavy Duty Bucket with Holes for Cutting Edge	53.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
BUCKETS Continued...			
8130		73 In. (1850mm) Materials Bucket	In Base Price
8136		73 In. (1850 mm) Heavy Duty Bucket with Bucket Loops and Holes for Cutting Edge	157.00
8140		73 In. (1850 mm) High Volume Bucket	349.00
8145		85 In. (2150 mm) High Volume Bucket	617.00
8750		Less Bucket	-805.00
ATTACHMENTS - ORDER AS DESIRED			
Miscellaneous:			
9104		Spanish North American Operator's Manual and Decal Kit	No Charge
9210		Export Decals Kit	No Charge
9540		Loader Suspension Kit (H180 Only)	427.00
9611		3rd Function Hydraulic Kit (Hoses and Parts)	372.00
Miscellaneous (Australia Only):			
9608		Australian Compliance Kit <i>Required when ordering Destination Code 0230. Kit consists of: BW16466 - Service Locks BW16049 - Anti-Drop Valve Kit (Lift Circuit BW16050 Anti-Drop Valve Kit (Bucket Circuit) BW16244 - Australian Code of Practice</i>	852.00
ATTACHMENTS FOR FIELD CONVERSION			
Cutting Edges:			
BW14762		61 In. (1550 mm) Replaceable Bucket Cutting Edge with Hardware	158.40
BW14763		73 In. (1850 mm) Replaceable Bucket Cutting Edge with Hardware	191.40
Miscellaneous (Australia Only):			
BW16466		Service Locks (boom cylinders) <i>For H180 Loader - Australia Only.</i>	218.90
Miscellaneous:			
BW16414		3rd Function Hydraulic Kit (Hoses and Parts)	409.20
BW16050		Anti -Drop Valve Kit - Bucket Circuit <i>For 300CX, H165 Loaders</i>	363.00
BW16049		Anti -Drop Valve Kit - Lift Circuit <i>For 300CX, H165 Loaders</i>	363.00
BW16364		Bucket Level Indicator <i>For H180 Loader.</i>	70.40
BW16365		Export Decals Kit	0.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

H180 Loader
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW16393		Hanging Weldment Kit <i>Required when installing H180 on former 4X20 and 4X10 Series Tractors.</i>	80.30
BW16139		Hydraulic Lines and Hoses (3 Function) <i>If Used with Skid Steer Attachments, Couplers will not Match. The Following Parts are Required to Convert for this Application: (1) KV14216, (1) KV15976 and (2) AT191333.</i>	416.90
BW16470		Loader Suspension Kit (H180 Only)	469.70
BW16290		Spanish North American Operator's Manual and Decal Kit	0.00
BW15056		iMatch / Quik-Coupler Bushing Kit	92.40
		Tooth Bars:	
BW15227		61 In. (1550 mm) Tooth Bar for Bucket	473.00
BW15228		73 In. (1850 mm) Tooth Bar for Bucket	550.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

3-Bag Power Flow System (For 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115)

Equipment for Base Machine

14 Bushel Capacity
Polyethylene Hopper Top
3 Polyester Bags
Attaching Parts
Chute

Less Power Flow

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

140BGX		3-Bag Power Flow System (For 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115) <i>Tractors Require a High Performance Power Flow Kit for the Appropriate Mower Deck Which Must be Ordered Separately. Tractors Using OnRamp Mower Decks also Require Appropriate OnRamp Belt Cover Kit. Not Compatible with 72-Inch Decks. 1 Series tractors also require a hitch plate that must be ordered separately. (5) R66949 Quik-Tatch Weights are Recommended for Proper Ballast.</i>	1,449.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

Material Collection System Power Flow Blowers:			
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
BM24514		60 In. High Performance Power Flow (For use with X700 HC and 7-Iron Decks and 1023E, 1025R and 1026R Decks) <i>Not compatible with Cabs.</i>	719.04
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Decks X700, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115)	541.41
Miscellaneous:			
LVB24947		54D OnRamp Belt Cover Kit (2025R, 2032R, 2320, 2520, 2720) <i>Required for Use with 54D OnRamp Mower Deck.</i>	56.71
LVB24948		62D OnRamp Belt Cover Kit (2025R, 2032R, 2320, 2520, 2720) <i>Required for Use with 62D OnRamp Mower Deck.</i>	79.19
BLV10028		Hitch Plate for 3 Bag MCS on 54D and 60D (1023E, 1025R, 1026R) <i>Required for Use with 54D and 60D mower decks.</i>	53.50
LVB24957		Small Chasis MCS Chute (1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210 and 4115)	263.21
Weights:			
R66949		Quik-Tatch Weight, 42 Lb. <i>When Installed on 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 2210, or 4115 Tractors, (1) M128726 Rod and (4) A15147 Spring Clips are Required.</i>	63.13

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**3-Bag Power Flow System (For 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520,
2720, 2210 and 4115)**

Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

48 In. Shaft Driven Convertible Mower Deck (48C/48X)
Equipment for Base Machine

48 In. Shaft Driven convertible Mower Deck (48C/48X)	wheels
48 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 10 Gauge steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

9070M	48 In. Shaft Driven Convertible Mower Deck (48C/48X) <i>When mounting on Signature Series Tractors (X710, 730, X734, X738, X739, X750, X754, X758), also order BM24370 Draft Arms and Upstop Kit.</i>	1,300.00
-------	--	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Mower Deck and Mower Deck Attachments:		
BM24370	48C Draft arm kit, X700 Signature Series	64.20
AM130907	Mower Deck Leveling Gauge	6.95

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54 In. Shaft Driven Convertible Mower Deck (54C/54X)
Equipment for Base Machine

54 In. Shaft Driven convertible Mower Deck (54C/54X)	wheels
54 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 3.4 mm steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

9071M	54 In. Shaft Driven Convertible Mower Deck (54C/54X)	1,300.00
-------	--	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHING PARTS/MOWER DECK LIFT

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	480.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Hydraulics:	
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts. Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	310.30
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
	Miscellaneous:	
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
	Mower Deck and Mower Deck Attachments:	
BM24370	48C Draft arm kit, X700 Signature Series	64.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

54 In. Shaft Driven Convertible Mower Deck (54C/54X)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM130907		Mower Deck Leveling Gauge	6.95
BM20827		Mulch Kit (54C/54D/54X)	217.21
BM23648		Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
LVB26020		Spanish North American Kit: North American Spanish Labels	14.99
LVB26015		North American Spanish OM	20.33

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

62 In. Shaft Driven Convertible Mower Deck (62C/62X)
Equipment for Base Machine

62 In. Shaft Driven convertible Mower Deck (62C/62X)	wheels
62 In. cutting width	40mm blade overlap
Side discharge	Formed heavy duty 3.4 mm steel
Mulching capable	Formed edge around deck shell
Material collection capable	Front anti-scalp roller
Heavy duty 4 point mounting system	Shaft drive
(4) Heavy duty rotateable gage	Wash port
	Greaseable deck spindles

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

9072M	62 In. Shaft Driven Convertible Mower Deck (62C/62X)	1,700.00
-------	--	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHING PARTS/MOWER DECK LIFT

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	480.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Hydraulics:	
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts. Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	310.30
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
	Miscellaneous:	
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
	Mower Deck and Mower Deck Attachments:	
BM24370	48C Draft arm kit, X700 Signature Series	64.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

62 In. Shaft Driven Convertible Mower Deck (62C/62X)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM130907		Mower Deck Leveling Gauge	6.95
BM21890		Mulch Kit (62C/62D/62X)	237.54
BM23648		Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. 60HC Mowers used on X700 Signature Series Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
LVB26020		Spanish North American Kit: North American Spanish Labels	14.99
LVB26015		North American Spanish OM	20.33

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**54D In. OnRamp Mid-Mount Side Discharge Mower (For 2025R, 2320 Tractor)
Equipment for Base Machine**

54 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Less Attaching Parts
Memory Setting	Deck Lockup
PTO Shaft	Mower Wash Port
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0172LV	54D In. OnRamp Mid-Mount Side Discharge Mower (For 2025R, 2320 Tractor)	1,874.00
--------	---	----------

ATTACHING PARTS/MOWER DECK LIFT

1001	Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, Code 1001 and LVB25630 Must be Ordered.</i>	362.00
------	---	--------

1010	Less Attaching Parts	In Base Price
------	----------------------	---------------

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics:		
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i>	310.30
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
Miscellaneous:		
LVB25620	Attaching Parts for 2025R, 2320 Tractor (Mechanical Mower Lift)	420.20
LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tach Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
Mower Deck and Mower Deck Attachments:		
AM130907	Mower Deck Leveling Gauge	6.95
BM20827	Mulch Kit (54C/54D/54X)	217.21

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. OnRamp Mid-Mount Side Discharge Mower (For 2025R, 2320 Tractor)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spanish North American Kit:	
	LVB26020	North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (For 1023E, 1025R, 1026R Tractor)
Equipment for Base Machine

54 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck (4) Front and Rear Adjustable and Quick Release Gauge Wheels with Memoey Settings PTO Shaft with Manual Connection	Quick Release Belt Shields Hinged Discharge Chute Greasable Spindles Deck Lockup Mower Wash Port
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5310M	54D In. Mid-Mount Side Discharge Mower (For 1023E, 1025R, 1026R Tractor)	1,940.00
-------	--	----------

ATTACHING PARTS/TRACTOR SELECTION

1000	Attaching Parts 1023E, 1025R, 1026R Tractors (Mechanical Mower Lift)	In Base Price
1001	Attaching Parts 1023E, 1025R, 1026R Tractors (Hydraulic Mower Lift)	179.00
1002	Attaching Parts 1023E, 1025R, 1026R Tractors (Independent Hydraulic Mower Lift)	688.00
1010	Less Attaching Parts <i>PTO lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-400.00

PTO CONNECTION

2000	Manual PTO Connection	In Base Price
2001	Auto PTO Coupler	247.00
2010	Less Drive Shaft	-182.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
LVB26203	Deck Lift Components <i>Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	356.40
LVB26205	Hydraulic Lift Power Kit <i>Required for Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	269.50
LVB26207	Ind. Valve and Switch Kit <i>Required for Independent hydraulic lift. See Sales Manual.</i>	320.01

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

54D In. Mid-Mount Side Discharge Mower (For 1023E, 1025R, 1026R Tractor)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26204	Mechanical Linkage <i>Required for Mechanical lift. See Sales Manual.</i>	125.40
	LVB26206	SCV Hose Kit <i>Required for Hydraulic lift. See Sales Manual.</i>	68.20
		Mower Deck and Mower Deck Attachments:	
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		PTO Connection:	
	LVB26045	Auto PTO Coupler	506.00
	LVB26044	Manual PTO Connection	214.50
		Spanish North American Kit:	
	LVB26020	North American Spanish Labels	14.99

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (For 2025R, 2320 Tractor)
Equipment for Base Machine

62 In. Cutting Width	Anti-Scalp Front Roller
Three Cutting Blades	Hinged Discharge Chute
10 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick	Front Lip Reinforcement
Release Gauge Wheels with	Less Attaching Parts
Memory Settings	Deck Lockup
PTO Shaft	Mower Wash Port
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0180LV	62D In. OnRamp Mid-Mount Side Discharge Mower (For 2025R, 2320 Tractor)	2,536.00
--------	---	----------

ATTACHING PARTS/MOWER DECK LIFT

1001	Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift, Code 1001 and LVB25630 Must be Ordered.</i>	362.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Hydraulics:		
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts.</i>	310.30
LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320)	421.59
Miscellaneous:		
LVB25620	Attaching Parts for 2025R, 2320 Tractor (Mechanical Mower Lift)	420.20
LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tach Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
Mower Deck and Mower Deck Attachments:		
AM130907	Mower Deck Leveling Gauge	6.95
BM21890	Mulch Kit (62C/62D/62X)	237.54

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (For 2025R, 2320 Tractor)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26020	Spanish North American Kit: North American Spanish Labels	14.99

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (For 2032R, 2520, 2720, 4115 Tractors)

Equipment for Base Machine

62 In. Cutting Width Three Cutting Blades 10 Gauge Stamped Steel Deck Front and Rear Quick Release Gauge Wheels with Memory Setting PTO Shaft Quick Release Belt Shields	Anti-Scalp Front Roller Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts Mower Wash Port
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0190LV		62D In. OnRamp Mid-Mount Side Discharge Mower (For 2032R, 2520, 2720, 4115 Tractors)	2,959.00
--------	--	--	----------

ATTACHING PARTS/MOWER DECK LIFT

1001		Attaching Parts (Mechanical Mower Lift) <i>For Independent Mower Lift (Not Available for 4115), BLV10476 Must be Ordered with Code 1010 (Less Attaching Parts).</i>	400.00
1010		Less Attaching Parts	In Base Price

ATTACHMENTS - ORDER AS DESIRED

9430		Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Hydraulics: BLV10476 Independent Lift Kit for 2032R, 2520, 2720 <i>Not Available for 4115 Tractor.</i>	951.50
	LVB25823	Loader/Mower Mechanical Diverter Valve Kit (2032R, 2520, 2720)	556.60
		Miscellaneous: LVB25902 Attaching Parts for 2032R, 2520, 2720, 4115 (Mechanical Mower Lift)	420.20
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	AM130907	Mower Deck and Mower Deck Attachments: Mower Deck Leveling Gauge	6.95
	LVB24962	Mower Height Latch Kit <i>For Use with Mechanical Mower Lift.</i>	160.60

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

62D In. OnRamp Mid-Mount Side Discharge Mower (For 2032R, 2520, 2720, 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21890	Mulch Kit (62C/62D/62X)	237.54
	LVB26020	Spanish North American Kit: North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720,
and 3033R-3046R Tractors)
Equipment for Base Machine**

60 In. Cutting Width	Anti-Scalp Front Skid
Three Cutting Blades	Hinged Discharge Chute
7 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Quick Release	Front Lip Reinforcement
Gauge Wheels with Memory Settings	AutoConnect Mower Lift
PTO Shaft	Deck Lockup
Quick Release Belt Shields	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7013LV		<p>60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720, and 3033R-3046R Tractors) <i>The 60 In. deck is a close fit for the 3R and 3x20 Series Tractor. The right front tire can rub against the spring pin in the top of the right front anti-scalp wheel post if it is in the in-board-most position and the tire is too far to the right. Care must be exercised during installation and removal of the deck.</i></p> <p><i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers.</i></p> <p><i>3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details.</i></p> <p><i>LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower.</i></p> <p><i>For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7785, (1) 19M7788, (1) LVA15373 and (1) 34H311 Through Service Parts. See Sales Manual for 4310-4410 Requirements.</i></p>	3,453.00
--------	--	--	----------

DESTINATION

0202	United States and Canada		In Base Price
0195	Mexico		Same Price

AUTOCONNECT MOWER LIFT

1000		<p>AutoConnect Mower Lift (3120-3720 and 3033R-3046R) <i>For 60D and 72D mower decks with SN 060001 and above.</i></p> <p><i>Includes Mid Hydraulic Cylinder Lift Kit.</i></p> <p><i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with PRT Transmission are NOT compatible with Mid-Mount Mowers.</i></p>	In Base Price
1010		Less AutoConnect Mower Lift	-1,213.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720,
and 3033R-3046R Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
AUTOCONNECT MOWER LIFT Continued...			
ATTACHMENTS - ORDER AS DESIRED			
9430		Spanish North American Operator's Manual and Decal Kit	No Charge
9413		French Canadian Operators Manual and Decal Kit	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
Hydraulics:			
BLV10471		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10362		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
LVB25084		Third Selective Control Valve Kit <i>For 4310-4410 Tractors, Requires Dual SCV.</i>	323.40
LVB25506		Third Selective Control Valve Kit (Open Station Only)	283.80
LVB24845		Third Selective control Valve Kit (Cab Only) <i>For 3320-3720 Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	339.90
Miscellaneous:			
BLV10432		AutoConnect Mower Lift Kit (3033R-3046R, 3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and above. Includes Mid Hydraulic Cylinder Lift Kit.</i>	1,539.73
<i>3R Tractors Equipped with PRT Transmission are NOT compatible with mid-mount mowers.</i>			
<i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>			
BLV10079		AutoConnect Mower Lift Kit (3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and below. Includes Mid Hydraulic Cylinder Lift Kit. Kit required for 3120-3720 and 4310-4410 tractors.</i>	1,539.73
<i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>			
LVB25544		Bracket Kit <i>Required to Install 60D In. Mower on 4310-4410 Tractors Manufactured after January 2003. See Sales Manual for Specific Serial Numbers.</i>	57.20
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	164.79
Mower Deck and Mower Deck Attachments:			
BM23978		60HC Mulch Kit <i>60D (for 3 Family Tractors) before SN 050001 is compatible with Mulch Kit TCB10953.</i>	242.89

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**60D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720,
and 3033R-3046R Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	BLV10508	Spanish North American Kit: French Canadian OM	20.90
	LVB26020	North American Spanish Labels	14.99
	BLV10509	North American Spanish OM	20.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**60D 7-Iron Mid Mount Side Discharge Mower (For 1023E, 1025R, 1026R Tractors)
Equipment for Base Machine**

60 In. Cutting Width Three Cutting Blades 7 Gauge Stamped Steel Deck (4) Front and Rear Adjustable and Quick Release Gauge Wheels with Memoey Settings PTO Shaft with Manual Connection Quick Release Belt Shields	Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Deck Lockup Mower Wash Port
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5320M	60D 7-Iron Mid Mount Side Discharge Mower (For 1023E, 1025R, 1026R Tractors)	2,350.00
-------	--	----------

ATTACHING PARTS/TRACTOR SELECTION

1000	Attaching Parts 1023E, 1025R, 1026R Tractors (Mechanical Mower Lift)	In Base Price
1001	Attaching Parts 1023E, 1025R, 1026R Tractors (Hydraulic Mower Lift)	179.00
1002	Attaching Parts 1023E, 1025R, 1026R Tractors (Independent Hydraulic Mower Lift)	688.00
1010	Less Attaching Parts <i>PTO lift system not included. Only compatible with a tractor that already has a mower lift installed.</i>	-400.00

PTO CONNECTION

2000	Manual PTO Connection	In Base Price
2001	Auto PTO Coupler	247.00
2010	Less Drive Shaft	-182.00

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous: Deck Lift Components <i>Required for Mechanical lift, Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	356.40
LVB26203		

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

60D 7-Iron Mid Mount Side Discharge Mower (For 1023E, 1025R, 1026R Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB26205	Hydraulic Lift Power Kit <i>Required for Hydraulic lift and Independent hydraulic lift. See Sales Manual.</i>	269.50
	LVB26207	Ind. Valve and Switch Kit <i>Required for Independent hydraulic lift. See Sales Manual.</i>	320.01
	LVB26204	Mechanical Linkage <i>Required for Mechanical lift. See Sales Manual.</i>	125.40
	LVB26206	SCV Hose Kit <i>Required for Hydraulic lift. See Sales Manual.</i>	68.20
		Mower Deck and Mower Deck Attachments:	
	BM23978	60HC Mulch Kit <i>60D (for 1 Family Tractors) before SN 030001 is compatible with Mulch Kit TCB10953.</i>	242.89
	AM130907	Mower Deck Leveling Gauge	6.95
	TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
		PTO Connection:	
	LVB26045	Auto PTO Coupler	506.00
	LVB26044	Manual PTO Connection	214.50
		Spanish North American Kit:	
	LVB26020	North American Spanish Labels	14.99

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72 In. Mid-Mount Side Discharge Mower (For 2032R, 2520, 2720, 4115 Tractors)
Equipment for Base Machine**

72 In. Cutting Width Three Cutting Blades 9 Gauge Stamped Steel Deck Front and Rear Adjustable Gauge Wheels PTO Shaft Mower Lift: Steel Rods from Tractor Rockshaft	Quick Release Belt Shields Spring Loaded Front Gauge Wheels Anti-Scalp Rollers (3) Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement Less Attaching Parts
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0040LV	72 In. Mid-Mount Side Discharge Mower (For 2032R, 2520, 2720, 4115 Tractors) <i>Tractors must be equipped with Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required.</i> <i>2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	3,220.00
--------	---	----------

ATTACHING PARTS/MOWER DECK LIFT

1000	Attaching Parts	583.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS - ORDER AS DESIRED

Spanish North American Kit:		
9430	Spanish North American Operator's Manual and Decal Kit	No Charge
European CE Kit:		
9300	European CE Version 72 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Receive a 72 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	No Charge
Miscellaneous:		
9435	Swedish Operator's Manual	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:		
LVB25263	Attaching Parts	687.50
LVB25302	Front Attaching Support Kit <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
Mower Deck and Mower Deck Attachments:		
BM18151	72 In. Tricycler Mulch Kit	367.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 In. Mid-Mount Side Discharge Mower (For 2032R, 2520, 2720, 4115 Tractors)
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24962	Mower Height Latch Kit	160.60
	LVB26020	Spanish North American Kit: North American Spanish Labels	14.99
	LVB26017	North American Spanish OM	20.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720,
and 3033R-3046R Tractors)
Equipment for Base Machine**

72 In. Cutting Width Three Cutting Blades 7 Gauge Stamped Steel Deck Front and Rear Quick Release Gauge Wheels with Memory Settings PTO Shaft Quick Release Belt Shields	Anti-Scalp Front Skid Hinged Discharge Chute Greasable Spindles Front Lip Reinforcement AutoConnect Mower Lift Deck Lockup
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7023LV		72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720, and 3033R-3046R Tractors) 3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with a PRT Transmission are NOT compatible with mid-mount mowers. 3120-3720 Tractors Require Mid PTO. Mower Deck is Not Compatible with R3 Turf Special Tires or R1 Tires. See Sales Manual for Tire/Mower Clearance Chart and additional compatibility details. LVB25820 Front Three-Point/Mid Mount Brackets is Required if Tractor is also equipped with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3033R-3046R and 3x20 Tractors Only) and a Mid-Mount Mower. For Installation of Mid-Mount Mower on Cab Tractor, Must Order (1) LVA14927, (3) 19M7785, (1) 19M7788, (1) LVA15373 and (1) 34H311 Through Service Parts. See Sales Manual for 4310-4410 Requirements.	4,140.00
--------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
0195		Mexico	Same Price

AUTOCONNECT MOWER LIFT

1000		AutoConnect Mower Lift (3120-3720 and 3033R-3046R) For 60D and 72D mower decks with SN 060001 and above. Includes Mid Hydraulic Cylinder Lift Kit. 3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) and 3R Tractors Equipped with PRT Transmission are NOT compatible with Mid-Mount Mowers.	In Base Price
1010		Less AutoConnect Mower Lift	-1,213.00

ATTACHMENTS - ORDER AS DESIRED

9430		Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	--	-----------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720,
and 3033R-3046R Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS - ORDER AS DESIRED Continued...			
9413		French Canadian Operators Manual and Decal Kit	No Charge
ATTACHMENTS FOR FIELD CONVERSION			
		Hydraulics:	
BLV10471		EH Third SCV (Cab Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
BLV10362		EH Third SCV (OOS Only) <i>For 3033R-3046R Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (SCV Reference Table) for ordering details.</i>	1,212.20
LVB25084		Third Selective Control Valve Kit <i>For 4210-4410 Tractors. Requires Dual SCV.</i>	323.40
LVB25506		Third Selective Control Valve Kit (Open Station Only)	283.80
LVB24845		Third Selective control Valve Kit (Cab Only) <i>For 3320-3720 Tractors. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	339.90
		Miscellaneous:	
BLV10432		AutoConnect Mower Lift Kit (3033R-3046R, 3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and above. Includes Mid Hydraulic Cylinder Lift Kit.</i> <i>3R Tractors Equipped with PRT Transmission are NOT compatible with mid-mount mowers.</i> <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>	1,539.73
BLV10079		AutoConnect Mower Lift Kit (3120-3720, 4310-4410) <i>For 60D and 72D mower decks with SN 060001 and below. Includes Mid Hydraulic Cylinder Lift Kit. Kit required for 3120-3720 and 4310-4410 tractors.</i> <i>3000 Twenty Tractors Equipped with PRT Transmission (SN ending in 910000 and above) are NOT compatible with Mid-Mount Mowers.</i>	1,539.73
LVB25544		Bracket Kit <i>Required to Install 72D In. Mower on 4310-4410 Tractors Manufactured after January 2003. See Sales Manual for Specific Serial Numbers.</i>	57.20
LVB25302		Front Attaching Support Kit <i>See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	164.79
		Mower Deck and Mower Deck Attachments:	
TCB10951		Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
		Spanish North American Kit:	
BLV10508		French Canadian OM	20.90

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**72D AutoConnect 7-Iron Mid-Mount Side Discharge Mower (For 4310-4410, 3120-3720,
and 3033R-3046R Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10509	North American Spanish OM	20.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

72 In. 7-Iron Mid-Mount Side Discharge Mower (For 4120-4720, 4500-4700, 4510-4710 Tractors)

Equipment for Base Machine

72 In. Cutting Width	Anti-Scalp Rollers (2)
Three Cutting Blades	Hinged Discharge Chute
7 Gauge Stamped Steel Deck	Greasable Spindles
Front and Rear Adjustable Gauge Wheels	Front Lip Reinforcement
Mowerlift: Steel Rods from Tractor Rockshaft	Less Attaching Parts
Removable Belt Shields	Less PTO Shaft
Spring Loaded Front Gauge Wheels	Deck Lockup

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0042LV	72 In. 7-Iron Mid-Mount Side Discharge Mower (For 4120-4720, 4500-4700, 4510-4710 Tractors) <i>4000 Twenty Tractors with SN ending in 916000 (OOS) and 946000 (CAB) and above are NOT compatible with Mid-Mount Mowers. Tractors Require Mid PTO.</i> <i>Mower Deck is Not Compatible with R3 Turf Special or R1 Tires, R4 Tires will Rub if Deck is Raised to Full Transport Height. See Sales Manual for Tire/Mower Clearance Chart.</i> <i>4510-4710 Tractors Require LVU14258 Oil Filter when Installing 72 In. Mower to Prevent Contact Between the Oil Filter and Mower Lift System.</i> <i>00 Series and 10 Series Tractors Require (2) M148759 Front Plates for Installation of Mower Deck.</i>	3,220.00
--------	---	----------

ATTACHING PARTS/MOWER DECK LIFT

1000	Attaching Parts <i>Includes PTO Shaft.</i>	1,255.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS - ORDER AS DESIRED

Spanish North American Kit:		
9430	Spanish North American Operator's Manual and Decal Kit	No Charge
European CE Kit:		
9300	European CE Version 72 In. Mid-Mount Side Discharge Mower <i>This Code Must be Ordered to Receive a 72 In. Mid-Mount Side Discharge Mower Which Meets CE Requirements for Decals.</i>	No Charge
Miscellaneous:		
9435	Swedish Operator's Manual	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous:

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

72 In. 7-Iron Mid-Mount Side Discharge Mower (For 4120-4720, 4500-4700, 4510-4710 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25554	7-Iron Deck Attaching Parts and PTO Shaft <i>00 Series and 10 Series Tractors require (2) M148759 Front Plates for Installation of Mower Deck.</i>	1,479.50
	M148759	Front Plate	65.50
	LVU14258	Oil Filter	53.70
		Mower Deck and Mower Deck Attachments:	
	TCB10951	Mulch Kit (72 In. 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
		Spanish North American Kit:	
	LVB26020	North American Spanish Labels	14.99
	LVB26018	North American Spanish OM	20.90

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)
 Equipment for Base Machine

52 In. Clearing Width "Straight"	Caster Wheels
48 In. Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. Diameter Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Heavy Duty No. 50 Chain Drive	Less Hydraulic Angling
(2) Adjustable Rear Mounting	Less Front PTO
	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3880M		52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) X700, X710, X465 and X475 Requires BM20761 Hydraulic Coupler Kit. See Sales Manual for Ballast Requirements. Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.	2,185.00
-------	--	---	----------

FRONT QUICK-HITCH

1000		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
1001		Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
1005		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
1006		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
1010		Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING CYLINDER

2001		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
2000		Hydraulic Angling (For X400/X500 HDGT's, X700's)	190.00
2005		Hydraulic Angling (2210, 2305)	191.00
2006		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
HYDRAULIC ANGLING CYLINDER Continued...			
2010		Less Hydraulic Angling	In Base Price
2000 RPM FRONT PTO KIT			
3000		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3001		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758) <i>For European RII Homologation Tractors, also order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	250.00
3003		2000 RPM Front PTO (4100 and 4110)	259.00
3004		2000 RPM Front PTO (4010 and 4115)	259.00
3005		2000 RPM Front PTO (2210, 2305)	276.00
3006		2000 RPM Front PTO (2025R, 2320)	254.00
3007		2000 RPM Front PTO (2032R, 2520, 2720)	254.00
3009		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>For tractors with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	329.00
3010		Less 2000 RPM Front PTO	In Base Price
IMPLEMENT DRIVE SHAFT			
4000		Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	250.00
4001		European RII Implement Drive Shaft <i>Includes Shielding for CE, Supplemental CE Labels, FIGS OM. for X400/X500 HDGT's and X700's.</i>	296.00
4002		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	263.00
4010		Less Implement Drive Shaft	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BLV10159		Front Hitch: Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>Also Order BM20837, Angling Cylinder to Hydraulically Angle the Front Hitch.</i>	706.20
BLV10475		Front PTO: 2000 RPM Front PTO <i>Includes RIO override for front implements.</i>	303.89
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	297.46
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM20978		Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>	142.31
BM20966		Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>	99.51
LVB26108		Hydraulics: Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's) <i>For BM19782 Front Quick Hitch</i>	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
BM20714		Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21777		Deflector Kit for 52 Broom	62.06

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
BM20836		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76
BM21853		Thatching Wheel Kit for 52 Broom	268.57
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.</i>	89.40
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
Seats / Wheels / Tires:			
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
Weights:			
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3946R, 2210, 4010 Thru 4400-4410 Tractors)
Equipment for Base Machine

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to
26 In. Diameter Polypropylene	Shell"
Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted	Less Implement Drive Shaft
Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3790M	60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3946R, 2210, 4010 Thru 4400-4410 Tractors) <i>X710, X465 and X475 Tractors Require BM20761 Hydraulic Coupler Kit.</i> <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i> <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO. Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. 3120-3720 Tractors with Mid-Mount Mowers for use with Front Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,345.00
-------	--	----------

MOUNTING FRAME

1000	Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	392.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling (3120-3720)	829.00
1010	Less Mounting Frame	In Base Price

FRONT QUICK-HITCH / HYDRAULIC LIFT

2000	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	616.00
2002	Front Quick-Hitch and Hydraulic Lift (4210-4410)	739.00
2004	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	655.00
2005	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010,	716.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3946R, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT QUICK-HITCH / HYDRAULIC LIFT Continued...			
4100, 4110, 4115)			
2006		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	1,368.00
2007		Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	716.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
HYDRAULIC ANGLING			
<i>Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>			
3000		Hydraulic Angling (X400/X500 HDGT's, X700's)	190.00
3002		Hydraulic Angling Kit (2210, 2305)	191.00
3003		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	198.00
3004		Hydraulic Angling (1023E, 1025R, 1026R)	191.00
3010		Less Hydraulic Angling	In Base Price
2000 RPM FRONT PTO KIT			
4000		2WD Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
4001		4WD Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	250.00
4002		2000 RPM Front PTO Kit (4100, 4110)	259.00
4003		2000 RPM Front PTO Kit (4010, 4115)	259.00
4004		2000 RPM Front PTO Kit (4200-4400, 4210-4410)	218.00
4005		2000 RPM Front PTO Kit (2210, 2305)	276.00
4006		2000 RPM Front PTO Kit (2025R, 2320)	254.00
4007		2000 RPM Front PTO Kit (2032R, 2520, 2720, 3120-3720)	265.00
4009		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>For tractors with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	329.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
IMPLEMENT DRIVE SHAFT			
<i>Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>			

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3946R, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		IMPLEMENT DRIVE SHAFT Continued...	
5001		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	263.00
5003		Implement Drive Shaft (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305)	250.00
5010		Less Implement Drive Shaft	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Front Hitch:	
BLV10316		A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	847.44
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878		Front Three-Point Hitch (3120-3720)	1,286.14
		Front PTO:	
BLV10475		2000 RPM Front PTO <i>Includes RIO override for front implements.</i>	303.89
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
BM19576		2000 RPM Front PTO (4200-4400, 4210-4410)	250.39
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	297.46
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's)	298.53
LVB25759		Front PTO Bracket (3120-3720)	84.53
		Hydraulics:	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3946R, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24901		Hydraulic Angling (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
		Miscellaneous:	
BM20706		19.25x12.5x6.5 Heavy Duty Wheel Kit	361.66
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM19805		Debris Deflector	417.30
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
LVB25820		Front Three-Point Hitch/Mid Mount Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	164.79
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms	233.26
BM20836		Implement Drive Shaft (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
LVB24956		Implement Drive Shaft (3120-3720)	174.41
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76
BM20626		Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	449.40
LVB25879		Mounting Frame and Hydraulic Angling (3120-3720)	776.81

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3946R, 2210, 4010 Thru 4400-4410 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19804		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410) <i>Bundle no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,355.69
AM128682		Wafers, Polypropylene Bristle (Pack of 16)	236.22
AM128683		Wafers, Steel Bristle (Pack of 16)	404.96
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires <i>Two Wheel Steer only.</i>	21.40
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Equipment for Base Machine

Hydraulic Discharge Chute Rotation 100 Degrees Right and Left	Wear Plates Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15.5 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1474M	47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X700, X465, X475 and 425 Tractors.</i> <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>See Sales Manual for Ballast requirements.</i>	2,130.00
-------	--	----------

FRONT QUICK-HITCH

2000	Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	625.00
2005	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
2006	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	656.00
2007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	716.00
2008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

2000 RPM FRONT PTO KIT

3000	2000 RPM Front PTO (425, 445, 455)	236.00
3003	2000 RPM Front PTO (4100, 4110)	259.00
3004	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3005	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739,	250.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2000 RPM FRONT PTO KIT Continued...			
X758)			
3006		2000 RPM Front PTO (4010, 4115)	259.00
3007		2000 RPM Front PTO (2210, 2305)	276.00
3008		2000 RPM Front PTO Kit (2025R, 2320)	254.00
3009		2000 RPM Front PTO (2032R, 2520, 2720)	254.00
3010		Less Power Take Off	In Base Price
3012		2000 RPM Front PTO (1023E, 1025R, 1026R)	329.00
<hr/>			
IMPLEMENT DRIVE AND UPSTOP			
4000		Implement Drive and Upstop (425, 445, 455)	221.00
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	221.00
4005		Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	369.00
4006		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	421.00
4010		Less Implement Drive and Upstop	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
Front Hitch:			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
Front PTO:			
BLV10475		2000 RPM Front PTO <i>Includes RIO override for front implements.</i>	303.89
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM18695		2000 RPM Front PTO (4100, 4110)	297.46
BM17330		2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	270.71

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455,
1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110,
4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM24361	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM24362	4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM20761	Hydraulics: Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
	BM20896	Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	28.89
	BM20714	Miscellaneous: Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	M88984	Drift Blade	29.24
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>	55.70
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	LVB24902	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	423.71
	BM20871	Implement Drive and Upstop (425, 445, 455, F900's)	253.59

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23236		Implement Drive and Upstop (X400/X500 HDGT's, X700's)	253.59
AM128337		Left-Side Skid Shoe Plate and Hardware	48.95
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
LVB24958		Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	149.80
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors. See Sales Manual for Required Attaching Parts.</i>	203.30
AM128336		Right-Side Skid Shoe Plate and Hardware	48.95
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	18.57
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>	68.14
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)

Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts
15 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

02C1M	54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X700 Tractors.</i>	2,550.00
	<i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	
	<i>See Sales Manual for Ballast requirements.</i>	

FRONT QUICK-HITCH

2005	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	615.00
2006	Front Quick-Hitch and Hydraulic Lift (2305)	656.00
2007	Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320-2720)	716.00
2008	Front Quick-Hitch and Hydraulic Lift (1023E, 1025R, 1026R) <i>Also requires BLV10160, Front Attaching Support (1023E, 1025R, 1026R).</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

2000 RPM FRONT PTO KIT

3004	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754)	250.00
3005	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	250.00
3007	2000 RPM Front PTO (2305)	276.00
3008	2000 RPM Front PTO Kit (2025R, 2320)	254.00
3009	2000 RPM Front PTO (2032R, 2520, 2720)	254.00
3010	Less Power Take Off	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2000 RPM FRONT PTO KIT Continued...			
3012		2000 RPM Front PTO (1023E, 1025R, 1026R)	329.00
IMPLEMENT DRIVE AND UPSTOP			
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	221.00
4005		Implement Drive and Upstop (2025R, 2032R, 2320-2720)	288.00
4006		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	421.00
4010		Less Implement Drive and Upstop	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Front Hitch:			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
LVB24898		Front Quick-Hitch and Hydraulic Lift (2025R, 2032R, 2320 - 2720)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	751.14
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
Front PTO:			
BLV10475		2000 RPM Front PTO <i>Includes RIO override for front implements.</i>	303.89
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	377.71
LVB24900		2000 RPM Front PTO (2025R, 2320)	292.11
LVB25966		2000 RPM Front PTO (2210, 2305)	316.71
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
Hydraulics:			
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	55.64
Miscellaneous:			
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
M88984		Drift Blade	29.24
LVB25302		Front Attaching Support Kit <i>For 2520, 2720 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320-2720 Tractors)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	85.61
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2025R, 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	129.47
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
LVB26135		Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
BM23238		Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720)	330.63
BM23236		Implement Drive and Upstop (X400/X500 HDGT's, X700's)	253.59
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
LVB24958		Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	149.80
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors. See Sales Manual for Required Attaching Parts.</i>	203.30
M157831		Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	18.57
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		Seats / Wheels / Tires:	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
		Weights:	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

59 In. Two-Stage Snow Blower (For 3120-3720, 3033R-3046R, 3005, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors)

Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
59 In. Clearing Width "Straight"	Hydraulic Chute Angling
16 In. Diameter Impeller	Less Front Hitch
16 In. Diameter Auger	Less Front PTO
Shear Bolt Protection	Less Mounting Kit and Less Snow Blower Driveshaft
Adjustable Spout Cap Deflector	
Two-Stage Design	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

2758M	59 In. Two-Stage Snow Blower (For 3120-3720, 3033R-3046R, 3005, 790, 855, 955, 670, 770, 4200-4400, 4210-4410 Tractors) <i>For Use with Front Three-Point Hitch with A-Frame.</i>	4,131.00
	<i>Tractors Require Dual SCV, Mid PTO and Rear Wheel Ballasting.</i>	
	<i>3120-3720 Tractors with Mid-Mount Mowers Require LVB24810.</i>	
	<i>Current 59 In. Snow Blowers Ordered for 4200-4400 or 4210-4410 Tractors can be Converted to Work with 3120-3720 Tractors by Using the Following Bundle Numbers: LVB24815, LVB24801, LVB25741, LVB24800.</i>	

SNOW BLOWER MOUNTING KIT / DRIVESHAFT

1000	Snow Blower Mounting Kit and Driveshaft (3005, 855, 955, 670, 770, 790, 4200-4400, 4210-4410)	609.00
1005	Snow Blower Mounting Kit and Driveshaft (3120-3720)	313.00
1010	Less Snow Blower Mounting Kit and Driveshaft	In Base Price

FRONT HITCH

2000	Front Quick-Hitch and Hydraulic Lift (4210-4410)	740.00
2005	Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720, 3033R-3046R)	1,249.00
2010	Less Front Quick-Hitch and Less Hydraulic Lift	In Base Price

FRONT PTO

3000	2000 RPM Front PTO (4200-4400, 4210-4410)	217.00
3002	2000 RPM Front PTO (670)	377.00
3003	2000 RPM Front PTO (770, 790, 3005)	389.00
3004	2000 RPM Front PTO (855, 955)	354.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

**59 In. Two-Stage Snow Blower (For 3120-3720, 3033R-3046R, 3005, 790, 855, 955, 670,
770, 4200-4400, 4210-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
FRONT PTO Continued...			
3005		2000 RPM Front PTO (2032R, 3033R-3046R, 3120-3720)	254.00
3010		Less 2000 RPM Front PTO	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Front Hitch:	
BLV10316		A-Frame Quick Attach System (3120-3720, 3033R-3046R)	197.96
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	847.44
BLV10439		Front Three-Point Hitch (3033R-3046R)	1,306.80
LVB25878		Front Three-Point Hitch (3120-3720)	1,286.14
		Front PTO:	
BLV10475		2000 RPM Front PTO <i>Includes RIO override for front implements.</i>	303.89
LVB24801		2000 RPM Front PTO (2032R, 2520-2720, 3120-3720)	292.11
BM19576		2000 RPM Front PTO (4200-4400, 4210-4410)	250.39
BM16856		2000 RPM Front PTO (670)	433.36
BM21379		2000 RPM Front PTO (770, 790, 3005)	445.11
BM16494		2000 RPM Front PTO (855, 955)	406.60
LVB25759		Front PTO Bracket (3120-3720)	84.53
		Miscellaneous:	
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms	233.26
AM128337		Left-Side Skid Shoe Plate and Hardware	48.95
AM128336		Right-Side Skid Shoe Plate and Hardware	48.95
LVB24800		Snow Blower Drive Shaft (3033R-3046R, 3120-3720)	156.21
LVB25741		Snow Blower Mounting Kit (3033R-3046R, 3120-3720) <i>Requires Snow Blower Driveshaft LVB24800.</i>	207.59
BM21660		Snow Blower Mounting Kit and Driveshaft (3005, 855, 955, 670, 770, 790, 3005, 4200-4400, 4210-4410)	697.64

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
 Equipment for Base Machine

48 In. Tilling Width 540 PTO Shaft Drive with "Quick Lock" Collar Pre-set Slip Clutch 15-35 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. Tilling Depth 14 In. Rotor Diameter	6 Hybrid Tines per Flange 6 Flanges - Total of 36 Tines 4 Position Adjustable Skidshoes ASA 60 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch & Alpha Compatible 3-Point Hitch Drive Shaft (CUT Tractors)
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0205LV	647 Rotary Tiller For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors. X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch. FrontBallast is Required, See Sales Manual for Specific Requirements. If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.	2,467.00
--------	--	----------

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors	31.00
1010	Less Drive Shaft	-319.00

BRACKETS

2000	Brackets for Compact Utility Tractors	In Base Price
2001	Brackets for X400/X500 HDGT and X700 Series Tractors	Same Price
2010	Less Brackets	-142.00

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous:	
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>	980.11
LVB25769		Brackets for Compact Utility Tractors	162.64
LVB25770		Brackets for X400/X500 HDGT and X700 Series Tractors	162.64
LVB25518		Drive Shaft Kit (CUTS)	365.94
LVB25545		Drive Shaft Kit (X400/X500 HDGT's, X700's)	401.26
		Spanish North American Kit:	
BLV10081		Spanish North American Operator's Manual and Decal Kit	172.27
		Weights:	
BM20957		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700, X720, X724, X728, X729, X740, X744, X748, X749.</i>	192.60
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.19
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
LVB25363		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
R66949		Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

655 Rotary Tiller
Equipment for Base Machine

55 In. Tilling Width	15 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	7 Flanges - Total of 42 Tines	
15-35 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 80 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0215LV	655 Rotary Tiller <i>For 3005, 3032E, 3038E, 3203, 4005, 790, 990, 4100, 4110, 4115, 2305, 2025R, 2032R, 2320-2720, 4200-4400, 4210-4410, 3033R-3046R, 3120-3720 and 4105 Tractors.</i> <i>Front Ballast is Required, See Sales Manual for specific requirements.</i> <i>If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.</i>	2,858.00
--------	---	----------

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-334.00

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:	
LVB25625	Drive Shaft	381.99
	Spanish North American Kit:	
BLV10081	Spanish North American Operator's Manual and Decal Kit	172.27
	Weights:	
LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH15318	Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.71
CH14083	Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.19

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

655 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
LVB25363		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins).</i>	216.70
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
R66949		Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2025R, 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	63.13
BM19780		Quik-Tatch Weight, 70 lb.	108.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

665 Rotary Tiller
Equipment for Base Machine

65 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
30-50 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 100 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0225LV	665 Rotary Tiller For 3038E, 4005, 790, 990, 4300-4700, 4310-4710, 3520, 3720, 3039R-3046R, 4105 and 4120-4320 Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements. If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.	3,600.00
--------	--	----------

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-381.00

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous: Drive Shaft	437.63
BLV10081	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	172.27
LVB25705	Weights: Front Quik-Tatch Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	45.10
LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) Includes Rod and Spring Pins for Front Quik-Tatch Weights.	47.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

665 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.71
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.19
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	239.80
BM19780		Quik-Tatch Weight, 70 lb.	108.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

673 Rotary Tiller
Equipment for Base Machine

73 In. Tilling Width	16 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	9 Flanges - Total of 54 Tines	
30-50 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	ASA 100 Roller Chain	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
7 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0235LV	673 Rotary Tiller For 4005, 990, 4500-4600, 3038E, 3520, 3720, 3039R-3046R, 4510-4710, 4105, 4120, 4320 Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements. If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the Auto Hitch Implement Side Components are Used in Place of the Tiller Drive Shaft.	4,138.00
--------	---	----------

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-394.00

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:		
LVB25626		Drive Shaft	437.63
BLV10081	Spanish North American Kit:	Spanish North American Operator's Manual and Decal Kit	172.27
LVB25705	Weights:	Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.19

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

673 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
BM19780		Quik-Tatch Weight, 70 lb.	108.90

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS**

**681 Rotary Tiller
Equipment for Base Machine**

81 In. Tilling Width	18 In. Rotor Diameter	PTO Drive Shaft
540 PTO Shaft Drive with "Quick Lock" Collar	6 Hybrid Tines per Flange	
Pre-set Slip Clutch	8 Flanges - Total of 48 Tines	
35-60 PTO HP Rated Main Gearbox	4 Position Adjustable Skidshoes	
Breather on Gearbox and Chain Case	Gear Driveline	
Dipstick on Gearbox	Parking Stands	
Sight Glass on Chain Case	Adjustable Rear Hinged Cover Door	
8 In. Tilling Depth	Center Mounted Cat 1 Hitch	
	iMatch Compatible 3-Point Hitch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0245LV	681 Rotary Tiller For 4005, 990, 4500-4600, 4510-4710, 3720, 3046R, 4120-4720 and 5000 Series Tractors. Front Ballast is Required, See Sales Manual for Specific Requirements. If Ordering Tiller for Use with iMatch AutoHitch, Order Code 1010 (Less Drive Shaft) as the AutoHitch Implement Side Components are Used in Place of the Tiller Drive Shaft.	5,055.00
--------	--	----------

DRIVE SHAFT

1000	Drive Shaft	In Base Price
1010	Less Drive Shaft	-381.00

ATTACHMENTS - ORDER AS DESIRED

9430	Spanish North American Kit: Spanish North American Operator's Manual and Decal Kit	No Charge
------	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous:		
LVB25627		Drive Shaft	436.56
	Spanish North American Kit:		
BLV10081		Spanish North American Operator's Manual and Decal Kit	172.27
	Weights:		
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	45.10
LVBM19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	47.30
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	40.19

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY TRACTORS

681 Rotary Tiller
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	238.70
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	255.20
BM19780		Quik-Tatch Weight, 70 lb.	108.90