


---

Dual source to BT5.3 LE Audio Transmitter

BA-55T

## **USER'S GUIDE**

## Overview



## Instructions

Scenarios	Button	LED	Description
Idle	N/A	N/A	Pairing failed or Disconnected.
Pairing	(C) Double Click	(A) Flash steady	Enter Pairing Mode.
Auracast	(C) Triple Click	(C) Flash 1 time	Start broadcasting.
Connected	N/A	(A) Flash 1 time every 2 seconds (B) if it's aptX codec: Flash 1 time every 2 seconds (C) if it's LC3 codec: Flash 2 times every 2 seconds	Connection successful.
Connecting	N/A	(C) Flash rapidly	Try to connect with last device.
Volume down	(A) Click or hold	N/A	1. USB-IN: AVRCP 2. LINE-IN: Can be adjusted in 9 steps.
Volume up	(B) Click or hold	N/A	
Full Battery	N/A	(D) ON	Battery voltage > 90%
Low battery	N/A	(F) Flash	Battery voltage < 30%
Charging	N/A	(E) Flash	Charging and battery voltage < 90%

## Package contents



- BA-55T




- USB-C cable



- Jack to jack cable

## 1-to-1 Classic/ LE Audio Mode



## 1-to-N Auracast Mode



### SPECIFICATIONS

#### Connectivity Switch



#### Dimensions

59 mm x 29 mm x 21 mm

#### Weight

16g

#### Button Function

- ↻ Auracast & BT
- ⊕ Volume UP
- ⊖ Volume Down

#### Battery

Up to 2 hours per charge

Up to 8 hours of total playtime

#### Audio Codec

aptX Adaptive, aptX HD, aptX, SBC , LC3

- 
- This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
    - (1) this device may not cause harmful interference, and
    - (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

- Any changes or modifications not expressly approved by the party responsible for compliance could void the authority to operate equipment.

#### FCC RF Radiation Exposure Statement:

For portable operation, this device has been tested and meets FCC RF exposure guidelines. When used with an accessory that contains metal may not ensure compliance with FCC RF exposure guidelines.

