
User Manual

Table of Contents

1.0 Introduction.....	1
2.0 Specifications.....	1
3.0 Package Contents.....	2
4.0 Panel Descriptions.....	2
5.0 Connection and operation.....	3

Bluetooth Audio Receiver

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or adjusting this product. Please keep this manual for future reference.

1.0 INTRODUCTION

This is a portable Bluetooth Audio Receiver that simply enables you to wirelessly control and listen to all your favorite music from your device through your home Stereo speaker or Amplifier receiver with one piece of stereo cable, and then pairs your device to the Bluetooth receiver. You'll not only enjoy superior quality music on your stereo speakers or Amplifier Receiver, but also the convenience of a wireless connection. When the battery is run out, you can use one piece of Micro USB to USB cable to connect to power Adapter or computer for recharging. It is ideal for your mobile phones, portable devices, or personal computers.

1.1 FEATURES

- Convenient and portable: Enjoy the convenience of portability anywhere you go;
- Stream directly to an existing stereo, a friend's home and entertainment center;
- Control and listen to your favorite music wirelessly using this product through your home-theater receiver or powered speakers using an audio cable;
- Support Bluetooth signal output;
- Compatible with supported Bluetooth device;
- Stream wirelessly to control and listen to your music from up to 10m away, and can play music 10 hours;
- Compatible with Bluetooth-enabled personal computers;
- Connects to compatible AV products and supports A2DP audio streaming.

2.0 SPECIFICATIONS

Bluetooth version	V2.1
Output Channels	2.0CH Stereo
Connector Type	Stereo Female Micro USB Female
Charging time	3 hours to 4 hours
Battery	Internal rechargeable lithium battery
Charging voltage	5V
Operating current	≤25mA
Working Hours	Up to 10 Hours

Frequency range	2.4GHz - 2.4835GHz
Transmission distance	10M
Environment Temperature	Working: -20℃ to +60℃
	Charging: 0℃ to 45℃
Warranty	
Limited Warranty	1 Year Parts and Labor
Accessories Adapter	
User Manual	English Version

Note: Specifications are subject to change without notice.

3.0 Package Contents

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1
- User's Manual x1

4.0 PANEL DESCRIPTIONS



Interface function:

① Power button:

Press and hold down this button five seconds, can open and close the power.

②. V+

Increase volume

③ V-

Decrease volume

④ LED

This LED is double color, and checks the power and working status.

⑤ Stereo Female:

Connect this port to Stereo Speaker or Amplifier Receiver via one piece of stereo cable.

⑥ Micro USB Female

Using one piece of Micro USB to USB cable connects this port to computer or

Apple USB power adapter for charging and syncing data for Apple devices.

5.0 CONNECTION AND OPERATION

(1) Checking the battery is enough. When the battery is run out, you can use one piece of Micro USB to USB cable to connect to power Adapter or computer for recharging. Using a stereo cable connects to Amplifier Receiver.

(2) Matching and connection:

(a) If haven't matched, press and hold down power button five seconds until the blue-red LED alternately flash is to start up. Then open the phone's Bluetooth mode, search the "BT Audio" to match with it. If having the password, password is 0000. After connected, it can work well.

(b) If have matched already, press and hold down power button three second until the blue LED rapid flashing is to start up. Then devices will be memory to connect as before, and it can't connect to other equipment.

(3) "+" "and" "-" can adjust the volume. Press and hold down power button until the flashing blue LED stopped is shutdown.

Attention: Insert / Extract cable gently.

5.1 CONNECTION DIAGRAM



FCC WARNING

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

P/N3021