

Wireless Charger

User Manual



CONTENTS

1.0 INTRODUCTION	-----	1
2.0 FEATURES	-----	1
3.0 SPECIFICATIONS	-----	1
4.0 PACKAGE CONTENTS	-----	2
5.0 OPERATION	-----	2
6.0 CONNECTION DIAGRAM	-----	3

Wireless Charger

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

This product is a high-performance wireless charger. This product is suitable for mobile phones, MP3, MP4, Air pods Pro, digital productions, and other productions based on wireless charging 5W or 10W. Connect the wireless to a power charger, and then you can charge your device supported wireless charging (MP3, mobile phones, etc) by put it on the charger directly. With this charger, it is feasible for you to charge any devices (eg: digital cameras, PDAs, mobile phones, USB accessories) when it is in necessity. It is equipped with two USB connectors (one USB-C connector and one USB-A connector) for power. This product allows two devices to be charged at the same time, and the product provides the maximum output of 24 watts. The USB-C port is specially designed for Type-C supported devices. It is helpful in long time journey and convenient for business!

2.0 FEATURES

- Transmitting terminal input: 12V/4A
- Transmitting terminal output:
wireless charger:5W/7.5W/10W
Two ports for charging:
USB-A: 5V/3A, 9V/2 A, 12V/1.5A, complaint with Qualcomm Quick Charge 3.0(Only USB-A is on working)
USB-C: 5V/3A, 9V/2 A, 12V/1.5A (Only USB-C is on working)
USB-A: 5V/1.5A (USB-A and USB-C is on working)
USB-C: 5V/1.5A (USB-A and USB-C is on working)
- Intelligent indicator to show working condition
- Compliant with QI,CE, FCC standards
- It is light, smart and convenient to use

3.0 SPECIFICATIONS

Input	Type-c: 12V/4A
Output	Transmitting terminal output: wireless charger:5W/7.5W/10W Two ports for charging: USB-A: 5V/3A, 9V/2 A, 12V/1.5A, complaint with Qualcomm Quick Charge 3.0(Only USB-A is on working) USB-C: 5V/3A, 9V/2 A, 12V/1.5A (Only USB-C is on working) USB-A: 5V/1.5A (USB-A and USB-C is on working) USB-C: 5V/1.5A (USB-A and USB-C is on working)
Switch Frequency	110K-205K
Operating Temperature Range	0~25°C
Storage Temperature Range	-20 ~ 70°C
Operation Humidity	10% ~ 80% RH
Storage Humidity	5% ~ 95% RH
Size	88.8(L)*73.8(W)*112.7(H)mm
Weight	180g

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit×1
- User Manual×1
- Adapter×1

5.0 OPERATION

Operation Procedures

1. Connect the wireless charger with a powered adapter, and then blue flash for one times.
2. Put your device (supported wireless charging) on the charger, blue LED is always on. Remove the phone while it's charging or when it's fully charged: Please remove your device after fully charged.

Note: When accident occurs, the light flashes BLUE.

Operation Notes

1. For optimum performance, please use the wireless charger according to this user manual.
2. Please connect the wireless charger to a power adapter which output should be 12V/4A.
3. Please unplug the wireless charger after using.
4. Do not use the wireless charger with an electronic product which is not in conformity with the specifications, so as to avoid any problem caused by specification mismatching.
5. It's normal that wireless charger will be a little overheated in the use process.
6. When the wireless charger stops working under some accidents occurs, you need to check whether the device is compatible with this charger.
7. Do not let the wireless charger close to fire, such as stove, candles and etc.
8. Do not let the wireless charger soak into liquid, such as swimming pool, bathtub, etc.
9. Do not wash the wireless charger with corrosive cleaner.
10. If the wireless charger cannot work properly, please contact the store or distributor in your area.
11. RF exposure statement
12. This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.
13. FCC Warning
This device complies with Part 18 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
14. NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

6.0 CONNECTION DIAGRAM



P/N