


COMMAX

WIRELESS OBSERVATION SYSTEM

Model . WLO24TX
WLO24RX



COMMAX Co.,Ltd.

Thank you for purchasing our COMMAX product.

Please carefully read this User's Guide (in particular, precautions for safety) before using the product and follow the instructions to use your product exactly.

The company is not responsible for any safety accidents caused in abnormal operation of the product.

Class B device

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

[CAUTION]

Changes or modifications not expressly approved by the manufacturer responsible for compliance could void the user's authority to operate the equipment.

[FCC compliance Information]

This device complies with part 15 of FCC Rules.

Operation is subject to the following two conditions:




1. This device may not cause harmful interference, and
2. This device must accept any interference received.

Including interference that may cause undesired operation.

[FCC WARNING]


This equipment may generate or use radio frequency energy. Changes or modifications to this equipment may cause harmful interference unless the modifications are expressly approved in the instruction manual. The user could lose the authority to operate this equipment if an unauthorized change or modification is made.

FEATURES




Accessories

Please check if following contents are included in a package



Operation

You should install the transmitter and receiver in putting opposite as shown below and connect power and other cables.



- 1) The distance between the receiver and transmitter should be within 1~5 meters, when you install.
- 2) The device can be used by altering transmitter-receiver channels through optional channel selection switch.

NOTE : 1) The device may be affected by outside signals depending on the surrounding conditions.

2) The device is set to CH1 default.

Specification

Item	Condition	Specification
Operating Voltage		DC 11 - 28V
Consumption Power	On operating	WLO24RX : MAX 12W (Including Monitor) WLO24TX : MAX 4.5W(Including Camera)
Frequency bandwidth		2414MHz ~2468MHz
Distance	(No obstacle)	5M
Ambient Temperature		- 10°C ~ +50°C
Dimension		TX : 96.7Pi X 42mm RX : 147(W) X135(H) X49.5(D)mm

Video

Channel/Frequency	Assigned Frequency (MHz)
CH1	2414 ± 0.1
CH2	2432 ± 0.1
CH3	2450 ± 0.1
CH4	2468 ± 0.1

Audio

Channel/Frequency	Assigned Frequency (MHz)
CH1	2414 ± 6
CH2	2432 ± 6
CH3	2450 ± 6
CH4	2468 ± 6