




IMAGE FILING SOLUTIONS



MS-SERIES
FULL LINE BROCHURE

MS-800



HIGH-PERFORMANCE DIGITAL MICROFILM SCANNING

- High-speed, three-second scanning
- Easy-to-read, ledger-sized screen
- User-friendly control panel with motorized zoom lens and image rotation



Specifications

Type:	Desktop Digital Microfilm Reader/Scanner
Item Number:	3646A002
Film Formats:	Universal with Interchangeable Carriers
Film Types:	Both Negative and Positive Images of Silver or Diazo 16mm/35mm Film, Aperture Cards, and Microfiche
Lens Magnification:	7-7.5x, 9-16x, 14-30x, 20-50x, 57x
Screen Size (H x W):	11.8" x 17"
Scan Resolution:	Up to 600 dpi
Scan Modes:	Black and White, Black and White Fine, Black and White Photo, Grayscale
Scan Size:	11" x 17," 11" x 14," 8½" x 11", 8½" x 5½"
Scan Position:	Center, Left, Two Consecutive Pages
Scan Speed:	3 Seconds (8½" x 11") 3.9 Seconds (11" x 17")
Scan Options:	Trimming, Auto Border Erasure
Interface:	SCSI-II
Dimensions (H x W x D):	30" x 24" x 24"
Weight:	104 lb.
Power Consumption:	203W
Bundled Software:	ISIS/TWAIN Drivers, Scanning Utility 800
Other Features:	Auto Focus with Manual Override Auto Exposure with Manual Override Motorized Zoom Lens with Programmable Memory Keys Automatic 90° Rotation Automatic Bimode Sensing with Manual Override (N-P/P-P) Automatic Border Erasure Automatic Centering
Options:	Fileprint 470, Workstation II, Workstation V, Lenses (7-7.5x, 9-16x, 14-30x, 20-50x, 57x), Framing Kit, Fiche Carrier 190R-II, Roll Fiche Carrier 200, Autocarrier 100C, FS Controller 1, Installation Kit P, Foot Switch II, Keyboard, image.Scan Software, eCopy Software

MS-300/350

Specifications

Type:	Desktop Digital Microfilm Reader/Scanner
Item Number:	MS-300 (7963A002) MS-350 (8540A002)
Film Formats:	Universal with Interchangeable Carriers
Film Types:	Both Negative and Positive Images of Silver or Diazo 16mm/35mm Film, Aperture Cards, and Microfiche
Lens Magnification:	7x, 9.5-16x, 16-32x, 30-55x, 10-24x, 20-48x (MS-350 only)
Screen Size (H x W):	11.8" x 11.8"
Scan Resolution:	Up to 600 dpi
Scan Modes:	Black and White, Error Diffusion, Text Enhanced, Grayscale
Scan Size:	11" x 14", 8½" x 11"
Scan Speed:	5.5 Seconds (8½" x 11")
Scan Options:	Trimming, Auto Border Erasure
Image Adjustment:	Rotation, Focus, Zoom MS-300 (Manual) MS-350 (Motorized)
Interface:	SCSI-II
Dimensions (H x W x D):	26.3" x 17.4" x 21.3"
Weight:	57.3 lb.
Power Consumption:	250W
Bundled Software:	ISIS/TWAIN Drivers, Canon CapturePerfect
Other Features:	Auto Exposure with Manual Override Motorized Zoom Lens (MS-350 only) Automatic 90° Rotation (MS-350 only) Automatic Bimode Sensing with Manual Override (N-P/P-P) Automatic Border Erasure
Options:	Fileprint 270, Fileprint 470, DMP Board, Workstation II, Workstation V, Lenses (7x, 9.5-16x, 16-32x, 30-55x, 10-24x, 20-48x), Framing Kit, Fiche Carrier 190RII, Roll/Fiche Carrier 200, Autocarrier 100C, FS Controller I, Installation Kit P, image.Scan Software, eCopy Software



COST-EFFECTIVE DESKTOP MICROFILM SCANNING

- Fast, 5.5-second scanning
- Automatic film polarity detection
- Standard motorized remote control (MS-350 only)



PUT HISTORY AT YOUR FINGERTIPS

OPTIONS AND ACCESSORIES

Fileprint 470

Type:	Desktop Laser Printer
Item Code:	1514B002
Print Speed (LTR):	12 ppm on MS-300/350 15 ppm on MS-800
Resolution:	600 dpi
Stacker Capacity:	250 Sheets
Paper Size:	Letter, Legal, 11"x 17"
Dimensions (H x W x D):	10.9" x 20.4" x 17.3"
Weight:	42.5 lb.
Power Consumption:	Average 360W or less (Energy-Saving Mode: 36W or Less)

Note: DMP Board required for use with MS-300/350



Fileprint 270

Type:	Desktop Laser Printer
Item Code:	1304B005
Print Speed (LTR):	13 ppm
Resolution:	600 dpi
Stacker Capacity:	100 Sheets
Paper Size:	Letter, Legal
Dimensions (H x W x D):	8.5" x 14.6" x 9.9"
Weight:	12.57 lb.
Power Consumption:	Average 266W or less (Energy-Saving Mode: 3.4W or Less)

Note: DMP Board required for use with MS-300/350



WORKSTATIONS



Workstation II

Extension Board

Workstation V



Workstation II

Item Code:	3692A001
Dimensions (H x W x D)	27.5" x 20" x 30"

Workstation V

Item Code:	0190V289
Dimensions (H x W x D)	27.5" x 24" x 39" (Standard) 27.5" x 38" x 39" (With Optional Extension Board)

Workstation V Extension Board

Item Code:	0190V290
Dimensions (W x D)	14" x 13"

THE UNDENIABLE ADVANTAGE OF MICROFILM

With a life expectancy of over 100 years, microfilm provides a long-term archival medium that withstands the test of time.

The Canon MS-Series Digital Microfilm Scanners deliver a reliable, low-cost way to view, scan, print, and distribute high-quality microfilm images. Designed to meet today's digital imaging needs, the Canon MS-Series devices offer great versatility, easy connectivity, and user-friendly operation.

Renowned for optimized performance and reliability, the Canon line of digital microfilm scanners, including the MS-800, MS-350, and MS-300 models, offers the following advantages:

- **Easy Operation**—Helps ensure that dedicated or walk-up users and those with disabilities can use the MS-Series Scanners to conveniently access microfilm or microfiche.
- **Reader-Printer Capabilities**—Provide flexibility for scan-to-print applications. These devices can be configured to connect directly to a Canon Fileprint laser printer, without the need for a PC connection or an existing local/network printer.
- **Interchangeable Film Carriers**—Enable the MS-Series Scanners to handle all film/fiche formats, including 16mm/35mm open reels, 16mm cartridges, microfiche, and aperture cards.
- **Bundled Software**—Includes ISIS®/TWAIN drivers and Canon CapturePerfect software for MS-300/350 and Scanning Utility 800 Software for MS-800.



LENSES

MS-800

7-7.5x Zoom	3678A001
9-16x Zoom	3678A002
14-30x Zoom	3678A003
20-50x Zoom	3678A004
57x Zoom	3678A005

MS-300

Fixed 7x Lens	3677A006
EZ01 - 9.5-16x Zoom	3677A001
EZ02 - 16-32x Zoom	3677A002
EZ03 - 30-55x Zoom	3677A004
EZ04 - 10-24x Zoom	3677A007

MS-350

Fixed 7x Lens	3680A004
HZ01 - 9.5-16x Zoom	3680A001
HZ02 - 16-32x Zoom	3680A002
HZ03 - 30-55x Zoom	3680A003
HZ04 - 20-48x Zoom	3680A006
HZ05 - 10-24x Zoom	0024T750


ADDITIONAL ACCESSORIES

Framing Kit for MS-800	3686A002
Framing Kit for MS-300/350	3685A001
DMP Board for MS-300/350	8541A003
FP Cartridge 270 for FP270	1303B001
FP Cartridge 470 for FP470	1515B001
Sensor Unit 1 for FS C-1	3662A007
Sensor Unit 2 for FS C-1	3662A008
Sensor Unit 1C for FS C-1	3662A009
Sensor Unit 2C for FS C-1	3662A010
Installation Kit P for RFC200/AC100C/FSC-1	3672A004
Foot Switch II	3682A004
Keyboard for MS-800	3686A001


ISIS is a trademark of EMC Corporation. CANON is a registered trademark of Canon Inc. in the United States and may also be a registered trademark or trademark in other countries. IMAGEANYWARE is a trademark of Canon. All referenced product names and other marks are trademarks of their respective owners.
Specifications subject to change without notice.
©2006 Canon U.S.A., Inc. All rights reserved.

FILM CARRIERS


Fiche Carrier 190RII
(3659A004)



Autocarrier 100C
(3661A001)**



Roll/Fiche Carrier 200
(3660A001)**



FS Controller I
(3662A001)**



** Autocarrier 100C, FS Controller I, and Roll/Fiche Carrier 200 require optional Installation Kit P.

Canon
*image*ANYWARE

1-800-OK-CANON
www.usa.canon.com

Canon U.S.A., Inc.
One Canon Plaza
Lake Success, NY 11042

0068W193
1106-MSFL-5M-LCR

PRINTED ON RECYCLED
PAPER IN THE U.S.A.

