COVER

TABLE OF CONTENTS

1. INTRODUCTION	1
Features	
2. SAFETY	1
Interference With Other Devices Pacemakers Hearing Aids Other Medical Devices	2
3. RETAIL BOX CONTENTS	3
4. COMPONENTS	4
5. BEFORE USING	4
GENERAL INSTRUCTIONS TURNING ON THE HEADSETS FOR THE FIRST TIME RECONNECTING THE HEADSET TO A PAIRED PHONE ATTACHING THE SCALA-RIDER UNITS TO YOUR HELMETS. REMOVING THE HEADSET FROM THE HELMET	4 4 5
6. HANDLING CALLS	5
INITIATING CALLS BY USING YOUR PHONE'S KEYPAD VOICE DIALING ANSWERING CALLS (INCLUDING VOICE RECOGNITION FEATURE) TERMINATING CALLS VOLUME CONTROL CALL REJECT REDIAL INTERCOM FUNCTIONS	5 6 6 6
7. VOICE RECOGNITION (VR) FEATURE	6
ENABLE/DISABLE THE VOICE RECOGNITION FEATURE ANSWERING CALLS USING VOICE RECOGNITION REJECTING CALLS USING VOICE RECOGNITION	7
8. UNDERSTANDING THE LIGHT INDICATORS (LEDS) AND SOUND SIGNALS	8
INDICATOR LIGHTSTONES	
9. FAQS	9
10. SUMMARY OF FUNCTIONS	10
DRIVER FUNCTIONS	
11. TROUBLESHOOTING	11
12. TECHNICAL SPECIFICATIONS	13
13. FCC NOTICE	13
14. EUROPEAN CE NOTICE	13
15. LIMITED WARRANTY	13

1. Introduction

Congratulations and thank you for purchasing the scala-rider Team SetTM Bluetooth headset for motorcycle helmets. Now you can wear your helmet while talking hands-free on your Bluetooth enabled mobile phone. In addition, you can also communicate with your passenger using the intercom feature.

If you are using a standard non-Bluetooth mobile phone, you can still enjoy the headset's advantages by connecting our optional BTA II Bluetooth Adapter to your mobile phone (purchased separately).

The headset is compatible with the latest Bluetooth version. 1.2 specifications, and works equally well with Bluetooth version. 1.1.

Please read and familiarize yourself with all the instructions, components and controls of your headset prior to first use.

For safety reasons we strongly recommend not to conduct phone calls and/or intercom conversations above 80 km/h (50 mph). Safe driving requires your complete attention and in particular at higher speeds. Also, the audio quality of your headset deteriorates with higher speeds, causing additional distraction from the traffic around you. All this adds undue risk to you and your passenger.

Please refer to the waiver conditions at the end of this manual.

We wish you an enjoyable and safe scala-rider Team Set experience.

Features

- For maximum safety, most operations are hands-free, allowing you to keep your hands on the handle-bars.
- Easy to attach to helmet
- Simple to use intercom feature
- Driver can add the passenger to a conference call with a third party.
- rechargeable • High-capacity, Lithium-Polymer battery provides extended talk time of up to 9.5 hours and in excess of one week standby time.
- Universal Travel charger 110/240V 50/60Hz
- Supports hands-free and headset profiles
- Calls can be answered and terminated from either the headset or from your mobile phone (Subject to your phone's capabilities).

- Calls can be initiated from your mobile phone; audio will be heard on the headset*
- 2-year Limited Warranty.

Definitions

BT	Bluetooth®
LED	Light Indicator on the headset
CTRL	Control Button on the headset

2. Safety

The scala-rider Team-Set is a water-resistant device, designed for use under moderate rain and snow conditions. However, the headset is not waterproof and should not be used under severe weather conditions. The cover tongue protecting the charging jack should be kept tightly closed at all times to prevent moisture from entering the device.

Observe the following safety precautions when using your headset:

- Carefully and understand read instructions in this manual.
- Follow all instructions and warnings labeled and marked in this manual.
- Use a cloth to clean the headset. DO NOT use liquid or aerosol cleaners.
- Use caution when using your headset near water such as bathtubs, sinks, or swimming pools.
- Do not expose your headset to extreme temperature, moisture, or high voltage.
- Your headset is rugged, but can be damaged or broken if not handled with care.
- Do not expose headset to liquids, nor place heavy objects on it.
- Do not disassemble the product or any of its components for any reason, as this will void the warranty and may damage the electronic circuits. If assistance is needed, contact the store from which you have purchased the product. visit our website www.cardowireless.com or contact us via email at: support@cardosystems.com.

To reach us via phone, please call:

^{*} Some phones require that you press briefly CTRL to transfer

In the U.S.: Toll-free 1-800 488-0363 or 412 788-4533. In Europe: +4989 450 36-819

NOTE: Prior to contacting us, make sure that you have a valid registration number available.

- Discontinue the use of your headset if:
 - Your headset is damaged.
 - Liquid has been spilled on or into the headset.
 - Your headset has been dropped and the case has been damaged.
 - Your headset exhibits a distinct change in performance.
 - Your headset does not operate normally and adjusting the controls does not resolve the issue.
- Disconnect your headset from the wall charger if:
 - Liquid has been spilled into the charger or headset.
 - The wall charger does not operate normally after following the operating instructions.
 - Your wall charger has been dropped and the case has been damaged.
 - The wall charger exhibits a change in performance.

Interference With Other Devices

Most electronic equipment is shielded from RF signals. However, certain electronic equipment may not be shielded against the RF signals that emanate from your wireless equipment.

Pacemakers

The Health Industry Manufacturers Association recommends that a minimum separation of about six inches (16 cm) be maintained between a mobile phone or a headset and a pacemaker to avoid potential interference with the pacemaker. Be sure not to interfere with the functionality of personal medical devices.

Hearing Aids

Some digital headsets may interfere with some hearing aids. In the event of such interference, you should consult your hearing aid manufacturer to discuss alternatives.

Other Medical Devices


If you use any other personal medical device, consult the manufacturer of your device and/or your physician to determine if it is adequately shielded from interference caused by external RF energy. Your physician may be able to assist you in obtaining this information.

3. Retail Box Contents

Two Headsets: Driver unit (silver logo) and Passenger unit (blue logo)	
Two Clamps (with microphone and speaker	
Two Wall Chargers	
Two Allen Wrenches	
Two Velcro Pads	
Two Travel Pouches	
Quick Start Guide, Manual on mini-CD, Warranty and Registration Card	

4. Components





5. Before Using

Make sure that the headsets are fully charged for at least five hours before initial use.

- Connect the wall chargers to Charging Jacks of each headset (located between the two Volume Control buttons).
- While charging, the red indicator light illuminates. When charging is complete the light will turn off.

General Instructions

All Headset functions are controlled either by:

pushing the Control or Intercom
Button either for a short period of less
than a second or a long period of over
three seconds

or

 by clicking the volume up and volume down buttons.

Turning on the Headsets for the First Time

THE DRIVER UNIT (silver logo): The driver unit permits two communication modes:

Mobile Phone connections with third parties

• Intercom connection with the passenger.

In order for the headset to work with your cellular phone, they must first recognize each other. This process is called "pairing", and only needs to be performed once for each phone.

- 1. Turn on your phone and make sure its Bluetooth function is activated.
- With the Headset turned off press and hold the Control Button until the red and blue indicator lights begin rapidly alternating.
- 3. Search for Bluetooth devices on your phone by following the phone's instructions.
- 4. After a few seconds the phone will list the scala-rider Team-Set as a discovered device. Select it and follow your phone's instructions to accept the pairing.
- 5. When prompted enter 0000 (four zeros) as your PIN or passkey.
- 6. Your phone will confirm that pairing has succeeded.

Note: If pairing is not completed within two minutes the headset will return to standby mode

Your Headset can pair with up to eight phones, and will automatically connect to the last phone connected to the Headset.

Reconnecting the Headset to a Paired Phone

Although you may have previously paired your headset to your phone, each time you turn one of them off, some phones require that you reestablish the link. Reconnecting may also be necessary when your headset and phone have lost the radio signal because the distance between them has exceeded 30 feet or 10 meters, or major obstacles have come in the way. After you have turned on your headset and mobile phone, there are several methods to re-establish the link if needed:

- Assuming your mobile phone is voice activation capable, press briefly the headset's CTRL button to activate voice dial. A signal on your phone's screen will indicate that the link is re-established.
- Do nothing. Once a call is received, answer by pressing the CTRL button.

- With some mobile phones you should refer to your phone's menu and/or manual.
- The most likely solution is to simply turn off the headset and then turn on again after several seconds.

THE PASSENGER UNIT (blue logo): This unit is solely intended for intercom connection with the driver and cannot initiate or receive a phone call. To turn on the Passenger unit, press the Control button until the blue indicator light illuminates. The Driver and Passenger units are supplied paired TO EACH OTHER.

Attaching the scala-rider Units to Your Helmets

Perform this procedure for both the driver and passenger helmets.

1. Use the enclosed Allen Wrench to loosen the two screws on the Back 2. Slide the Back Plate between the internal padding and the external shell of the helmet (If the external shell is too thick use the extension pad) 3. Adjust the clamp's location so that the microphone is located at the corner of your mouth, and then tighten the screws. Attach the speaker to the Velcro on inside of your helmet opposite your ear, or use the supplied Velcro pad. 4. Slide the Headset downwards along the sliding panel until a clicking sound indicates that the Headset is locked in place. The Headset name

appears on the

inside of the Headset. Make sure that you attach the proper Headset to each helmet (Silver logo = Rider, Blue logo= Passenger).

Removing the Headset From the Helmet

Your Headset can be removed for charging and storage by pressing your finger gently against the tab and sliding the Headset up with the other hand (Figure 1).




Figure 1

We recommend that you store your Headset in the enclosed carry pouch when not in use.

6. Handling Calls

NOTE: Certain advanced features of the scalarider Team Set are only accessible to phones equipped with the **hands-free** profile.

Initiating Calls by Using Your Phone's Keypad

- 1. Dial the phone number on your phone's keypad.
- 2. Press "Talk" or "Send" on your phone to dial the number.

Voice Dialing

- 1. Make sure your phone is ON but no call is in progress.
- 2. Tap the CTRL button and listen for a tone.
- 3. Now pronounce the name of the party you wish to call and wait for feedback from the phone. The type of feedback depends on your phone.

Answering Calls (Including Voice Recognition Feature)

The ring tone for incoming calls increases gradually. When you hear the ring tone (on the headset), there are two ways you can answer the call:

- Tap the CTRL button on your headset once (Figure 2Figure 2)
- Assuming the Voice Recognition feature is active (See Section 7 below), answer the call by pronouncing loudly any word of your choice within 7 seconds. If you remain silent for 7 seconds the call will be automatically rejected and the ringing will stop.

Tap here to answer a call



Figure 2

Terminating Calls

To terminate a call, tap the Reject/Redial/End button, followed by a tone confirming the termination (Figure 3)

If the other party terminates the call first, no action is necessary.

Wait at least three seconds before pressing the CTRL button to start voice dialing.

Tap here to terminate a call



Figure 3

NOTE: If your mobile phone does not support the handsfree protocol you will not be able to end calls by pressing the Reject/redial/End Button. Instead, please tap the CTRL button to terminate calls.

Volume Control

The scala-rider Team Set headset comes equipped with AGC technology to automatically adjust itself to the optimal speaker volume. Its embedded sensors

continuously measure the ambient noise and driving speed to make manual adjustment of the volume buttons virtually unnecessary.

You can also adjust the volume anytime by pressing the volume buttons one step at a time (Figure 4). For each step of adjustment, you will hear a short beep.



Press here to increase the volume

Press here to decrease the volume

Call Reject

While you hear the ring tone on the headset, there are two ways you can reject the call:

- Tap the Redial/Reject/End button on your headset to reject the call (FIG. 9).
- Assuming the VR feature is enabled (see section 7 below), remain silent for 7 seconds to reject the incoming call.

Redial

While no call is in progress, tap the Redial/Reject/End button on your headset to redial to the last number (FIG. 9).

Intercom Functions

- To enable and disable the intercom functions long press the Intercom button. 1 tone indicates enabled, and 2 tones indicates disabled.
- To initiate an intercom conversation, simply start talking while in standby mode.
- To disconnect an intercom conversation, remain silent for 15 seconds

7. Voice Recognition (VR) feature

The VR feature allows you to answer or reject incoming calls by voice control without having to remove your hands from the handlebars.

The default mode of this feature is ON.

To disable the VR feature, please refer to section 7.1 below.

NOTE: The VR feature works well while driving up to 70km/h or 44m/h with 3/4 helmet and up to 120km/h or 75m/h with closed full faced helmet.

Enable/Disable the Voice Recognition Feature

Press and hold the Volume Up and Volume Down buttons simultaneously for 3 seconds to enable/disable the VR feature. You will hear an ascending/descending tone confirming the change each time you switch this feature ON or OFF respectively.

Answering Calls Using Voice Recognition

We recommend that you set your phone to auto-answer before driving your motorcycle. The phone will then automatically answer any incoming calls, thus allowing you to talk without having to perform any actions.

Alternately, you can answer an incoming call via the headset, by loudly saying any word of your choice within 7 seconds. If you remain silent the call will be rejected (See following section).

Rejecting Calls Using Voice Recognition

To reject a call and stop the ringing, when you hear an incoming call via the headset, remain silent for 7 seconds.

8. Understanding the **Light Indicators** (LEDs) and Sound **Signals**

Indicator Lights
The Headset uses the following indicator lights to display its status

Indicator	Status
Light	
None	Headset is off
Alternating	Entering pairing mode
Red/blue flashes	
1 blue flash	Standby-Not on a call
every 3 seconds	
2 blue flashes	Call being initiated or in
every 3 seconds	progress
1 red flash every	Standby and battery is low
3 seconds	
2 red flashes	Call being initiated or in
every 3 seconds	progress and battery is low

Tones

With the exception of the actions described in the following table, all actions are followed by a single tone to confirm that the headset has accepted the action.

Action	Tone
Mute	On/off tone and mute
	reminder tone every
	20 seconds
Enable/Disable	Enable-1 tone,
intercom	Disable-2 tones
Stop using intercom	2 tones

9. FAQs

What is the scala-rider Team Set headset?

The scala-rider Team Set wireless headset is a comfortable, stylish and easy to use accessory to a Bluetooth[®] mobile phone or smart-PDA that enables you to hear and speak without holding your mobile phone near to your ear.

Do I need an Adapter if I already have a Bluetooth enabled cell phone?

No. Your scala-rider Team Set communicates with virtually every Bluetooth phone.

How does the scala-rider Team Set headset headset work?

Once the scala-rider Team Set is "paired" to your Bluetooth enabled mobile phone, the two devices communicate wirelessly using Bluetooth technology.

If I want to keep my non-Bluetooth mobile phone, can I still use it with my scala-rider Team Set headset?

You can hold on to your non-BT mobile phone and still enjoy the benefits of the headset, if you use the Cardo BTA II Bluetooth Adapter (purchased separately). The BTA II Adapter plugs directly into the headset jack of most non-Bluetooth phones, thereby enabling the phone to communicate wirelessly with your headset.

Is the battery removable?

The battery is not removable and you should never try to open the headset. The Headset should be serviced by authorized personnel only.

Do I need to turn my headset off or leave it on when it is recharging?

Either way is fine.

When I turn on my cell phone, do I need to pair or link my cell phone and headset again?

Once your mobile phone and headset are paired, you will not have to pair it again, unless an unforeseen error has occurred.

Generally, you will only need to implement the simple steps of reconnecting your phone and headset each time either or both are turned off or have moved more than approximately 30 feet (10 meters) apart from each other.

Will other Bluetooth phones interfere with my scala-rider Team Set headset? Can they eavesdrop?

No. Once you are paired, your identity is known only to the mobile phone you use and

no other Bluetooth phone can hear your audio signals.

Can the headset cause interference with my car radio?

No, the Bluetooth standard does not interfere with car radios.

Can Wi-Fi or other 2.4 MHz transmissions in the vicinity interfere with the scala-rider Team Set headset?

We have not encountered such events, but in general, interference may occur with any Bluetooth headset, including the scala-rider Team Set headset.

Can I wear the scala-rider Team Set headset in the rain?

The scala-rider Team-Set is a water-resistant device, designed for use under moderate rain and snow conditions. However, the headset is not waterproof and should not be used under severe weather conditions. The cover tongue protecting the charging jack should be kept tightly closed at all times to prevent moisture from entering the device.

Will scala-rider Team Set headset work with more than one Bluetooth phone?

Yes, your scala-rider Team Set headset can be paired with several Bluetooth phones, but you can only work with one at a time.

Can the passenger initiate telephone calls?

No, the passenger can initiate intercom conversations but cannot initiate or receive external calls.

More questions? Please visit our FAQ page at http://www.cardowireless.com

10. Summary of Functions

Driver Functions

If you want to	do this
PHONE FUNCTIONS	
Turn on the headset	Press the Control Button steadily for at least 6 seconds
Turn off the headset	Press the Control Button steadily for at least 3 seconds
Answer a call	Short press the Control Button
Reject a call	Short press the Intercom Button
Terminate a call	Short press the Intercom Button
Increase the volume	Short click the Volume Up Button.
Decrease the volume	Short click the Volume Down Button.
Voice Dial	During standby, short press the Control button and state the name of the
	person you wish to call. Note that the persons name and number must first
	be entered in the phone's memory.
Redial	During standby short press the Intercom Button
INTERCOM FUNCTIONS	
Start using the intercom	During standby, start talking loudly
Stop using the intercom	Stop talking. The audio connection will be severed in 15 seconds.
Join intercom party to an active call	During a call (with a phone), long press on the intercom button
Release intercom party	During a call (with a phone), long press on the intercom button
from an active call	During a can (with a phone), long press on the intercom outton
Enable/disable intercom	Long press the intercom button.
Linate, alsaste intercom	One tone=intercom enabled.
	Two tones=intercom disabled.

Passenger Functions

i decenger i diretterio	
If you want to	do this
Turn on the headset	Press the Control Button steadily for at least 3 seconds
Turn off the headset	Press the Control Button steadily for at least 3 seconds
Start using intercom	Begin talking
Stop using intercom	Stop talking. The audio connection will be severed in 15 seconds.
Enable/disable intercom	Long press the intercom button.
	One tone=intercom enabled.
	Two tones=intercom disabled.
Increase intercom volume	Short press Volume Up B utton
Decrease intercom volume	Short press Volume Down B utton

11. Troubleshooting

Problem	Action
Phone-Relate	ed Problems (Driver Unit with Bluetooth Phone)
Unsuccessful Pairing	 Delete scala-rider from your paired device list in your phone (if it's listed). Turn off the phone and headset Remove the battery from the phone and return it. Repeat the pairing process as described in Turning on the Headsets for the First TimeTurning the Headset on for the First Time, page 4.
Can't answer calls or perform voice dialing by pressing the Control key	 Make sure that the scala-rider headset is turned ON and in standby mode with the blue light indicator slowly flashing. Verify that the Bluetooth function on your phone is set to ON. Verify that the scala-rider headset is the correctly paired headset to your phone. Reconnect the phone and headset as described in the section "Reconnecting the scala-rider headset to a paired phone". Check the definitions and settings on your phone. Repeat the pairing process as described in Turning on the Headsets for the First TimeTurning the Headset on for the First Time, page 4.
Cannot terminate calls using the reject/redial/end functions	Your phone supports the Bluetooth <i>headset</i> profile only and not the <i>handsfree</i> profile. Therefore you must use the Control button to answer or terminate calls.
Can't answer phone calls using the Voice Recognition (VR) feature.	 Make sure that the VR feature is activated Make sure that you speak the word loudly after prompting
I cannot perform redial	 Make sure that the call list on your phone is not empty. The Redial feature works only with mobile phones that support the Bluetooth. Make sure that your phone supports this profile.
Battery does not provide at least five hours of talk time	Make sure your scala-rider headset is fully charged. Charging time is up to 3 hours for an empty battery. When the headset is connected to the charger and it is fully charged, the red light indicator turns off.
I'm trying to reject incoming calls by remaining silent, but the phone continues to ring.	Make sure the VR feature is enabled (See Section 7). Reject feature works only with mobile phones that support Bluetooth hands-free profile. Make sure your mobile phone supports this profile.
Red LED does not light steady when charger is connected.	 Make sure the charger's DC jack is firmly plugged into the headset. Disconnect the charger's DC jack, wait a few seconds and plug it back in. When the headset is fully charged the red light turns off.
I hear crackling noises	 Possibly caused by nearby interference. If you have a GSM phone and your headset is too close to phone, noises may be heard. Headset and mobile phone are more than 30 ft. (10 m) apart or there are major obstacles (such as concrete walls) between

	the headset and mobile phone.
Sound deteriorates when the phone is in my back pocket.	Some mobile phones emit weaker Bluetooth signals than others, resulting in reduced sound quality, especially when the phone is close to your body. Suggestion: Move the phone to your breast pocket or to a front pocket on the same side you wear your headset.
The party I am speaking to complains about insufficient audio quality	 Close helmet cover under high-speed conditions Use the bigger microphone sponge. Make sure the microphone is not in front of your mouth (the microphone should be at the corner of your mouth.
Intercom-Related Problems (driver/passenger)
Cannot initiate conversation with other party (driver/passenger).	 Try talking louder. Make sure the microphone is located in the correct place as described in this guide Make sure that intercom is not disabled in both- driver and passenger units.
I keep hearing the speaker even though no-one is speaking (audio connection is not released).	 If you drive with an open helmet in 60km/h or closed helmet above 110km/h, the wind noise activate the intercom connection between passenger and driver. You can disable the intercom by following instruction in this guide above. Make sure the microphone is located in the correct place as described in this guide Make sure that intercom is not disabled in both- driver and passenger units Follow the instruction above in this guide

NOTE: For most problems we recommend that as a first step, you turn the headset off and then on again. If this does not help, try pairing the headset and phone again.

12. Technical Specifications

Technology	Compliant with Bluetooth®, Ver. 1.2
Maximum power	2.5 dbm
Maximum link	30 feet or 10 meters
distance	
Typical talk time	Up to 9.56 hours
Typical standby	Up to one week
time	
Typical charging	Between 2 4 and 3
time	5 hours
Power Source	Rechargeable
	Lithium Polymer
	battery
Weight	45 120 oz. or
	12.534 g
Approvals	FCC Part 15, CE,
	IC.
	Bluetooth®[CH1]

13. FCC Notice

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. Use only approved batteries and chargers. This equipment has been tested and found to comply with Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. Your scala-rider Team Set headset is designed to operate at the maximum strength allowed by the FCC. This means that your headset can communicate only over a certain distance subject on the location of the cell phone, base unit and headset, your vehicle, the construction and layout of your home or office. Weather conditions can also affect performance.

CAUTION

RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE.

ALERTE

Risque d'explosion si la batterie est remplace par un model qui ne convient pas. Il faut traiter les batteries us es selon les instructions.

NOTE: If this equipment causes harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

• Reorient or relocate the receiving antenna.

- Increase the separation between equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/ TV technician for help.

14. European CE Notice

Certification and Safety Approvals/ General Information, Regulations and Notices

This product is CE marked according to the provisions of the R & TTE Directive (99/5/EC). Hereby Cardo Systems, Inc. declares that this product is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC. Please note that this product uses radio frequency bands not harmonized within the European Union ("EU"). Within the EU this product is intended to be used in Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, The Netherlands, Portugal, Spain, Sweden, The United Kingdom and within EFTA in Iceland, Norway and Switzerland. Users are not permitted to make changes or modify the device in any way. Changes or modifications not expressly approved by Cardo will void the user's authority to operate the equipment.

15. Limited Warranty

Your scala-rider Team Set headset is covered with a Two-Year limited product warranty from the date of original purchase. Please retain the retail sales receipt and your registration data for proof of purchase.

What this limited warranty covers and for how long

Cardo Systems, Inc. (the "Company" or "Cardo") warrants the scala-rider Team Set headset and charger against defects in material and workmanship under normal use and service for a period of two (2) years from date of purchase (proof of purchase and registration required). The Company at its sole discretion, will at no charge either repair, replace or refund the purchase price of the product to the original purchaser during the warranty period, provided the product has not been damaged or tampered with and has been returned in accordance with the terms of this warranty to an authorized Company Service Center. Repair, at the Company's option, may include the replacement of parts, boards or batteries functionally equivalent with reconditioned or new parts.

Warranty Conditions

This express limited warranty is extended by Cardo Systems, Inc. solely to the original purchaser and is not assignable or transferable to others. This is the complete warranty for your scala-rider Team Set headset and charger. The Company assumes no obligation or liability for additions or modifications to this warranty unless made in writing and signed by an officer of the Company. Batteries are warranted only

if the battery capacity falls below 70% of rated capacity or if the battery develops leakage.

This warranty becomes void if:

- a. Any of the seals on the case or battery are broken or device or battery show signs of tampering.
- b. The battery is used in equipment other than the equipment for which it was intended.

The Company disclaims all responsibility for any equipment not furnished by Cardo Systems Inc., which is attached to or used in connection with the scala-rider Team Set headset. Furthermore, the Company is not responsible for any damage to any part of the scala-rider Team Set headset resulting from the use of ancillary equipment not furnished by the Company.

What this warranty does not cover

- 1. Defects or damage resulting from the use of this product in other than its normal and customary manner.
- 2. Defects or damage from misuse, accident or neglect.
- 3. Defects caused by improper operation, maintenance, installation, adjustment or modification of any kind.
- 4. Products opened, disassembled or repaired by non-authorized parties.
- 5. Defects or damage due to exposure to excessive temperatures, adverse weather conditions, external impacts or spills of solid or liquid substances, incl. rain.
- 6. All plastic surfaces and all other externally exposed parts that are scratched or damaged after purchase.

Warranty Service

To receive warranty service, your product must be registered. Fax the attached registration card to the numbers listed on the card, send it by certified mail or register online http://www.cardowireless.com/registration.p hp For services, please present the product, along with your registration number and bill of sale (receipt) at any authorized Service Center or at the store from which you have purchased the product. Returns to the Company pursuant to the limited warranty can only be accepted with a Return Authorization number obtained from Cardo's customer service department.

General Provisions

This warranty is given in lieu of all other express or implied warranties, including without limitation, implied warranties of merchantability and fitness for a particular purpose. Cardo's obligations under this section are limited to the duration of this limited warranty.

- a. Certain limited-life components that are subject to normal wear and tear, such as eyeglass clips, ear loops, decorative finishes, batteries, cradles, sleeves, neckbands, silicone caps or other accessories, are exempt from any warranty.
- b. Cardo is not liable for any incidental or consequential damages arising from the use or misuse of any of the Company's products.
- c. The user should never attempt to perform service, adjustments or repairs of the Product by him/herself. Doing so will void all warranties. During the term of the warranty, all products must

be returned to the point of purchase or the authorized Service Center for all necessary work.

- d. The Company is not responsible for any loss or damage incurred during shipping. All repair work on Cardo products by parties not explicitly authorized by the Company will void any and all warranties.
- e. The information in this Manual is furnished strictly for informational purposes and is subject to change without notice. Cardo assumes no liability or responsibility for any errors or inaccuracies that may appear in this Manual or the Ouick Guide.

Verify that your Headset is serviced by an



Authorized Cardo Dealer or Service Center. Cardo Systems, Inc. retains the right to amend and change its products, manuals and specifications at time without notice.

any

Waiver and General Release

By using the scala-rider Team Set you will waive substantial legal rights including the right to sue. Please read the following carefully before using the device. If you do not accept the terms of this agreement, you should immediately return the product for a full refund. By using the headset you agree to be bound to this agreement and forfeit the right to sue.

Using a communication device while riding a motorcycle, scooter, moped, ATV, quad-bike or any other vehicle, whether on land, water or air (jointly referred to as "Vehicle") requires your complete und undivided attention. Cardo Systems, Inc., including its Officers, Directors, Affiliates, Parent Company, Representatives, Agents, Contractors, Sponsors, Employees, Suppliers and Resellers (jointly referred to as the "Company" or "Cardo") strongly advises you to take all necessary precautions and remain alert to the traffic, weather and road conditions if you chose to use the scala-rider Team Set headset, including all derivative models irrespective of its commercial name or branding (the "Device"), and stop your Vehicle on the roadside prior to initiating or receiving calls. Any publications, advertisements, announcements or similar notes that refer to using the Device while riding a Vehicle are solely intended to address its technical capabilities and should not be misconstrued as if encouraging users to operate the Device while actively involved in traffic.

By way of purchasing this Device and not returning it for a full refund (see below), you are irrevocably releasing, indemnifying from any liability, loss, claim and expense (including attorneys fees) and holding Cardo harmless for any bodily injuries, harm or death as well as losses or damages in goods, to any Vehicles including your own, or to any property or asset that belong to you or to third parties, any of which may result from using the Device under any circumstances or conditions and irrespective of jurisdiction. Cardo will not be responsible for any physical damages, irrespective of reasons, conditions or circumstances, including malfunctioning of the Device, and all risks associated with operating it rest solely and entirely with the user of this Device, irrespective of whether the Device is used by the original purchaser or any third party.

Cardo hereby notifies you that using this Device may also be in contravention to local, federal, state or national laws or regulations, and that any use of the Device is entirely at your sole risk and responsibility.

- 1. You, your heirs, legal representatives, successors or assigns, hereby voluntarily and forever release, discharge, indemnify and hold harmless Cardo from any and all litigation, claims, debts, demands, actions and liability which may arise, directly or indirectly, from using the Device for any distress, pain, suffering, discomfort, loss, injury, death, damages to or in respect to any person or property however caused, WHETHER ARISING FROM THE NEGLIGENCE OR OTHERWISE, and which may hereafter accrue to you on some future date as a result of said use, to the fullest extent permitted by law.
- 2. You fully understand and assume the risks in using the Device, including risk of negligent acts or omissions by others.
- 3. You confirm that you are physically capable to use the Device and that you have no medical conditions or needs that may infringe upon your abilities to do so in a safe manner. You confirm that you are at least eighteen (18) years of age and that you have been advised of the risks associated with the use of the Device. You further confirm that you will not consume any alcohol that may affect your alertness or any mind-altering substance, and will not carry, use or consume these substances before or during the use of the Device.
- 4. You fully acknowledge our warnings and understand that: (a) risks and dangers exist in using the Device while in traffic, incl. but not limited to injury or illness, strains, fractures, partial and/or total paralysis, death or other ailments that could cause serious disability; (c) these risks and dangers may be caused by the negligence of the manufacturers or its agents or any third party involved in designing or manufacturing the Device; (d) these risks and dangers may arise from foreseeable or unforeseeable causes. You hereby assume all risks and dangers and all responsibility for any losses and/or damages, whether caused in whole or in part by the negligence or other conduct of others, including the Company.
- 5. You confirm that you have read this release of liability and fully understand its terms and that you have given up substantial rights by not returning the Device for a full refund (see refund option below).

Disclaimer of Warranty

CARDO DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES WITH REGARD TO THE ENCLOSED DEVICE, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THE DEVICE AND ITS ACCESSORIES ARE PROVIDED "AS IS" AND "AS AVAILABLE" WITHOUT WARRANTY OF ANY KIND BEYOND THOSE ASSUMED IN THE ENCLOSED MANUAL.

Limitation of Liability

IN NO EVENT SHALL CARDO BE LIABLE FOR ANY SPECIAL, INDIRECT, PUNITIVE, INCIDENTAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THE DEVICE, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. YOU ACKNOWLEDGE AND AGREE THAT THE LIMITATIONS SET FORTH ABOVE ARE FUNDAMENTAL ELEMENTS OF THIS AGREEMENT AND THE DEVICE WOULD NOT BE PROVIDED TO YOU ABSENT SUCH LIMITATIONS. SOME STATE STATUTES MIGHT APPLY REGARDING LIMITATION OF LIABILITY.

IMPORTANT

RETURN FOR FULL REFUND

IF YOU ARE UNWILLING TO ACCEPT AND AGREE TO THE ABOVE CONDITIONS, YOU MAY RETURN THIS DEVICE TO CARDO FOR A FULL REFUND, PROVIDED THAT YOU DO SO NO LATER THAN 7 BUSINESS DAYS FOLLOWING THE PURCHASE OF THE DEVICE (proof of purchase required) AND SUBJECT TO THE WRAPPING BEING INTACT. WHEN DOING SO, PLEASE REFER TO THIS SECTION.
BY NOT RETURNING THE DEVICE FOR REFUND WITHIN THE PERIOD PROVIDED, YOU ARE EXPLICITLY IN AGREEMENT WITH THE ABOVE, AND RENOUNCE ALL RIGHTS TO FUTURE CLAIMS AND DEMANDS AGAINST CARDO AS DEFINED ABOVE.

U.S. and Worldwide Patent Pending; ©2006 Cardo Systems Inc.

Assembled in China.

$$\begin{split} & Bluetooth^{@} \ is \ a \ trademark \ owned \ by \ Bluetooth^{@} \ SIG, Inc., \\ & scala-rider \ Team-Set^{TM} \ is \ a \ trademark \ owned \ by \ Cardo \ Systems, Inc. \\ & All \ rights \ reserved \ by \ Cardo \ Systems, Inc. \end{split}$$

Cardo reserves all rights and explicitly prohibits any copying, dissemination, or other commercial use of the text and/or images or any part thereof contained in this manual, with the exception of end-users of the scala-rider Team Set headset for their own personal use, of authorized resellers and of journalists covering this product for media purposes.

www.cardowireless.com