


ELECTRONIC CASH REGISTER

TE-2200

TE-2400

DEALER'S MANUAL

Version 1.0 August 2005



Eu

Di

U.K.

CI

Canada

# *Introduction & Contents*

---

This manual is intended to be used as a reference to the TE-2200 and TE-2400 system. It provides details to allow whole understanding of the system capabilities, its operation, and how it can be used to solve many problems within the retail outlet.

This manual consists of the following chapters:

1. Hardware configuration (for installation)

This chapter describes the hardware of these models and their network systems.

2. IPL (initial program loading)

This chapter describes how to download the application program to the terminal.

3. Initialization

This chapter describes how to set up the peripheral devices and the terminals.

4. Programming

This chapter explains actual programming procedure and functions.

5. Manager mode

6. X/Z report

7. Application system

8. Tips

9. Appendix:

## **Printing history**

Manual version

Version 1.0 : August 2005

Software version

Version 1.0.0

## **Revised points**

|  |           |
|--|-----------|
| <b>System configuration .....</b>                                    | <b>11</b> |
| <b>Hardware configuration .....</b>                                  | <b>11</b> |
| General configuration .....  | 11        |
| Hardware diagram .....   | 12        |
| Display .....  | 13        |
| Input/output connectors .....  | 13        |
| <b>Online configuration.....</b>                                     | <b>14</b> |
| Peripheral ports and their connectable devices .....                 | 14        |
| <b>IPL (Initial program loading).....</b>                            | <b>15</b> |
| <b>Memory map of the terminal.....</b>                               | <b>15</b> |
| <b>System configuration and procedure .....</b>                      | <b>15</b> |
| Via COM1 port (to receive IPL data from PC) .....                    | 15        |
| Via CF card (to send the IPL data to CF card) .....                  | 16        |
| Via CF card (to send the IPL data to register) .....                 | 16        |
| <b>Initialization .....</b>  | <b>17</b> |
| <b>Machine initialization procedure .....</b>                        | <b>17</b> |
| <b>Flag clear operation.....</b>                                     | <b>19</b> |
| <b>Init 2 operation .....</b>  | <b>19</b> |
| <b>Entering diag mode .....</b>                                      | <b>20</b> |
| <b>Password .....</b>  | <b>20</b> |
| <b>Programming (General explanation) .....</b>                       | <b>21</b> |
| <b>Program sub mode (P1 thru P7 mode) .....</b>                      | <b>21</b> |
| Entering the program sub mode .....                                  | 21        |
| <b>File allocation (Program 5) .....</b>                             | <b>23</b> |
| <b>File allocation program .....</b>                                 | <b>23</b> |
| Programming procedure .....  | 23        |
| <b>Issuing program reading report of program 5 mode .....</b>        | <b>27</b> |
| Issuing procedure .....  | 27        |
| Report sample .....  | 27        |
| <b>Key allocation (Program 4) .....</b>                              | <b>29</b> |
| <b>Key allocation program .....</b>                                  | <b>29</b> |
| Programming procedure .....  | 29        |
| <b>Configuration of the physical key layout.....</b>                 | <b>30</b> |
| <b>Issuing program reading report of program 4 mode .....</b>        | <b>32</b> |
| Issuing procedure .....  | 32        |
| Report sample .....  | 32        |
| <b>Key function/machine feature (Program 3) .....</b>                | <b>33</b> |
| <b>General control program .....</b>                                 | <b>33</b> |
| Programming procedure .....  | 33        |
| Program data (by address code) .....                                 | 33        |
| Address code 01 (date order/password) .....                          | 33        |
| Address code 02 (password) .....                                     | 33        |
| Address code 03 (consecutive number) .....                           | 33        |
| Address code 04 (tax system, rounding, etc.) .....                   | 34        |
| Address code 05 (print control for receipt) .....                    | 35        |
| Address code 06 (calculation & operation control) .....              | 36        |
| Address code 07 (menu & price shift) .....                           | 37        |
| Address code 08 (print control for fixed total report) .....         | 38        |
| Address code 09 (print control for fixed total report) .....         | 39        |
| Address code 10 (print control for taxable amount, till timer) ..... | 40        |
| Address code 13 (online control) .....                               | 40        |
| Address code 14 (currency exchange control) .....                    | 41        |
| Address code 15 (print control for reports) .....                    | 42        |
| Address code 16 (print control for grand total) .....                | 43        |

# Introduction & Contents

---

|   |            |
|---|------------|
| Address code 17 (print control) .....   | 44         |
| Address code 18 (print control for guest receipt and slip) .....                      | 45         |
| Address code 19 (order control) .....   | 45         |
| Address code 21 (message control) .....   | 46         |
| Address code 25 (condiment etc.) .....  | 47         |
| Address code 26 (check tracking) .....  | 47         |
| Address code 27 (clerk control) .....   | 47         |
| Address code 28 (Euro) .....  | 48         |
| Address code 29 (Euro) .....  | 48         |
| Address code 30 (Internal thermal printer control) .....                              | 49         |
| Address code 32 (direct maintenance PLU) .....  | 49         |
| Address code 31 (scanning) .....  | 49         |
| Address code 33 (batch PLU maintenance) .....   | 50         |
| Address code 34 (backlight control) .....   | 50         |
| Address code 36 (store/recall/auto new check number) .....                            | 51         |
| Address code 37 (check number) .....  | 51         |
| <b>Department key/flat-PLU key/PLU program (Batch feature programming) .....</b>      | <b>52</b>  |
| Programming procedure .....   | 52         |
| Program data .....  | 52         |
| <b>Department key/flat-PLU key/PLU program (Individual feature programming) .....</b> | <b>54</b>  |
| Programming procedure .....   | 54         |
| Program data (by address code) .....  | 54         |
| <b>Transaction key program .....</b>  | <b>57</b>  |
| Programming procedure .....   | 57         |
| Program data .....  | 57         |
| <b>Clerk program .....</b>  | <b>80</b>  |
| Secret number, drawer, check number programming .....                                 | 80         |
| Clerk detail link programming .....   | 80         |
| Clerk other programming .....   | 81         |
| <b>Other programs .....</b>   | <b>83</b>  |
| Time range programming .....  | 83         |
| Table range programming .....   | 83         |
| Tax table programming .....   | 84         |
| Set menu programming .....  | 89         |
| Batch X/Z report programming .....  | 89         |
| Arrangement programming .....   | 90         |
| Check print control programming .....   | 90         |
| Mix & match programming .....   | 91         |
| Employee number programming .....   | 92         |
| Scheduler programming .....   | 93         |
| Bottle link table programming .....   | 95         |
| I/O parameter table programming .....   | 96         |
| Printer connection table programming .....  | 97         |
| Non PLU table programming .....   | 98         |
| <b>Scanning PLU maintenance programming .....</b>                                     | <b>99</b>  |
| Batch maintenance PLU programming .....   | 99         |
| Activation of batch maintenance PLU .....   | 99         |
| Scanning PLU direct maintenance programming .....                                     | 100        |
| Scanning PLU individual programming .....   | 101        |
| One touch NLU programming .....   | 103        |
| <b>Issuing program reading report of program 3 mode .....</b>                         | <b>104</b> |
| Issuing procedure .....   | 104        |
| Report sample .....   | 104        |
| <b>Character (Program 2) .....</b>  | <b>105</b> |
| <b>Programming descriptors .....</b>  | <b>105</b> |
| Programming procedure .....   | 105        |
| Programming data .....  | 105        |

|   |            |
|---|------------|
| <b>Programming item/key descriptors .....</b>                             | <b>114</b> |
| Programming procedure .....   | 114        |
| Programming data .....  | 114        |
| <b>Programming item/clerk descriptors by range .....</b>                  | <b>116</b> |
| Programming procedure .....   | 116        |
| Program data .....  | 116        |
| <b>Entering characters .....</b>  | <b>117</b> |
| By character keyboard .....   | 117        |
| By character code .....   | 119        |
| Character code list .....   | 119        |
| <b>Editing characters .....</b>   | <b>120</b> |
| Correcting a character just entered .....                                 | 120        |
| Correcting and adding a PLU descriptor already set .....                  | 120        |
| Correcting a key descriptor already set .....                             | 120        |
| Correcting a message descriptor already set .....                         | 120        |
| <b>Issuing program reading report of program 2 mode .....</b>             | <b>121</b> |
| Issuing procedure .....   | 121        |
| Report sample .....   | 121        |
| <b>Unit price/rate (Program 1) .....</b>                                  | <b>123</b> |
| <b>Date/time setting .....</b>  | <b>123</b> |
| Date setting .....  | 123        |
| Time setting .....  | 123        |
| <b>Unit price program .....</b>   | <b>123</b> |
| Programming procedure .....   | 123        |
| <b>Rate program .....</b>   | <b>125</b> |
| <Currency exchange> .....   | 125        |
| <Check>, <New balance>, <Premium (%+)>, <Discount (%->), <Rate tax> ..... | 125        |
| <b>Amount program .....</b>   | <b>125</b> |
| <Cash>, <Check>, <New balance>, <Plus (+)>, <Minus (-)>, <Coupon> .....   | 125        |
| Scanning PLU direct maintenance programming .....                         | 125        |
| <b>Issuing program reading report of program 1 mode .....</b>             | <b>126</b> |
| Issuing procedure .....   | 126        |
| Report sample .....   | 126        |
| <b>Program reading (Program 6) .....</b>                                  | <b>127</b> |
| <b>Issuing program reading report .....</b>                               | <b>127</b> |
| Issuing procedure .....   | 127        |
| Report code .....   | 127        |
| <b>Report sample .....</b>  | <b>128</b> |
| Fixed totalizer .....   | 128        |
| Transaction key .....   | 128        |
| PLU .....   | 129        |
| Department .....  | 130        |
| Group .....   | 130        |
| Clerk .....   | 131        |
| Hourly sales .....  | 131        |
| Scanning PLU .....  | 131        |
| Table analysis .....  | 132        |
| Grand total .....   | 132        |
| General control .....   | 132        |
| Special character .....   | 132        |
| Report header .....   | 133        |
| Tax table .....   | 133        |
| Set menu table .....  | 133        |
| Batch X/Z .....   | 133        |

# **Introduction & Contents**

---

|   |            |
|---|------------|
| Clerk detail link .....   | 134        |
| Receipt message .....   | 134        |
| Check endorsement.....  | 134        |
| Slip/external printer message .....   | 135        |
| Arrangement table .....   | 135        |
| Character recall .....  | 135        |
| Non-PLU table .....   | 135        |
| Check print control .....   | 135        |
| Mix & match .....   | 136        |
| Employee .....  | 136        |
| Scheduler.....  | 136        |
| Bottle link table .....   | 136        |
| One touch NLU .....   | 137        |
| Help message .....  | 137        |
| Terminal connection table .....   | 137        |
| Printer connection table .....  | 137        |
| AT command .....  | 138        |
| Online password .....   | 138        |
| I/O parameter table .....   | 138        |
| Miscellaneous message .....   | 138        |
| Printing guidance message .....   | 138        |
| Error message .....   | 139        |
| Registration guidance message .....   | 139        |
| X/Z guidance message .....  | 139        |
| Program guidance message .....  | 139        |
| <b>Auto-program &amp; system utilities (Program 7).....</b>                     | <b>141</b> |
| <b>    Auto-programming .....</b>   | <b>141</b> |
| Auto-programming functions.....   | 141        |
| Auto-programming operation .....  | 144        |
| Other utilities .....   | 145        |
| <b>Manager operation .....</b>  | <b>149</b> |
| <b>    Manager control mode (X1 mode) .....</b>                                 | <b>149</b> |
| Entering the manager control mode .....   | 149        |
| Assign drawers for each clerk .....   | 149        |
| <b>    Stock quantity maintenance (PLU/flat PLU/scanning PLU) .....</b>         | <b>150</b> |
| To add to the actual stock quantity of a PLU/flat PLU/scanning PLU .....        | 150        |
| To subtract from the actual stock quantity of a PLU/flat PLU/scanning PLU ..... | 150        |
| To input the new stock quantity of a PLU/flat PLU .....                         | 151        |
| <b>    Clerk assignment .....</b>   | <b>151</b> |
| To link clerk button/key to interrupt buffers .....                             | 151        |
| To link clerk secret numbers to interrupt buffers .....                         | 151        |
| To link clerk numbers to clerk number keys .....                                | 151        |
| <b>    Programming for the Euro .....</b>                                       | <b>152</b> |
| <b>    Programming for the Australian GST .....</b>                             | <b>154</b> |
| <b>    Programming of items in the program 1 mode .....</b>                     | <b>154</b> |
| To enter the program 1 mode .....   | 154        |
| To exit the program 1 mode .....  | 154        |
| <b>Read/reset report issuance .....</b>   | <b>155</b> |
| <b>    Preparation for issuing report .....</b>                                 | <b>155</b> |
| Money declaration .....   | 155        |
| Password (X2/Z2 mode) .....   | 155        |
| <b>    Issuing read/reset report .....</b>                                      | <b>155</b> |
| Programmability .....   | 156        |
| Issuing procedure .....   | 156        |

|  |            |
|--|------------|
| Report sample .....  | 160        |
| Financial report .....   | 160        |
| Individual item/key report .....   | 160        |
| Fixed total report .....   | 161        |
| Transaction key report .....   | 162        |
| PLU report .....   | 163        |
| PLU stock report .....   | 164        |
| Department report .....  | 165        |
| Group report .....   | 166        |
| Clerk report .....   | 167        |
| Hourly sales report .....  | 168        |
| Monthly report .....   | 168        |
| Table analysis report .....  | 169        |
| Open check report .....  | 169        |
| Scanning PLU report .....  | 170        |
| Scanning PLU stock report .....  | 172        |
| Mix & match report .....   | 172        |
| Time & attendance report .....   | 173        |
| File reset .....   | 173        |
| <b>Application systems .....</b>   | <b>175</b> |
| <b>Scanning PLU .....</b>  | <b>175</b> |
| System configuration of the scanning PLU system .....                            | 175        |
| Setup .....  | 175        |
| Barcode system .....   | 175        |
| PLU maintenance .....  | 176        |
| Scanning PLU registration .....  | 177        |
| Mix & match discount .....   | 179        |
| <b>Check tracking system .....</b>   | <b>180</b> |
| System configuration .....   | 180        |
| <b>Printing on the external printers .....</b>                                   | <b>181</b> |
| System configuration of the external printer system .....                        | 181        |
| Backup system .....  | 181        |
| Printing control options for order .....   | 182        |
| <b>Time and attendance .....</b>   | <b>182</b> |
| <b>Tips .....</b>  | <b>183</b> |
| <b>Future order .....</b>  | <b>183</b> |
| Usage .....  | 183        |
| Preparation .....  | 183        |
| <b>Eat-in/takeout .....</b>  | <b>183</b> |
| <b>Automatic execution of Euro switchover by arrangement and scheduler .....</b> | <b>184</b> |
| <b>Appendix: Calculation method .....</b>  | <b>185</b> |
| <b>    Fixed total file .....</b>  | <b>185</b> |
| <b>Appendix: Font code tables .....</b>  | <b>187</b> |
| <b>    Standard font set (default) .....</b>                                     | <b>187</b> |
| Multilingual + Euro (Windows code page 858) .....                                | 187        |
| <b>    Special font set .....</b>  | <b>188</b> |
| Slavic (Windows code page 852) .....   | 188        |
| Greek .....  | 188        |
| Cyrillic (Windows code page 866) .....   | 189        |
| Baltic .....   | 189        |
| Arabic .....   | 190        |

# **Introduction & Contents**

---

|  |            |
|--|------------|
| <b>Appendix: Peripheral device configuration .....</b> | <b>191</b> |
| UP-360.....  | 191        |
| SP-1300 .....  | 191        |
| Quick scan 6000.....                                   | 192        |
| <b>Appendix: File record format .....</b>              | <b>193</b> |
| <b>Fixed totalizer file .....</b>                      | <b>193</b> |
| Fixed totalizer (daily) .....                          | 193        |
| Fixed totalizer (periodic/consolidation) .....         | 193        |
| <b>Transaction key file .....</b>                      | <b>194</b> |
| Transaction key (daily) .....                          | 194        |
| Transaction key (periodic/consolidation) .....         | 194        |
| <b>PLU file .....</b>                                  | <b>194</b> |
| PLU (daily) .....                                      | 194        |
| PLU (periodic/consolidation) .....                     | 194        |
| <b>Department file .....</b>                           | <b>195</b> |
| Department (daily) .....                               | 195        |
| Department (periodic/consolidation) .....              | 195        |
| <b>Group file .....</b>                                | <b>195</b> |
| Group (daily) .....                                    | 195        |
| Group (periodic/consolidation) .....                   | 195        |
| <b>Clerk file .....</b>                                | <b>196</b> |
| Clerk (programming) .....                              | 196        |
| Clerk detail (daily, periodic/consolidation) .....     | 196        |
| Clerk detail link (program) .....                      | 196        |
| <b>Hourly sales file .....</b>                         | <b>197</b> |
| Hourly sales (daily) .....                             | 197        |
| Hourly sales (periodic/consolidation) .....            | 197        |
| <b>Monthly sales file .....</b>                        | <b>197</b> |
| Monthly sales (daily, periodic/consolidation) .....    | 197        |
| <b>Scanning PLU files .....</b>                        | <b>198</b> |
| Scanning PLU file (daily) .....                        | 198        |
| Non PLU table file (program) .....                     | 198        |
| Batch maintenance PLU file (program) .....             | 198        |
| Direct maintenance PLU file (program) .....            | 198        |
| One touch NLU table file .....                         | 199        |
| <b>Mix &amp; match table file .....</b>                | <b>199</b> |
| Mix & match table file (daily) .....                   | 199        |
| Mix & match table file (periodic/consolidation) .....  | 199        |
| <b>Bottle link table file .....</b>                    | <b>199</b> |
| Bottle link table file (program) .....                 | 199        |
| <b>Table analysis file .....</b>                       | <b>200</b> |
| Table analysis (daily) .....                           | 200        |
| Table analysis (periodic/consolidation) .....          | 200        |
| <b>Time and attendance file .....</b>                  | <b>200</b> |
| Time and attendance (daily) .....                      | 200        |
| Employee file .....                                    | 200        |
| <b>Grand total file .....</b>                          | <b>201</b> |
| Grand total (daily) .....                              | 201        |
| Grand total (consolidation) .....                      | 201        |
| <b>General control file .....</b>                      | <b>201</b> |
| General control .....                                  | 201        |
| <b>Special character file .....</b>                    | <b>202</b> |
| Special character .....                                | 202        |

|   |            |
|---|------------|
| <b>Report header file .....</b>                 | <b>202</b> |
| Report header .....                             | 202        |
| <b>Tax table file .....</b>                     | <b>202</b> |
| Tax table .....                                 | 202        |
| <b>Set menu table file .....</b>                | <b>202</b> |
| Set menu table .....                            | 202        |
| <b>Batch X/Z file .....</b>                     | <b>203</b> |
| Batch X/Z .....                                 | 203        |
| <b>Receipt message file .....</b>               | <b>203</b> |
| Receipt message .....                           | 203        |
| <b>Check endorsement message file .....</b>     | <b>203</b> |
| Check endorsement message .....                 | 203        |
| <b>Slip/external printer message file .....</b> | <b>203</b> |
| Slip/external printer message .....             | 203        |
| <b>Arrangement file .....</b>                   | <b>204</b> |
| Arrangement file .....                          | 204        |
| <b>Character recall file .....</b>              | <b>204</b> |
| Character recall .....                          | 204        |
| <b>Check print file .....</b>                   | <b>204</b> |
| Check print .....                               | 204        |
| <b>Scheduler file .....</b>                     | <b>204</b> |
| Scheduler .....                                 | 204        |
| <b>System files .....</b>                       | <b>205</b> |
| Character key table file .....                  | 205        |
| Key table file .....                            | 206        |
| Terminal connection table file .....            | 207        |
| Printer connection table .....                  | 207        |
| Operation start date file .....                 | 207        |
| Initialize code file .....                      | 207        |
| AT command file .....                           | 208        |
| Online password file .....                      | 208        |
| I/O parameter table file .....                  | 208        |
| System error log file .....                     | 208        |
| <b>Graphic image files .....</b>                | <b>208</b> |
| Graphic logo file .....                         | 208        |
| Graphic logo file (for external printer) .....  | 208        |
| Watermark print file .....                      | 208        |
| <b>Guidance message files .....</b>             | <b>209</b> |
| Error message file .....                        | 209        |
| Miscellaneous message file .....                | 213        |
| Printing guidance message file .....            | 214        |
| X/Z guidance message file .....                 | 216        |
| Program guidance message file .....             | 218        |
| Registration guidance message file .....        | 221        |
| Help message file .....                         | 222        |
| <b>Appendix: Compulsory .....</b>               | <b>227</b> |
| <b>Appendix: Error code .....</b>               | <b>229</b> |
| <b>Index .....</b>                              | <b>233</b> |

## *Introduction & Contents*


---

# System configuration

## Hardware configuration


### General configuration

- ① Operator display
- ② Customer display (Popup display)
- ③ Stroke keyboard (TE-2200)
- ④ Touch keyboard (TE-2400)
- ⑤ CF card slot cover
- ⑥ Printer cover
- ⑦ Mode switch
- ⑧ Connector cover (opposite side)




# System configuration

## Hardware diagram



## Display


### Contrast control (Except for U.S. model)



## Input/output connectors

### Input /output connectors

COM ports are located in the leftside connector cover.



# System configuration

## Online configuration

### Peripheral ports and their connectable devices

| Model              | Device                             | Drawer port | COM port |      |
|--------------------|------------------------------------|-------------|----------|------|
|                    |                                    |             | COM1     | COM2 |
| TE-2200<br>TE-2400 | MODEM/PC                           |             | ✓        |      |
|                    | External printer (Max. 2 printers) |             | ✓        | ✓    |
|                    | Slip printer                       |             |          | ✓    |
|                    | Scanner                            |             |          | ✓    |
|                    | Drawer                             | 1 (Max 2)   |          |      |


✓: can connect

### Available device/cable list

- External printer: UP-360  
Printer cable: PRT-CB-8A(3m) or PRT-CB-8B(5m)  
Slip printer: SP-1300  
Printer cable: PRT-CB-8C  
Power supply: AD31U or AD31E  
Scanner (Hand-held): HHS-15  
Scanner (LASER): PSC Quick Scan 6000  
Scanner (Fixed): PSC HS1250  
MODEM: US Robotics 56K V.92 External Faxmodem/56K Faxmodem (U.S. only)  
PC cable: PRL-CB-2

### Steps to define COM port/peripheral devices

After connecting peripheral devices, programming of I/O parameter table, printer connection table are necessary.




# IPL (Initial program loading)

IPL should be made before initializing when the application program has been modified.

## Memory map of the terminal

The application programs are downloaded from PC (via COM port)/other terminal (via inline or COM port)/CF card to the internal flash memory.




## System configuration and procedure

### Via COM1 port (to receive IPL data from PC)

#### Operation

1. Set the mode switch to OFF position.
2. While holding down the <JOURNAL FEED>, turn the mode switch to PGM position.
3. Release <JOURNAL FEED> after the register shows “INIT”.
4. Enter “44449999” and press <SUBTOTAL>.
5. Enter “0” (communication speed: 38400 bps) and press <SUBTOTAL>.
6. Start the IPL program of the PC.



# IPL (Initial Program Loading)

---

## Via CF card (to send the IPL data to CF card)


### Operation

1. Set the mode switch to OFF position.
2. Open the CF card slot cover and insert the CF card securely.  
(Please check that the CF card is vacant. Refer to the “System utility section in PGM7”.)
3. Turn the mode switch to PGM position.
4. Enter “7” and press <SUBTOTAL>.
5. Enter “170” and press <SUBTOTAL>.
6. Enter “49” and press <CASH>.  
(In case of quitting, press <SUBTOTAL> instead of <CASH>.)
7. Turn OFF the register and pull out the CF card.

## Via CF card (to send the IPL data to register)

### Operation

1. Set the mode switch to OFF position.
2. Open the CF card slot door and insert the CF card securely.
3. While holding down the <JOURNAL FEED>, turn the mode switch to PGM position.
4. Release <JOURNAL FEED> after the register shows “INIT”.
5. Enter “44449999” and press <SUBTOTAL>.
6. Enter “20” and press <SUBTOTAL>.




**Never plug/unplug the CF card during IPL.**

# Initialization

## Machine initialization procedure


1. Plug the power cord into an AC outlet.



2. Hold down <JOURNAL FEED>.



3. Turn the mode switch to PGM position.



4. Release <JOURNAL FEED>.

You should see “0000000000” on the display.

If 10 zeros are not shown or another character are shown, immediately set the mode switch to OFF and restart from the beginning of this procedure.

5. Enter 11-digit program code from the worksheet.

$D_{11}D_{10}D_9D_8 \sim D_3D_2D_1$  SUB TOTAL  
refer to Worksheet (Initialize)

6. Press <SUBTOTAL> to register the program code.  
(Wait until beep twice.)

7. Press <SUBTOTAL> to register the program code.

# Initialization

---

## Worksheet (Initialize)

| Description  | Choice              | Program code  |
|--|---------------------|---|
| Print password of PGM mode, when flag clear operation is performed.  | Yes = 0<br>No = 4   | <input type="checkbox"/><br>D <sub>11</sub>   |
| Password in PGM3 ~ 7 mode  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub> |
| Messages and descriptors are written in English = 0, French = 1, Spanish = 2, German = 4   | Significant number  | <input type="checkbox"/><br>D <sub>6</sub>  |
| Model for<br>U.S. or Canada (Date order: month/day/year) = 2,<br>Other area (□ □ □, Date order: day/month/year) = 1,<br>Other area (□, Date order: day/month/year) = 3 | Significant number  | <input type="checkbox"/><br>D <sub>5</sub>  |
| Fixed value:<br>TE-2200: 25<br>TE-2400: 04   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>  |
| Use<br>① clerk switch (clerk push switch)/<br>② Clerk secret number key *  | a<br>① = 0<br>② = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>2</sub>   |
| Initialization pattern:<br>① For scanning/② For check tracking   | b<br>① = 0<br>② = 2 |   |
| Use Euro only.   | No = 0<br>Yes = 1   | <input type="checkbox"/><br>D <sub>1</sub>  |

\* When you select this option “Use clerk secret code key”, and your register doesn’t have this key on the default keyboard, be sure to allocate <CLERK-#> (clerk secret number key) just after the initialization.  
(Do NOT turn to OFF before allocating this key.)


### Note:

Please check the receipt after initialization operation (machine initialization, flag clear operation and init2) that the machine number is printed properly.  
If error codes are printed on it, check the hardware and retry the operation.

|                         |   |
|-------------------------|---|
| P01 03-04-2004 11:58    | Mode symbol/date/time                     |
| C01 MC#01 000001        | Clerk descriptor/Mc-No./consecutive No.   |
| INIT                    | INIT symbol                               |
| (C) 2005 by CASIO       | Copyright                                 |
| COMPUTER CO., LTD.      |   |
| All rights reserved.    |   |
| TE-2200/2400 STD        | Model name                                |
| VER. :nnnn              | ROM version                               |
| LABEL :nnnnnnn          | ROM label                                 |
| VER. :nnnn              | ROM version                               |
| LABEL :nnnnnnn          | ROM label                                 |
| INIT. :nnnnnnnnnnnnnnnn | Initialization code                       |
| 0002-98 2000            | I/O parameter table record No./error code |
| :                       |   |

## Flag clear operation


1. Plug the power cord into an AC outlet.



2. Hold down <RECEIPT FEED>.



3. Turn the mode switch to PGM position.



4. Release <RECEIPT FEED>.

You should see “FFFFFFFFF” on the display.

If 10 Fs are not shown or another character are shown, immediately set the mode switch to OFF and restart from the beginning of this procedure.




5. Press <SUBTOTAL> to complete.

After completion of flag clear, receipt is issued.

**Note:** After flag clear, clerk 1 is assigned automatically. So do not program clerk 1 as not assignable or not operable in PGM mode.

## Init 2 operation


1. Plug the power cord into an AC outlet.



2. Hold down <RECEIPT FEED>.



3. Turn the mode switch to PGM position.



4. Release <RECEIPT FEED>.

You should see “FFFFFFFFF” on the display.

If 10 Fs are not shown or another character are shown, immediately set the mode switch to OFF and restart from the beginning of this procedure.




5. Enter “8888888888” and press <CHECK TEND> to complete.

After completion, receipt is issued.

# Initialization

## Entering diag mode


1. Plug the power cord into an AC outlet.



2. Hold down <JOURNAL FEED>.



3. Turn the mode switch to PGM position.



4. Release <JOURNAL FEED>.

5. Enter "99990000" and press <SUBTOTAL> to enter the diagnosis.



## Password

During initialize operation, you can program the password for PGM 3 ~ 7. If it is set, every time you enter PGM 3 ~ 7 mode, you must input this password by the following procedure.

1. Press <#-1> (normally <CASH/AMT TEND>).
2. Enter password.
3. Press <#-2> (normally <SUBTOTAL>).

Otherwise, you can do nothing in the PGM 3 ~ 7 mode.

# Programming (General explanation)


## Program sub mode (P1 thru P7 mode)

Program mode contains seven sub modes listed below. When you change the mode switch to PGM mode, the register is always in the PGM 1 mode. In case of using other mode, enter the sub mode number (2 ~ 7) and press <SUBTOTAL>.

- PGM1: unit price, rate, date, time, scanning PLU unit price maintenance
- PGM2: descriptor, name, message
- PGM3: machine feature (general function, clerk, etc.), key feature (department, transaction), scanning PLU maintenance
- PGM4: key allocation
- PGM5: file allocation
- PGM6: program reading
- PGM7: auto-program, system utility


### Entering the program sub mode

#### Procedure (for PGM 1, 2 mode)



1. Enter password for PGM 1, 2 mode. If the register has no password for the PGM1 and 2 mode, you need not to enter it.
  2. Press <SUBTOTAL>. An error occurs if you try to enter the PGM1 or 2 mode without inputting a password (when one is programmed), or if the password you input does not match the one programmed for the register.
- To avoid repetition, the above operation is abbreviated to the following for all of the other procedure in this manual.  
This password is defined by the address code 02 of the general function program.

#### Procedure (for PGM 3 ~ 7 mode)



1. Enter password for PGM 3 ~ 7 mode. If the register has no password for the PGM 3 ~ 7 mode, you need not to enter it.
  2. Press <SUBTOTAL>. An error occurs if you try to enter the PGM 3 ~ 7 mode without inputting a password (when one is programmed), or if the password you input does not match the one programmed for the register.
- To avoid repetition, the above operation is abbreviated to the following for all of the other procedure in this manual.  
This password is defined during initialization operation.


## *Programming (General explanation)*

---

# File allocation (Program 5)

## File allocation program

### Programming procedure



| File attribution code | daily sales | Periodic 1 | Periodic 2 | Consolidation file |            |            |
|-----------------------|-------------|------------|------------|--------------------|------------|------------|
|                       |             |            |            | Daily sales        | Periodic 1 | Periodic 2 |
| 0                     | ✓           |            |            |                    |            |            |
| 1                     | ✓           | ✓          |            |                    |            |            |
| 2                     | ✓           | ✓          | ✓          |                    |            |            |
| 3                     | ✓           |            |            | ✓                  |            |            |
| 4                     | ✓           | ✓          |            | ✓                  | ✓          |            |
| 5                     | ✓           | ✓          | ✓          | ✓                  | ✓          | ✓          |

# File allocation programming (P5)

## File number list

| File No.                        | File description           | Record length | Max No. of records | Description | Attribution | Allocatable | Default Rec. No. |
|---------------------------------|----------------------------|---------------|--------------------|-------------|-------------|-------------|------------------|
| <b>System files</b>             |                            |               |                    |             |             |             |                  |
| 088                             | Auto-program work          | 6             | 1                  |             | Work        | No          | 1                |
| 089                             | Consecutive number work    | 6             | 1                  |             | Work        | No          | 1                |
| 091                             | Terminal connection table  | 12            | 1                  |             | Program     | Yes         | 32               |
| 093                             | Printer connection table   | 5             | 7                  |             | Program     | Yes         | 3                |
| 094                             | Start date                 | 4             | 1                  |             | Buffer      | No          | 1                |
| 095                             | Initialize code            | 7             | 1                  |             | Program     | No          | 1                |
| 096                             | AT command                 | 62            | 2                  |             | Program     | Yes         | 2                |
| 097                             | Online password            | 8             | 1                  |             | Program     | Yes         | 1                |
| 098                             | I/O parameter table        | 4             | 2                  |             | Program     | No          | 4                |
| 099                             | System error log           | 11            | 99                 |             | Buffer      | Yes         | 99               |
| <b>Function and total files</b> |                            |               |                    |             |             |             |                  |
| 001                             | Fixed totalizer            | 22            | 99                 |             | Pgm/Sale    | No          | 99               |
| ---                             | (periodic total 1)         | 10            | 99                 |             | Sales       | Yes         | 99               |
| ---                             | (periodic total 2)         | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (daily consolidation)      | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 1 consolidation) | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 2 consolidation) | 10            | 99                 |             | Sales       | Yes         | 0                |
| 002                             | Transaction key            | 35            | 999                |             | Pgm/Sale    | Yes         | 30               |
| ---                             | (periodic total 1)         | 10            | 999                |             | Sales       | Yes         | 30               |
| ---                             | (periodic total 2)         | 10            | 999                |             | Sales       | Yes         | 0                |
| ---                             | (daily consolidation)      | 10            | 999                |             | Sales       | Yes         | 0                |
| ---                             | (periodic 1 consolidation) | 10            | 999                |             | Sales       | Yes         | 0                |
| ---                             | (periodic 2 consolidation) | 10            | 999                |             | Sales       | Yes         | 0                |
| 004                             | PLU                        | 73            | *A                 |             | Pgm/Sale    | Yes         | 216              |
| ---                             | (periodic total 1)         | 30            | *A                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic total 2)         | 30            | *A                 |             | Sales       | Yes         | 0                |
| ---                             | (daily consolidation)      | 30            | *A                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 1 consolidation) | 30            | *A                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 2 consolidation) | 30            | *A                 |             | Sales       | Yes         | 0                |
| 005                             | Department                 | 59            | 99                 |             | Pgm/Sale    | Yes         | 30               |
| ---                             | (periodic total 1)         | 25            | 99                 |             | Sales       | Yes         | 30               |
| ---                             | (periodic total 2)         | 25            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (daily consolidation)      | 25            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 1 consolidation) | 25            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 2 consolidation) | 25            | 99                 |             | Sales       | Yes         | 0                |
| 006                             | Group                      | 22            | 99                 |             | Pgm/Sale    | Yes         | 10               |
| ---                             | (periodic total 1)         | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic total 2)         | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (daily consolidation)      | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 1 consolidation) | 10            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 2 consolidation) | 10            | 99                 |             | Sales       | Yes         | 0                |
| 009                             | Hourly sales               | 24            | 99                 |             | Pgm/Sale    | Yes         | 24               |
| ---                             | (periodic total 1)         | 20            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic total 2)         | 20            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (daily consolidation)      | 20            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 1 consolidation) | 20            | 99                 |             | Sales       | Yes         | 0                |
| ---                             | (periodic 2 consolidation) | 20            | 99                 |             | Sales       | Yes         | 0                |

\*A: Depend on the model

| <b>File No.</b>                  | <b>File description</b>    | <b>Record length</b> | <b>Max No. of records</b> | <b>Description</b> | <b>Attribution</b> | <b>Allocatable</b> | <b>Default Rec. No.</b> |
|----------------------------------|----------------------------|----------------------|---------------------------|--------------------|--------------------|--------------------|-------------------------|
| 010                              | Monthly sales              | 20                   | 31                        |                    | Pgm/Sale           | Yes                | 31                      |
| ---                              | (periodic total 1)         | 20                   | 31                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic total 2)         | 20                   | 31                        |                    | Sales              | Yes                | 0                       |
| ---                              | (daily consolidation)      | 20                   | 31                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 1 consolidation) | 20                   | 31                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 2 consolidation) | 20                   | 31                        |                    | Sales              | Yes                | 0                       |
| 018                              | Table analysis             | 28                   | 99                        |                    | Pgm/Sale           | Yes                | 0                       |
| ---                              | (periodic total 1)         | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic total 2)         | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (daily consolidation)      | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 1 consolidation) | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 2 consolidation) | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| 020                              | Grand total                | 20                   | 3                         |                    | Pgm/Sale           | Yes                | 3                       |
| ---                              | (daily consolidation)      | 8                    | 3                         |                    | Sales              | Yes                | 3                       |
| <b>Check files</b>               |                            |                      |                           |                    |                    |                    |                         |
| 015                              | Check index                | 255                  | 200                       |                    | Buffer             | Yes                | (60)*B                  |
| 056                              | Separate check buffer      | 100                  | 1500                      |                    | Buffer             | Yes                | (80)*B                  |
| 060                              | Check detail               | 100                  | 9999                      |                    | Buffer             | Yes                | (900)*B                 |
| <b>Clerk files</b>               |                            |                      |                           |                    |                    |                    |                         |
| 007                              | Clerk                      | 38                   | 99                        |                    | Program            | Yes                | 15                      |
| 030                              | Clerk detail link          | 9                    | 200                       |                    | Program            | Yes                | 10                      |
| 011                              | Clerk detail               | 10                   | 99 × 99                   |                    | Sales              | Yes                | 150                     |
| ---                              | (periodic total 1)         | 10                   | 99 × 99                   |                    | Sales              | Yes                | 150                     |
| ---                              | (periodic total 2)         | 10                   | 99 × 99                   |                    | Sales              | Yes                | 0                       |
| ---                              | (daily consolidation)      | 10                   | 99 × 99                   |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 1 consolidation) | 10                   | 99 × 99                   |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 2 consolidation) | 10                   | 99 × 99                   |                    | Sales              | Yes                | 0                       |
| <b>Time and attendance files</b> |                            |                      |                           |                    |                    |                    |                         |
| 019                              | Time and attendance        | 16                   | 999                       |                    | Sales              | Yes                | 0                       |
| 061                              | Employee                   | 17                   | 99                        |                    | Program            | Yes                | 10                      |
| <b>Scanning PLU files</b>        |                            |                      |                           |                    |                    |                    |                         |
| 016                              | Scanning PLU               | 58                   | *A                        |                    | Pgm/Sale           | Yes                | (<)*C                   |
| 040                              | Non PLU table              | 8                    | 100                       |                    | Program            | Yes                | (10)*C                  |
| 051                              | Mix & match table          | 30                   | 99                        |                    | Pgm/Sale           | Yes                | 0                       |
| ---                              | (periodic total 1)         | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic total 2)         | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (daily consolidation)      | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 1 consolidation) | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| ---                              | (periodic 2 consolidation) | 10                   | 99                        |                    | Sales              | Yes                | 0                       |
| 070                              | Batch maintenance PLU      | 42                   | 1000                      |                    | Program            | Yes                | (100)*C                 |
| 071                              | Direct maintenance PLU     | 42                   | 1000                      |                    | Program            | Yes                | (50)*C                  |
| 076                              | Scanning PLU index         | 2                    | S-PLU + 2                 |                    | Buffer             | Automatic          | (5002)*C                |
| 077                              | One touch NLU table        | 7                    | 999                       |                    | Program            | Yes                | (10)*C                  |
| <b>Arrangement file</b>          |                            |                      |                           |                    |                    |                    |                         |
| 038                              | Arrangement table          | 11                   | 9999                      |                    | Program            | Yes                | 0                       |

\*A: Depend on the model.

\*B: Allocate if you select “check tracking pattern” initialization, (refer to page 24 of this manual).

\*C: Allocate if you select “scanning pattern” initialization, (refer to page 24 of this manual).

# File allocation programming (P5)

| File No.                                | File description                    | Record length | Max No. of records | Description | Attribution | Allocatable | Default Rec. No. |
|---|-------------------------------------|---------------|--------------------|-------------|-------------|-------------|------------------|
| <b>Program / message / buffer files</b> |                                     |               |                    |             |             |             |                  |
| 022                                     | General control                     | 5             | 37                 |             | Program     | No          | 37               |
| 023                                     | Special character                   | 16            | 42                 |             | Program     | No          | 42               |
| 024                                     | Report header                       | 12            | 25                 |             | Program     | No          | 26               |
| 025                                     | Tax table                           | 74            | 10                 |             | Program     | Yes         | 4                |
| 028                                     | Set menu table                      | 60            | 999                |             | Program     | Yes         | (10)*B           |
| 029                                     | Batch X/Z                           | 24            | 10                 |             | Program     | Yes         | 4                |
| 032                                     | Receipt message                     | 24            | 42                 |             | Program     | Yes         | 4                |
| 033                                     | Check endorse message               | 40            | 4                  |             | Program     | Yes         | 0                |
| 034                                     | Slip/external printer message       | 40            | 42                 |             | Program     | Yes         | 0                |
| 036                                     | Registration buffer                 | 100           | 1200               |             | Buffer      | Yes         | 80               |
| 039                                     | Character recall                    | 40            | 999                |             | Program     | Yes         | 10               |
| 041                                     | Check print                         | 3             | 9                  |             | Program     | Yes         | 0                |
| 046                                     | Character key table                 | 6             | *E                 |             | Program     | No          | *E               |
| 047                                     | Graphic logo                        | 48            | 168                |             | Program     | Yes         | 168              |
| 049                                     | Print buffer (for external printer) | 50            | 600                |             | Buffer      | Yes         | 0                |
| 062                                     | Scheduler                           | 22            | 99                 |             | Program     | Yes         | 0                |
| 065                                     | Order character                     | 12            | 99                 |             | Program     | Yes         | 0                |
| 067                                     | Graphic logo (for external printer) | 48            | 168                |             | Program     | Yes         | 0                |
| 068                                     | Watermark print                     | 48            | 168                |             | Program     | Yes         | 0                |
| 073                                     | Bottle link table                   | 4             | 999                |             | Program     | Yes         | 0                |
| 074                                     | Key table                           | 24            | *F                 |             | Program     | No          | 150              |
| 078                                     | Miscellaneous message               | 16            | 52                 | *D          | Program     | Yes         | 0                |
| 079                                     | Printing guidance message           | 24            | 68                 | *D          | Program     | Yes         | 0                |
| 080                                     | Error message                       | 16            | 191                | *D          | Program     | Yes         | 0                |
| 081                                     | Registration guidance message       | 16            | 11                 | *D          | Program     | Yes         | 0                |
| 082                                     | X/Z guidance message                | 16            | 38                 | *D          | Program     | Yes         | 0                |
| 083                                     | Program guidance message            | 16            | 92                 | *D          | Program     | Yes         | 0                |
| 085                                     | Help message                        | 24            | 199                | *D          | Program     | Yes         | 0                |
| 086                                     | Slip print buffer                   | 40            | 500                |             | Buffer      | Yes         | 0                |

\*A: Depend on the model.

\*B: Allocate if you select “check tracking pattern” initialization, (refer to page 24 of this manual).

\*C: Allocate if you select “scanning pattern” initialization, (refer to page 24 of this manual).


\*D: Allocate these files if you want to change the default message.

\*E: 67 for TE-2200, 77 for TE-2400Eu, 70 for TE-2400US.

\*F: 84 for TE-2200, 112 for TE-2400.

## Issuing program reading report of program 5 mode

### Issuing procedure



### Report sample

|                   |  |
|-------------------|--|
| P05.....          | Program read symbol  |
| FILE0001          | File name  |
| 22bytes 99 99 99  | Sales file record length/No. of records of daily sales/periodic sales 1/periodic sales 2         |
| 10bytes 99 99 99  | Consolidation file record length/No. of records of daily sales/periodic sales 1/periodic sales 2 |
| FILE0002          |  |
| 35bytes 100 -- -- | Hyphen means no record.  |
| 10bytes 100 -- -- |  |
| RAM               | Remaining RAM capacity   |
|                   | 20,234   |

## *File allocation programming (P5)*


---

# Key allocation (Program 4)


## Key allocation program

### Programming procedure

#### By pressing the appropriate key



#### By entering physical key code




### Menu sheet number

| Menu sheet number  | Description (for transaction key)            | Description (for Dept/flat-PLU)              |
|--------------------|--|--|
| 0 or skip entering | Set a function to the 1st ~ 6th menu sheets. | Set a function to the programmed menu sheet. |
| 1                  | Set a function to the 1st menu sheet.        | Set a function to the 1st menu sheet.        |
| 2                  | Set a function to the 2nd menu sheet.        | Set a function to the 2nd menu sheet.        |
| 3                  | Set a function to the 3rd menu sheet.        | Set a function to the 3rd menu sheet.        |
| 4                  | Set a function to the 4th menu sheet.        | Set a function to the 4th menu sheet.        |
| 5                  | Set a function to the 5th menu sheet.        | Set a function to the 5th menu sheet.        |
| 6                  | Set a function to the 6th menu sheet.        | Set a function to the 6th menu sheet.        |

# Key allocation programming (P4)

## Configuration of the physical key layout

**TE-2200**



**TE-2400 for Eu**

|     |     |     |     |     |     |     |     |     |     |     |          |          |          |                 |                 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|----------|----------|-----------------|-----------------|
| 038 | 045 | 052 | 059 | 066 | 073 | 080 | 087 | 094 | 101 | 108 | 031      | 029      | 026      | RECEIPT<br>FEED | JOURNAL<br>FEED |
| 037 | 044 | 051 | 058 | 065 | 072 | 079 | 086 | 093 | 100 | 107 | 030      | 028      | 025      | 023             | 019             |
| 036 | 043 | 050 | 057 | 064 | 071 | 078 | 085 | 092 | 099 | 106 | <b>C</b> | 027      | 024      | 022             | 018             |
| 035 | 042 | 049 | 056 | 063 | 070 | 077 | 084 | 091 | 098 | 105 | <b>7</b> | <b>8</b> | <b>9</b> | 021             | 017             |
| 034 | 041 | 048 | 055 | 062 | 069 | 076 | 083 | 090 | 097 | 104 | <b>4</b> | <b>5</b> | <b>6</b> | 020             | 015             |
| 033 | 040 | 047 | 054 | 061 | 068 | 075 | 082 | 089 | 096 | 103 | <b>1</b> | <b>2</b> | <b>3</b> | 014             | 016             |
| 032 | 039 | 046 | 053 | 060 | 067 | 074 | 081 | 088 | 095 | 102 | <b>0</b> | 011      | 012      |                 | 013             |

**TE-2400 for US**

|     |     |     |     |     |     |     |     |     |     |          |          |          |     |                 |                 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|----------|----------|-----|-----------------|-----------------|
| 045 | 052 | 059 | 066 | 073 | 080 | 087 | 094 | 101 | 108 | 038      | 036      | 033      | 030 | RECEIPT<br>FEED | JOURNAL<br>FEED |
| 044 | 051 | 058 | 065 | 072 | 079 | 086 | 093 | 100 | 107 | 037      | 035      | 032      | 029 | 023             | 019             |
| 043 | 050 | 057 | 064 | 071 | 078 | 085 | 092 | 099 | 106 | <b>C</b> | 027      | 031      | 028 | 022             | 018             |
| 042 | 049 | 056 | 063 | 070 | 077 | 084 | 091 | 098 | 105 | <b>7</b> | <b>8</b> | <b>9</b> | 027 | 021             | 017             |
| 041 | 048 | 055 | 062 | 069 | 076 | 083 | 090 | 097 | 104 | <b>4</b> | <b>5</b> | <b>6</b> | 026 | 020             | 015             |
| 040 | 047 | 054 | 061 | 068 | 075 | 082 | 089 | 096 | 103 | <b>1</b> | <b>2</b> | <b>3</b> | 025 | 014             | 016             |
| 039 | 046 | 053 | 060 | 067 | 074 | 081 | 088 | 095 | 102 | <b>0</b> | 011      | 012      | 024 |                 | 013             |

The shadowed key cannot be programmed with any other functions.  
<00>, <000>, and <.> functions are only allocated to <#011> or <#012> keys.

## Function code list


| Function                 | Code    | Initial character | Function                  | Code | Initial character |
|--------------------------|---------|-------------------|---------------------------|------|-------------------|
| Add check                | 094     | ADD CHK           | Normal receipt            | 016  | NRMRCT            |
| Arrangement              | 044     | ARG               | OBR                       | 103  | OBR               |
|                          |         |                   | Old check                 | 092  | OLD CHK           |
| Bill copy                | 047     | BILL              | One touch NLU             | 138  | NLU               |
| Bottle return            | 053     | BR                | Open                      | 067  | OPEN              |
| Cancel                   | 236     | CANCEL            | Open2                     | 068  | OPEN2             |
| Cash amount tendered     | 001     | CASH              | Open check                | 117  | OPEN CHK          |
| Charge                   | 002     | CHARGE            | Operator read/reset       | 073  | OPE X/Z           |
| Check endorsement        | 039     | CK.E              | Paid out                  | 021  | PD                |
| Check print              | 012     | CHKP              | Pick up                   | 022  | P.UP              |
| Check tender             | 003     | CHECK             | Plus                      | 029  | +                 |
| Clerk number             | 072     | CLK#              | PLU                       | 048  | PLU#              |
| Clock-in/out             | 108     | CLOCK-IN/OUT      | Previous balance          | 026  | PB                |
| Coupon                   | 023     | COUPON            | Previous balance subtotal | 079  | PBST              |
| Coupon 2                 | 036     | CPN2              | Premium                   | 030  | %+                |
| Credit                   | 004     | CREDIT            | Price                     | 049  | PRC               |
| Cube                     | 090     | XXX               | Price change              | 104  | PRC CHG           |
| Currency exchange        | 045     | CE                | Price inquiry             | 008  | PRCINQ            |
| Customer number          | 043     | CT                | Price shift               | 069  | PRICE SHIFT       |
| Date/Time                | 101     | DATE/TIME         | Quantity/for              | 083  | QT                |
| Decimal point            | 098     | .                 | Rate tax                  | 031  | TAX               |
| Declaration              | 061     | DECLA             | Recall                    | 131  | RECALL            |
| Department               | nn051   | DEPTnn            | Receipt                   | 038  | RCT               |
| Deposit                  | 025     | DEPOSIT           | Receipt on/off            | 076  | RCT ON/OFF        |
| Discount                 | 028     | %                 | Received on account       | 020  | RC                |
| Eat-in                   | 128     | EAT-IN            | Red price                 | 060  | RED               |
| EBT tender               | 007     | EBTTD             | Refund                    | 033  | RF                |
| Enter                    | 105     | ENT               | Review                    | 071  | REVIEW            |
| Error correct            | 034     | CORR              | Separate check            | 095  | SEP CHK           |
| Flat PLU *               | nnnn063 | PLUnnnn           | Slip back feed/release    | 054  | SB/R              |
| Food stamp status shift  | 059     | F/S               | Slip feed/release         | 056  | SF/R              |
| Food stamp subtotal      | 081     | FSST              | Slip print                | 055  | SLIP              |
| Food stamp tender        | 005     | FSTD              | Square                    | 084  | XX                |
| Help                     | 141     | HELP              | Stock inquiry             | 009  | STKINQ            |
| Ketten Bon               | 113     | X/KETTEN          | Store                     | 130  | STORE             |
| Loan                     | 019     | LOAN              | Subtotal                  | 075  | SUBTOTAL          |
| Lock out unused key      | 000     |                   | Table number              | 058  | TBL#              |
| Manual tax               | 032     | TAX               | Takeout                   | 129  | TAKE-OUT          |
| Media change             | 118     | MEDIA CHG         | Tax exempt                | 062  | EXEMPT            |
| Menu shift               | 064     | MENU              | Tax status shift          | 057  | T/S               |
| Merchandise subtotal     | 080     | MDST              | Taxable amount subtotal   | 077  | TAST              |
| Minus                    | 027     | -                 | Text print                | 011  | PRT               |
| Multiplication/Date/Time | 082     | X                 | Text recall               | 010  | CHAR              |
| Multiplication           | 100     | X                 | Three zero                | 097  | 000               |
| New balance              | 006     | NB                | Tip                       | 015  | TIP               |
| New check                | 091     | NEW CHK           | Tray total                | 074  | TRAY TL           |
| New/old check            | 093     | NEW/OLD           | Two zero                  | 096  | 00                |
| No sale                  | 042     | NS                | Validation                | 037  | VLD               |
| Non-add                  | 040     | #                 | VAT                       | 046  | VAT               |
| Non-add/No sale          | 041     | #/NS              | Void                      | 035  | VOID              |

\* These functions cannot be allocated on TE-2200.

# Key allocation programming (P4)

## **Issuing program reading report of program 4 mode**

### **Issuing procedure**




### **Report sample**

|           |                                 |
|-----------|---------------------------------|
| P04 ..... | Program read symbol             |
| 1-----    | Function character/rec-#/file-# |
| 00        | Hard key code/function code     |
| .         |                                 |
| CASH      |                                 |
|           |                                 |
|           |                                 |

# Key function/machine feature (Program 3)

## General control program

### Programming procedure



### Program data (by address code)

#### Address code 01 (date order/password)

| Description   | Choice                     | Program code  | Initial value  |
|---|----------------------------|---|--|
| Date order<br>Year/Month/Day = 0, 1<br>Day/Month/Year = 2, Month/Day/Year = 3 | Significant number (0 ~ 3) | <input type="checkbox"/> D <sub>10</sub>  | Dependent upon initialization code                                     |
| Monetary mode<br>0 = 0, 00 = 1, 000 = 2, 0000 = 3                             | Significant number (0 ~ 3) | <input type="checkbox"/> D <sub>9</sub>   | Dependent upon initialization code                                     |
| Password in Manager mode  |                            | <input type="checkbox"/> D <sub>8</sub> <input type="checkbox"/> D <sub>7</sub> <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub> | 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> |
| Password in X2/Z2 mode  |                            | <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub> | 0 0 0 0<br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

#### Address code 02 (password)

| Description                | Choice              | Program code   | Initial value   |
|----------------------------|---------------------|--|---|
| Password in PGM1/PGM2 mode | Significant numbers | <input type="checkbox"/> D <sub>10</sub> <input type="checkbox"/> D <sub>9</sub> <input type="checkbox"/> D <sub>8</sub> <input type="checkbox"/> D <sub>7</sub> | 0 0 0 0<br>D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub> |
| Always "00"                |                     | <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub>  | 0 0<br>D <sub>6</sub> D <sub>5</sub>                                    |
| Always "0000"              |                     | <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub>  | 0 0 0 0<br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>  |

#### Address code 03 (consecutive number)

| Description  | Choice            | Program code  | Initial value  |
|--|-------------------|---|--|
| Reset consecutive number after daily fixed total reset report is issued. | Yes = 1<br>No = 0 | <input type="checkbox"/> D <sub>8</sub>   | 0<br>D <sub>8</sub>  |
| Always "0"   |                   | <input type="checkbox"/> D <sub>7</sub>   | 0<br>D <sub>7</sub>  |
| Consecutive number set value.<br>It starts "set value + 1."              |                   | <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub> <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub> | 0 0 0 0 0 0<br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## Address code 04 (tax system, rounding, etc.)

| Description  | Choice   | Program code  | Initial value  |
|--|--|---|--|
| Apply rounding for registration.<br>No rounding = 0, IF1 = 1, IF2 = 2, Danish = 3, Norwegian = 4, Singaporean = 5, Finnish = 6, Australian = 7, South Africa = 8 | Significant number (0 ~ 8)                       | <input type="checkbox"/> D <sub>10</sub>  | <input type="checkbox"/> 0 D <sub>10</sub>   |
| Tax system<br>Single tax system (1 ~ 10) = 0, U.S. tax system = 1<br>Canadian tax system = 2, Singaporean tax system = 3   | Significant number (0 ~ 3)                       | <input type="checkbox"/> D <sub>9</sub>   | <input type="checkbox"/> 0 or <input type="checkbox"/> 1 (EX-U.S.) (U.S.) D <sub>9</sub> |
| Receipt issuance:<br>Controlled by receipt on/off switch/key = 0<br>Always on (issue) = 1, Always off (not issue) = 2  | Significant number (0 ~ 2)                       | <input type="checkbox"/> D <sub>8</sub>   | <input type="checkbox"/> 0 D <sub>8</sub>  |
| Allow amount tender in RF/REG- mode operation.   | a<br>Yes = 0<br>No = 2                           | <input type="checkbox"/>  | <input type="checkbox"/> 0   |
| Cash drawer opening:<br>① Immediately when the transaction is finalized.<br>② After validation compulsory is released.   | b<br>① = 0<br>② = 4                              | (a+b)<br><input type="checkbox"/> D <sub>7</sub>                                | (a+b)<br><input type="checkbox"/> 0 D <sub>7</sub>                                       |
| Food stamp system (in case of D <sub>9</sub> = 1)<br>Payable = 0, Illinois rule = 1, New Jersey rule = 2   | Significant number (0 ~ 2)                       | <input type="checkbox"/>  | <input type="checkbox"/> 0 D <sub>6</sub>  |
| Tax exempt quantity of donuts tax. (in case of D <sub>9</sub> = 2)<br>0 ~ 9 ("0" means "No donuts tax".)   | Significant number (0 ~ 9)                       | <input type="checkbox"/> D <sub>6</sub>   | <input type="checkbox"/> 0 D <sub>6</sub>  |
| Rounding of results produced by departments, PLUs and scanning PLUs programmed with package prices and package quantities  | Round off = 0<br>Cut off = 1<br>Round up = 2     | <input type="checkbox"/> D <sub>5</sub>   | <input type="checkbox"/> 0 D <sub>5</sub>  |
| High amount limit specification for cash in drawer amount.<br>(Sentinel function)  | Maximum value (0 ~ 9)<br>Number of zeros (0 ~ 9) | <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> | <input type="checkbox"/> 0   0 D <sub>4</sub> D <sub>3</sub>                             |
| Always "00"  |  | <input type="checkbox"/> 0   0 D <sub>2</sub> D <sub>1</sub>                    | <input type="checkbox"/> 0   0 D <sub>2</sub> D <sub>1</sub>                             |

## Rounding

| IF 1 rounding                             |        | Australian rounding                  |        |
|---|--------|--------------------------------------|--------|
| Last 1 digit of subtotal                  | Result | Last 1 digit of subtotal/cash change | Result |
| 0 ~ 2                                     | 0      | 0 ~ 2                                | 0      |
| 3 ~ 7                                     | 5      | 3 ~ 7                                | 5      |
| 8 ~ 9                                     | 10     | 8 ~ 9                                | 10     |
| IF 2 rounding                             |        | Norwegian rounding                   |        |
| Last 1 digit of subtotal                  | Result | Last 1 digit of subtotal             | Result |
| 0 ~ 4                                     | 0      | 00 ~ 24                              | 0      |
| 5 ~ 9                                     | 10     | 25 ~ 74                              | 50     |
|   |        | 75 ~ 99                              | 100    |
| Singaporean rounding                      |        | Finnish rounding                     |        |
| Last 1 digit of item, %+, %- registration | Result | Last 1 digit of subtotal/cash change | Result |
| 0 ~ 2                                     | 0      | 0 ~ 2                                | 0      |
| 3 ~ 7                                     | 5      | 3 ~ 7                                | 5      |
| 8 ~ 9                                     | 10     | 8 ~ 9                                | 10     |
| Danish rounding                           |        | South Africa rounding                |        |
| Last 1 digit of subtotal/change           | Result | Last 1 digit of subtotal             | Result |
| 00 ~ 12                                   | 00     | 0 ~ 4                                | 0      |
| 13 ~ 37                                   | 25     | 5 ~ 9                                | 5      |
| 38 ~ 62                                   | 50     |                                      |        |
| 63 ~ 87                                   | 75     |                                      |        |
| 88 ~ 99                                   | 100    |                                      |        |

## Address code 05 (print control for receipt)

| Description  | Choice                 | Program code   | Initial value  |
|--|------------------------|--|--|
| Print total line during finalization.                                  | a<br>Yes = 0<br>No = 1 |  |  |
| Time system:<br>① 24 hour system, ② 12 hour system                     | b<br>① = 0<br>② = 2    | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub>   | <input checked="" type="checkbox"/><br>0<br>(a+b+c)<br>D <sub>10</sub>   |
| Feed one line after issuing receipt.                                   | c<br>No = 0<br>Yes = 4 |  |  |
| Print consecutive number by double sized letter (up to 3 digits).      | a<br>No = 0<br>Yes = 1 |  | <input type="checkbox"/><br>0  |
| Buffered receipt print *1  | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>9</sub>  | <input type="checkbox"/><br>(a+b)<br>D <sub>9</sub>  |
| Skip item lines on journal. (journal skip)                             | a<br>No = 0<br>Yes = 1 |  | <input type="checkbox"/><br>0  |
| Breakdown set menu printing on receipt, post receipt, guest receipt.   | b<br>No = 0<br>Yes = 4 | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>  | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>  |
| Always "000"   |                        | <input checked="" type="checkbox"/><br>0<br>D <sub>7</sub> <input checked="" type="checkbox"/><br>0<br>D <sub>6</sub> <input checked="" type="checkbox"/><br>0<br>D <sub>6</sub> | <input checked="" type="checkbox"/><br>0<br>D <sub>7</sub> <input checked="" type="checkbox"/><br>0<br>D <sub>6</sub> <input checked="" type="checkbox"/><br>0<br>D <sub>5</sub> |
| Print number of item sold.   | a<br>No = 0<br>Yes = 1 |  | <input type="checkbox"/><br>2 or 0<br>(EX-U.S.) (U.S.)   |
| Print tax symbols.   | b<br>Yes = 0<br>No = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>  | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>  |
| Ignore receipt/journal paper end (not effective for external printer). |                        | <input type="checkbox"/><br>D <sub>3</sub>   | <input type="checkbox"/><br>0<br>D <sub>3</sub>  |
| Print multiplication or item consolidation in one line.                |                        | <input type="checkbox"/><br>D <sub>2</sub>   | <input type="checkbox"/><br>0<br>D <sub>2</sub>  |
| Print <b>C</b> operation.  | a<br>No = 0<br>Yes = 1 |  |  |
| Print number of customers on header.                                   | b<br>Yes = 0<br>No = 2 |  | <input type="checkbox"/><br>0<br>(a+b+c)<br>D <sub>1</sub>   |
| Print PLU number on receipt.   | c<br>No = 0<br>Yes = 4 |  |  |

\*1: Select "Yes" if you want to print receipts with watermarks.

# Key function/machine feature (P3)

## Address code 06 (calculation & operation control)

| Description   |   | Choice            | Program code   | Initial value  |
|---|---|-------------------|--|--|
| Follow the taxable status and commission status of previous item when +/- operation is performed.   | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub> |
| Force to register rate tax before finalization.   | b | No = 0<br>Yes = 2 |  |  |
| Force a money declaration by <b>[#]</b> , <b>[NS]</b> , <b>[#/NS]</b> before read/reset operation.  | c | No = 0<br>Yes = 4 |  |  |
| Force to press <b>SUB TOTAL</b> before finalization   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Allow credit balance while finalization.  | b | Yes = 0<br>No = 2 |  |  |
| Allow multiple refund/register minus operation.   | c | Yes = 0<br>No = 4 |  |  |
| Affect the result of +/-, %+/%-, mix & match to the item. (Net totalling)   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>    | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>    |
| Include add-on/add-in tax in net total  | b | Yes = 0<br>No = 2 |  |  |
| Include commission in net total.  | a | Yes = 0<br>No = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>7</sub>    | <input type="checkbox"/><br>(a+b)<br>D <sub>7</sub>    |
| Treatment of department key numeric inputs:<br>① Treat as amount override<br>② Treat as quantity extensions   | b | ① = 0<br>② = 4    |  |  |
| Clear the key buffer when a receipt is issued. (REG1/2 only)  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub>  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub>  |
| Sounds key catch tone.  | b | Yes = 0<br>No = 2 |  |  |
| Allow to issue post receipt, even if the original one is issued.  | c | No = 0<br>Yes = 4 |  |  |
| Allow program 1 programming in the manager control mode (X1 mode).  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub>  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub>  |
| Display "seconds" during time display.  | b | No = 0<br>Yes = 2 |  |  |
| Connect slit drawer.  | c | No = 0<br>Yes = 4 |  |  |
| RF mode status  | a | RF = 0<br>REG = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub>  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub>  |
| Prohibit registration when the stock quantity becomes negative.   | b | No = 0<br>Yes = 2 |  |  |
| Alert when the stock quantity becomes under minimum stock quantity.   | c | No = 0<br>Yes = 4 |  |  |
| Affect to stock quantity even if the refund operation.  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub>  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub>  |
| Treatment of flat-PLU/One touch NLU key numeric inputs:<br>① Treat as amount override (effective for flat-PLU only)<br>② Treat as quantity extensions | b | ① = 0<br>② = 2    |  |  |
| Allow one registration of +/-, %+/%- per one transaction.   | c | No = 0<br>Yes = 4 |  |  |
| Rounding on the least significant digit of %+/%- registration:<br>0 ~ 2 → 0, 3 ~ 7 → 5, 8 ~ 9 → 10  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>2</sub>    | <input type="checkbox"/><br>(a+b)<br>D <sub>2</sub>    |
| Display separator.  | b | Yes = 0<br>No = 2 |  |  |
| Allow numeric entry while compulsory drawer opening.  | a | Yes = 0<br>No = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>1</sub>    | <input type="checkbox"/><br>(a+b)<br>D <sub>1</sub>    |
| PLU numbering: ① By memory No. (sequential), ② By random code   | b | ① = 0<br>② = 4    |  |  |

## Address code 07 (menu & price shift)

| Description  | Choice                     | Program code  | Initial value  |
|--|----------------------------|---|--|
| Maintenance of last menu shift:<br>① Do not maintain<br>② Until next menu shift specification<br>③ Within this transaction   | ① = 0<br>② = 1<br>③ = 2    | <input type="checkbox"/><br>D <sub>8</sub>            | <input checked="" type="checkbox"/><br>D <sub>8</sub>            |
| Maintenance of last price shift:<br>① Do not maintain<br>② Until next price shift specification<br>③ Within this transaction | ① = 0<br>② = 1<br>③ = 2    | <input type="checkbox"/><br>D <sub>7</sub>            | <input checked="" type="checkbox"/><br>D <sub>7</sub>            |
| Always "0"   |                            | <input checked="" type="checkbox"/><br>D <sub>6</sub> | <input checked="" type="checkbox"/><br>D <sub>6</sub>            |
| Sheet number of the parent menu sheet  | Significant number (1 ~ 6) | <input type="checkbox"/><br>D <sub>5</sub>            | <input checked="" type="checkbox"/><br>D <sub>5</sub>            |
| Summed up menu sheet 1 to parent menu sheet.   | a<br>No = 0<br>Yes = 1     |   |  |
| Summed up menu sheet 2 to parent menu sheet.   | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> | <input checked="" type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> |
| Summed up menu sheet 3 to parent menu sheet.   | c<br>No = 0<br>Yes = 4     |   |  |
| Summed up menu sheet 4 to parent menu sheet.   | a<br>No = 0<br>Yes = 1     |   |  |
| Summed up menu sheet 5 to parent menu sheet.   | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub> | <input checked="" type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub> |
| Summed up menu sheet 6 to parent menu sheet.   | c<br>No = 0<br>Yes = 4     |   |  |
| Always "0"   |                            | <input checked="" type="checkbox"/><br>D <sub>2</sub> | <input checked="" type="checkbox"/><br>D <sub>2</sub>            |
| Reset child menu sheets with parent menu sheet together.   | Yes = 0<br>No = 1          | <input type="checkbox"/><br>D <sub>1</sub>            | <input checked="" type="checkbox"/><br>D <sub>1</sub>            |

This program is not effective for TE-2200.

# Key function/machine feature (P3)

## Address code 08 (print control for fixed total report)

| Description  | Choice                 | Program code  | Initial value   |
|--|------------------------|---|---|
| Print gross sales total on fixed total report (GROSS)  | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>10</sub> | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>10</sub>  |
| Print net sales total on fixed total report (NET)  | b<br>Yes = 0<br>No = 2 |   |   |
| Print cash in drawer total on fixed total report (CAID)  | c<br>Yes = 0<br>No = 4 |   |   |
| Print difference between money declaration and cash in drawer total on fixed total report (CATL, CA+, CA-) (Skip these lines, if "CAID" is set to skip.)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>9</sub>  | <input type="checkbox"/> 5<br>(a+b+c)<br>D <sub>9</sub>   |
| Print charge in drawer total on fixed total report (CHID)  | b<br>Yes = 0<br>No = 2 |   |   |
| Print difference between money declaration and charge in drawer total on fixed total report (CHTL, CH+, CH-) (Skip these lines, if "CHID" is set to skip.) | c<br>Yes = 0<br>No = 4 |   |   |
| Print check in drawer total on fixed total report (CKID)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>8</sub>  | <input type="checkbox"/> 2<br>(a+b+c)<br>D <sub>8</sub>   |
| Print difference between money declaration and check in drawer total on fixed total report (CKTL, CK+, CK-) (Skip these lines, if "CKID" is set to skip.)  | b<br>Yes = 0<br>No = 2 |   |   |
| Print credit in drawer total on fixed total report (CRID(1)~(4))   | c<br>Yes = 0<br>No = 4 |   |   |
| Print difference between money declaration and credit in drawer total on fixed total report (CRTL, CR+, CR-) (Skip these lines, if "CRID" is set to skip.) | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>7</sub>  | <input type="checkbox"/> 7<br>(a+b+c)<br>D <sub>7</sub>   |
| Print food stamp in drawer total on fixed total report (FSID)  | b<br>Yes = 0<br>No = 2 |   |   |
| Print food stamp cash change total on fixed total report (FSCACG)  | c<br>Yes = 0<br>No = 4 |   |   |
| Print EBT in drawer total on fixed total report (EBTTL)  | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>6</sub>  | <input type="checkbox"/> 3<br>(a+b+c)<br>D <sub>6</sub>   |
| Print EBT cash change total on fixed total report (EBTCACG)  | b<br>Yes = 0<br>No = 2 |   |   |
| Print RF mode total on fixed total report (RF)   | c<br>Yes = 0<br>No = 4 |   |   |
| Print the net number of customers on fixed total report (CUST)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b)<br>D <sub>5</sub>    | <input type="checkbox"/> 2<br>(a+b)<br>D <sub>5</sub>   |
| Print the average sales per customer on fixed total report (AVER)  | b<br>Yes = 0<br>No = 2 |   |   |
| Print check cashing handling fee total on fixed total report (FEE)   | a<br>Yes = 0<br>No = 1 |   |   |
| Print temporary finalize service charge total on fixed total report (+)  | b<br>Yes = 0<br>No = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>4</sub>  | <input type="checkbox"/> 7<br>(a+b+c)<br>D <sub>4</sub>   |
| Not used   | c<br>(Always "4")      |   |   |
| Print commission 1 total on fixed total report (C-1)   | a<br>Yes = 0<br>No = 1 |   |   |
| Print commission 2 total on fixed total report (C-2)   | b<br>Yes = 0<br>No = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>3</sub>  | <input type="checkbox"/> 7<br>(a+b+c)<br>D <sub>3</sub>   |
| Print foreign currency cash in drawer and check in drawer totals on fixed total report (CECA1~4, CECK1~4)  | c<br>Yes = 0<br>No = 4 |   |   |
| Print <MINUS>, <COUPON>, <%> and mix & match operation net total on fixed total report (DC)  | a<br>Yes = 0<br>No = 1 |   |   |
| Print <REFUND> and <VOID> operation net total on fixed total report (REF)  | b<br>Yes = 0<br>No = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>2</sub>  | <input type="checkbox"/> 7<br>(a+b+c)<br>D <sub>2</sub>   |
| Print total number of <CLEAR> operation net total on fixed total report (CLEAR)  | c<br>Yes = 0<br>No = 4 |   |   |
| Print nontaxable totals on fixed total report (NON TAX)  | a<br>Yes = 0<br>No = 1 |   |   |
| Print rounding totals on fixed total report (ROUND)  | b<br>Yes = 0<br>No = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>1</sub>  | <input type="checkbox"/> 1 (Australia)<br>or<br><input type="checkbox"/> 3 (other area)<br>D <sub>1</sub> |
| Print cancellation total on fixed total report (CANCEL)  | c<br>Yes = 0<br>No = 4 |   |   |

**Address code 09 (print control for fixed total report)**

| Description  | Choice                 | Program code  | Initial value   |
|--|------------------------|---|---|
| Print taxable amount 1 total on fixed total report (TA1)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>10</sub> | <b>4</b><br>(a+b+c)<br>D <sub>10</sub>                                |
| Print tax 1 total on fixed total report (TX1)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 1 total on fixed total report (EX1)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 2 total on fixed total report (TA2)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>9</sub>  | <b>7</b> (Australia)<br>or<br><b>4</b> (other area)<br>D <sub>9</sub> |
| Print tax 2 total on fixed total report (TX2)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 2 total on fixed total report (EX2)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 3 total on fixed total report (TA3)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>8</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>8</sub>                                 |
| Print tax 3 total on fixed total report (TX3)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 3 total on fixed total report (EX3)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 4 total on fixed total report (TA4)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>7</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>7</sub>                                 |
| Print tax 4 total on fixed total report (TX4)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 4 total on fixed total report (EX4)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 5 total on fixed total report (TA5)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>6</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>6</sub>                                 |
| Print tax 5 total on fixed total report (TX5)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 5 total on fixed total report (EX5)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 6 total on fixed total report (TA6)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>5</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>5</sub>                                 |
| Print tax 6 total on fixed total report (TX6)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 6 total on fixed total report (EX6)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 7 total on fixed total report (TA7)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>4</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>4</sub>                                 |
| Print tax 7 total on fixed total report (TX7)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 7 total on fixed total report (EX7)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 8 total on fixed total report (TA8)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>3</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>3</sub>                                 |
| Print tax 8 total on fixed total report (TX8)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 8 total on fixed total report (EX8)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 9 total on fixed total report (TA9)   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>2</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>2</sub>                                 |
| Print tax 9 total on fixed total report (TX9)              | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 9 total on fixed total report (EX9)       | c<br>Yes = 0<br>No = 4 |   |   |
| Print taxable amount 10 total on fixed total report (TA10) | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>1</sub>  | <b>7</b><br>(a+b+c)<br>D <sub>1</sub>                                 |
| Print tax 10 total on fixed total report (TX10)            | b<br>Yes = 0<br>No = 2 |   |   |
| Print tax exempt 10 total on fixed total report (EX10)     | c<br>Yes = 0<br>No = 4 |   |   |

# Key function/machine feature (P3)

## Address code 10 (print control for taxable amount, till timer)

| Description  |   | Choice              | Program code   | Initial value  |
|--|---|---------------------|--|--|
| Print taxable amount 1 on receipt/journal.   | a | Yes = 0<br>No = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub>                             | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub>                             |
| Print taxable amount 2 on receipt/journal.   | b | Yes = 0<br>No = 2   |  |  |
| Print taxable amount 3 on receipt/journal.   | c | Yes = 0<br>No = 4   |  |  |
| Print taxable amount 4 on receipt/journal.   | a | Yes = 0<br>No = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              |
| Print taxable amount 5 on receipt/journal.   | b | Yes = 0<br>No = 2   |  |  |
| Print taxable amount 6 on receipt/journal.   | c | Yes = 0<br>No = 4   |  |  |
| Print taxable amount 7 on receipt/journal.   | a | Yes = 0<br>No = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub>                              | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub>                              |
| Print taxable amount 8 on receipt/journal.   | b | Yes = 0<br>No = 2   |  |  |
| Print taxable amount 9 on receipt/journal.   | c | Yes = 0<br>No = 4   |  |  |
| Print taxable amount 10 on receipt/journal.  |   | Yes = 0<br>No = 1   | <input type="checkbox"/><br>D <sub>7</sub>   | <input type="checkbox"/><br>D <sub>7</sub>   |
| Always “0”   |   |                     | <input type="checkbox"/><br>D <sub>6</sub>   | <input type="checkbox"/><br>D <sub>6</sub>   |
| Prohibit registrations,<br>① while all drawers are opened. ② while clerk's own drawer is opened. | a | ① = 0<br>② = 1      | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>                                | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>                                |
| Ignore compulsory drawer sensor.   | b | No = 0<br>Yes = 2   |  |  |
| Till timer (00 ~ 59 minutes)   |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Till timer (00 ~ 59 seconds)   |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

## Address code 13 (online control)

| Description   |   | Choice            | Program code   | Initial value  |
|---|---|-------------------|--|--|
| Issue reset report at satellites during Z consolidation. *<br>(for in/online master/satellite)                    | a | No = 0<br>Yes = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>  | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>  |
| Add daily total data to consolidation file when reset operation has been performed. (for inline master/satellite) | b | Yes = 0<br>No = 4 |  |  |
| Prohibit operation when data exists in the consolidation file.  |   | No = 0<br>Yes = 1 | <input type="checkbox"/><br>D <sub>4</sub>   | <input type="checkbox"/><br>D <sub>4</sub>   |
| Always “000”  |   |                   | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

\* This option is effective, when consolidation is activated by job command.

## Address code 14 (currency exchange control)

| Description   |   | Choice                     | Program code                            | Initial value   |
|---|---|----------------------------|---|---|
| Monetary mode of CECA1 and CECK1 in fixed total report:                           |   | Significant number (0 ~ 9) | <input type="checkbox"/> D <sub>8</sub> | <input type="checkbox"/> 0<br>D <sub>8</sub>          |
| Decimal for CECA1 and CECK1 in fixed total report:<br>① Period = 0, ② Comma = 1   | a | ① = 0<br>② = 1             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>7</sub> |
| Separator for CECA1 and CECK1 in fixed total report:<br>① Comma = 0, ② Period = 1 | b | ① = 0<br>② = 4             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>7</sub> |
| Monetary mode of CECA2 and CECK2 in fixed total report:                           |   | Significant number (0 ~ 9) | <input type="checkbox"/> D <sub>6</sub> | <input type="checkbox"/> 0<br>D <sub>6</sub>          |
| Decimal for CECA2 and CECK2 in fixed total report:<br>① Period = 0, ② Comma = 1   | a | ① = 0<br>② = 1             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>5</sub> |
| Separator for CECA2 and CECK2 in fixed total report:<br>① Comma = 0, ② Period = 1 | b | ① = 0<br>② = 4             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>5</sub> |
| Monetary mode of CECA3 and CECK3 in fixed total report:                           |   | Significant number (0 ~ 9) | <input type="checkbox"/> D <sub>4</sub> | <input type="checkbox"/> 0<br>D <sub>4</sub>          |
| Decimal for CECA3 and CECK3 in fixed total report:<br>① Period = 0, ② Comma = 1   | a | ① = 0<br>② = 1             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>3</sub> |
| Separator for CECA3 and CECK3 in fixed total report:<br>① Comma = 0, ② Period = 1 | b | ① = 0<br>② = 4             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>3</sub> |
| Monetary mode of CECA4 and CECK4 in fixed total report:                           |   | Significant number (0 ~ 9) | <input type="checkbox"/> D <sub>2</sub> | <input type="checkbox"/> 0<br>D <sub>2</sub>          |
| Decimal for CECA4 and CECK4 in fixed total report:<br>① Period = 0, ② Comma = 1   | a | ① = 0<br>② = 1             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>1</sub> |
| Separator for CECA4 and CECK4 in fixed total report:<br>① Comma = 0, ② Period = 1 | b | ① = 0<br>② = 4             | <input type="checkbox"/>                | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>1</sub> |

# Key function/machine feature (P3)

## Address code 15 (print control for reports)

| Description  |   | Choice            | Program code  | Initial value   |
|--|---|-------------------|---|---|
| Zero skip department report.   | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>  | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>  |
| Zero skip clerk report.  | b | Yes = 0<br>No = 2 |   |   |
| Zero skip transaction report.  | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub> |
| Zero skip PLU report.  | b | Yes = 0<br>No = 2 |   |   |
| Zero skip hourly report.   | c | Yes = 0<br>No = 4 |   |   |
| Zero skip group report.  | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub> |
| Zero skip monthly report.  | b | Yes = 0<br>No = 2 |   |   |
| Zero skip table analysis report.   | c | Yes = 0<br>No = 4 |   |   |
| Skip a not clocked out employee on the time & attendance report.   | a | Yes = 0<br>No = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>7</sub>   | <input type="checkbox"/><br>(a+b)<br>D <sub>7</sub>   |
| Zero skip mix & match report.  | b | Yes = 0<br>No = 4 |   |   |
| Prohibit issuing "OPEN CHECK Z" report.  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>   | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>   |
| Prohibit issuing "Daily Z" report, if opened check exists.   | b | No = 0<br>Yes = 2 |   |   |
| Skip the non-programmed record of scanning PLU saving data to CF card  | c | Yes = 0<br>No = 4 |   |   |
| Exclude the record No. field from scanning PLU saving data to CF card  | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>   | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>   |
| Open cash drawer when the financial or fixed total report is issued.   | b | Yes = 0<br>No = 2 |   |   |
| Print PLU number on the PLU report.  | c | No = 0<br>Yes = 4 |   |   |
| Print sales ratio.   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> |
| Issue double Z report.   | b | No = 0<br>Yes = 2 |   |   |
| Print the recalculate amount of taxable amount and tax amount of single tax.   | c | No = 0<br>Yes = 4 |   |   |
| Print average sales in the monthly report.   | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub> |
| Contents of double Z report:<br>①: Fixed total report only, ②: Batch report *<br>* Fixed total should be included in this batch. | b | ① = 0<br>② = 2    |   |   |
| Reset actual stock quantity after PLU reset report issuance by batch X/Z.  | c | No = 0<br>Yes = 4 |   |   |
| Print reset counter.   | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub> |
| Print item discount totalizer.   | b | No = 0<br>Yes = 2 |   |   |
| Print order of PLU report:<br>① Memory No. (sequential), ② = Random code   | c | ① = 0<br>② = 4    |   |   |
| With character of X/Z data stored to CF card   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>1</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>1</sub> |
| With random code of X/Z data stored to CF card   | b | No = 0<br>Yes = 2 |   |   |
| With OBR code of X/Z data stored to CF card  | c | No = 0<br>Yes = 4 |   |   |

## Address code 16 (print control for grand total)

| Description   | Choice                     | Program code  | Initial value   |
|---|----------------------------|---|---|
| Contents of the periodic 1 total:<br>• Normal registration only = 0<br>• Training registration only = 1<br>• Both normal registration and training registration = 2 | Significant number (0 ~ 2) | <input type="checkbox"/> D <sub>10</sub>  | <input type="checkbox"/> 0 D <sub>10</sub>  |
| Contents of the periodic 2 total:<br>• Normal registration only = 0<br>• Training registration only = 1<br>• Both normal registration and training registration = 2 | Significant number (0 ~ 2) | <input type="checkbox"/> D <sub>9</sub>   | <input type="checkbox"/> 0 D <sub>9</sub>   |
| Journal printing of the periodic 1 report   | a<br>Yes = 0<br>No = 1     |   | <input type="checkbox"/>  |
| Journal printing of the periodic 2 report   | b<br>Yes = 0<br>No = 2     | (a+b)<br>D <sub>8</sub>   | (a+b)<br>D <sub>8</sub>   |
| Print consecutive number range of the day on daily fixed total report.  | No = 0<br>Yes = 1          | <input type="checkbox"/> D <sub>7</sub>   | <input type="checkbox"/> 0 D <sub>7</sub>   |
| Always "0000"   |                            | <input type="checkbox"/> 0 D <sub>6</sub> <input type="checkbox"/> 0 D <sub>5</sub> <input type="checkbox"/> 0 D <sub>4</sub> <input type="checkbox"/> 0 D <sub>3</sub> | <input type="checkbox"/> 0 D <sub>6</sub> <input type="checkbox"/> 0 D <sub>5</sub> <input type="checkbox"/> 0 D <sub>4</sub> <input type="checkbox"/> 0 D <sub>3</sub> |
| Print grand total 1 on periodic 1/periodic 2 reset report.  | a<br>Yes = 0<br>No = 1     |   |   |
| Print grand total 2 on periodic 1/periodic 2 reset report.  | b<br>Yes = 0<br>No = 2     | <input type="checkbox"/> (a+b+c)<br>D <sub>2</sub>  | <input type="checkbox"/> 7 (a+b+c)<br>D <sub>2</sub>  |
| Print grand total 3 on periodic 1/periodic 2 reset report.  | c<br>Yes = 0<br>No = 4     |   |   |
| Print grand total 1 on daily sales reset report.  | a<br>Yes = 0<br>No = 1     |   |   |
| Print grand total 2 on daily sales reset report.  | b<br>Yes = 0<br>No = 2     | <input type="checkbox"/> (a+b+c)<br>D <sub>1</sub>  | <input type="checkbox"/> 0 (a+b+c)<br>D <sub>1</sub>  |
| Print grand total 3 on daily sales reset report.  | c<br>Yes = 0<br>No = 4     |   |   |

# Key function/machine feature (P3)

## Address code 17 (print control)

| Description  |   | Choice            | Program code  | Initial value   |
|--|---|-------------------|---|---|
| Money declaration compulsory (cash) in REG/RF mode   | a | No = 0<br>Yes = 1 | <input type="checkbox"/> (a+b+c)<br>D <sub>10</sub>                                       | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>10</sub>                                  |
| Money declaration compulsory (charge) in REG/RF mode   | b | No = 0<br>Yes = 2 |   |   |
| Money declaration compulsory (check) in REG/RF mode  | c | No = 0<br>Yes = 4 |   |   |
| Money declaration compulsory (credit) in REG/RF mode   |   |                   | <input type="checkbox"/><br>D <sub>9</sub>  | <input type="checkbox"/> 0<br>D <sub>9</sub>  |
| Always "0"   |   |                   | <input type="checkbox"/><br>D <sub>8</sub>  | <input type="checkbox"/> 0<br>D <sub>8</sub>  |
| Commission:<br>① Taxable amount × commission rate<br>② (Taxable amount + VAT) × commission rate                    | a | ① = 0<br>② = 1    | <input type="checkbox"/><br>(a+b)<br>D <sub>7</sub>                                       | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>7</sub>                                     |
| Whenever pressing <PLUS>, <MINUS>, or <COUPON> the amount registered is proportioned among all taxable amounts.    | b | No = 0<br>Yes = 2 |   |   |
| Rounding of commission:<br>Round off = 0, Cut off = 1, Round up = 2  |   |                   | <input type="checkbox"/><br>D <sub>6</sub>  | <input type="checkbox"/> 0<br>D <sub>6</sub>  |
| Append two zeros in unit price programming.  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>                                       | <input type="checkbox"/> 0<br>(a+b)<br>D <sub>5</sub>                                     |
| Print normal price and the difference between the normal price and the reduced price on receipt.                   | b | No = 0<br>Yes = 2 |   |   |
| Print date on receipt.   | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub>                                     | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>4</sub>                                   |
| Print date on journal.   | b | Yes = 0<br>No = 2 |   |   |
| Print consecutive number on receipt/journal.   | c | Yes = 0<br>No = 4 |   |   |
| Print time on receipt.   | a | Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub>                                     | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>3</sub>                                   |
| Print time on journal.   | b | Yes = 0<br>No = 2 |   |   |
| Merge the same department/PLU/scanning PLU registration on buffered receipt and post receipt. (Item consolidation) | c | No = 0<br>Yes = 4 |   |   |
| Always "00"  |   |                   | <input type="checkbox"/> 0<br>D <sub>2</sub> <input type="checkbox"/> 0<br>D <sub>1</sub> | <input type="checkbox"/> 0<br>D <sub>2</sub> <input type="checkbox"/> 0<br>D <sub>1</sub> |

**Address code 18 (print control for guest receipt and slip)**

| Description   | Choice                   | Program code   | Initial value                                      |
|---|--------------------------|--|--|
| Maximum printing lines of slip (00 ~ 99)  | Significant numbers      | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> | <b>0</b> <b>0</b><br>D <sub>8</sub> D <sub>7</sub> |
| Slip printing speed:<br>“Maximum printing lines of slip” is necessary, if you select “High”.          | a<br>Low = 0<br>High = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>                                | <b>0</b><br>(a+b)<br>D <sub>6</sub>                |
| Classify registered item by group on slip & guest receipt.  | b<br>No = 0<br>Yes = 4   |  |  |
| Always “0”  |                          | <input type="checkbox"/><br>D <sub>5</sub>   | <b>0</b><br>D <sub>5</sub>                         |
| Print date on slip & guest receipt.   | a<br>Yes = 0<br>No = 1   |  |  |
| Print time on slip & guest receipt.   | b<br>Yes = 0<br>No = 2   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub>                              | <b>0</b><br>(a+b+c)<br>D <sub>4</sub>              |
| Print:<br>① Total only, ② Detail when D6 = 4 (item consolidated)                                      | c<br>① = 0<br>② = 4      |  |  |
| Slip print range:<br>① At the top of the transaction, ② This receipt                                  | a<br>① = 0<br>② = 1      |  |  |
| Enable slip auto line find.   | b<br>No = 0<br>Yes = 2   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub>                              | <b>0</b><br>(a+b+c)<br>D <sub>3</sub>              |
| Merge the same department/PLU/scanning PLU registration on slip & guest receipt. (Item consolidation) | c<br>No = 0<br>Yes = 4   |  |  |
| Slip auto feed lines (00 ~ 99)  | Significant numbers      | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> | <b>0</b> <b>0</b><br>D <sub>2</sub> D <sub>1</sub> |

**Address code 19 (order control)**

| Description  | Choice                 | Program code  | Initial value                         |
|--|------------------------|---|---------------------------------------|
| Print order with order character.  | a<br>No = 0<br>Yes = 1 |   |                                       |
| Print order with amount.   | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>9</sub>   | <b>0</b><br>(a+b)<br>D <sub>9</sub>   |
| Alert when the order printer 1 goes down.<br>(If “No”, backup processing is performed.)                                  | a<br>Yes = 0<br>No = 1 |   |                                       |
| Alert when the order printer 2 goes down.<br>(If “No”, backup processing is performed.)                                  | b<br>Yes = 0<br>No = 2 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub> | <b>0</b><br>(a+b+c)<br>D <sub>8</sub> |
| Breakdown set menu printing on order.  | c<br>No = 0<br>Yes = 4 |   |                                       |
| Print double-height characters in UP-360/(internal R/J printer).<br>(not only for order, but also effective for receipt) | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>7</sub>            | <b>0</b><br>D <sub>7</sub>            |
| Show guidance for backup print of order. (when it is backed up from R/J)   | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>6</sub>            | <b>0</b><br>D <sub>6</sub>            |
| Always “0”   |                        | <input type="checkbox"/><br>D <sub>5</sub>            | <b>0</b><br>D <sub>5</sub>            |
| Cut order.   | a<br>No = 0<br>Yes = 2 |   |                                       |
| Print dashed lines (hyphens).  | b<br>No = 0<br>Yes = 4 | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>   | <b>0</b><br>(a+b)<br>D <sub>4</sub>   |
| Print orders even if training clerk is registered items.   | a<br>No = 0<br>Yes = 2 |   |                                       |
| Merge the same department/PLU/scanning PLU registration on order receipt.<br>(Item consolidation)                        | b<br>No = 0<br>Yes = 4 | <input type="checkbox"/><br>(a+b)<br>D <sub>3</sub>   | <b>0</b><br>(a+b)<br>D <sub>3</sub>   |
| Number of feed lines before order printing (0 ~ 9)   | Significant number     | <input type="checkbox"/><br>D <sub>2</sub>            | <b>0</b><br>D <sub>2</sub>            |
| Number of feed lines after order printing (0 ~ 9)  | Significant number     | <input type="checkbox"/><br>D <sub>1</sub>            | <b>4</b><br>D <sub>1</sub>            |

# Key function/machine feature (P3)

## Address code 21 (message control)

| Description   |   | Choice            | Program code  | Initial value   |
|---|---|-------------------|---|---|
| Print graphic type logo.<br>(If select "No", character type logo is printed.) | a | No = 0<br>Yes = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>  | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>  |
| Print watermark on receipt.   | b | No = 0<br>Yes = 4 |   |   |
| Print commercial message on slip/guest receipt.                               | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub> |
| Print bottom message on slip/guest receipt.                                   | b | No = 0<br>Yes = 2 |   |   |
| Print intermediate message on slip/guest receipt.                             | c | No = 0<br>Yes = 4 |   |   |
| Print bill top message.   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub> |
| Print bill copy message.  | b | No = 0<br>Yes = 2 |   |   |
| Print bill bottom message.  | c | No = 0<br>Yes = 4 |   |   |
| Always "0"  |   |                   | <input type="checkbox"/><br>D <sub>7</sub>            | <input type="checkbox"/><br>D <sub>7</sub>            |
| Print commercial message on receipts in REG/RF mode.                          | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub> |
| Print bottom message on receipts in REG/RF mode.                              | b | No = 0<br>Yes = 2 |   |   |
| Print commercial message on journal in REG/RF mode.                           | c | No = 0<br>Yes = 4 |   |   |
| Print bottom message on journal in REG/RF mode.                               | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub> |
| Print commercial message on receipts in X/Z mode.                             | b | No = 0<br>Yes = 2 |   |   |
| Print bottom message on receipts in X/Z mode.                                 | c | No = 0<br>Yes = 4 |   |   |
| Print commercial message on journal in X/Z mode.                              | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> |
| Print bottom message on journal in X/Z mode.                                  | b | No = 0<br>Yes = 2 |   |   |
| Print commercial message on receipt in PGM mode.                              | c | No = 0<br>Yes = 4 |   |   |
| Print bottom message on receipt in PGM mode.                                  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub> |
| Print commercial message on journal in PGM mode.                              | b | No = 0<br>Yes = 2 |   |   |
| Print bottom message on journal in PGM mode.                                  | c | No = 0<br>Yes = 4 |   |   |
| Print commercial message on FC or AUTO-PGM receipts.                          | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub> | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub> |
| Print bottom message on FC or AUTO-PGM receipts.                              | b | No = 0<br>Yes = 2 |   |   |
| Print commercial message on FC or AUTO-PGM journal.                           | c | No = 0<br>Yes = 4 |   |   |
| Print bottom message on FC or AUTO-PGM journal.                               | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>1</sub>   | <input type="checkbox"/><br>(a+b)<br>D <sub>1</sub>   |
| Print Australian GST MOF message.   | b | No = 0<br>Yes = 4 |   |   |

### Address code 25 (condiment etc.)

| Description   | Choice                 | Program code  | Initial value  |
|---|------------------------|---|--|
| Enable to register a non-department link PLU.   | Yes = 0<br>No = 1      | <input type="checkbox"/><br>D <sub>4</sub>            | <input checked="" type="checkbox"/><br>D <sub>4</sub>  |
| Subtotal display:<br>① Both "rounded" and "not rounded" subtotal<br>② Only "not rounded" subtotal<br>(This option is effective for selecting Eu/Aus rounding specification only.) | ① = 1<br>② = 0         | <input type="checkbox"/><br>D <sub>3</sub>            | <input checked="" type="checkbox"/><br>D <sub>3</sub><br>or<br><input type="checkbox"/><br>D <sub>3</sub>                                |
| Previous item void:<br>① By using <VOID>; ordinary procedure<br>② By using <REVIEW>   | ① = 0<br>② = 1         | <input type="checkbox"/><br>D <sub>2</sub>            | <input checked="" type="checkbox"/><br>D <sub>2</sub>  |
| Restrict (to 0 or 5) on the last one digit for amount tender.   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>1</sub> | <input checked="" type="checkbox"/><br>D <sub>4</sub><br>(Australia)<br>or<br><input type="checkbox"/><br>D <sub>1</sub><br>(other area) |
| Obey registration quantities of child PLU to its parent PLU.  | b<br>Yes = 0<br>No = 2 |   |  |
| Restriction (to 0 or 5) on the last one digit for <CASH>, <RC>, <PD>, money declaration amount (by <CASH> or <NON ADD>).  | c<br>No = 0<br>Yes = 4 |   |  |

### Address code 26 (check tracking)

| Description  | Choice                 | Program code   | Initial value   |
|--|------------------------|--|---|
| Check tracking method:<br>① Check No., ② Table No.   | a<br>① = 0<br>② = 1    | <input type="checkbox"/>   | <input checked="" type="checkbox"/><br>D <sub>6</sub>   |
| Maximum digit of check number:<br>① 6-digit, ② 12-digit<br>(If you use "table analysis" or "table range", select ①.) | b<br>① = 0<br>② = 4    | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>  | <input checked="" type="checkbox"/><br>(a+b)<br>D <sub>6</sub>  |
| Tax calculation by new balance<br>(Calculation result is not saved into totalizer.)                                  | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>5</sub>   | <input checked="" type="checkbox"/><br>D <sub>5</sub>   |
| Enable to perform <NEW/OLD> during check tracking/clerk interrupt.   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>  | <input checked="" type="checkbox"/><br>(a+b)<br>D <sub>4</sub>  |
| Print previous balance amount, when registration begins 0 with old check.  | b<br>Yes = 0<br>No = 2 |  |   |
| Always "000"   |                        | <input type="checkbox"/><br>D <sub>3</sub><br><input type="checkbox"/><br>D <sub>2</sub><br><input type="checkbox"/><br>D <sub>1</sub> | <input checked="" type="checkbox"/><br>D <sub>3</sub><br><input checked="" type="checkbox"/><br>D <sub>2</sub><br><input checked="" type="checkbox"/><br>D <sub>1</sub> |

### Address code 27 (clerk control)

| Description   | Choice                 | Program code   | Initial value  |
|---|------------------------|--|--|
| Enable clerk/cashier interrupt.   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/>   | <input checked="" type="checkbox"/><br>D <sub>10</sub>   |
| Print of clerk/cashier's name on receipt following sign back on at D <sub>10</sub> = 1.<br>(enable clerk/cashier interrupt) | b<br>No = 0<br>Yes = 4 | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>                                     | <input checked="" type="checkbox"/><br>(a+b)<br>D <sub>10</sub>  |
| Always "0000000"  |                        | <input type="checkbox"/><br>D <sub>9</sub> ~ <input type="checkbox"/><br>D <sub>3</sub>  | <input checked="" type="checkbox"/><br>D <sub>9</sub> ~ <input checked="" type="checkbox"/><br>D <sub>3</sub>  |
| Auto sign-off timer. (in second) ("00" means no auto sign-off.)   | Significant numbers    | <input type="checkbox"/><br>D <sub>2</sub><br><input type="checkbox"/><br>D <sub>1</sub> | <input checked="" type="checkbox"/><br>D <sub>2</sub><br><input checked="" type="checkbox"/><br>D <sub>1</sub> |

# Key function/machine feature (P3)

## Address code 28 (Euro)

| Description   | Choice                     | Program code   | Initial value   |
|---|----------------------------|--|---|
| Define Euro as the main currency.   | Yes = 0<br>No = 1          | <input type="checkbox"/><br>D <sub>10</sub>  | <b>0</b><br>D <sub>10</sub>   |
| Select rounding option:<br>Round off = 0, Cut off = 1, Round up = 2   | Significant number (0 ~ 2) | <input type="checkbox"/><br>D <sub>9</sub>   | <b>0</b><br>D <sub>9</sub>  |
| Exchange rate (within 6-digits)   | Significant numbers        | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> | <b>0 0 0 0 0 0</b><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> |
| Decimal point position of exchange rate:<br>Integer only = 0<br>1st decimal place = 1, 2nd decimal place = 2, 3rd decimal place = 3,<br>4th decimal place = 4, 5th decimal place = 5, 6th decimal place = 6<br>Example: (D8 ~ D2)<br>1 Euro = 1.977 DM; Set "0019773"<br>1 Euro = 1957.77319 Lit; Set "1957772" | Significant number (0 ~ 6) | <input type="checkbox"/><br>D <sub>2</sub>   | <b>0</b><br>D <sub>2</sub>  |
| Always "0"  |                            | <b>0</b><br>D <sub>1</sub>   | <b>0</b><br>D <sub>1</sub>  |

## Address code 29 (Euro)

| Description   | Choice                     | Program code   | Initial value  |
|---|----------------------------|--|--|
| Monetary mode of sub currency:<br><b>0</b> = 0, <b>0.0</b> = 1, <b>0.00</b> = 2, <b>0.000</b> = 3   | Significant number (0 ~ 3) | <input type="checkbox"/><br>D <sub>10</sub>                                | <b>2</b><br>D <sub>10</sub>  |
| Apply rounding for sub currency. *<br>No rounding = 0, IF1 = 1, IF2 = 2, Danish = 3, Norwegian = 4, Finnish = 6<br>Australia = 7, South Africa = 8  | Significant number (0 ~ 8) | <input type="checkbox"/><br>D <sub>9</sub>                                 | <b>0</b><br>D <sub>9</sub>   |
| Cash drawer number of sub currency: 0 ~ 2<br>("0" means main drawer.)   | Significant number (0 ~ 2) | <input type="checkbox"/><br>D <sub>8</sub>                                 | <b>0</b><br>D <sub>8</sub>   |
| Print tendered amount in sub currency converted to main currency.   | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub>                      | <b>0</b><br>(a+b+c)<br>D <sub>7</sub>                                      |
| Selection of the currency of subtotal printout:<br>① Main currency only, ② Main and sub currency  | b<br>① = 0<br>② = 2        |  |  |
| Print total in sub currency by double sized letter.   | c<br>No = 0<br>Yes = 4     |  |  |
| Selection of the currency of change:<br>① Main currency, ② Sub currency   | a<br>① = 0<br>② = 1        | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub>                      | <b>0</b><br>(a+b+c)<br>D <sub>6</sub>                                      |
| Print the cash in drawer of sub currency on fixed total reports.<br>(If the cash in drawer of main currency is skipped, this line is also skipped.)   | b<br>No = 0<br>Yes = 2     |  |  |
| Display symbol of sub currency:<br>① <b>€</b> (Euro), ② <b>₾</b> (Local)  | c<br>① = 0<br>② = 4        |  |  |
| The currency to restrict (to 00, 25, 50, 75) on last two digits for amount tendered: ① Main currency, ② Sub currency<br>(It is necessary to set this restriction to <CASH> key.)  | a<br>① = 0<br>② = 1        | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub>                      | <b>0</b><br>(a+b+c)<br>D <sub>5</sub>                                      |
| Print rounding total of sub currency on fixed totalier report.  | b<br>No = 0<br>Yes = 2     |  |  |
| Last 1 digit for sub currency monetary amount entries to 0 or 5.  | c<br>No = 0<br>Yes = 4     |  |  |
| Selection of the change amount printout:<br>① Main and sub currency, ② Dependent upon D <sub>6</sub> - a of this worksheet  | a<br>① = 0<br>② = 1        | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>                        | <b>0</b><br>(a+b)<br>D <sub>4</sub>  |
| Calculation method of change amount in sub currency:<br>① Convert the change amount in main currency into sub currency.<br>② Subtract the equivalent value of subtotal amount in sub currency from the equivalent value of the tendered amount in sub currency. | b<br>① = 0<br>② = 2        |  |  |
| Always "000"  |                            | <b>0</b> <b>0</b> <b>0</b><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> | <b>0</b> <b>0</b> <b>0</b><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

\* Refer to the Address code 04 programming.

### Address code 30 (Internal thermal printer control)

| Description  | Choice            | Program code   | Initial value  |
|--|-------------------|--|--|
| Journal compressed print (print by half height characters) | No = 0<br>Yes = 1 | <input type="checkbox"/><br>D <sub>4</sub>   | <input checked="" type="checkbox"/><br>D <sub>4</sub>  |
| Always "000"   |                   | <input checked="" type="checkbox"/> D <sub>3</sub> <input checked="" type="checkbox"/> D <sub>2</sub> <input checked="" type="checkbox"/> D <sub>1</sub> | <input checked="" type="checkbox"/> D <sub>3</sub> <input checked="" type="checkbox"/> D <sub>2</sub> <input checked="" type="checkbox"/> D <sub>1</sub> |

### Address code 31 (scanning)

| Description   | Choice                             | Program code   | Initial value   |
|---|------------------------------------|--|---|
| The oldest item is deleted if the scanning PLU file becomes full.<br>(If "No" is selected, alert only.)                                     | Yes = 0<br>No = 1                  | <input type="checkbox"/><br>D <sub>8</sub>   | <input checked="" type="checkbox"/><br>D <sub>8</sub>   |
| Print consolidated scanning PLU reset report. (only for master) *   | a<br>No = 0<br>Yes = 1             | <input type="checkbox"/>   | <input checked="" type="checkbox"/>   |
| Print report before scanning PLU Z consolidation. *   | b<br>No = 0<br>Yes = 4             | <input type="checkbox"/> (a+b)<br>D <sub>7</sub>   | <input checked="" type="checkbox"/> (a+b)<br>D <sub>7</sub>   |
| Print scanning PLU code on receipt.   | a<br>No = 0<br>Yes = 1             | <input type="checkbox"/>   | <input checked="" type="checkbox"/>   |
| Print scanning PLU code on journal.   | b<br>No = 0<br>Yes = 2             | <input type="checkbox"/> (a+b+c)<br>D <sub>6</sub>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>6</sub>   |
| Print scanning PLU code on report.  | c<br>No = 0<br>Yes = 4             | <input type="checkbox"/>   | <input checked="" type="checkbox"/>   |
| Always "00"   |                                    | <input checked="" type="checkbox"/> D <sub>5</sub> <input checked="" type="checkbox"/> D <sub>4</sub>                      | <input checked="" type="checkbox"/> D <sub>5</sub> <input checked="" type="checkbox"/> D <sub>4</sub>   |
| Inactive days:<br>(If a scanning PLU did not move during these days period, this item will be printed on the Inactive scanning PLU report.) | Significant numbers<br>(000 ~ 999) | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> | <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

\* These options are also effective, when consolidation is activated by job command.

### Address code 32 (direct maintenance PLU)

| Description  | Choice                 | Program code   | Initial value  |
|--|------------------------|--|--|
| Skip the unit price field programming of direct maintenance PLU file in PGM 1 mode.    | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b)<br>D <sub>9</sub>  |
| Skip the link field programming of direct maintenance PLU file in PGM 1 mode.          | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b)<br>D <sub>9</sub>  |
| Always "000"   |                        | <input checked="" type="checkbox"/> D <sub>8</sub> <input checked="" type="checkbox"/> D <sub>7</sub> <input checked="" type="checkbox"/> D <sub>6</sub> | <input checked="" type="checkbox"/> D <sub>8</sub> <input checked="" type="checkbox"/> D <sub>7</sub> <input checked="" type="checkbox"/> D <sub>6</sub> |
| Skip the optimum stock field programming of direct maintenance PLU file in PGM 3 mode. | No = 0<br>Yes = 4      | <input type="checkbox"/><br>D <sub>5</sub>   | <input checked="" type="checkbox"/><br>D <sub>5</sub>  |
| Skip the unit price field programming of direct maintenance PLU file in PGM 3 mode.    | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>4</sub>  |
| Skip the link field programming of direct maintenance PLU file in PGM 3 mode.          | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>4</sub>  |
| Skip the character field programming of direct maintenance PLU file in PGM 3 mode.     | c<br>No = 0<br>Yes = 4 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>4</sub>  |
| Skip the status field programming of direct maintenance PLU file in PGM 3 mode.        | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>3</sub>  |
| Skip the bottle link field programming of direct maintenance PLU file in PGM 3 mode.   | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>3</sub>  |
| Skip the mix & match field programming of direct maintenance PLU file in PGM 3 mode.   | c<br>No = 0<br>Yes = 4 | <input type="checkbox"/>   | <input checked="" type="checkbox"/> (a+b+c)<br>D <sub>3</sub>  |
| Always "00"  |                        | <input checked="" type="checkbox"/> D <sub>2</sub> <input checked="" type="checkbox"/> D <sub>1</sub>  | <input checked="" type="checkbox"/> D <sub>2</sub> <input checked="" type="checkbox"/> D <sub>1</sub>  |

# Key function/machine feature (P3)

## Address code 33 (batch PLU maintenance)

| Description   | Choice                 | Program code   | Initial value  |
|---|------------------------|--|--|
| Skip the record No. designation of batch maintenance PLU file.          | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>   | <input type="checkbox"/><br>0<br>(a+b)<br>D <sub>10</sub>  |
| Skip the optimum stock field programming of batch maintenance PLU file. | b<br>No = 0<br>Yes = 4 |  |  |
| Skip the unit price field programming of batch maintenance PLU file.    | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  | <input type="checkbox"/><br>0<br>(a+b+c)<br>D <sub>9</sub>   |
| Skip the link field programming of batch maintenance PLU file.          | b<br>No = 0<br>Yes = 2 |  |  |
| Skip the character field programming of batch maintenance PLU file.     | c<br>No = 0<br>Yes = 4 |  |  |
| Skip the status field programming of batch maintenance PLU file.        | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub>  | <input type="checkbox"/><br>0<br>(a+b+c)<br>D <sub>8</sub>   |
| Skip the bottle link field programming of batch maintenance PLU file.   | b<br>No = 0<br>Yes = 2 |  |  |
| Skip the mix & match field programming of batch maintenance PLU file.   | c<br>No = 0<br>Yes = 4 |  |  |
| Always "000"  |                        | <input type="checkbox"/> 0<br>D <sub>7</sub><br><input type="checkbox"/> 0<br>D <sub>6</sub><br><input type="checkbox"/> 0<br>D <sub>5</sub> | <input type="checkbox"/> 0<br>D <sub>7</sub><br><input type="checkbox"/> 0<br>D <sub>6</sub><br><input type="checkbox"/> 0<br>D <sub>5</sub> |
| Always "00"   |                        | <input type="checkbox"/> 0<br>D <sub>4</sub><br><input type="checkbox"/> 0<br>D <sub>3</sub>   | <input type="checkbox"/> 0<br>D <sub>4</sub><br><input type="checkbox"/> 0<br>D <sub>3</sub>   |
| Always "00"   |                        | <input type="checkbox"/> 0<br>D <sub>2</sub><br><input type="checkbox"/> 0<br>D <sub>1</sub>   | <input type="checkbox"/> 0<br>D <sub>2</sub><br><input type="checkbox"/> 0<br>D <sub>1</sub>   |

## Address code 34 (backlight control)

| Description  | Choice                             | Program code   | Initial value  |
|--|------------------------------------|--|--|
| Backlight  | Available = 0<br>Not available = 1 | <input type="checkbox"/><br>D <sub>4</sub>   | <input type="checkbox"/><br>0<br>D <sub>4</sub>  |
| Always "0"   |                                    | <input type="checkbox"/> 0<br>D <sub>3</sub>   | <input type="checkbox"/> 0<br>D <sub>3</sub>   |
| Backlight off timer (01 ~ 59 min. "00" means always on.) | Significant numbers                | <input type="checkbox"/><br>D <sub>2</sub><br><input type="checkbox"/><br>D <sub>1</sub> | <input type="checkbox"/> 0<br>D <sub>2</sub><br><input type="checkbox"/> 0<br>D <sub>1</sub> |

\* This program is only effective for Eu.

### Address code 36 (store/recall/auto new check number)

| Description   | Choice                            | Program code  | Initial value  |
|---|-----------------------------------|---|--|
| Reset the store/recall/auto new check starting number after open check reset report | No = 0<br>Yes = 1                 | <input type="checkbox"/><br>D <sub>9</sub>  | <b>0</b><br>D <sub>9</sub>   |
| Store/recall/auto new check starting number (0000 = 0001) *                         | Significant numbers (0000 ~ 9999) | <input type="checkbox"/><br>D <sub>8</sub> <input type="checkbox"/><br>D <sub>7</sub> <input type="checkbox"/><br>D <sub>6</sub> <input type="checkbox"/><br>D <sub>5</sub> | <b>0</b> <b>0</b> <b>0</b> <b>0</b><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> |
| Store/recall/auto new check ending number (0000 = 9999) *                           | Significant numbers (0000 ~ 9999) | <input type="checkbox"/><br>D <sub>4</sub> <input type="checkbox"/><br>D <sub>3</sub> <input type="checkbox"/><br>D <sub>2</sub> <input type="checkbox"/><br>D <sub>1</sub> | <b>0</b> <b>0</b> <b>0</b> <b>0</b><br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

\* The starting number should be smaller than the ending number.

\* If the starting number is bigger than the ending number, the E056 is occurred.

### Address code 37 (check number)

| Description                                | Choice                            | Program code  | Initial value  |
|--|-----------------------------------|---|--|
| Auto check starting number (0000 = 0001) * | Significant numbers (0000 ~ 9999) | <input type="checkbox"/><br>D <sub>8</sub> <input type="checkbox"/><br>D <sub>7</sub> <input type="checkbox"/><br>D <sub>6</sub> <input type="checkbox"/><br>D <sub>5</sub> | <b>0</b> <b>0</b> <b>0</b> <b>0</b><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> |
| Auto check ending number (0000 = 9999) *   | Significant numbers (0000 ~ 9999) | <input type="checkbox"/><br>D <sub>4</sub> <input type="checkbox"/><br>D <sub>3</sub> <input type="checkbox"/><br>D <sub>2</sub> <input type="checkbox"/><br>D <sub>1</sub> | <b>0</b> <b>0</b> <b>0</b> <b>0</b><br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

\* The starting number should be smaller than the ending number.


\* If the starting number is bigger than the ending number, the E056 is occurred.

# Key function/machine feature (P3)


## Department key/flat-PLU key/PLU program (Batch feature programming)

### Programming procedure

#### Department/flat-PLU key



#### PLU



### Program data

| Description   | Choice                     | Program code   | Initial value   |
|---|----------------------------|--|---|
| Single item control:<br>Normal receipt = 0, Single item receipt = 3                                   | Significant number         | <input type="checkbox"/> D <sub>12</sub>   | <input type="checkbox"/> 0<br>D <sub>12</sub>               |
| Price change registration is enable.<br>(Only effective for scanning PLU linked to this department)   | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/>   |   |
| Multiplication registration is enable.<br>(Only effective for scanning PLU linked to this department) | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>11</sub>                             | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>11</sub>    |
| Compulsory input unit price manually.<br>(Only effective for scanning PLU linked to this department)  | c<br>No = 0<br>Yes = 4     | <input type="checkbox"/><br>D <sub>11</sub>  |   |
| Normal/condiment/preparation (Not for department)<br>Normal item = 0, Condiment = 1, Preparation = 2  | Significant number         | <input type="checkbox"/> D <sub>10</sub>   | <input type="checkbox"/> 0<br>D <sub>10</sub>               |
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/>   |   |
| Disable operation in REG 2 mode.  | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>9</sub>     |
| Disable operation in REG 1 mode.  | c<br>No = 0<br>Yes = 4     | <input type="checkbox"/><br>D <sub>9</sub>   |   |
| Taxable status:<br>See the next page.   |                            | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> | <input type="checkbox"/> 0<br>D <sub>8</sub> D <sub>7</sub> |
| Enable 0 unit price.  | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/>   |   |
| Enable negative price.  | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub>                              | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>6</sub>     |
| Hash  | c<br>No = 0<br>Yes = 4     | <input type="checkbox"/><br>D <sub>6</sub>   |   |
| Always "0"  |                            | <input type="checkbox"/> D <sub>5</sub>  | <input type="checkbox"/> 0<br>D <sub>5</sub>                |
| Low digit limitation (LDL) for manually entered unit price.   | Significant number         | <input type="checkbox"/> D <sub>4</sub>  | <input type="checkbox"/> 0<br>D <sub>4</sub>                |
| Multiple validation:<br>(If "No", validation is allowed only one time.)                               | a<br>Yes = 0<br>No = 1     | <input type="checkbox"/>   |   |
| Print difference between the normal price and reduced price.  | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>3</sub>                              | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>3</sub>     |
| Open PLU (only for PLU)   | c<br>No = 0<br>Yes = 4     | <input type="checkbox"/><br>D <sub>3</sub>   |   |
| Commission 1  | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/>   |   |
| Commission 2  | b<br>No = 0<br>Yes = 2     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub>                              | <input type="checkbox"/> 0<br>(a+b+c)<br>D <sub>2</sub>     |
| Prepared tax status (Canadian tax)  | c<br>Yes = 0<br>No = 4     | <input type="checkbox"/><br>D <sub>2</sub>   |   |
| Compulsory number of condiment/preparation PLU input.   | Significant number (0 ~ 8) | <input type="checkbox"/> D <sub>1</sub>  | <input type="checkbox"/> 0<br>D <sub>1</sub>                |

## Taxable status

for the U.S./Singapore

|  |   |                   |   |
|--|---|-------------------|---|
| Food stamp (for Singapore, always "0") |   | No = 0<br>Yes = 1 | <input type="checkbox"/><br>D <sub>8</sub>            |
| Taxable 1 status                       | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub> |
| Taxable 2 status                       | b | No = 0<br>Yes = 2 |   |
| Taxable 3 status                       | c | No = 0<br>Yes = 4 |   |

for Canada

|   |   |  |                    |  |
|---|---|--|--------------------|--|
| Donuts status                                 |   |  | No = 0<br>Yes = 1  | <input type="checkbox"/><br>D <sub>8</sub> |
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2 | Taxable 3 = 3<br>Taxable 4 = 4<br>Taxable 1 & 2 = 5 | Taxable 1 & 3 = 6<br>Taxable 1 & 4 = 7 | Significant number | <input type="checkbox"/><br>D <sub>7</sub> |

for Other area


|  |  |   |                     |   |
|--|--|---|---------------------|---|
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2<br>Taxable 3 = 3 | Taxable 4 = 4<br>Taxable 5 = 5<br>Taxable 6 = 6<br>Taxable 7 = 7 | Taxable 8 = 8<br>Taxable 9 = 9<br>Taxable 10 = 10 | Significant numbers | <input type="checkbox"/><br>D <sub>8</sub> <input type="checkbox"/><br>D <sub>7</sub> |
|--|--|---|---------------------|---|

# Key function/machine feature (P3)


## Department key/flat-PLU key/PLU program (Individual feature programming)

### Programming procedure


#### Department/flat-PLU key



#### PLU



#### Range (Department/PLU/flat-PLU)



#### Program data (by address code)

##### Address code 11 (link)

| Description  | Choice              | Program code |
|--|---------------------|--------------|
| Link group record number: (00 ~ 99)                        | Significant numbers |              |
| Link department record number: (00 ~ 99)<br>(only for PLU) | Significant numbers |              |

**Address code 12 (random code)**

| Description                    | Choice              | Program code  |
|--------------------------------|---------------------|---|
| PLU random code (only for PLU) | Significant numbers | <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub> <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub> |

**Address code 13 (set menu)**

| Description   | Choice              | Program code  |
|---|---------------------|---|
| Set menu table/bottle link table record number (only for PLU)   | Significant numbers | <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub> <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> |
| Set menu table/bottle link table file number (only for PLU)<br>File number: set menu table = 28, bottle link table = 73 | Significant numbers | <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub>   |

**Address code 14 (stock)**

| Description  | Choice              | Program code  |
|--|---------------------|---|
| Optimum stock quantity (0.001 ~ 99.999)<br>Enter without decimal point. (only for PLU) | Significant numbers | <input type="checkbox"/> D <sub>5</sub> <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub> |

**Address code 15 (high amount limit)**

| Description   | Choice              | Program code  |
|---|---------------------|---|
| High amount limit for entering unit price manually. | Significant numbers | <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub> <input type="checkbox"/> D <sub>4</sub> <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub> |

**Address code 16 (order control)**

| Description  |   | Choice                    | Program code   |
|--|---|---------------------------|--|
| Order character record number (00 ~ 99)                      |   | Significant numbers       | <input type="checkbox"/> D <sub>6</sub> <input type="checkbox"/> D <sub>5</sub>        |
| Printing color of order:                                     |   | Normal = 0<br>Reverse = 1 | <input type="checkbox"/> D <sub>4</sub>  |
| Print order to "Order 1 (printer connection table)" printer. | a | No = 0<br>Yes = 1         |  |
| Print order to "Order 2 (printer connection table)" printer. | b | No = 0<br>Yes = 2         | <input type="checkbox"/> (a+b+c)<br>D <sub>3</sub>                                     |
| Print order to "Order 3 (printer connection table)" printer. | c | No = 0<br>Yes = 4         |  |
| Always "00"  |   |                           | <input type="checkbox"/> 0 <input type="checkbox"/> 0<br>D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## Address code 17 (Bon receipt control)


| Description   | Choice             | Program code                            |
|---|--------------------|---|
| Number of Bon receipts (1 ~ 9)<br>(If "0", no Bon is issued.) | Significant number | <input type="checkbox"/> D <sub>1</sub> |

## Other address code

| Address code | Description   | Choice                     | Program code   |
|--------------|---|----------------------------|--|
| 18           | Single item control:<br>Normal receipt = 0, Single item receipt = 3                                   | Significant number         | <input type="checkbox"/>   |
| 19           | Price change registration is enable.<br>(Only effective for scanning PLU linked to this department)   | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/><br>(a+b+c)  |
|              | Multiplication registration is enable.<br>(Only effective for scanning PLU linked to this department) | b<br>No = 0<br>Yes = 2     |  |
|              | Compulsory input unit price manually.<br>(Only effective for scanning PLU linked to this department)  | c<br>No = 0<br>Yes = 4     |  |
| 01           | Normal/condiment/preparation<br>Normal item = 0, Condiment = 1, Preparation = 2                       | Significant number         | <input type="checkbox"/>   |
| 02           | Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/><br>(a+b+c)  |
|              | Disable operation in REG 2 mode.  | b<br>No = 0<br>Yes = 2     |  |
|              | Disable operation in REG 1 mode.  | c<br>No = 0<br>Yes = 4     |  |
| 03           | Taxable status:<br>See the status table of the batch feature programming section.                     | Significant numbers        | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |
| 05           | Enable 0 unit price.  | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/><br>(a+b+c)  |
|              | Enable negative price.  | b<br>No = 0<br>Yes = 2     |  |
|              | Hash  | c<br>No = 0<br>Yes = 4     |  |
| 07           | Low digit limitation (LDL) for manually entered unit price.   | Significant number         | <input type="checkbox"/>   |
| 04           | Multiple validation:<br>(If "No", validation is allowed only one time.)                               | a<br>Yes = 0<br>No = 1     | <input type="checkbox"/><br>(a+b+c)  |
|              | Print difference between the normal price and reduced price.  | b<br>No = 0<br>Yes = 2     |  |
|              | Open PLU (Only for PLU)   | c<br>No = 0<br>Yes = 4     |  |
| 09           | Commission 1  | a<br>No = 0<br>Yes = 1     | <input type="checkbox"/><br>(a+b+c)  |
|              | Commission 2  | b<br>No = 0<br>Yes = 2     |  |
|              | Prepared tax status (Canadian tax)  | c<br>Yes = 0<br>No = 4     |  |
| 10           | Compulsory number of condiment/preparation PLU input.   | Significant number (0 ~ 8) | <input type="checkbox"/>   |

## Transaction key program

### Programming procedure



### Program data

<CASH>, <CHARGE>, <CHECK>

| Description  | Choice                          | Program code   |
|--|---------------------------------|--|
| Restriction (to 0, 5) on last digit for amount tendered.<br>(Only effective for <CHARGE> or <CHECK>)                 | No = 0<br>Yes = 1               | <input type="checkbox"/><br>D <sub>12</sub>  |
| Allowable number of validation printing ("0" means no limitation)<br>*1 *2 *3 *4 *5                                  | Significant number<br>(0 ~ 9)   | <input type="checkbox"/><br>D <sub>11</sub>  |
| Force validation operation.<br>*1 *2 *3 *4 *5  | a<br>No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>                               |
| Restriction (to 00, 25, 50, 75) on last two digits for amount tendered<br>(Only for <CASH> in Danish rounding)<br>*5 | b<br>No = 0<br>Yes = 4          |  |
| Disable operation in RF/REG- mode.<br>*1 *4 *5   | a<br>No = 0<br>Yes = 1          |  |
| Disable operation in REG2 mode.<br>*1 *4 *5  | b<br>No = 0<br>Yes = 2          |  |
| Disable operation in REG1 mode.<br>*1 *4 *5  | c<br>No = 0<br>Yes = 4          |  |
| Force batch slip printing.<br>*1 *2 *4   | a<br>No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>8</sub>                              |
| Force check endorsement printing (Only for <CHECK>).<br>*3 *4 *5   | b<br>No = 0<br>Yes = 2          |  |
| Force check printing (Only for <CHECK>).<br>*3 *4 *5   | c<br>No = 0<br>Yes = 4          |  |
| Prohibit entry of a partial payment  | a<br>No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub>                              |
| Prohibit the entry of the amount tendered.   | b<br>No = 0<br>Yes = 2          |  |
| Force entry of the amount tendered.  | c<br>No = 0<br>Yes = 4          |  |
| Print VAT breakdown.<br>*1 *2 *4   | a<br>No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub>                              |
| Check cashing commission (Only for <CHECK>)<br>① Use an amount    ② Use a rate                                       | b<br>Amount = 0<br>Rate = 2     |  |
| Validation amount *3 *4<br>① Print subtotal amount    ② Print amount tendered  | c<br>Subtotal = 0<br>Tender = 4 |  |
| Perform Finnish rounding.  | No = 0<br>Yes = 4               | <input type="checkbox"/><br>D <sub>5</sub>   |
| High amount limit specification for subtotal and tendering amounts.<br>*3  | Maximum value<br>(0 ~ 9)        | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
|  | Number of zeros<br>(0 ~ 9)      |  |
| High amount limit specification for change amount due.   | Maximum value<br>(0 ~ 9)        | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |
|  | Number of zeros<br>(0 ~ 9)      |  |

\*1 Those are valid options for Auto Cash as well.

\*2 Those are valid options for Single item as well.

\*3 Those are valid options for Cashing a check as well.

\*4 Those are valid options for Currency exchange (include partial tender) as well.

\*5 Those are valid options for Media change (include partial tender) as well.

# Key function/machine feature (P3)

## <CREDIT>

| Description  | Choice   | Program code   |
|--|--|--|
| Restriction (to 0, 5) on last digit for amount tendered.             | No = 0<br>Yes = 1  | <input type="checkbox"/><br>D <sub>12</sub>  |
| Allowable number of validation printing ("0" means no limitation) *1 | Significant number<br>(0 ~ 9)                              | <input type="checkbox"/><br>D <sub>11</sub>  |
| Force validation operation. *1                                       | No = 0<br>Yes = 1  | <input type="checkbox"/><br>D <sub>10</sub>  |
| Disable operation in RF/REG- mode. *1                                | a<br>No = 0<br>Yes = 1                                     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              |
| Disable operation in REG2 mode. *1                                   | b<br>No = 0<br>Yes = 2                                     |  |
| Disable operation in REG1 mode. *1                                   | c<br>No = 0<br>Yes = 4                                     |  |
| Force batch slip printing.   | No = 0<br>Yes = 1  | <input type="checkbox"/><br>D <sub>8</sub>   |
| Prohibit entry of a partial payment                                  | a<br>No = 0<br>Yes = 1                                     | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub>                              |
| Prohibit the entry of the amount tendered.                           | b<br>No = 0<br>Yes = 2                                     |  |
| Force entry of the amount tendered.                                  | c<br>No = 0<br>Yes = 4                                     |  |
| Print VAT breakdown.   | a<br>No = 0<br>Yes = 1                                     | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>                                |
| Validation amount<br>① Print subtotal amount ② Print amount tendered | b<br>Subtotal = 0<br>Tender = 4                            |  |
| Perform Finnish rounding.  | No = 0<br>Yes = 4  | <input type="checkbox"/><br>D <sub>5</sub>   |
| High amount limit specification for subtotal and tendering amounts.  | Maximum value<br>(0 ~ 9)<br><br>Number of zeros<br>(0 ~ 9) | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Always "0"   |  | <input checked="" type="checkbox"/><br>D <sub>0</sub>                              |
| Specify credit in drawer total in the fixed totalizer. *1            | Significant number<br>(0 ~ 4)                              | <input type="checkbox"/><br>D <sub>1</sub>   |

\*1 Those are valid options for Media change (include partial tender) as well.

## <FOOD STAMP TENDER>, <EBT>

| Description  |   | Choice   | Program code   |
|--|---|--|--|
| Allowable number of validation printing ("0" means no limitation)    |   | Significant number (0 ~ 9)                       | <input type="checkbox"/> D <sub>11</sub>   |
| Force validation operation.  |   | No = 0<br>Yes = 1                                | <input type="checkbox"/> D <sub>10</sub>   |
| Disable operation in RF/REG- mode.                                   | a | No = 0<br>Yes = 1                                | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              |
| Disable operation in REG2 mode.                                      | b | No = 0<br>Yes = 2                                |  |
| Disable operation in REG1 mode.                                      | c | No = 0<br>Yes = 4                                |  |
| Force batch slip printing.   | a | No = 0<br>Yes = 1                                | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>                                |
| Prohibit over tendering. (only for <EBT>)                            | b | No = 0<br>Yes = 4                                |  |
| Always "0"   |   |  | <b>0</b><br>D <sub>7</sub>   |
| Print VAT breakdown.   | a | No = 0<br>Yes = 1                                | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>                                |
| Validation amount<br>① Print subtotal amount ② Print amount tendered | b | Subtotal = 0<br>Tender = 4                       |  |
| Always "0"   |   |  | <b>0</b><br>D <sub>5</sub>   |
| High amount limit specification for subtotal and tendering amounts.  |   | Maximum value (0 ~ 9)<br>Number of zeros (0 ~ 9) | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Always "00"  |   |  | <b>0</b> <b>0</b><br>D <sub>2</sub> D <sub>1</sub>                                 |

## <NEW BALANCE>

| Description  |   | Choice                     | Program code   |
|--|---|----------------------------|--|
| Allowable number of validation printing ("0" means no limitation)  |   | Significant number (0 ~ 9) | <input type="checkbox"/> D <sub>11</sub>   |
| Force validation operation.  | a | No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub>   |
| Cancel the transaction if no item is registered.   | b | No = 0<br>Yes = 4          |  |
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2          |  |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4          |  |
| Force batch slip printing.   | a | No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>  |
| Open drawer when the key is pressed.   | b | No = 0<br>Yes = 2          |  |
| No receipt is issued.  | c | No = 0<br>Yes = 4          |  |
| Function after normal (not in check tracking) registration:<br>Operation error = 0, Auto Cash = 1, New balance = 2 |   | Significant number         | <input type="checkbox"/> D <sub>7</sub>  |
| Print VAT breakdown.   | a | No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>  |
| Service charge<br>① Use an amount ② Use a rate   | b | Amount = 0<br>Rate = 2     |  |
| Always "00000"   |   |                            | <b>0</b> <b>0</b> <b>0</b> <b>0</b> <b>0</b><br>D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## <CHARACTER RECALL>, <CHARACTER PRINT>

| Description  | Choice                 | Program code  |
|--|------------------------|---|
| Disable operation in RF/REG- mode.   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.  | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.  | c<br>No = 0<br>Yes = 4 |   |
| Always "0"   |                        | <input checked="" type="checkbox"/><br>0<br>D <sub>8</sub>  |
| Disable to change mode switch after registration.<br>(only effective for <character recall>) | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>7</sub>   |
| Print characters on receipt, guest receipt, or slip.   | b<br>Yes = 0<br>No = 2 |   |
| Always "0000"  |                        | <input checked="" type="checkbox"/><br>0 0 0 0<br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> |
| Always "00"  |                        | <input checked="" type="checkbox"/><br>0 0<br>D <sub>2</sub> D <sub>1</sub>                                   |

## <TIP>

| Description   | Choice                 | Program code   |
|---|------------------------|--|
| Multiple validation<br>(If "No", only one validation printing is possible.)                       | Yes = 0<br>No = 4      | <input type="checkbox"/><br>D <sub>11</sub>  |
| Always "0"  |                        | <input checked="" type="checkbox"/><br>0<br>D <sub>10</sub>  |
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |  |
| Always "00000"  |                        | <input checked="" type="checkbox"/><br>0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> |
| High digit limitation (HDL) for manually entered unit price<br>("9" means NOT allow manual entry) | Significant number     | <input type="checkbox"/><br>D <sub>3</sub>   |
| Always "00"   |                        | <input checked="" type="checkbox"/><br>0 0<br>D <sub>2</sub> D <sub>1</sub>  |

**<LOAN>, <PICK UP>**

| Description   |   | Choice                     | Program code  |
|---|---|----------------------------|---|
| Restriction (to 0, 5) on last digit for amount tendered.            |   | No = 0<br>Yes = 1          | <input type="checkbox"/><br>D <sub>12</sub>                                   |
| Allowable number of validation printing ("0" means no limitation)   |   | Significant number (0 ~ 9) | <input type="checkbox"/><br>D <sub>11</sub>                                   |
| Force validation operation. (only effective after receipt issuance) |   | No = 0<br>Yes = 1          | <input type="checkbox"/><br>D <sub>10</sub>                                   |
| Disable operation in RF/REG- mode.                                  | a | No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                         |
| Disable operation in REG2 mode.                                     | b | No = 0<br>Yes = 2          |   |
| Disable operation in REG1 mode.                                     | c | No = 0<br>Yes = 4          |   |
| Always "0000"   |   |                            | <b>0 0 0 0</b><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> |
| High amount limit specification for entering amounts                |   | Maximum value (0 ~ 9)      | <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>                     |
|   |   | Number of zeros (0 ~ 9)    | <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>                     |
| Always "00"   |   |                            | <b>0 0</b><br>D <sub>2</sub> D <sub>1</sub>                                   |

**<RECEIVED ON ACCOUNT>, <PAID OUT>**

| Description   |   | Choice                     | Program code  |
|---|---|----------------------------|---|
| Allowable number of validation printing ("0" means no limitation) |   | Significant number (0 ~ 9) | <input type="checkbox"/><br>D <sub>11</sub>                                   |
| Force validation operation.                                       |   | No = 0<br>Yes = 1          | <input type="checkbox"/><br>D <sub>10</sub>                                   |
| Disable operation in RF/REG- mode.                                | a | No = 0<br>Yes = 1          | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                         |
| Disable operation in REG2 mode.                                   | b | No = 0<br>Yes = 2          |   |
| Disable operation in REG1 mode.                                   | c | No = 0<br>Yes = 4          |   |
| Always "0000"   |   |                            | <b>0 0 0 0</b><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> |
| High amount limit specification for entering amounts              |   | Maximum value (0 ~ 9)      | <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>                     |
|   |   | Number of zeros (0 ~ 9)    | <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>                     |
| Always "00"   |   |                            | <b>0 0</b><br>D <sub>2</sub> D <sub>1</sub>                                   |

These programmable options are not effective for the Euro function.

# Key function/machine feature (P3)

<+ (PLUS)>, <- (MINUS)>, <COUPON>

| Description  | Choice                 | Program code   |
|--|------------------------|--|
| Multiple validation (If "No", only one validation printing is possible.)                           | Yes = 0<br>No = 4      | <input type="checkbox"/><br>D <sub>11</sub>  |
| Always "0"   |                        | <b>0</b><br>D <sub>10</sub>  |
| Disable operation in RF/REG mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              |
| Disable operation in REG2 mode.  | b<br>No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.  | c<br>No = 0<br>Yes = 4 |  |
| Taxable status:<br>See below.  |                        | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
| Allow credit balance. (-, CPN only)  | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>6</sub>   |
| Always "0"   |                        | <b>0</b><br>D <sub>5</sub>   |
| Allow key operation after <SUBTOTAL>.  | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>                                |
| Allow key operation after item registration.   | b<br>Yes = 0<br>No = 4 |  |
| High digit limitation (HDL) for manually entered unit price<br>("9" means NOT allow manual entry.) | Significant number     | <input type="checkbox"/><br>D <sub>3</sub>   |
| Commission 1   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub>                              |
| Commission 2   | b<br>No = 0<br>Yes = 2 |  |
| Prepared tax status (Canadian tax)   | c<br>Yes = 0<br>No = 4 |  |
| Always "0"   |                        | <b>0</b><br>D <sub>1</sub>   |

## Taxable status

for the U.S./Singapore

|  |                        |   |
|--|------------------------|---|
| Food stamp (for Singapore, always "0") | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>8</sub>            |
| Taxable 1 status                       | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub> |
| Taxable 2 status                       | b<br>No = 0<br>Yes = 2 |   |
| Taxable 3 status                       | c<br>No = 0<br>Yes = 4 |   |

for Canada

|   |   |  |                    |  |
|---|---|--|--------------------|--|
| Donuts status (D <sub>8</sub> D <sub>7</sub> =”99” means donuts and all taxable.) | No = 0<br>Yes = 1                                   | <input type="checkbox"/><br>D <sub>8</sub>                 |                    |  |
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2                                     | Taxable 3 = 3<br>Taxable 4 = 4<br>Taxable 1 & 2 = 5 | Taxable 1 & 3 = 6<br>Taxable 1 & 4 = 7<br>All taxable = 99 | Significant number | <input type="checkbox"/><br>D <sub>7</sub> |

for Other area

|  |  |   |                     |  |
|--|--|---|---------------------|--|
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2<br>Taxable 3 = 3 | Taxable 4 = 4<br>Taxable 5 = 5<br>Taxable 6 = 6<br>Taxable 7 = 7 | Taxable 8 = 8<br>Taxable 9 = 9<br>Taxable 10 = 10<br>All taxable = 99 | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
|--|--|---|---------------------|--|

## &lt;DEPOSIT&gt;

| Description   | Choice   | Program code   |
|---|--|--|
| Restriction (to 0, 5) on last digit for amount tendered.  | No = 0<br>Yes = 1  | <input type="checkbox"/> D <sub>12</sub>   |
| Always "0"  |  | <input checked="" type="checkbox"/> 0<br>D <sub>11</sub>                           |
| Force validation operation.<br>(only effective after receipt issuance)  | a<br>No = 0<br>Yes = 1                                     | <input type="checkbox"/><br>(a+b)<br>D <sub>10</sub>                               |
| Multiple validation (If "No," only one validation is possible.)   | b<br>No = 0<br>Yes = 4                                     |  |
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1                                     |  |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2                                     |  |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4                                     |  |
| Always "0"  |  | <input checked="" type="checkbox"/> 0<br>D <sub>8</sub>                            |
| Key attribution   | DEPO+ = 0<br>DEPO- = 1                                     | <input type="checkbox"/> D <sub>7</sub>  |
| Open cash drawer.   | No = 0<br>Yes = 2  | <input type="checkbox"/> D <sub>6</sub>  |
| Media definition:<br>Cash = 0, Charge = 1, Check = 2,<br>Credit 1 = 3, Credit 2 = 4, Credit 3 = 5, Credit 4 = 6 | Significant<br>number                                      | <input type="checkbox"/> D <sub>5</sub>  |
| High amount limit specification for entering amounts  | Maximum value<br>(0 ~ 9)<br><br>Number of zeros<br>(0 ~ 9) | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Always "00"   |  | <input checked="" type="checkbox"/> 0 0<br>D <sub>2</sub> D <sub>1</sub>           |

# Key function/machine feature (P3)

## <PREVIOUS BALANCE>

| Description  | Choice                  | Program code  |
|--|-------------------------|---|
| Multiple validation (If "No", only one validation printing is possible.)                           | Yes = 0<br>No = 4       | <input type="checkbox"/><br>D <sub>11</sub>   |
| Always "0"   |                         | <input checked="" type="checkbox"/><br>0<br>D <sub>10</sub>                           |
| Disable operation in RF/REG- mode.   | a<br>No = 0<br>Yes = 1  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                                 |
| Disable operation in REG2 mode.  | b<br>No = 0<br>Yes = 2  |   |
| Disable operation in REG1 mode.  | c<br>No = 0<br>Yes = 4  |   |
| Taxable status:<br>See below.  |                         | <input type="checkbox"/><br><input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
| Key attribution  | a<br>PB+ = 0<br>PB- = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>                                   |
| Print when registered.   | b<br>Yes = 0<br>No = 4  |   |
| Always "00"  |                         | <input checked="" type="checkbox"/><br>0 0<br>D <sub>5</sub> D <sub>4</sub>           |
| High digit limitation (HDL) for manually entered unit price<br>("9" means NOT allow manual entry.) | Significant number      | <input type="checkbox"/><br>D <sub>3</sub>  |
| Prepared tax status (Canadian tax)   | Yes = 0<br>No = 4       | <input type="checkbox"/><br>D <sub>2</sub>  |
| Always "0"   |                         | <input checked="" type="checkbox"/><br>0<br>D <sub>1</sub>                            |

## Taxable status

for the U.S./Singapore

|  |                        |   |
|--|------------------------|---|
| Food stamp (for Singapore, always "0") | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>8</sub>            |
| Taxable 1 status                       | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub> |
| Taxable 2 status                       | b<br>No = 0<br>Yes = 2 |   |
| Taxable 3 status                       | c<br>No = 0<br>Yes = 4 |   |

for Canada

|   |   |  |                    |  |
|---|---|--|--------------------|--|
| Donuts status (D <sub>8</sub> D <sub>7</sub> ="99" means donuts and all taxable.) | No = 0<br>Yes = 1                                   | <input type="checkbox"/><br>D <sub>8</sub>                 |                    |  |
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2                                     | Taxable 3 = 3<br>Taxable 4 = 4<br>Taxable 1 & 2 = 5 | Taxable 1 & 3 = 6<br>Taxable 1 & 4 = 7<br>All taxable = 99 | Significant number | <input type="checkbox"/><br>D <sub>7</sub> |

for Other area

|  |  |   |                     |   |
|--|--|---|---------------------|---|
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2<br>Taxable 3 = 3 | Taxable 4 = 4<br>Taxable 5 = 5<br>Taxable 6 = 6<br>Taxable 7 = 7 | Taxable 8 = 8<br>Taxable 9 = 9<br>Taxable 10 = 10<br>All taxable = 99 | Significant numbers | <input type="checkbox"/><br><input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
|--|--|---|---------------------|---|

## &lt;PREMIUM (%+)&gt;, &lt;DISCOUNT (%-)&gt;

| Description   | Choice                 | Program code  |
|---|------------------------|---|
| Multiple validation<br>(If "No", only one validation printing is possible.) | Yes = 0<br>No = 4      | <input type="checkbox"/><br>D <sub>11</sub>   |
| Always "0"  |                        | <b>0</b><br>D <sub>10</sub>   |
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                                 |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |   |
| Taxable status:<br>See below.   |                        | <input type="checkbox"/><br><input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
| Prohibit manual rate override.  | No = 0<br>Yes = 2      | <input type="checkbox"/><br>D <sub>6</sub>  |
| Rounding:<br>Round off = 0, cut off = 1, round up = 2                       | Significant<br>number  | <input type="checkbox"/><br>D <sub>5</sub>  |
| Allow key operation after <SUBTOTAL>.                                       | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>                                   |
| Allow key operation after item registration.                                | b<br>Yes = 0<br>No = 4 |   |
| Always "0"  |                        | <b>0</b><br>D <sub>3</sub>  |
| Commission 1  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub>                                 |
| Commission 2  | b<br>No = 0<br>Yes = 2 |   |
| Prepared tax status (Canadian tax)  | c<br>Yes = 0<br>No = 4 |   |
| Always "0"  |                        | <b>0</b><br>D <sub>1</sub>  |

## Taxable status

for the U.S./Singapore

|  |                        |   |
|--|------------------------|---|
| Food stamp (for Singapore, always "0") | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>8</sub>            |
| Taxable 1 status                       | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub> |
| Taxable 2 status                       | b<br>No = 0<br>Yes = 2 |   |
| Taxable 3 status                       | c<br>No = 0<br>Yes = 4 |   |

for Canada

|   |   |  |                       |  |
|---|---|--|-----------------------|--|
| Donuts status (D <sub>8</sub> D <sub>7</sub> =“99” means donuts and all taxable.) | No = 0<br>Yes = 1                                   | <input type="checkbox"/><br>D <sub>8</sub> |                       |  |
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2                                     | Taxable 3 = 3<br>Taxable 4 = 4<br>Taxable 1 & 2 = 5 | Taxable 1 & 3 = 6<br>Taxable 1 & 4 = 7     | Significant<br>number | <input type="checkbox"/><br>D <sub>7</sub> |

for Other area

|  |  |   |                        |   |
|--|--|---|------------------------|---|
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2<br>Taxable 3 = 3 | Taxable 4 = 4<br>Taxable 5 = 5<br>Taxable 6 = 6<br>Taxable 7 = 7 | Taxable 8 = 8<br>Taxable 9 = 9<br>Taxable 10 = 10<br>All taxable = 99 | Significant<br>numbers | <input type="checkbox"/><br><input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
|--|--|---|------------------------|---|

# Key function/machine feature (P3)

## <RATE TAX>

| Description   |   | Choice            | Program code   |
|---|---|-------------------|--|
| Disable operation in RF/REG- mode.                    | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.                       | b | No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.                       | c | No = 0<br>Yes = 4 |  |
| Always "00"   |   |                   | <input type="checkbox"/><br>0 0<br>D <sub>8</sub> D <sub>7</sub>                                   |
| Prohibit manual entry.                                |   |                   | <input type="checkbox"/><br>D <sub>6</sub>   |
| Rounding:<br>Round off = 0, cut off = 1, round up = 2 |   |                   | <input type="checkbox"/><br>Significant number<br>D <sub>5</sub>                                   |
| Always "0000"   |   |                   | <input type="checkbox"/><br>0 0 0 0<br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## <MANUAL TAX>

| Description  |   | Choice            | Program code  |
|--|---|-------------------|---|
| Multiple validation<br>(If "No", only one validation printing is possible.)                        |   |                   | <input type="checkbox"/><br>Yes = 0<br>No = 4<br>D <sub>11</sub>  |
| Always "0"   |   |                   | <input type="checkbox"/><br>0<br>D <sub>10</sub>  |
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4 |   |
| Always "00000"   |   |                   | <input type="checkbox"/><br>0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> |
| High digit limitation (HDL) for manually entered unit price<br>("9" means NOT allow manual entry.) |   |                   | <input type="checkbox"/><br>Significant number<br>D <sub>3</sub>  |
| Always "00"  |   |                   | <input type="checkbox"/><br>0 0<br>D <sub>2</sub> D <sub>1</sub>  |

## <ERROR CORRECTION/CANCEL>

| Description  |   | Choice            | Program code  |
|--|---|-------------------|---|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4 |   |
| Always "0000000"   |   |                   | <input type="checkbox"/><br>0 0 0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> |
| A range of cancellation:<br>① Complete cancellation/② Current receipt only |   |                   | <input type="checkbox"/><br>② = 0<br>① = 1<br>D <sub>1</sub>  |

These programmable options are not effective for error correction function.

## &lt;VOID&gt;

| Description   |   | Choice            | Program code  |
|---|---|-------------------|---|
| Disable operation in RF/REG- mode.  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.   | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.   | c | No = 0<br>Yes = 4 |   |
| Always "0000000"  |   |                   | <input type="checkbox"/><br>0 0 0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> |
| A range of item correction:<br>① From the beginning of this transaction<br>② Current receipt only | a | ② = 0<br>① = 1    | <input type="checkbox"/><br>(a+b)<br>D <sub>1</sub>   |
| Affect stock quantity   | b | Yes = 0<br>No = 2 |   |

## &lt;RECEIPT&gt;

| Description  |   | Choice              | Program code   |
|--|---|---------------------|--|
| Maximum number of post receipts (0 ~ 9)<br>("0" means 1 post receipt.)   |   | Significant number  | <input type="checkbox"/><br>D <sub>12</sub>                        |
| Always "00"  |   |                     | <input type="checkbox"/><br>0 0<br>D <sub>11</sub> D <sub>10</sub> |
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>              |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2   |  |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4   |  |
| Always "0"   |   |                     | <input type="checkbox"/><br>0<br>D <sub>8</sub>                    |
| Print current time on guest receipt.   |   | No = 0<br>Yes = 4   | <input type="checkbox"/><br>D <sub>7</sub>                         |
| Clear finalized check.   |   | Yes = 0<br>No = 1   | <input type="checkbox"/><br>D <sub>6</sub>                         |
| Always "0"   |   |                     | <input type="checkbox"/><br>0<br>D <sub>5</sub>                    |
| Print journal when receipt is issued by <RECEIPT>.   |   | No = 0<br>Yes = 1   | <input type="checkbox"/><br>D <sub>4</sub>                         |
| Receipt is issued by:<br>•"Receipt 1 (printer connection table)" = 0<br>•"Receipt 2 (printer connection table)" = 1<br>•"Receipt 3 (printer connection table)" = 2 |   | Significant number  | <input type="checkbox"/><br>D <sub>3</sub>                         |
| Line number of guest bottom message (00 ~ 10):<br>("00" means no bottom message.)  |   | Significant numbers | <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub>          |

## Key function/machine feature (P3)

### <CHECK ENDORSEMENT>

| Description   | Choice                 | Program code  |
|---|------------------------|---|
| Disable operation in RF/REG- mode.                    | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.                       | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.                       | c<br>No = 0<br>Yes = 4 |   |
| Always “0”  |                        | <input type="checkbox"/><br>D <sub>8</sub>  |
| Line number of auto-back feed before printing (0 ~ 9) | Significant number     | <input type="checkbox"/><br>D <sub>7</sub>  |
| Always “000000”                                       |                        | <input type="checkbox"/><br>D <sub>6</sub> <input type="checkbox"/><br>D <sub>5</sub> <input type="checkbox"/><br>D <sub>4</sub> <input type="checkbox"/><br>D <sub>3</sub> <input type="checkbox"/><br>D <sub>2</sub> <input type="checkbox"/><br>D <sub>1</sub> |

### <NON ADD (#)>, <NON ADD (#)/NO SALE>

| Description   | Choice                 | Program code  |
|---|------------------------|---|
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |   |
| Always “0”  |                        | <input type="checkbox"/><br>D <sub>8</sub>  |
| Allow mode change or clerk change after non-add registration as first transaction.<br>(only for non-add function) | Yes = 0<br>No = 1      | <input type="checkbox"/><br>D <sub>7</sub>  |
| Always “0000”   |                        | <input type="checkbox"/><br>D <sub>6</sub> <input type="checkbox"/><br>D <sub>5</sub> <input type="checkbox"/><br>D <sub>4</sub> <input type="checkbox"/><br>D <sub>3</sub> |
| Always “00”   |                        | <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub>   |

## &lt;CUSTOMER&gt;

| Description   |   | Choice             | Program code   |
|---|---|--------------------|--|
| Disable operation in RF/REG- mode.  | a | No = 0<br>Yes = 1  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.   | b | No = 0<br>Yes = 2  |  |
| Disable operation in REG1 mode.   | c | No = 0<br>Yes = 4  |  |
| Always "0"  |   |                    | <input type="checkbox"/><br>0<br>D <sub>8</sub>  |
| Input method:<br>Allow replacement = 0, Prohibit replacement = 1, Add enter value = 2 |   | Significant number | <input type="checkbox"/><br>D <sub>7</sub>   |
| Always "000000"   |   |                    | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## &lt;ARRANGEMENT&gt;

| Description                                 |   | Choice              | Program code   |
|---|---|---------------------|--|
| Secret code (0000 ~ 9999)                   |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>14</sub> D <sub>13</sub> D <sub>12</sub> D <sub>11</sub>   |
| Enable operation in X1 mode.                | a | Yes = 0<br>No = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub>   |
| Enable operation in Z1 mode.                | b | Yes = 0<br>No = 2   |  |
| Enable operation in X2/Z2 mode.             | c | Yes = 0<br>No = 4   |  |
| Enable operation in RF/REG- mode.           | a | Yes = 0<br>No = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Enable operation in REG2 mode.              | b | Yes = 0<br>No = 2   |  |
| Enable operation in REG1 mode.              | c | Yes = 0<br>No = 4   |  |
| Always "0"                                  |   |                     | <input type="checkbox"/><br>0<br>D <sub>8</sub>  |
| Treat numeric entry as arrange table number |   | No = 0<br>Yes = 1   | <input type="checkbox"/><br>D <sub>7</sub>   |
| Arrangement table link number               |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## <CURRENCY EXCHANGE>

| Description  | Choice                        | Program code              |
|--|-------------------------------|---------------------------|
| Disable operation in RF/REG- mode.                                     | a<br>No = 0<br>Yes = 1        | (a+b+c)<br>D <sub>9</sub> |
| Disable operation in REG2 mode.  | b<br>No = 0<br>Yes = 2        |                           |
| Disable operation in REG1 mode.  | c<br>No = 0<br>Yes = 4        |                           |
| Always "0"   |                               | 0<br>D <sub>8</sub>       |
| Define amount symbol. (0, 1 ~ 4)<br>("0" means local currency symbol.) | Significant number            | □<br>D <sub>7</sub>       |
| Define foreign currency totalizer. (0, 1 ~ 4)<br>("0" treats as "1".)  | Significant number            | □<br>D <sub>6</sub>       |
| Rounding:<br>Round off = 0, cut off = 1, round up = 2                  | Significant number            | □<br>D <sub>5</sub>       |
| Always "0"   |                               | 0<br>D <sub>4</sub>       |
| Monetary mode (0 ~ 9):<br>000 = 2, 00 = 1, 0 = 0, 0000 = 3             | Significant number            | □<br>D <sub>3</sub>       |
| Monetary symbol for decimal  | a<br>Decimal = 0<br>Comma = 1 | (a+b)<br>D <sub>2</sub>   |
| Monetary symbol for separator  | b<br>Comma = 0<br>Decimal = 4 |                           |
| Assigning drawer number: 0 ~ 2<br>("0" means drawer 1.)                | Significant number (0 ~ 2)    | □<br>D <sub>1</sub>       |

## <BILL>

| Description  | Choice                 | Program code  |
|--|------------------------|---|
| Disable operation in RF/REG- mode.   | a<br>No = 0<br>Yes = 1 | (a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.  | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.  | c<br>No = 0<br>Yes = 4 |   |
| Always "00000"   |                        | 0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> |
| Receipt is issued by:<br>•"Receipt 1 (printer connection table)" = 0<br>•"Receipt 2 (printer connection table)" = 1<br>•"Receipt 3 (printer connection table)" = 2 | Significant number     | □<br>D <sub>3</sub>   |
| Always "00"  |                        | 0 0<br>D <sub>2</sub> D <sub>1</sub>  |

## &lt;SLIP&gt;

| Description  |   | Choice            | Program code   |
|--|---|-------------------|--|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1 | (a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4 |  |
| Always "0"   |   |                   | <input checked="" type="checkbox"/> D <sub>8</sub>   |
| Force slip batch printing from the beginning of the transaction.<br>(If "No", controlled by general function.) | a | No = 0<br>Yes = 1 | (a+b)<br>D <sub>7</sub>  |
| Print issuing time<br>(only effective when slip is printed from the beginning of the transaction).             | b | No = 0<br>Yes = 4 |  |
| Clear finalized check.   |   | Yes = 0<br>No = 1 | <input type="checkbox"/> D <sub>6</sub>  |
| Always "0"   |   |                   | <input checked="" type="checkbox"/> D <sub>5</sub>   |
| Print journal when slip is printed.  |   | No = 0<br>Yes = 1 | <input type="checkbox"/> D <sub>4</sub>  |
| Always "000"   |   |                   | <input checked="" type="checkbox"/> D <sub>3</sub> <input checked="" type="checkbox"/> D <sub>2</sub> <input checked="" type="checkbox"/> D <sub>1</sub> |

## &lt;TAX SHIFT&gt;, &lt;TAXABLE SUBTOTAL&gt;

| Description   |   | Choice              | Program code  |
|---|---|---------------------|---|
| Maintain of tax shift:<br>① Do not maintain.<br>② Until next tax shift specification. |   | ① = 0<br>② = 1      | <input type="checkbox"/> D <sub>7</sub>   |
| Disable operation in RF/REG- mode.  | a | No = 0<br>Yes = 1   | (a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.   | b | No = 0<br>Yes = 2   |   |
| Disable operation in REG1 mode.   | c | No = 0<br>Yes = 4   |   |
| Taxable status (00, 01 ~ 10)<br>("00" means taxable 1.)                               |   | Significant numbers | <input type="checkbox"/> D <sub>8</sub> <input type="checkbox"/> D <sub>7</sub>   |
| Always "000000"   |   |                     | <input checked="" type="checkbox"/> D <sub>6</sub> <input checked="" type="checkbox"/> D <sub>5</sub> <input checked="" type="checkbox"/> D <sub>4</sub> <input checked="" type="checkbox"/> D <sub>3</sub> <input checked="" type="checkbox"/> D <sub>2</sub> <input checked="" type="checkbox"/> D <sub>1</sub> |

# Key function/machine feature (P3)

## <EXEMPT>

| Description  |   | Choice              | Program code   |
|--|---|---------------------|--|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1   |  |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2   |  |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4   |  |
| • U.S., Singapore:   |   |                     |  |
| Exempt tax 1   | a | Yes = 0<br>No = 1   | <input type="checkbox"/> 0<br>D <sub>8</sub>   |
| Exempt tax 2   | b | Yes = 0<br>No = 2   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Exempt tax 3   | c | Yes = 0<br>No = 4   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub>  |
| • Canada:  |   |                     |  |
| Not exempt donuts tax = 0<br>Exempt donuts tax 1 = 1   |   | Significant number  | <input type="checkbox"/><br>D <sub>8</sub>   |
| Exempt all (tax 1 ~ 4) = 0<br>Exempt tax 1 = 1, Exempt tax 2 = 2, Exempt tax 3 = 3,<br>Exempt tax 4 = 4, Exempt tax 5 = 5, Exempt tax 6 = 6,<br>Exempt tax 1 & 3 = 6, Exempt tax 1 & 4 = 7   |   | Significant number  | <input type="checkbox"/><br>D <sub>7</sub>   |
| • Other area   |   |                     |  |
| Exempt all (tax 1 ~ 10) = 00<br>Exempt tax 1 = 01, Exempt tax 2 = 02, Exempt tax 3 = 03,<br>Exempt tax 4 = 04, Exempt tax 5 = 05, Exempt tax 6 = 06,<br>Exempt tax 7 = 07, Exempt tax 8 = 08, Exempt tax 9 = 09,<br>Exempt tax 10 = 10 |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub>                               |
| Exempt add-in tax from subtotal amount.  |   | No = 0<br>Yes = 1   | <input type="checkbox"/><br>D <sub>6</sub>   |
| Always "00000"   |   |                     | <input type="checkbox"/> 0 0 0 0 0<br>D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## <MENU>

| Description  |   | Choice             | Program code  |
|--|---|--------------------|---|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1  |   |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2  |   |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4  |   |
| Always "0"   |   |                    |   |
| Define assigning menu sheet number. (0, 1 ~ 6)<br>(If you set "0", menu sheets are assigned one by one.) |   | Significant number | <input type="checkbox"/><br>D <sub>7</sub>  |
| Always "000000"  |   |                    | <input type="checkbox"/> 0 0 0 0 0 0<br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## <OPEN>

| Description                        |   | Choice            | Program code  |
|------------------------------------|---|-------------------|---|
| Disable operation in RF/REG- mode. | a | No = 0<br>Yes = 1 |   |
| Disable operation in REG2 mode.    | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.    | c | No = 0<br>Yes = 4 |   |
| Always "0"                         |   |                   |   |
| Release "High amount limit."       |   | No = 0<br>Yes = 1 | <input type="checkbox"/><br>D <sub>7</sub>  |
| Always "000000"                    |   |                   | <input type="checkbox"/> 0 0 0 0 0 0<br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## &lt;OPEN2&gt;

| Description   | Choice                 | Program code  |
|---|------------------------|---|
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub> |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |   |
| Always "0"  |                        | <input type="checkbox"/> 0<br>D <sub>8</sub>          |
| Release customer number compulsory.   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub> |
| Release table number compulsory.  | b<br>Yes = 0<br>No = 2 |   |
| Release check number compulsory.  | c<br>Yes = 0<br>No = 4 |   |
| Release credit balance error.<br>(If "Yes," you can finalize the transaction even if the subtotal is negative.) | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>6</sub> |
| Release tax calculation compulsory before finalizing.   | b<br>Yes = 0<br>No = 2 |   |
| Release guest receipt compulsory.   | c<br>Yes = 0<br>No = 4 |   |
| Release validation compulsory.  | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub> |
| Release check endorsement compulsory.   | b<br>Yes = 0<br>No = 2 |   |
| Release check print compulsory.   | c<br>Yes = 0<br>No = 4 |   |
| Release slip auto batch print compulsory. (programmed by clerk)   | a<br>Yes = 0<br>No = 2 | <input type="checkbox"/><br>(a+b)<br>D <sub>4</sub>   |
| Release slip manual batch print compulsory. (programmed by finalize key)  | b<br>Yes = 0<br>No = 4 |   |
| Release condiment compulsory.   | Yes = 0<br>No = 1      | <input type="checkbox"/> D <sub>3</sub>               |
| Release eat-in/takeout compulsory.  | Yes = 0<br>No = 2      | <input type="checkbox"/> D <sub>2</sub>               |
| Always "0"  |                        | <input type="checkbox"/> 0<br>D <sub>1</sub>          |

## &lt;PRICE SHIFT&gt;

| Description   | Choice                 | Program code  |
|---|------------------------|---|
| Disable operation in RF/REG- mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |   |
| Always "0"  |                        | <input type="checkbox"/> 0<br>D <sub>8</sub>  |
| Define assigning price shift number. (0, 1 ~ 3)<br>(If you set "0", price shift numbers are assigned one by one.) | Significant number     | <input type="checkbox"/> D <sub>7</sub>   |
| Always "000000"   |                        | <input type="checkbox"/> 0 0 0 0 0 0<br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## <REVIEW>

| Description   | Choice                 | Program code  |                |                |                |                |   |   |   |                |                |                |                |                |                |                |
|---|------------------------|---|----------------|----------------|----------------|----------------|---|---|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Disable operation in RF/REG– mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |                |                |                |                |   |   |   |                |                |                |                |                |                |                |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |   |                |                |                |                |   |   |   |                |                |                |                |                |                |                |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |   |                |                |                |                |   |   |   |                |                |                |                |                |                |                |
| The reviewed range of item:<br>① From the beginning of this transaction<br>② Current receipt only | ② = 0<br>① = 1         | <input type="checkbox"/><br>(a+b)<br>D <sub>8</sub>   |                |                |                |                |   |   |   |                |                |                |                |                |                |                |
| Display “Check number”, “Table number”, and “Customer number”.                                    | No = 0<br>Yes = 2      |   |                |                |                |                |   |   |   |                |                |                |                |                |                |                |
| Always “0000000”  |                        | <table border="1" style="display: inline-table;"><tr><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></tr><tr><td>D<sub>7</sub></td><td>D<sub>6</sub></td><td>D<sub>5</sub></td><td>D<sub>4</sub></td><td>D<sub>3</sub></td><td>D<sub>2</sub></td><td>D<sub>1</sub></td></tr></table> | 0              | 0              | 0              | 0              | 0 | 0 | 0 | D <sub>7</sub> | D <sub>6</sub> | D <sub>5</sub> | D <sub>4</sub> | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |
| 0   | 0                      | 0   | 0              | 0              | 0              | 0              |   |   |   |                |                |                |                |                |                |                |
| D <sub>7</sub>  | D <sub>6</sub>         | D <sub>5</sub>  | D <sub>4</sub> | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |   |   |   |                |                |                |                |                |                |                |

## <CLERK NUMBER>

| Description   | Choice                 | Program code  |                |   |   |   |                |                |                |                |
|---|------------------------|---|----------------|---|---|---|----------------|----------------|----------------|----------------|
| Disable operation in RF/REG– mode.                                    | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |                |   |   |   |                |                |                |                |
| Disable operation in REG2 mode.                                       | b<br>No = 0<br>Yes = 2 |   |                |   |   |   |                |                |                |                |
| Disable operation in REG1 mode.                                       | c<br>No = 0<br>Yes = 4 |   |                |   |   |   |                |                |                |                |
| Always “0000”   |                        | <table border="1" style="display: inline-table;"><tr><td>0</td><td>0</td><td>0</td><td>0</td></tr><tr><td>D<sub>8</sub></td><td>D<sub>7</sub></td><td>D<sub>6</sub></td><td>D<sub>5</sub></td></tr></table> | 0              | 0 | 0 | 0 | D <sub>8</sub> | D <sub>7</sub> | D <sub>6</sub> | D <sub>5</sub> |
| 0   | 0                      | 0   | 0              |   |   |   |                |                |                |                |
| D <sub>8</sub>  | D <sub>7</sub>         | D <sub>6</sub>  | D <sub>5</sub> |   |   |   |                |                |                |                |
| Clerk secret number (0000 ~ 9999)<br>("0000" means no secret number.) | Significant numbers    | <table border="1" style="display: inline-table;"><tr><td></td><td></td><td></td><td></td></tr><tr><td>D<sub>4</sub></td><td>D<sub>3</sub></td><td>D<sub>2</sub></td><td>D<sub>1</sub></td></tr></table>     |                |   |   |   | D <sub>4</sub> | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |
|   |                        |   |                |   |   |   |                |                |                |                |
| D <sub>4</sub>  | D <sub>3</sub>         | D <sub>2</sub>  | D <sub>1</sub> |   |   |   |                |                |                |                |

## <OPERATOR X/Z>

| Description   | Choice                              | Program code  |                |                |                |   |   |   |                |                |                |                |                |                |
|---|-------------------------------------|---|----------------|----------------|----------------|---|---|---|----------------|----------------|----------------|----------------|----------------|----------------|
| Disable operation in RF/REG– mode.                    | a<br>No = 0<br>Yes = 1              | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |                |                |                |   |   |   |                |                |                |                |                |                |
| Disable operation in REG2 mode.                       | b<br>No = 0<br>Yes = 2              |   |                |                |                |   |   |   |                |                |                |                |                |                |
| Disable operation in REG1 mode.                       | c<br>No = 0<br>Yes = 4              |   |                |                |                |   |   |   |                |                |                |                |                |                |
| Always “0”  |                                     | <table border="1" style="display: inline-table;"><tr><td>0</td></tr><tr><td>D<sub>8</sub></td></tr></table>   | 0              | D <sub>8</sub> |                |   |   |   |                |                |                |                |                |                |
| 0   |                                     |   |                |                |                |   |   |   |                |                |                |                |                |                |
| D <sub>8</sub>  |                                     |   |                |                |                |   |   |   |                |                |                |                |                |                |
| Issue consolidation report./Issue stand-alone report. | Standalone = 0<br>Consolidation = 1 | <input type="checkbox"/><br>D <sub>7</sub>  |                |                |                |   |   |   |                |                |                |                |                |                |
| Always “000000”                                       |                                     |   |                |                |                |   |   |   |                |                |                |                |                |                |
|   |                                     | <table border="1" style="display: inline-table;"><tr><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></tr><tr><td>D<sub>6</sub></td><td>D<sub>5</sub></td><td>D<sub>4</sub></td><td>D<sub>3</sub></td><td>D<sub>2</sub></td><td>D<sub>1</sub></td></tr></table> | 0              | 0              | 0              | 0 | 0 | 0 | D <sub>6</sub> | D <sub>5</sub> | D <sub>4</sub> | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |
| 0   | 0                                   | 0   | 0              | 0              | 0              |   |   |   |                |                |                |                |                |                |
| D <sub>6</sub>  | D <sub>5</sub>                      | D <sub>4</sub>  | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |   |   |   |                |                |                |                |                |                |

### <TRAY TOTAL>

| Description  | Choice                       | Program code   |
|--|------------------------------|--|
| Allowable number of validation printing<br>(“0” means no limitation) | Significant number<br>(0 ~9) | <input type="checkbox"/><br>D <sub>11</sub>  |
| Force validation operation   | No = 0<br>Yes = 1            | <input type="checkbox"/><br>D <sub>10</sub>  |
| Disable operation in RF/REG– mode.                                   | a<br>No = 0<br>Yes = 1       | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.                                      | b<br>No = 0<br>Yes = 2       |  |
| Disable operation in REG1 mode.                                      | c<br>No = 0<br>Yes = 4       |  |
| Always “00”  |                              | <input type="checkbox"/> 0<br>D <sub>8</sub> <input type="checkbox"/> 0<br>D <sub>7</sub>  |
| Include add-on tax.  | a<br>Yes = 0<br>No = 1       | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>  |
| Print tray total when <TRAY TOTAL> is pressed.                       | b<br>No = 0<br>Yes = 4       |  |
| Always “00000”   |                              | <input type="checkbox"/> 0 <input type="checkbox"/> 0 <input type="checkbox"/> 0 <input type="checkbox"/> 0 <input type="checkbox"/> 0<br>D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

### <SUBTOTAL>, <MERCHANDISE SUBTOTAL>

| Description   | Choice                 | Program code   |
|---|------------------------|--|
| Multiple validation<br>(If “No”, only one validation printing is possible.) | Yes = 0<br>No = 4      | <input type="checkbox"/><br>D <sub>11</sub>  |
| Always “0”  |                        | <input type="checkbox"/><br>D <sub>10</sub>  |
| Disable operation in RF/REG– mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.   | b<br>No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.   | c<br>No = 0<br>Yes = 4 |  |
| Always “00”   |                        | <input type="checkbox"/> 0 <input type="checkbox"/> 0<br>D <sub>8</sub> D <sub>7</sub>   |
| Include add-on tax. (<SUBTOTAL> only)                                       | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>  |
| Print when key is pressed.  | b<br>No = 0<br>Yes = 4 |  |
| Always “00000”  |                        | <input type="checkbox"/> 0 <input type="checkbox"/> 0 <input type="checkbox"/> 0 <input type="checkbox"/> 0 <input type="checkbox"/> 0<br>D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## Key function/machine feature (P3)

<MULTIPLICATION>, <QUANTITY/FOR>, <SQUARE>, <CUBE>

| Description   |   | Choice             | Program code  |
|---|---|--------------------|---|
| Disable operation in RF/REG- mode.  | a | No = 0<br>Yes = 1  | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.   | b | No = 0<br>Yes = 2  |   |
| Disable operation in REG1 mode.   | c | No = 0<br>Yes = 4  |   |
| Always "00"   |   |                    | <input type="checkbox"/> 0<br>D <sub>8</sub> D <sub>7</sub>                                     |
| Multiplication procedure: (<KETTEN BON> and <X> only)<br>① Quantity × Amount, ② Amount × Quantity |   | ① = 0<br>② = 1     | <input type="checkbox"/><br>D <sub>6</sub>  |
| Rounding:<br>Round off = 0, cut off = 1, round up = 2   |   | Significant number | <input type="checkbox"/><br>D <sub>5</sub>  |
| Always "0000"   |   |                    | <input type="checkbox"/> 0 0 0 0<br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

<NEW CHECK>, <NEW/OLD CHECK>

| Description                        |   | Choice            | Program code  |
|------------------------------------|---|-------------------|---|
| Disable operation in RF/REG- mode. | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.    | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.    | c | No = 0<br>Yes = 4 |   |
| Always "0"                         |   |                   | <input type="checkbox"/> 0<br>D <sub>8</sub>  |
| Enable auto check assignment       |   | No = 0<br>Yes = 1 | <input type="checkbox"/><br>D <sub>7</sub>  |
| Always "000000"                    |   |                   | <input type="checkbox"/> 0 0 0 0 0 0<br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## <PRICE CHANGE>

| Description  |   | Choice             | Program code  |
|--|---|--------------------|---|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1  | (a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2  |   |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4  |   |
| Always "00000"   |   |                    | 0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> |
| High digit limitation (HDL) for manually entered unit price<br>(“9” means NOT allow manual entry.) |   | Significant number | □<br>D <sub>3</sub>   |
| Always "0"   |   |                    | 0<br>D <sub>2</sub>   |
| Prohibit to change price greater than the preset price.  | a | No = 0<br>Yes = 1  | (a+b)<br>D <sub>1</sub>   |
| Prohibit to change price less than the preset price.   | b | No = 0<br>Yes = 2  |   |

## <CLOCK-IN/OUT>

| Description  |   | Choice              | Program code                         |
|--|---|---------------------|--------------------------------------|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1   | (a+b+c)<br>D <sub>9</sub>            |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2   |                                      |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4   |                                      |
| Always "00"  |   |                     | 0 0<br>D <sub>8</sub> D <sub>7</sub> |
| High digit limitation (00 ~ 10), "00" means no limitation.                       |   | Significant numbers | □ □<br>D <sub>6</sub> D <sub>5</sub> |
| Always "00"  |   |                     | 0 0<br>D <sub>4</sub> D <sub>3</sub> |
| Usage: Both CLOCK-IN and CLOCK-OUT = 0,<br>CLOCK-IN only = 1, CLOCK-OUT only = 2 |   | Significant number  | □<br>D <sub>2</sub>                  |
| Issue receipt during CLOCK-IN/OUT.   |   | Yes = 0<br>No = 1   | □<br>D <sub>1</sub>                  |

# Key function/machine feature (P3)

## <EAT-IN>, <TAKEOUT>

| Description                        |   | Choice            | Program code  |
|------------------------------------|---|-------------------|---|
| Disable operation in RF/REG- mode. | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub> |
| Disable operation in REG2 mode.    | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.    | c | No = 0<br>Yes = 4 |   |

- U.S., Singapore:

|              |   |                   |  |
|--------------|---|-------------------|--|
| Exempt tax 1 | a | Yes = 0<br>No = 1 | <input checked="" type="checkbox"/><br><b>0</b><br>D <sub>8</sub><br><input type="checkbox"/><br>(a+b+c)<br>D <sub>7</sub> |
| Exempt tax 2 | b | Yes = 0<br>No = 2 |  |
| Exempt tax 3 | c | Yes = 0<br>No = 4 |  |

- Canada:

|  |                    |  |
|--|--------------------|--|
| Not exempt donuts tax = 0<br>Exempt donuts tax 1 = 1   | Significant number | <input type="checkbox"/><br>D <sub>8</sub> |
| Exempt all (tax 1 ~ 4) = 0<br>Exempt tax 1 = 1, Exempt tax 2 = 2, Exempt tax 3 = 3,<br>Exempt tax 4 = 4, Exempt tax 1 & 2 = 5,<br>Exempt tax 1 & 3 = 6, Exempt tax 1 & 4 = 7 | Significant number |  |

- Other area

|  |                        |  |
|--|------------------------|--|
| Exempt all (tax 1 ~ 10) = 00<br>Exempt tax 1 = 01, Exempt tax 2 = 02, Exempt tax 3 = 03,<br>Exempt tax 4 = 04, Exempt tax 5 = 05, Exempt tax 6 = 06,<br>Exempt tax 7 = 07, Exempt tax 8 = 08, Exempt tax 9 = 09,<br>Exempt tax 10 = 10 | Significant numbers    | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
| Subtract add-in tax from subtotal amount.<br>(only subtracted when the tax is exempted.)   | a<br>No = 0<br>Yes = 1 |  |

|  |                        |  |
|--|------------------------|--|
| Print when the key is pressed.   | b<br>No = 0<br>Yes = 4 | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>  |
| Always "0"   |                        |  |
| Change tax status to: (only effective for VAT)<br>VAT 1 = 01, VAT 2 = 02, VAT 3 = 03, VAT 4 = 04, VAT 5 = 05,<br>VAT 6 = 06, VAT 7 = 07, VAT 8 = 08, VAT 9 = 09, VAT 10 = 10<br>("00": No change is made.) | Significant numbers    | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>   |
| Always "00"  |                        |  |
| Always "00000"   |                        | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> |
| Linked one touch NLU record number (000 ~ 999)   | Significant numbers    |  |

## <ONE TOUCH NLU>

| Description                                    |                     | Choice            | Program code   |
|--|---------------------|-------------------|--|
| Disable operation in RF/REG- mode.             | a                   | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.                | b                   | No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.                | c                   | No = 0<br>Yes = 4 |  |
| Always "00000"                                 |                     |                   | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> |
| Linked one touch NLU record number (000 ~ 999) | Significant numbers |                   | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>   |

## &lt;CANCEL&gt;

| Description   |   | Choice            | Program code  |
|---|---|-------------------|---|
| Disable operation in RF/REG- mode.  | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>   |
| Disable operation in REG2 mode.   | b | No = 0<br>Yes = 2 |   |
| Disable operation in REG1 mode.   | c | No = 0<br>Yes = 4 |   |
| Always "0000000"  |   |                   | <input type="checkbox"/><br>0 0 0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> |
| A range of item correction:<br>①From the beginning of this transaction<br>②Current receipt only |   | ② = 0<br>① = 1    | <input type="checkbox"/><br>D <sub>1</sub>  |

## &lt;VALIDATION&gt;

| Description  |   | Choice              | Program code   |
|--|---|---------------------|--|
| Disable operation in RF/REG- mode.   | a | No = 0<br>Yes = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>                              |
| Disable operation in REG2 mode.  | b | No = 0<br>Yes = 2   |  |
| Disable operation in REG1 mode.  | c | No = 0<br>Yes = 4   |  |
| Always "00"  |   |                     | <input type="checkbox"/><br>0 0<br>D <sub>8</sub> D <sub>7</sub>                   |
| Print total validation to:<br>Slip (paper is inserted in slip printer) or R/J = 0, Slip only = 1, R/J only = 2 |   | Significant number  | <input type="checkbox"/><br>D <sub>6</sub>   |
| Number of copies by slip validation (0 ~ 9)<br>("0" means 1 copy.)   |   | Significant number  | <input type="checkbox"/><br>D <sub>5</sub>   |
| Number of auto feed lines between slip validation printing (00 ~ 99)   |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Number of line feeds before slip validation (00 ~ 99)  |   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

**<PRICE INQUIRY>, <STOCK INQUIRY>, <CHECK PRINT>, <REFUND>, <COUPON2>,  
<NO SALE>, <VAT>, <PLU>, <PRICE>, <BOTTLE RETURN>,  
<SLIP BACKFEED/RELEASE>, <SLIP FEED/RELEASE>, <TABLE NUMBER>,  
<FOOD STAMP SHIFT>, <RED PRICE>, <DECLARATION>, <RECEIPT ON/OFF>,  
<PREVIOUS BALANCE SUBTOTAL>, <FOOD STAMP SUBTOTAL>, <OLD CHECK>,  
<ADD CHECK>, <SEPARATE CHECK>, <OBR>, <OPEN CHECK>, <MEDIA CHANGE>, <STORE>,  
<RECALL>**


| Description                        |   | Choice            | Program code   |
|------------------------------------|---|-------------------|--|
| Disable operation in RF/REG- mode. | a | No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>  |
| Disable operation in REG2 mode.    | b | No = 0<br>Yes = 2 |  |
| Disable operation in REG1 mode.    | c | No = 0<br>Yes = 4 |  |
| Always "0000000"                   |   |                   | <input type="checkbox"/><br>0 0 0 0 0 0 0<br>D <sub>8</sub> D <sub>7</sub> D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## Clerk program

### Secret number, drawer, check number programming

#### Programming procedure




#### Data

| Description   | Choice              | Program code   |
|---|---------------------|--|
| Check number for clerk interrupt                        | Significant numbers | D <sub>12</sub> D <sub>11</sub> D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub> |
| Assigning drawer number: 00 ~ 02 ("00" means drawer 1.) | Significant numbers | D <sub>6</sub> D <sub>5</sub>  |
| Clerk secret number                                     | Significant numbers | D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>                                  |


## Clerk detail link programming

#### Programming procedure




## Clerk other programming

### Programming procedure (individual)



### Programming procedure (by range)



### Program data

#### Address code 67 (Clerk control)

| Description   | Choice                 | Program code  |
|---|------------------------|---|
| Check number compulsory                                   | No = 0<br>Yes = 4      | <input type="checkbox"/> D <sub>10</sub>                      |
| Table number compulsory                                   | a<br>No = 0<br>Yes = 1 |   |
| Number of customer compulsory                             | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>9</sub>            |
| Guest receipt compulsory (at finalization)                | c<br>No = 0<br>Yes = 4 |   |
| Guest receipt compulsory (at new balance)                 | a<br>No = 0<br>Yes = 1 |   |
| Slip auto-batch print compulsory (at finalization)        | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>8</sub>            |
| Slip auto-batch print compulsory (at new balance)         | c<br>No = 0<br>Yes = 4 |   |
| Clerk attribution:<br>Cashier = 0, Clerk = 1, Manager = 2 | Significant<br>number  | <input type="checkbox"/> D <sub>7</sub>                       |
| Training clerk  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/> (a+b)<br>D <sub>6</sub>              |
| Affect stock quantity even if assigning a training clerk  | b<br>No = 0<br>Yes = 4 |   |
| Enable to open clerk created by other clerk               | a<br>No = 0<br>Yes = 1 |   |
| Disable to sign on  | b<br>No = 0<br>Yes = 2 | <input type="checkbox"/> (a+b+c)<br>D <sub>5</sub>            |
| Sign off at finalization (secret number only)             | c<br>No = 0<br>Yes = 4 |   |
| Always "0"  |                        | <input type="checkbox"/> 0<br>D <sub>4</sub>                  |
| Compulsory Eat-in/Takeout operation                       | No = 0<br>Yes = 2      | <input type="checkbox"/> D <sub>3</sub>                       |
| Always "00"   |                        | <input type="checkbox"/> 0 0<br>D <sub>2</sub> D <sub>1</sub> |

# Key function/machine feature (P3)

## Address code 68 (Commission rate)

| Description                          | Choice              | Program code   |
|--------------------------------------|---------------------|--|
| Commission rate 1 (integer: 00 ~ 99) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
| Commission rate 1 (decimal: 00 ~ 99) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> |
| Commission rate 2 (integer: 00 ~ 99) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Commission rate 2 (decimal: 00 ~ 99) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

## Address code 69 (Table number range)

| Description   | Choice              | Program code   |
|---|---------------------|--|
| Minimum range for table range (1 ~ 999999)<br>("0" means no programming.) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>12</sub> D <sub>11</sub> D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub> |
| Maximum range for table range (1 ~ 999999)<br>("0" means no programming.) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>    |


## Address code 70 (Mode control)

| Description   | Choice                 | Program code   |
|---|------------------------|--|
| Disable to operate in PGM mode.   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>10</sub>     |
| Disable to operate in RF/REG– mode.   | b<br>No = 0<br>Yes = 2 |  |
| Disable to operate in REG1 mode.  | c<br>No = 0<br>Yes = 4 |  |
| Disable to operate in REG2 mode.  | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>9</sub>      |
| Disable to operate in X1 mode.  | b<br>No = 0<br>Yes = 2 |  |
| Disable to operate in Z1 mode.  | c<br>No = 0<br>Yes = 4 |  |
| Disable to operate in X2/Z2 mode.   | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>8</sub>                 |
| Always "0"  |                        | <input checked="" type="checkbox"/><br>0<br>D <sub>7</sub> |
| Enable to finalize a transaction if the clerk is assigned by clerk key.   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>6</sub>        |
| Enable to finalize a transaction if the clerk is assigned by clerk code/switch.   | b<br>Yes = 0<br>No = 2 |  |
| Skip programming fields of batch/direct PLU maintenance file in accordance with the general function program (address code 32, 33). | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b)<br>D <sub>5</sub>        |
| Enable to issue individual key reset report.  | b<br>Yes = 0<br>No = 4 |  |
| Enable to issue read/reset report by file.  | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub>      |
| Enable to issue batch read/reset report.  | b<br>Yes = 0<br>No = 2 |  |
| Enable to issue operator reset report.  | c<br>Yes = 0<br>No = 4 |  |
| Default menu sheet number (0 ~ 6) after signing on.   | Significant number     | <input type="checkbox"/><br>D <sub>3</sub>                 |
| Enable to use 1st menu sheet.   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub>      |
| Enable to use 2nd menu sheet.   | b<br>Yes = 0<br>No = 2 |  |
| Enable to use 3rd menu sheet.   | c<br>Yes = 0<br>No = 4 |  |
| Enable to use 4th menu sheet.   | a<br>Yes = 0<br>No = 1 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>1</sub>      |
| Enable to use 5th menu sheet.   | b<br>Yes = 0<br>No = 2 |  |
| Enable to use 6th menu sheet.   | c<br>Yes = 0<br>No = 4 |  |

## Other programs

### Time range programming

#### Programming procedure




#### Program data

| Description                  | Choice              | Program code   |
|------------------------------|---------------------|--|
| Start time (hour: 00 ~ 23)   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub> |
| Start time (minute: 00 ~ 59) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> |
| End time (hour: 00 ~ 23)     | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| End time (minute: 00 ~ 59)   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

### Table range programming

#### Programming procedure




#### Program data

| Description   | Choice              | Program code  |
|---|---------------------|---|
| Minimum check number (000000 ~ 999999)<br>("0" means "000001.")       | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>12</sub> D <sub>11</sub> D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub> |
| Maximum check number (000000 ~ 999999)<br>("0" means no programming.) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>    |

### *Key function/machine feature (P3)*

## Tax table programming

## Programming procedure



\*1 Rounding/Tax system code

## Rounding code specification

| $D_4$ | $D_3$ | Rounding                          |
|-------|-------|-----------------------------------|
| 5     | 0     | Rounding off two decimal places   |
| 9     | 0     | Rounding up to two decimal places |
| 0     | 0     | Cut off two decimal places        |

## Tax system code specification

| D <sub>2</sub> | D <sub>1</sub> | Rounding  |
|----------------|----------------|---|
| 4              | --             | Singapore rounding                              |
| --             | 1              | Tax table only                                  |
| --             | 2              | U.S. tax table with tax rate or add-on tax only |
| --             | 3              | Add-in tax rate                                 |
| --             | 4              | Tax-on-tax (Canada, Singapore)                  |
| --             | 6              | VAT-on-tax (Thailand)                           |
| --             | 7              | VAT & VAT_2                                     |

## Canadian tax system


For both add-on and add-in tax systems.

To program Tax-on-tax system, you must use the tax address “0225”, “0325” or “0425.”

To program Donuts tax system, you must use the tax address “0125” or “0225.”

**Example 1:****Add-on rate tax**

Tax rate (2-digit for integer + 4-digit for decimal) ..... 8.25%  
 Tax table maximum value ("0" means unlimited). ..... 0 (no limitation)  
 Rounding/tax table system code ..... 5002 (Round off)  
 Sum of a cyclic pattern ..... 0  
 Number of values in each cyclic pattern ..... 0 } No need to enter.  
 Number of values in each non-cyclic pattern ..... 0 }  
 Actual value of difference of the non-cyclic and cyclic values ..... 0 }




# Key function/machine feature (P3)

## Example 2:

### U.S. tax table without rate setting

| TAX<br>(6%) | Price range      |                  | Max. break point<br>Upper | Difference | Pattern    |
|-------------|------------------|------------------|---------------------------|------------|------------|
|             | Min. break point | Max. break point |                           |            |            |
| \$ .00      | \$ .01           | \$ .10           | 10                        | 10         | Non cyclic |
| .01         | .11              | .24              | 24                        | 14         |            |
| .02         | .25              | .41              | 41                        | 17         |            |
| .03         | .42              | .58              | 58                        | 17         | Cyclic     |
| .04         | .59              | .74              | 74                        | 16         |            |
| .05         | .75              | .91              | 91                        | 17         |            |
| .06         | .92              | 1.08             | 108                       | 17         | Cyclic     |
| .07         | 1.09             | 1.24             | 124                       | 16         |            |
|             |                  | 1.41             | 141                       | 17         | Cyclic     |

- Tax rate (2-digit for integer + 4-digit for decimal) ..... 0 % (Table only)  
 Tax table maximum value ("0" means unlimited). ..... 0 (Table only)  
 Rounding/tax table system code ..... 01 (Table only)  
 Sum of a cyclic pattern ..... 50 (17+17+16)  
 Number of values in each cyclic pattern ..... 3  
 Number of values in each non-cyclic pattern ..... 24 (10+14)  
 Actual value of difference of the non-cyclic and cyclic values ..... 10, 14, 17, 16




**Example 3:****U.S. tax table with rate setting**

| TAX<br>(7%) | Price range      |                  | Max. break point<br>Upper | Max. break point<br>Lower | Difference | Pattern    |
|-------------|------------------|------------------|---------------------------|---------------------------|------------|------------|
|             | Min. break point | Max. break point |                           |                           |            |            |
| \$ .00      | \$ .01           | \$ .07           | 7                         | 0                         | 7          | Non-cyclic |
| .01         | .08              | .21              | 21                        | 7                         | 14         |            |
| .02         | .22              | .35              | 35                        | 21                        | 14         |            |
| .03         | .36              | .49              | 49                        | 35                        | 14         |            |
| .04         | .50              | .64              | 64                        | 49                        | 15         | Cyclic     |
| .05         | .65              | .78              | 78                        | 64                        | 14         |            |
| .06         | .79              | .92              | 92                        | 78                        | 14         |            |
| .07         | .93              | 1.07             | 107                       | 92                        | 15         |            |
| .08         | 1.08             | 1.21             | 121                       | 107                       | 14         |            |
| .09         | 1.22             | 1.35             | 135                       | 121                       | 14         |            |
| .10         | 1.36             | 1.49             | 149                       | 135                       | 14         |            |
| .11         | 1.50             | 1.64             | 164                       | 149                       | 15         |            |
| .12         | 1.65             | 1.78             | 178                       | 164                       | 14         |            |
| .13         | 1.79             | 1.92             | 192                       | 178                       | 14         | Cyclic     |
| .14         | 1.93             | 2.07             | 207                       | 192                       | 15         |            |
|             | 1.40             | 19.93            |                           |                           |            |            |
|             |                  | 20.07            |                           |                           |            |            |

One all sales above \$20.07, compute the tax at the rate of 7%.

Tax rate (2-digit for integer + 4-digit for decimal) ..... 7 %  
 Tax table maximum value ("0" means unlimited). ..... 2007  
 Rounding/tax table system code ..... 0002 (Cut off & table + rate)  
 Sum of a cyclic pattern ..... 100 (14+14+14+15+14+14+15)  
 Number of values in each cyclic pattern ..... 7  
 Number of values in each non-cyclic pattern ..... 7  
 Actual value of difference of the non-cyclic and cyclic values ..... 14, 14, 14, 15, 14, 14, 15




# Key function/machine feature (P3)

## Example 4:

### Add-in rate tax

Tax rate (2-digit for integer + 4-digit for decimal) ..... 10.00 %  
 Rounding/tax table system code. ..... 0003 (Cut off)




## Example 5:

### Singapore tax


**PGM**  
Mode switch

|             |                            |      |
|-------------|----------------------------|------|
| Tax table 1 | Country tax .....          | 1%   |
|             | Round off/tax on tax ..... | 5044 |
| Tax table 2 | Service charge .....       | 10%  |
|             | Round off/tax on tax ..... | 5044 |
| Tax table 3 | GST .....                  | 3%   |
|             | Round off .....            | 5002 |


Tax table 1



Tax table 2




Tax table 3




## Set menu programming

### Programming procedure



## Batch X/Z report programming

### Programming procedure



## Program data

### Control flag (1st field)

| Description  | Choice   | Program code  |
|--|--|---|
| Save X data to CF card.  | a<br>No = 0<br>Yes = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub> |
| Save Z data to CF card.  | b<br>No = 0<br>Yes = 2   |   |
| Issue report, in case of saving data to CF card.   | c<br>No = 0<br>Yes = 4   |   |
| Always "0"   |  | <input type="checkbox"/><br>0<br>D <sub>3</sub>       |
| Disable operation in X1 mode.  | a<br>No = 0<br>Yes = 1   | <input type="checkbox"/><br>(a+b+c)<br>D <sub>2</sub> |
| Disable operation in Z1 mode.  | b<br>No = 0<br>Yes = 2   |   |
| Disable operation in X2/Z2 mode.   | c<br>No = 0<br>Yes = 4   |   |
| Report contents in the X2/Z2 mode:<br>• Read report of periodic total 1 = 0<br>• Read report of periodic total 2 = 2 | Significant number<br>• Reset report of periodic total 1 = 1<br>• Reset report of periodic total 2 = 3 | <input type="checkbox"/><br>D <sub>1</sub>            |


### Report code (2nd ~ 11th field)

| Description   | Choice              | Program code   |
|---|---------------------|--|
| Report code:<br>Fixed totalizer = 11, Transaction key = 12, PLU = 14, PLU by group = 24,<br>Department = 15, Group = 16, Clerk = 17, Time zone = 19, Monthly = 20,<br>Scanning PLU = 26, Table analysis = 28, Employee = 29, Mix & match = 61,<br>PLU stock = 64, PLU stock by group = 34 | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

### *Key function/machine feature (P3)*

## Arrangement programming

## Programming procedure




\* The same **ARR** should be pressed.

\*\* Vacant record search: If you want to set an arrangement program to a new record, “vacant record search” is possible. (enter **0 0 0 0** instead of entering a record No.)

## **Check print control programming**

## Programming procedure




## Program data

| Description   | Choice                         | Program code   |
|---|--------------------------------|--|
| Define printing data:<br>1: Printing amount, 2: Printing amount (double size),<br>3: Printing date, 4: Printing date (double size)<br>5: Check endorsement message 1st line, 6: Check endorsement message 2nd line,<br>7: Check endorsement message 3rd line, 8: Check endorsement message 4th line | Significant number             | <input type="checkbox"/> D <sub>5</sub>  |
| Feed before printing.   | a<br>No = 0<br>Yes = 1         | <input type="checkbox"/>   |
| Feed direction  | b<br>Normal = 0<br>Reverse = 2 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>4</sub>                                |
| Feed one line after printing.*  | c<br>No = 0<br>Yes = 4         | <input type="checkbox"/>   |
| No. of feed lines before printing (0 ~ 9)   | Significant number             | <input type="checkbox"/><br>D <sub>3</sub>   |
| Printing offset digits (00 ~ 39)  | Significant numbers            | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> , D <sub>1</sub> |

\* If you set "0" to this option, one line back feed is made automatically.

## Mix & match programming

## Programming procedure



## Program data

| Description  | Choice              | Program code   |
|--|---------------------|--|
| • Amount (1st field)   |                     |  |
| Discount amount  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |
| • Flag (2nd field)   |                     |  |
| Taxable status (see below)   |                     | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub>   |
| Always “0”   |                     | <input checked="" type="checkbox"/> 0<br>D <sub>4</sub>  |
| Mix & match type*:<br>Discount 1 = 0: Discount every required quantity<br>Discount 2 = 1: Discount once<br>Discount 3 = 2: Discount continuously | Significant number  | <input type="checkbox"/><br>D <sub>3</sub>   |
| Mix & match required quantity  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub>   |

\* Example: (item unit price = \$3.00, required quantity = 3, discount amount = \$0.50)

- Discount 1: \$3.00, \$3.00, \$2.50, \$3.00, \$3.00, \$2.50, \$3.00, \$3.00, \$2.50 ...
  - Discount 2: \$3.00, \$3.00, \$2.50, \$3.00, \$3.00, \$3.00, \$3.00, \$3.00, \$3.00 ...
  - Discount 3: \$3.00, \$3.00, \$2.50, \$2.50, \$2.50, \$2.50, \$2.50, \$2.50, \$2.50 ...

## **Taxable status**

for the U.S./Singapore

|  |   |                   |   |
|--|---|-------------------|---|
| Food stamp (for Singapore, always "0") |   | No = 0<br>Yes = 1 | <input type="checkbox"/><br>D <sub>6</sub>            |
| Taxable 1 status                       | a | No = 0<br>Yes = 1 |   |
| Taxable 2 status                       | b | No = 0<br>Yes = 2 | <input type="checkbox"/><br>(a+b+c)<br>D <sub>5</sub> |
| Taxable 3 status                       | c | No = 0<br>Yes = 4 |   |

for Canada

|   |   |  |                    |                                   |
|---|---|--|--------------------|-----------------------------------|
| Donuts status ( $D_8 D_7 = "99"$ means donuts and all taxable.) | No = 0<br>Yes = 1                                   | <input type="checkbox"/><br>$D_6$      |                    |                                   |
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2                   | Taxable 3 = 3<br>Taxable 4 = 4<br>Taxable 1 & 2 = 5 | Taxable 1 & 3 = 6<br>Taxable 1 & 4 = 7 | Significant number | <input type="checkbox"/><br>$D_5$ |


### for Other area

|               |               |                  |                     |                          |                          |
|---------------|---------------|------------------|---------------------|--------------------------|--------------------------|
| Non tax = 0   | Taxable 4 = 4 | Taxable 8 = 8    | Significant numbers | <input type="checkbox"/> | <input type="checkbox"/> |
| Taxable 1 = 1 | Taxable 5 = 5 | Taxable 9 = 9    |                     | <input type="checkbox"/> | <input type="checkbox"/> |
| Taxable 2 = 2 | Taxable 6 = 6 | Taxable 10 = 10  |                     | <input type="checkbox"/> | <input type="checkbox"/> |
| Taxable 3 = 3 | Taxable 7 = 7 | All taxable = 99 |                     | <input type="checkbox"/> | <input type="checkbox"/> |

# Key function/machine feature (P3)

## Employee number programming

### Programming procedure




### Program data

| Description                               | Choice                   | Program code  |                          |                          |   |                          |                          |                 |                |  |                |                |
|---|--------------------------|---|--------------------------|--------------------------|---|--------------------------|--------------------------|-----------------|----------------|--|----------------|----------------|
| Employee number (0000000001 ~ 9999999999) | Significant numbers      | <table><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td>~</td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td>D<sub>10</sub></td><td>D<sub>9</sub></td><td></td><td>D<sub>2</sub></td><td>D<sub>1</sub></td></tr></table> | <input type="checkbox"/> | <input type="checkbox"/> | ~ | <input type="checkbox"/> | <input type="checkbox"/> | D <sub>10</sub> | D <sub>9</sub> |  | D <sub>2</sub> | D <sub>1</sub> |
| <input type="checkbox"/>                  | <input type="checkbox"/> | ~   | <input type="checkbox"/> | <input type="checkbox"/> |   |                          |                          |                 |                |  |                |                |
| D <sub>10</sub>                           | D <sub>9</sub>           |   | D <sub>2</sub>           | D <sub>1</sub>           |   |                          |                          |                 |                |  |                |                |

## Scheduler programming

### Programming procedure



### Program data 1

| Description   | Choice              | Program code   |
|---|---------------------|--|
| Designate clerk by record number ("00" means the first record.)   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> |
| Scheduler type 1:<br>Execute one time = 0, Execute every day = 1, Execute every week = 2  | Significant number  | <input type="checkbox"/><br>D <sub>4</sub>   |
| Scheduler type 2:<br>Execute even if the cash register is in the OFF mode = 0,<br>Not execute if the cash register is in the OFF mode = 1 | Significant number  | <input type="checkbox"/><br>D <sub>3</sub>   |
| Execute kind:<br>Switch menu shift/price shift = 0, Arrangement = 1, Job command = 2  | Significant number  | <input type="checkbox"/><br>D <sub>2</sub>   |
| Wait until the drawer (compulsory drawer) is closed.<br>Yes = 0<br>No = 1   | Yes = 0<br>No = 1   | <input type="checkbox"/><br>D <sub>1</sub>   |

### Program data 2

| Description  | Choice              | Program code   |
|--|---------------------|--|
| • Execute kind: Switch menu shift/price shift  |                     |  |
| Switch to: 1st menu sheet = 1, 2nd menu sheet = 2, 3rd menu sheet = 3, 4th menu sheet = 4, 5th menu sheet = 5, 6th menu sheet = 6, No change = 0 | Significant number  | <input type="checkbox"/><br>D <sub>2</sub>   |
| Switch to:<br>1st price = 1, 2nd price = 2, 3rd price = 3, No change = 0   | Significant number  | <input type="checkbox"/><br>D <sub>1</sub>   |
| • Execute kind: Arrangement  |                     |  |
| Arrangement table record No.   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>      |
| • Execute kind: Job command * Refer to the "Job command" table.  |                     |  |
| Job command No.  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>14</sub> D <sub>13</sub> D <sub>12</sub> D <sub>11</sub> D <sub>10</sub> D <sub>9</sub> |
| Always "00"  |                     | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub>   |
| Always "0"   |                     | <input type="checkbox"/><br>D <sub>6</sub>   |
| Job command parameter  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub>  |

### Program data 3

| Description  | Choice              | Program code  |
|--|---------------------|---|
| Execute year (00 ~ 99; means 2000 ~ 2099)  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>10</sub> D <sub>9</sub> |
| Execute month (01 ~ 12, "00" means no programming)   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub>  |
| Execute day or execute day of a week:<br>Day (01 ~ 31 "00" means no programming)<br>(Day of a week; Sunday = 00, Monday = 01, Tuesday = 02, Wednesday = 03, Thursday = 04, Friday = 05, Saturday = 06) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub>  |
| Execute hour (00 ~ 23)   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>  |
| Execute minute (00 ~ 59)   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub>  |

# Key function/machine feature (P3)

---

## Job command table

| Description  | Job No. | Group/terminal ID | Parameter                  |
|--|---------|-------------------|----------------------------|
| Default menu sheet number after signing on. (D <sub>3</sub> of address code 70 of clerk programming) | 030770  | 00                | 0cddee                     |
| Disabled menu sheet number (D <sub>2</sub> D <sub>1</sub> of address code 70 of clerk programming)   | 030771  | 00                | fgddee                     |
| Switching to dual (Euro/local) currency system to Euro only system                                   | 200107  | 00                | 002002                     |
| Batch maintenance activation   | 074070  | 00                | 000000                     |
| Format CF card   | 070270  | 00                | 000000                     |
| Save programming data to CF card.  | 070070  | 00                | 000ppp<br>ppp:command code |
| Load programming data from CF card.  | 070020  | 00                | 000ppp<br>ppp:command code |
| Delete file in CF card.  | 070030  | 00                | 000ppp<br>ppp:command code |

c: Input default menu sheet number (0 ~ 6). (This automatically changes the D<sub>3</sub> value of address 70 of clerk programming by job command.)

f: Program restrictive status of menu sheet 1 ~ 3. (This automatically changes the D<sub>2</sub> value of address 70 of clerk programming by job command.)


g: Program restrictive status of menu sheet 4 ~ 6. (This automatically changes the D<sub>1</sub> value of address 70 of clerk programming by job command.)

dd: Input the start record number of clerk.

ee: Input the end record number of clerk.

## Bottle link table programming


### Programming procedure



# Key function/machine feature (P3)

## I/O parameter table programming

### Programming procedure



**Note:** Please perform the following procedure after this program.

1. Power off the register, and connect all peripheral devices to COM ports.
2. Power on all peripheral devices.
3. Flag clear the register.

### Program data (Address 01: for COM 1 port)

| Description  | Choice              | Program code   |
|--|---------------------|--|
| International character set number for external printer:<br>00: U.S.A., 01: France, 02: German, 03: U.K., 04: Denmark(1), 05: Sweden,<br>06: Italy, 07: Spain(1), 09: Norway, 10: Denmark(2)                               | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>16</sub> D <sub>15</sub>   |
| International character set page number for external printer:<br>0000: Multilingual + Euro, 0002: Multilingual, 0003: Portuguese,<br>0004: Canadian French, 0005: Nordic   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>14</sub> D <sub>13</sub> D <sub>12</sub> D <sub>11</sub> |
| Always“0000”   |                     | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub>    |
| External printer:<br>UP-360 = 00   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub>   |
| Connected device:<br>PC/ECR direct connection = 00, MODEM = 30,<br>External printer (as external printer 1 in printer connection table) = 80,<br>External printer (as external printer 2 in printer connection table) = 81 | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>   |
| Baud rate:<br>Refer to the baud rate/device table.   | Significant number  | <input type="checkbox"/><br>D <sub>2</sub>   |
| Always“0”  |                     | <input type="checkbox"/><br>D <sub>1</sub>   |

### Program data (Address 02: for COM 2 port)


| Description  | Choice              | Program code   |
|--|---------------------|--|
| International character set number for external/slip printer:<br>00: U.S.A., 01: France, 02: German, 03: U.K., 04: Denmark(1), 05: Sweden,<br>06: Italy, 07: Spain(1), 09: Norway, 10: Denmark(2)  | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>16</sub> D <sub>15</sub>   |
| International character set page number for external/slip printer:<br>For SP-1300:<br>0000: Multilingual + Euro, 0002: Multilingual, 0003: Portuguese,<br>0004: Canadian French, 0005: Nordic, 0006: Slavic, 0007: Cyrillic,<br>0008: Turkish, 0009: Windows code page<br>For UP-360:<br>0000: Multilingual + Euro, 0002: Multilingual, 0003: Portuguese,<br>0004: Canadian French, 0005: Nordic | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>14</sub> D <sub>13</sub> D <sub>12</sub> D <sub>11</sub> |
| Always“0000”   |                     | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>10</sub> D <sub>9</sub> D <sub>8</sub> D <sub>7</sub>    |
| External printer/slip printer/scanner:<br>• External printer (D <sub>4</sub> D <sub>3</sub> = 80, 81): UP-360 = 00<br>• Slip printer (D <sub>4</sub> D <sub>3</sub> = 70): SP-1300 = 00<br>• Scanner (D <sub>4</sub> D <sub>3</sub> = 20): HHS-15 = 00, Quick Scan 6000 = 01   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub>   |
| Connected device:<br>Scanner = 20, Slip printer = 70,<br>External printer (as external printer 1 in printer connection table) = 80,<br>External printer (as external printer 2 in printer connection table) = 81   | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub>   |
| Baud rate:<br>Refer to the baud rate/device table.   | Significant number  | <input type="checkbox"/><br>D <sub>2</sub>   |
| Always“0”  |                     | <input type="checkbox"/><br>D <sub>1</sub>   |

## Reference (Baud rate/device table)

| Device                    | Default baud rate      | Other selection        |                       |
|---------------------------|------------------------|------------------------|-----------------------|
| Scanner (HHS-15)          | 2400bps ( $D_2 = 0$ )  | 9600bps ( $D_2 = 2$ )  | 4800bps ( $D_2 = 3$ ) |
| Scanner (Quick Scan 6000) | 9600bps ( $D_2 = 0$ )  | 4800bps ( $D_2 = 3$ )  | 2400bps ( $D_2 = 4$ ) |
| External printer (UP-360) | 9600bps ( $D_2 = 0$ )  | 19200bps ( $D_2 = 1$ ) |                       |
| Slip printer (SP-1300)    | 9600bps ( $D_2 = 0$ )  | None                   |                       |
| MODEM                     | 19200bps ( $D_2 = 0$ ) | 9600bps ( $D_2 = 2$ )  | 4800bps ( $D_2 = 3$ ) |
| PC/ECR direct connection  | 19200bps ( $D_2 = 0$ ) | None                   |                       |

## Printer connection table programming

### Programming procedure




### Program data

| Description   | Choice                   | Program code  |                          |                          |          |       |
|---|--------------------------|---|--------------------------|--------------------------|----------|-------|
| Printout type:<br>Receipt (1) = 00, Receipt (2) = 01, Receipt (3) = 02, Report = 10<br>Order (1) = 20, Order (2) = 21, Order (3) = 22 | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td><math>D_{10}</math></td><td><math>D_9</math></td></tr></table> | <input type="checkbox"/> | <input type="checkbox"/> | $D_{10}$ | $D_9$ |
| <input type="checkbox"/>  | <input type="checkbox"/> |   |                          |                          |          |       |
| $D_{10}$  | $D_9$                    |   |                          |                          |          |       |
| Always "00"   |                          | <table border="1"><tr><td>0</td><td>0</td></tr><tr><td><math>D_8</math></td><td><math>D_7</math></td></tr></table>  | 0                        | 0                        | $D_8$    | $D_7$ |
| 0   | 0                        |   |                          |                          |          |       |
| $D_8$   | $D_7$                    |   |                          |                          |          |       |
| Printout destination (Main):<br>R/J printer = 00, External printer 1 = 01, External printer 2 = 02                                    | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td><math>D_6</math></td><td><math>D_5</math></td></tr></table>    | <input type="checkbox"/> | <input type="checkbox"/> | $D_6$    | $D_5$ |
| <input type="checkbox"/>  | <input type="checkbox"/> |   |                          |                          |          |       |
| $D_6$   | $D_5$                    |   |                          |                          |          |       |
| Always "00"   |                          | <table border="1"><tr><td>0</td><td>0</td></tr><tr><td><math>D_4</math></td><td><math>D_3</math></td></tr></table>  | 0                        | 0                        | $D_4$    | $D_3$ |
| 0   | 0                        |   |                          |                          |          |       |
| $D_4$   | $D_3$                    |   |                          |                          |          |       |
| Printout destination (Backup):<br>R/J printer = 00, External printer 1 = 01, External printer 2 = 02                                  | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td><math>D_2</math></td><td><math>D_1</math></td></tr></table>    | <input type="checkbox"/> | <input type="checkbox"/> | $D_2$    | $D_1$ |
| <input type="checkbox"/>  | <input type="checkbox"/> |   |                          |                          |          |       |
| $D_2$   | $D_1$                    |   |                          |                          |          |       |

# Key function/machine feature (P3)

## Non PLU table programming

### Programming procedure




### Program data


| Description                                       | Choice              | Program code   |
|---|---------------------|--|
| Non PLU type: Short version = 0, Long version = 1 | Significant number  | <input type="checkbox"/> D <sub>16</sub>   |
| Price check digit is included in the price field. | No = 0<br>Yes = 1   | <input type="checkbox"/> D <sub>15</sub>   |
| Price × 10 <sup>n</sup>                           | Significant number  | <input type="checkbox"/> D <sub>14</sub>   |
| Number of digits for price                        | Significant number  | <input type="checkbox"/> D <sub>13</sub>   |
| Always "0000000"                                  |                     | <input type="checkbox"/> 0 D <sub>12</sub> <input type="checkbox"/> 0 D <sub>11</sub> <input type="checkbox"/> 0 D <sub>10</sub> <input type="checkbox"/> 0 D <sub>9</sub> <input type="checkbox"/> 0 D <sub>8</sub> <input type="checkbox"/> 0 D <sub>7</sub> <input type="checkbox"/> 0 D <sub>6</sub> |
| Number of digits for scanning PLU search code     | Significant number  | <input type="checkbox"/> D <sub>5</sub>  |
| Flag code:<br>Number of digits for flag (1 ~ 3)   | Significant number  | <input type="checkbox"/> D <sub>4</sub>  |
| Flag code:<br>Actual value                        | Significant numbers | <input type="checkbox"/> D <sub>3</sub> <input type="checkbox"/> D <sub>2</sub> <input type="checkbox"/> D <sub>1</sub>  |

### Program sample


- Long version barcode (with price check digit)



- Long version barcode (without price check digit)




- Short version barcode



## Scanning PLU maintenance programming

### Batch maintenance PLU programming

#### Programming procedure



\*1 Skip by general function programming address code 33.

### Activation of batch maintenance PLU


#### Activation procedure



# Key function/machine feature (P3)

## Scanning PLU direct maintenance programming


### Programming procedure



\*1 Skip by general function programming address code 32.

## Scanning PLU individual programming

### Programming procedure



# Key function/machine feature (P3)

## Program data

### Action code

| Description   | Choice             | Program code                            |
|---|--------------------|---|
| Action code:<br>Addition = 0<br>Modification = 1<br>Deletion = 2 (Not effective for direct PLU maintenance) | Significant number | <input type="checkbox"/> D <sub>1</sub> |

## Unit price/quantity (Address code 21 for individual feature programming)

| Description                    | Choice                        | Program code   |
|--------------------------------|-------------------------------|--|
| Unit quantity (0.01 ~ 9999.99) | Integer part<br>(0000 ~ 9999) | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>12</sub> D <sub>11</sub> D <sub>10</sub> D <sub>9</sub>  |
|                                | Decimal part<br>(00 ~ 99)     | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>8</sub> D <sub>7</sub>   |
| Unit price (000000 ~ 999999)   | Significant numbers           | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## Link-# (Address code 11 for individual feature programming)

| Description                          | Choice              | Program code   |
|--------------------------------------|---------------------|--|
| Link group record No. (00 ~ 99)      | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> |
| Link department record No. (00 ~ 99) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

## Bottle link (Address code 13 for individual feature programming)

| Description                          | Choice              | Program code   |
|--------------------------------------|---------------------|--|
| Bottle link record No. (0000 ~ 9999) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## Optimum stock (Address code 14 for individual feature programming)

| Description   | Choice              | Program code   |
|---|---------------------|--|
| Optimum stock quantity (0.001 ~ 99.999)<br>Enter without decimal point. | Significant numbers | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/><br>D <sub>5</sub> D <sub>4</sub> D <sub>3</sub> D <sub>2</sub> D <sub>1</sub> |

## Mix & match (Address code 20 for individual feature programming)

| Description                           | Choice              | Program code   |
|---------------------------------------|---------------------|--|
| Link mix & match record No. (00 ~ 99) | Significant numbers | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>2</sub> D <sub>1</sub> |

## Status (Address code 23 for individual feature programming)

| Description  | Choice                 | Program code   |
|--|------------------------|--|
| Taxable status:<br>See below. (In case of "00", follow the linked department taxable status.)              | Significant numbers    | <input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> |
| Always "0"   |                        | <input checked="" type="checkbox"/> 0<br>D <sub>4</sub>                            |
| Always "0"   |                        | <input checked="" type="checkbox"/> 0<br>D <sub>3</sub>                            |
| Enable 0 unit price.<br>(Use this bit to change the status with that of the linked department.)            | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br><br>(a+b+c)<br>D <sub>2</sub>                          |
| Enable negative price.<br>(Use this bit to change the status with that of the linked department.)          | b<br>No = 0<br>Yes = 2 |  |
| Hash<br>(Use this bit to change the status with that of the linked department.)                            | c<br>No = 0<br>Yes = 4 |  |
| Permit price change operation<br>(Use this bit to change the status with that of the linked department.)   | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br><br>(a+b+c)<br>D <sub>1</sub>                          |
| Permit multiplication operation<br>(Use this bit to change the status with that of the linked department.) | b<br>No = 0<br>Yes = 2 |  |
| Price input compulsory<br>(Use this bit to change the status with that of the linked department.)          | c<br>No = 0<br>Yes = 4 |  |

### Taxable status

for the U.S./Singapore

|  |                        |   |
|--|------------------------|---|
| Food stamp (for Singapore, always "0") | No = 0<br>Yes = 1      | <input type="checkbox"/><br>D <sub>6</sub>                |
| Taxable 1 status                       | a<br>No = 0<br>Yes = 1 | <input type="checkbox"/><br><br>(a+b+c)<br>D <sub>5</sub> |
| Taxable 2 status                       | b<br>No = 0<br>Yes = 2 |   |
| Taxable 3 status                       | c<br>No = 0<br>Yes = 4 |   |

for Canada


|   |   |  |  |
|---|---|--|--|
| Donuts status                                 | No = 0<br>Yes = 1                                   | <input type="checkbox"/><br>D <sub>6</sub> |  |
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2 | Taxable 3 = 3<br>Taxable 4 = 4<br>Taxable 1 & 2 = 5 | Taxable 1 & 3 = 6<br>Taxable 1 & 4 = 7     | Significant number<br><input type="checkbox"/><br>D <sub>5</sub> |

for Other area

|  |  |   |   |
|--|--|---|---|
| Non tax = 0<br>Taxable 1 = 1<br>Taxable 2 = 2<br>Taxable 3 = 3 | Taxable 4 = 4<br>Taxable 5 = 5<br>Taxable 6 = 6<br>Taxable 7 = 7 | Taxable 8 = 8<br>Taxable 9 = 9<br>Taxable 10 = 10 | Significant numbers<br><input type="checkbox"/> <input type="checkbox"/><br>D <sub>6</sub> D <sub>5</sub> |
|--|--|---|---|

## One touch NLU programming


### Programming procedure



# Key function/machine feature (P3)

## Issuing program reading report of program 3 mode

### Issuing procedure




### Report sample

|   |  |
|---|--|
| P03.....  | Program read symbol  |
| CHECK 0001-02<br>0000000000000000   | Transaction key program  |
| CREDIT2 0002-02<br>0000000000000000   | Key character/rec-#/file-#   |
| PD 0003-02<br>0000000000000000  | Key program  |
| DEPT01 0001-05<br>0000000000000000  | Department program   |
| 11-66 000000<br>15-66 @1.23<br>16-66 000000<br>17-66 00                               | Key character/rec-#/file-#<br>Batch program 1166<br>Batch program 1566<br>Batch program 1666<br>Batch program 1766 |
| DEPT01 0002-05  | Clerk program  |
| C01 0001-07<br>000001000001   | Clerk name/rec-#/file-#<br>Clerk #/drw-#/secret-#  |
| 67 0000000000<br>68 00000000<br>69 00000000000000<br>70 0000000000                    | Compulsory<br>Commission rate<br>Check # range<br>Operation restriction  |
| C02 0002-07   |  |
| 0001-09 00:00 -> 01:00<br>0002-09 01:00 -> 02:00<br>0003-09 02:00 -> 03:00            | Time range program   |
| 0001-22 2200000000<br>0002-22 0000000000<br>0003-22 0000000000                        | General control program  |
| 0001-25<br>TX1 10.25%<br>TX1 0000<br>TX1 5003   | Tax table  |
| BATCH01 0001-29<br>00 11-12-17-15-00<br>00-00-00-00-00                                | Batch X/Z program  |
| BATCH02 0002-29<br>01 11-12-17-15-00<br>00-00-00-00-00                                |  |
| 0001-30 GROSS 0001-01<br>0002-30 NET 0002-01  | Clerk detail link program  |
| 0001-38<br>REG1 204-000<br>1 001-000<br>2 002-000                                     | Arrangement program<br>Rec-#/file-#/arrange no.  |
| DEPT01 026-051<br>CASH 013-001<br>0002-00   | Key descriptor/rec-#/file-#  |
| CSHR01 0001-061<br>000000000000   | Employee program   |
| CSHR02 0002-061<br>0001-62 0000000000<br>0000000000<br>0002-62 000000<br>000000000000 | Scheduler program  |
| MC#01 0001-91<br>1001   | Terminal connection table  |
| 0001-93 000000<br>0002-93 100000  | Printer connection table   |
| 0001-98 0000000000000000<br>0002-98 0000000000000000                                  | I/O parameter table  |

# Character (Program 2)

## Programming descriptors

### Programming procedure



☞ See "Entering characters" section.

## Programming data

### Fixed totalizer (up to 12 characters)

| Address code | Contents                       | Initial character |
|--------------|--------------------------------|-------------------|
| 0101         | Gross sales total              | GROSS             |
| 0201         | Net sales total                | NET               |
| 0301         | Cash in drawer                 | CAID              |
| 0401         | Cash declared amount           | CATL              |
| 0501         | Declared short cash amount     | CA-               |
| 0601         | Declared over cash amount      | CA+               |
| 0701         | Charge in drawer               | CHID              |
| 0801         | Charge declared amount         | CHTL              |
| 0901         | Declared short charge amount   | CH-               |
| 1001         | Declared over charge amount    | CH+               |
| 1101         | Check in drawer                | CKID              |
| 1201         | Check declared amount          | CKTL              |
| 1301         | Declared short check amount    | CK-               |
| 1401         | Declared over check amount     | CK+               |
| 1501         | Credit 1 in drawer             | CRID(1)           |
| 1601         | Credit 2 in drawer             | CRID(2)           |
| 1701         | Credit 3 in drawer             | CRID(3)           |
| 1801         | Credit 4 in drawer             | CRID(4)           |
| 1901         | Credit declared amount         | CRTL              |
| 2001         | Declared short credit amount   | CR-               |
| 2101         | Declared over credit amount    | CR+               |
| 2201         | Cash in drawer *               | CAID2             |
| 2301         | Cash declared amount *         | CATL2             |
| 2401         | Declared short cash amount *   | CA- 2             |
| 2501         | Declared over cash amount *    | CA+ 2             |
| 2601         | Charge in drawer *             | CHID2             |
| 2701         | Charge declared amount *       | CHTL2             |
| 2801         | Declared short charge amount * | CH- 2             |
| 2901         | Declared over charge amount *  | CH+ 2             |
| 3001         | Check in drawer *              | CKID2             |
| 3101         | Check declared amount *        | CKTL2             |
| 3201         | Declared short check amount *  | CK- 2             |
| 3301         | Declared over check amount *   | CK+ 2             |
| 3401         | Credit 1 in drawer *           | CRID2(1)          |
| 3501         | Credit 2 in drawer *           | CRID2(2)          |
| 3601         | Credit 3 in drawer *           | CRID2(3)          |
| 3701         | Credit 4 in drawer *           | CRID2(4)          |
| 3801         | Credit declared amount *       | CRTL2             |
| 3901         | Declared short credit amount * | CR- 2             |
| 4001         | Declared over credit amount *  | CR+ 2             |
| 4101         | Food stamp in drawer           | FSID              |
| 4201         | Food stamp cash change         | FSCACG            |
| 4301         | EBT in drawer                  | EBTTL             |
| 4401         | EBT cash change                | EBTCACG           |
| 4501         | Refund mode total              | RF                |
| 4601         | Customer count                 | CUST              |
| 4701         | Average sales per customer     | AVRG              |
| 4801         | Check cashing service fee      | FEE               |
| 4901         | New balance fee                | +                 |
| 5001         | (not used)                     | NB                |
| 5101         | Clerk commission 1 total       | C-1               |

| Address code | Contents                           | Initial character |
|--------------|------------------------------------|-------------------|
| 5201         | Clerk commission 2 total           | C-2               |
| 5301         | Foreign currency cash in drawer 1  | CECA1             |
| 5401         | Foreign currency check in drawer 1 | CECK1             |
| 5501         | Foreign currency cash in drawer 2  | CECA2             |
| 5601         | Foreign currency check in drawer 2 | CECK2             |
| 5701         | Foreign currency cash in drawer 3  | CECA3             |
| 5801         | Foreign currency check in drawer 3 | CECK3             |
| 5901         | Foreign currency cash in drawer 4  | CECA4             |
| 6001         | Foreign currency check in drawer 4 | CECK4             |
| 6101         | Reduction                          | DC                |
| 6201         | Coupon                             | COUPON            |
| 6301         | Item return                        | REF               |
| 6401         | Clear counter                      | CLEAR             |
| 6501         | Rounding 2 *                       | ROUND             |
| 6601         | Rounding 1                         | ROUND             |
| 6701         | Cancellation                       | CANCEL            |
| 6801         | Money declaration                  | DECLA             |
| 6901         | Taxable amount                     | TA1               |
| 7001         | Tax 1                              | TX1               |
| 7101         | Tax exempt 1                       | EX1               |
| 7201         | Taxable amount 2                   | TA2               |
| 7301         | Tax 2                              | TX2               |
| 7401         | Tax exempt 2                       | EX2               |
| 7501         | Taxable amount 3                   | TA3               |
| 7601         | Tax 3                              | TX3               |
| 7701         | Tax exempt 3                       | EX3               |
| 7801         | Taxable amount 4                   | TA4               |
| 7901         | Tax 4                              | TX4               |
| 8001         | Tax exempt 4                       | EX4               |
| 8101         | Taxable amount 5                   | TA5               |
| 8201         | Tax 5                              | TX5               |
| 8301         | Tax exempt 5                       | EX5               |
| 8401         | Taxable amount 6                   | TA6               |
| 8501         | Tax 6                              | TX6               |
| 8601         | Tax exempt 6                       | EX6               |
| 8701         | Taxable amount 7                   | TA7               |
| 8801         | Tax 7                              | TX7               |
| 8901         | Tax exempt 7                       | EX7               |
| 9001         | Taxable amount 8                   | TA8               |
| 9101         | Tax 8                              | TX8               |
| 9201         | Tax exempt 8                       | EX8               |
| 9301         | Taxable amount 9                   | TA9               |
| 9401         | Tax 9                              | TX9               |
| 9501         | Tax exempt 9                       | EX9               |
| 9601         | Taxable amount 10                  | TA10              |
| 9701         | Tax 10                             | TX10              |
| 9801         | Tax exempt 10                      | EX10              |
| 9901         | Nontaxable amount                  | NON TAX           |

\* Totalizers for sub currency

# *Character programming (P2)*

---

## **Group character**

Up to 12 characters

| Address code | Contents | Initial character |
|--------------|----------|-------------------|
| 0106         | Group 01 | GROUP01           |
| 0206         | Group 02 | GROUP02           |
| 0306         | Group 03 | GROUP03           |
| :            | :        | :                 |
| 9906         | Group 99 | GROUP99           |

## **Clerk character**

Up to 12 characters

| Address code | Contents | Initial character |                   |
|--------------|----------|-------------------|-------------------|
|              |          | TE-2200/2400 (Eu) | TE-2200/2400 (US) |
| 0107         | Clerk 01 | C01               | C01               |
| 0207         | Clerk 02 | C02               | C02               |
| 0307         | Clerk 03 | C03               | C03               |
| :            | :        | :                 | :                 |
| 9907         | Clerk 99 | C99               | C99               |

## **Table analysis character**

Up to 12 characters

| Address code | Contents | Initial character |
|--------------|----------|-------------------|
| 0118         | Table 01 | TBL01             |
| 0218         | Table 02 | TBL02             |
| 0318         | Table 03 | TBL03             |
| :            | :        | :                 |
| 9918         | Table 99 | TBL99             |

## **Grand total character**

Up to 12 characters

| Address code | Contents       | Initial character |
|--------------|----------------|-------------------|
| 0120         | Grand total 01 | GT1               |
| 0220         | Grand total 02 | GT2               |
| 0320         | Grand total 03 | GT3               |

## Special character

| Address code | Contents   | Initial character    |
|--------------|--|----------------------|
| 0123         | main currency symbol (2), @ (2), No. (2), split pricing (2), not used (1)<br>training filler (1), training symbol (1), not used (1), sub currency symbol (2) | U.S. \$@ No/ **      |
|              |  | Others .. @No/ *** € |
| 0223         | No. of item sold (2), No. of customer (2), scalable item @ (2),<br>scale weight (2), new price (2), multiplication display (2)                               | U.S. NoCT @LB *QT    |
|              |  | Others NoCT@ LB *QT  |
| 0323         | multiplication (6) check in use (6)  | U.S. BUSY            |
|              |  | Others X BUSY        |
| 0423         | taxable symbol 1 (3 each) for tax 1, tax 2, tax 3, tax 4, tax 5  | T1 T2 T3 T4 T5       |
| 0523         | taxable symbol 2 (3 each) for tax 6, tax 7, tax 8, tax 9, tax 10   | T6 T7 T8 T9 T10      |
| 0623         | taxable symbol 3 (3 each) for tax 1/2, tax 1/3, tax 1/4, not used, tax 2/3   | T12 T13 T14 T23      |
| 0723         | taxable symbol 4 (3 each) for not used, not used, not used, nontax, all, F/S   | F                    |
| 0823         | foreign currency (2 each), character edit mode (INS/OVR) (4 each)  | * * * *              |
| 0923         | mode symbol 1 (4 each) REG1/2, RF, REG-  | REG RRF              |
| 1023         | mode symbol 2 (4 each) PGM, Daily X, Daily Z, Periodic   | PnX Z XZ             |
| 1123         | mode symbol 3 (4 each) training, not used, PGM read  | TRG PGM              |
| 1223         | decimal: amount/q'ty, separator (main/sub) (1 each), not used (3), square (7)  | .., ., , X           |
| 1323         | A.M., P.M. (3 each), ST displayed on the dot display (2)   | AM PM ST             |
| 1423         | slip continued (12), page (2)  | CONTINUED P          |
| 1523         | (not used)   |                      |
| 1623         | display subtotal symbol (ST key) (16)  | ST                   |
| 1723         | subtotal symbol (16)   | ST                   |
| 1823         | total symbol (16)  | TL                   |
| 1923         | change symbol (16)   | CG                   |
| 2023         | check cashing fee (16)   | -                    |
| 2123         | check cashing amount (16)  | CAIG                 |
| 2223         | Bon message (12)   | ** STUB **           |
| 2323         | break (16)   | ***BREAK END***      |
| 2423         | check No. (10)   | CHECK No.            |
| 2523         | service total (16)   | SRVC TL              |
| 2623         | item discount total (16)   | DISCOUNT             |
| 2723         | scale manual entry (12)  | MANUAL ENTRY         |
| 2823         | (not used)   |                      |
| 2923         | report total symbol (12)   | TL                   |
| 3023         | report old price symbol (16)   | OLD PRC              |
| 3123         | red price symbol (16)  | RED PRC              |
| 3223         | food stamp change symbol (16)  | FSCG                 |
| 3323         | table No. symbol (10)  | TABLE No.            |
| 3423         | future order message (16)  | **Future Order**     |
| 3523         | declared amount (16)   | DECLA                |
| 3623         | entering child item in separate check or void item in previous item void operation   | Sub item ?           |
| 3723         | current stock (16)   | STK(NEW)             |
| 3823         | last stock (16)  | STK(OLD)             |
| 3923         | added stock (16)   | STK(ADD)             |
| 4023         | reviewing (16)   | *** REVIEW ***       |
| 4123         | end of transaction (16)  | * END **             |
| 4223         | designating sub currency (16)  | Euro money           |
| 4323         | Element title 1 of CF X/Z report (16)  | RECORD               |
| 4423         | Element title 2 of CF X/Z report (16)  | DESCRIPTION          |
| 4523         | Element title 3 of CF X/Z report (16)  | QUANTITY/No          |
| 4623         | Element title 4 of CF X/Z report (16)  | QUANTITY             |
| 4723         | Element title 5 of CF X/Z report (16)  | No                   |
| 4823         | Element title 6 of CF X/Z report (16)  | AMOUNT               |
| 4923         | Element title 7 of CF X/Z report (16)  | DISCOUNT             |

## Character programming (P2)

---

| Address code | Contents                               | Initial character     |
|--------------|--|-----------------------|
| 5023         | element title 8 of CF X/Z report (16)  | OLD AMOUNT .....      |
| 5123         | element title 9 of CF X/Z report (16)  | RED AMOUNT .....      |
| 5223         | element title 10 of CF X/Z report (16) | STOCK .....           |
| 5323         | element title 11 of CF X/Z report (16) | CUSTOMER .....        |
| 5423         | element title 12 of CF X/Z report (16) | GROSS AMOUNT .....    |
| 5523         | element title 13 of CF X/Z report (16) | NET No .....          |
| 5623         | element title 14 of CF X/Z report (16) | NET AMOUNT .....      |
| 5723         | element title 15 of CF X/Z report (16) | GROSS QUANTITY .....  |
| 5823         | element title 16 of CF X/Z report (16) | No of DISCOUNT .....  |
| 5923         | element title 17 of CF X/Z report (16) | DISCOUNT AMOUNT ..... |
| 6023         | element title 18 of CF X/Z report (16) | RANDOM CODE .....     |
| 6123         | element title 19 of CF X/Z report (16) | OBR CODE .....        |
| 6223         | element title 20 of CF X/Z report (16) | CLOCK IN DATE .....   |
| 6323         | element title 21 of CF X/Z report (16) | CLOCK IN TIME .....   |
| 6423         | element title 22 of CF X/Z report (16) | CLOCK OUT DATE .....  |
| 6523         | element title 23 of CF X/Z report (16) | CLOCK OUT TIME .....  |
| 6623         | element title 24 of CF X/Z report (16) | WORKING TIME .....    |
| 6723         | element title 25 of CF X/Z report (16) | EMPLOYEE NAME .....   |
| 6823         | element title 26 of CF X/Z report (16) | EMPLOYEE No .....     |
| 6923         | element title 27 of CF X/Z report (16) | CLERK .....           |
| 7023         | element title 28 of CF X/Z report (16) | START TIME .....      |
| 7123         | element title 29 of CF X/Z report (16) | END TIME .....        |
| 7223         | element title 30 of CF X/Z report (16) | PRICE SHIFT .....     |
| 7323         | model name 1 of CF X/Z report (16)     | TE-2200 .....         |
| 7423         | model name 2 of CF X/Z report (16)     | TE-2400 .....         |
| 7523         | header title 1 of CF X/Z report (16)   | MODEL .....           |
| 7623         | header title 2 of CF X/Z report (16)   | MACHINE .....         |
| 7723         | header title 3 of CF X/Z report (16)   | REPORT .....          |
| 7823         | header title 4 of CF X/Z report (16)   | FILE .....            |
| 7923         | header title 5 of CF X/Z report (16)   | MODE .....            |
| 8023         | header title 6 of CF X/Z report (16)   | Z COUNTER .....       |
| 8123         | header title 7 of CF X/Z report (16)   | DATE .....            |
| 8223         | header title 8 of CF X/Z report (16)   | TIME .....            |

**Message**

Up to 24 characters

| Address code | Contents                               | Initial character        | Yours |
|--------------|--|--------------------------|-------|
| 0132         | 1st line of logo message               | <b>YOUR RECEIPT</b>      |       |
| 0232         | 2nd line of logo message               | <b>THANK YOU</b>         |       |
| 0332         | 3rd line of logo message               | <b>CALL AGAIN</b>        |       |
| 0432         | 4th line of logo message               |                          |       |
| 0532         | 1st line of commercial message         |                          |       |
| 0632         | 2nd line of commercial message         |                          |       |
| 0732         | 3rd line of commercial message         |                          |       |
| 0832         | 4th line of commercial message         |                          |       |
| 0932         | 1st line of bottom message             |                          |       |
| 1032         | 2nd line of bottom message             |                          |       |
| 1132         | 3rd line of bottom message             |                          |       |
| 1232         | 4th line of bottom message             |                          |       |
| 1332         | 1st line of bill top message           |                          |       |
| 1432         | 2nd line of bill top message           |                          |       |
| 1532         | 3rd line of bill top message           |                          |       |
| 1632         | 4th line of bill top message           |                          |       |
| 1732         | 1st line of bill copy message          |                          |       |
| 1832         | 2nd line of bill copy message          |                          |       |
| 1932         | 3rd line of bill copy message          |                          |       |
| 2032         | 4th line of bill copy message          |                          |       |
| 2132         | 1st line of bill bottom message        |                          |       |
| 2232         | 2nd line of bill bottom message        |                          |       |
| 2332         | 3rd line of bill bottom message        |                          |       |
| 2432         | 4th line of bill bottom message        |                          |       |
| 2532         | Post receipt message                   | <b>DUPLICATE RECEIPT</b> |       |
| 2632         | 1st line of guest intermediate message |                          |       |
| 2732         | 2nd line of guest intermediate message |                          |       |
| 2832         | 3rd line of guest intermediate message |                          |       |
| 2932         | 4th line of guest intermediate message |                          |       |
| 3032         | 1st line of guest bottom message       |                          |       |
| 3132         | 2nd line of guest bottom message       |                          |       |
| 3232         | 3rd line of guest bottom message       |                          |       |
| 3332         | 4th line of guest bottom message       |                          |       |
| 3432         | 5th line of guest bottom message       |                          |       |
| 3532         | 6th line of guest bottom message       |                          |       |
| 3632         | 7th line of guest bottom message       |                          |       |
| 3732         | 8th line of guest bottom message       |                          |       |
| 3832         | 9th line of guest bottom message       |                          |       |
| 3932         | 10th line of guest bottom message      |                          |       |
| 4032         | 1st line of Australian GST MOF message | <b>TAX INVOICE</b>       |       |
| 4132         | 2nd line of Australian GST MOF message | * INDICATES              |       |
| 4232         | 3rd line of Australian GST MOF message | <b>TAXABLE SUPPLY</b>    |       |

# *Character programming (P2)*

---

## **Report header**

Up to 12 characters

| Address code | Contents               | Initial character |
|--------------|------------------------|-------------------|
| 0124         | Fixed totalizer report | FIX               |
| 0224         | Transaction key report | TRANS             |
| 0324         | PLU report             | PLU               |
| 0424         | Department report      | DEPT              |
| 0524         | Group report           | GROUP             |
| 0624         | Cashier/clerk report   | CASHIER           |
| 0724         | Not used               |                   |
| 0824         | Hourly sales report    | HOURLY            |
| 0924         | Monthly sales report   | MONTHLY           |
| 1024         | Not used               | SUB DEPT          |
| 1124         | Table analysis report  | ANALYSIS          |
| 1224         | Open check report      | OPEN CHK          |
| 1324         | Scanning PLU           | SCAN PLU          |
| 1424         | Hourly item            | HOURLY ITEM       |
| 1524         | PLU stock report       | PLU STOCK         |
| 1624         | Financial report       | FLASH             |
| 1724         | Mix & match            | MIX&MATCH         |
| 1824         | PLU by amount          | PLU AMT           |
| 1924         | PLU by quantity        | PLU QTY           |
| 2024         | Department by amount   | DEPT AMT          |
| 2124         | Department by quantity | DEPT QTY          |
| 2224         | Scanning PLU best      | PLU BEST          |
| 2324         | Inactive scanning PLU  | NON ACTIVE        |
| 2424         | Individual item        | INDIVIDUAL        |
| 2524         | Not used               | NFP               |
| 2624         | Time & attendance      | ATTENDANCE        |
| 2724         | Scanning PLU stock     | SCAN STOCK        |

## **Batch X/Z header**

Up to 12 characters

| Address code | Contents | Initial character |
|--------------|----------|-------------------|
| 0129         | Batch 01 | BATCH 01          |
| 0229         | Batch 02 | BATCH 02          |
| 0329         | Batch 03 | BATCH 03          |
| :            | :        | :                 |
| 1029         | Batch 10 | BATCH 10          |

## **Check endorsement message**

Up to 40 characters

| Address code | Contents                     | Initial character |
|--------------|------------------------------|-------------------|
| 0133         | Check endorsement message 01 |                   |
| 0233         | Check endorsement message 02 |                   |
| 0333         | Check endorsement message 03 |                   |
| 0433         | Check endorsement message 04 |                   |

**Slip/external printer message**

Up to 40 characters (Contents are the same as file032.)

| Address code | Contents                         | Initial character          |
|--------------|----------------------------------|----------------------------|
| 0134         | Slip/external printer message 01 | YOUR RECEIPT               |
| 0234         | Slip/external printer message 02 | THANK YOU                  |
| 0334         | Slip/external printer message 03 | CALL AGAIN                 |
| :            | :                                | :                          |
| 4134         | Slip/external printer message 41 | * INDICATES TAXABLE SUPPLY |

**Recall character message**

Up to 40 characters

| Address code | Contents             | Initial character |
|--------------|----------------------|-------------------|
| 0139         | Recall character 01  |                   |
| 0239         | Recall character 02  |                   |
| 0339         | Recall character 03  |                   |
| :            | :                    | :                 |
| 99939        | Recall character 999 |                   |

**Mix & match character**

Up to 12 characters

| Address code | Contents       | Initial character |
|--------------|----------------|-------------------|
| 0151         | Mix & match 01 | DISCOUNT01        |
| 0251         | Mix & match 02 | DISCOUNT02        |
| 0351         | Mix & match 03 | DISCOUNT03        |
| :            | :              | :                 |
| 9951         | Mix & match 99 | DISCOUNT99        |

**Employee character**

Up to 12 characters

| Address code | Contents    | Initial character |
|--------------|-------------|-------------------|
| 0161         | Employee 01 | CSHR01            |
| 0261         | Employee 02 | CSHR02            |
| 0361         | Employee 03 | CSHR03            |
| :            | :           | :                 |
| 9961         | Employee 99 | CSHR99            |

**Help message**

Up to 24 characters

| Address code | Contents         | Initial character |
|--------------|------------------|-------------------|
| 00185        | Help message 001 | ENTER NUMBER THEN |
| 00285        | Help message 002 | PRESS <HELP> KEY. |
| 00385        | Help message 003 |                   |
| :            | :                | :                 |
| 19985        | Help message 199 |                   |

# *Character programming (P2)*

---

## **Terminal connection table**

Up to 8 characters

| Address code | Contents        | Initial character |
|--------------|-----------------|-------------------|
| 0191         | Physical No. 01 | MC#01             |

## **AT command**

Up to 62 characters

| Address code | Contents              | Initial character       |
|--------------|-----------------------|-------------------------|
| 0196         | Command set to MODEM  | AT COMMAND**** - - -*** |
| 0296         | on hook, confirmation | ATA ATI4                |

## **Error message**

Up to 16 characters

| Address code | Contents                               | Initial character |
|--------------|--|-------------------|
| 0180         | Error code                             | E001              |
| 0280         | Mode switch position changed before... | Wrong mode        |
| 0380         | Error code                             | E002              |
| :            | :                                      | :                 |
| 23880        | Flash memory format is illegal.        | Illegal format    |

## **Miscellaneous message**

Up to 16 characters

| Address code | Contents                    | Initial character |
|--------------|-----------------------------|-------------------|
| 0178         | Register total working time | GT TIME           |
| 0278         | Register start date message | START DATE        |
| 0378         | RAM message in PGM5         | RAM               |
| :            | :                           | :                 |
| 5878         | Model name                  |                   |

## **Printing guidance message**

Up to 24 characters

| Address code | Contents                   | Initial character |
|--------------|----------------------------|-------------------|
| 0179         | not used                   |                   |
| 0279         | not used                   |                   |
| 0379         | not used                   |                   |
| :            | :                          | :                 |
| 8579         | Euro currency system setup | set.              |

**X/Z guidance message**

Up to 16 characters

| Address code | Contents                          | Initial character |
|--------------|-----------------------------------|-------------------|
| 0182         | PLU range report message 1st line | PLU by range      |
| 0282         | Input start No. message 1st line  | Input start No.   |
| 0382         | Input start No. message 2nd line  | and press <#1>    |
| :            | :                                 | :                 |
| 4882         | PLU reset message 1st line        | PLU Z clear       |

**Program guidance message**

Up to 16 characters

| Address code | Contents                         | Initial character |
|--------------|----------------------------------|-------------------|
| 0183         | Range program message 1st line   | Range PGM         |
| 0283         | Input start No. message 1st line | Input start No.   |
| 0383         | Input start No. message 2nd line | and press <#1>    |
| :            | :                                | :                 |
| 9783         |                                  |                   |

**Registration guidance message**

Up to 16 characters

| Address code | Contents                                | Initial character |
|--------------|---|-------------------|
| 0181         | Guidance message of NFP 1st line        | Not Found PLU     |
| 0281         | Guidance message of NFP 2nd line        | Input Unit Price  |
| 0381         | Guidance message of NFP 3rd line        | ,and press DEPT   |
| :            | :                                       | :                 |
| 2281         | Guidance message of price comp 4th line | > key             |

**Online password**

Up to 8 characters


| Address code | Contents        | Initial character |
|--------------|-----------------|-------------------|
| 0197         | Online password |                   |

# Character programming (P2)


## Programming item/key descriptors

### Programming procedure


#### Department key/transaction key



#### PLU



#### Flat-PLU key



## Programming data

### Department

up to 16 characters

| Contents      | Initial character |
|---------------|-------------------|
| Department 01 | DEPT01            |
| Department 02 | DEPT02            |
| Department 03 | DEPT03            |
| :             | :                 |
| Department 99 | DEPT99            |

### PLU/flat-PLU

up to 16 characters

| PLU No. | Contents | Initial character |
|---------|----------|-------------------|
| 0001    | PLU 0001 | PLU0001           |
| 0002    | PLU 0002 | PLU0002           |
| 0003    | PLU 0003 | PLU0003           |
| :       | :        | :                 |

Maximum No.: Depend on the model

**Transaction key**


Up to 12 characters

| <b>Function</b>          | <b>Code</b> | <b>Initial character</b> | <b>Function</b>           | <b>Code</b> | <b>Initial character</b> |
|--------------------------|-------------|--------------------------|---------------------------|-------------|--------------------------|
| Add check                | 094         | ADD CHK                  | Normal receipt            | 016         | NRMRCT                   |
| Arrangement              | 044         | ARG                      | OBR                       | 103         | OBR                      |
|                          |             |                          | Old check                 | 092         | OLD CHK                  |
| Bill copy                | 047         | BILL                     | One touch NLU             | 138         | NLU                      |
| Bottle return            | 053         | BR                       | Open                      | 067         | OPEN                     |
| Cancel                   | 236         | CANCEL                   | Open2                     | 068         | OPEN2                    |
| Cash amount tendered     | 001         | CASH                     | Open check                | 117         | OPEN CHK                 |
| Charge                   | 002         | CHARGE                   | Operator read/reset       | 073         | OPE X/Z                  |
| Check endorsement        | 039         | CK. E                    | Paid out                  | 021         | PD                       |
| Check print              | 012         | CHKP                     | Pick up                   | 022         | P. UP                    |
| Check tender             | 003         | CHECK                    | Plus                      | 029         | +                        |
| Clerk number             | 072         | CLK#                     | PLU                       | 048         | PLU#                     |
| Clock-in/out             | 108         | CLOCK-IN/OUT             | Previous balance          | 026         | PB                       |
| Coupon                   | 023         | COUPON                   | Previous balance subtotal | 079         | PBST                     |
| Coupon 2                 | 036         | CPN2                     | Premium                   | 030         | %+                       |
| Credit                   | 004         | CREDIT                   | Price                     | 049         | PRC                      |
| Cube                     | 090         | XXX                      | Price change              | 104         | PRC CHG                  |
| Currency exchange        | 045         | CE                       | Price inquiry             | 008         | PRCINQ                   |
| Customer number          | 043         | CT                       | Price shift               | 069         | PRICE SHIFT              |
| Date/Time                | 101         | DATE/TIME                | Quantity/for              | 083         | QT                       |
| Decimal point            | 098         | .                        | Rate tax                  | 031         | TAX                      |
| Declaration              | 061         | DECLA                    | Recall                    | 131         | RECALL                   |
| Department               | nn051       | DEPTnn                   | Receipt                   | 038         | RCT                      |
| Deposit                  | 025         | DEPOSIT                  | Receipt on/off            | 076         | RCT ON/OFF               |
| Discount                 | 028         | %                        | Received on account       | 020         | RC                       |
| Eat-in                   | 128         | EAT-IN                   | Red price                 | 060         | RED                      |
| EBT tender               | 007         | EBTTD                    | Refund                    | 033         | RF                       |
| Enter                    | 105         | ENT                      | Review                    | 071         | REVIEW                   |
| Error correct            | 034         | CORR                     | Separate check            | 095         | SEP CHK                  |
| Flat PLU *               | nnnn063     | PLUnnnn                  | Slip back feed/release    | 054         | SB/R                     |
| Food stamp status shift  | 059         | F/S                      | Slip feed/release         | 056         | SF/R                     |
| Food stamp subtotal      | 081         | FSST                     | Slip print                | 055         | SLIP                     |
| Food stamp tender        | 005         | FSTD                     | Square                    | 084         | XX                       |
| Help                     | 141         | HELP                     | Stock inquiry             | 009         | STKINQ                   |
| Ketten Bon               | 113         | X/KETTEN                 | Store                     | 130         | STORE                    |
| Loan                     | 019         | LOAN                     | Subtotal                  | 075         | SUBTOTAL                 |
| Lock out unused key      | 000         |                          | Table number              | 058         | TBL#                     |
| Manual tax               | 032         | TAX                      | Takeout                   | 129         | TAKE-OUT                 |
| Media change             | 118         | MEDIA CHG                | Tax exempt                | 062         | EXEMPT                   |
| Menu shift               | 064         | MENU                     | Tax status shift          | 057         | T/S                      |
| Merchandise subtotal     | 080         | MDST                     | Taxable amount subtotal   | 077         | TAST                     |
| Minus                    | 027         | -                        | Text print                | 011         | PRT                      |
| Multiplication/Date/Time | 082         | X                        | Text recall               | 010         | CHAR                     |
| Multiplication           | 100         | X                        | Three zero                | 097         | 000                      |
| New balance              | 006         | NB                       | Tip                       | 015         | TIP                      |
| New check                | 091         | NEW CHK                  | Tray total                | 074         | TRAY TL                  |
| New/old check            | 093         | NEW/OLD                  | Two zero                  | 096         | 00                       |
| No sale                  | 042         | NS                       | Validation                | 037         | VLD                      |
| Non-add                  | 040         | #                        | VAT                       | 046         | VAT                      |
| Non-add/No sale          | 041         | #/NS                     | Void                      | 035         | VOID                     |

# Character programming (P2)

## Programming item/clerk descriptors by range

### Programming procedure



### Program data

#### Department

up to 16 characters

| Contents      | Initial character |
|---------------|-------------------|
| Department 01 | DEPT01            |
| Department 02 | DEPT02            |
| Department 03 | DEPT03            |
| :             | :                 |
| Department 99 | DEPT99            |

#### PLU/flat-PLU

up to 16 characters

| PLU No. | Contents | Initial character |
|---------|----------|-------------------|
| 0001    | PLU 0001 | PLU0001           |
| 0002    | PLU 0002 | PLU0002           |
| 0003    | PLU 0003 | PLU0003           |
| :       | :        | :                 |

Maximum No.: Depend on the model.


## Entering characters

### By character keyboard


#### TE-2200 character keyboard

##### Example:

Input “**A P P I e J u i c e 00 .**”,  
enter “DBL”“A” “SHIFT”“p” “p” “I” “e” “SPACE” “CAP”“J” “SHIFT”“u” “i” “c” “e” **00 .**



TE-2200 Eu




TE-2200 US

# Character programming (P2)


## TE-2400 character keyboard

**Example:**

Input “**A P P L e J u i c e 00**”,  
enter “DBL”“A” “SHIFT”“p” “p” “l” “e” “SPACE” “CAP”“J” “SHIFT”“u” “i” “c” “e” **00**”.



TE-2400 Eu



TE-2400 US

### ① Shift key

TE-2200:

Pressing this key shifts the character through the uppercase letter, lower case letter and numerics.

TE-2400:

Pressing this key shifts the character from the uppercase letter to lower case letter and vice versa.

### ② Left cursor key

Move the cursor to the left one by one to modify characters.

### ③ Right cursor key

Move the cursor to the right one by one to modify characters.

### ④ Double size letter key

Specifies that the next character you enter a double size character.

You must press this key before each double size character.

### ⑤ Space key

Set a space by depression.

### ⑥ CAP key

Pressing this key shifts the character to the uppercase letter.

### ⑦ Alphabet keys

Use those keys to enter characters.

### ⑧ Numeric keys

Use those keys to enter program codes, memory number and character codes.

### ⑨ Character fixed key

Press this key to fix all entered characters before you assign them to function keys, PLUs, department keys and so on.

### ⑩ Backspace/Character code fixed key

Registers one character with code (2 or 3 digit).

Clears the last entered character, much like a back space key.

### ⑪ Program end key

Terminates the character programming.

### ⑫ Character enter key

Registers the programmed characters.

### ⑬ Insert/Override key

Press this key to change the status “Insert” between the original characters or “Override” the original characters.

## By character code

Every time you enter a character, choose character codes by the character code list (below) and press the **.** key to settle it. After you complete entering characters, press the **00** key to fix them.

### Example:

Input “ **A p p l e J u i c e** ”,  
enter “ **255 65 112 112 108 101 32 74 117 105 99 101 00** ”

## Character code list

| Chara | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|
| Space | 32   | 0     | 48   | @     | 64   | P     | 80   | `     | 96   | p     | 112  | ç     | 128  |
| !     | 33   | 1     | 49   | A     | 65   | Q     | 81   | a     | 97   | q     | 113  | ü     | 129  |
| ”     | 34   | 2     | 50   | B     | 66   | R     | 82   | b     | 98   | r     | 114  | é     | 130  |
| #     | 35   | 3     | 51   | C     | 67   | S     | 83   | c     | 99   | s     | 115  | â     | 131  |
| \$    | 36   | 4     | 52   | D     | 68   | T     | 84   | d     | 100  | t     | 116  | ä     | 132  |
| %     | 37   | 5     | 53   | E     | 69   | U     | 85   | e     | 101  | u     | 117  | à     | 133  |
| &     | 38   | 6     | 54   | F     | 70   | V     | 86   | f     | 102  | v     | 118  | å     | 134  |
| '     | 39   | 7     | 55   | G     | 71   | W     | 87   | g     | 103  | w     | 119  | ç     | 135  |
| (     | 40   | 8     | 56   | H     | 72   | X     | 88   | h     | 104  | x     | 120  | ê     | 136  |
| )     | 41   | 9     | 57   | I     | 73   | Y     | 89   | i     | 105  | y     | 121  | ë     | 137  |
| *     | 42   | :     | 58   | J     | 74   | Z     | 90   | j     | 106  | z     | 122  | è     | 138  |
| +     | 43   | ;     | 59   | K     | 75   | [     | 91   | k     | 107  | {     | 123  | ï     | 139  |
| ,     | 44   | <     | 60   | L     | 76   | \     | 92   | l     | 108  |       | 124  | î     | 140  |
| -     | 45   | =     | 61   | M     | 77   | ]     | 93   | m     | 109  | }     | 125  | ì     | 141  |
| .     | 46   | >     | 62   | N     | 78   | ^     | 94   | n     | 110  | ~     | 126  | Ã     | 142  |
| /     | 47   | ?     | 63   | O     | 79   | _     | 95   | o     | 111  |       | 127  | Å     | 143  |

| Chara | Code | Chara        | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|--------------|------|
| É     | 144  | á     | 160  |       | 176  |       | 192  |       | 208  |       | 224  | –            | 240  |
|       | 145  | í     | 161  |       | 177  |       | 193  |       | 209  |       | 225  | ±            | 241  |
|       | 146  |       | 162  |       | 178  |       | 194  |       | 210  |       | 226  | –            | 242  |
|       | 147  |       | 163  |       | 179  |       | 195  |       | 211  |       | 227  | ¾            | 243  |
|       | 148  |       | 164  |       | 180  | –     | 196  |       | 212  |       | 228  |              | 244  |
|       | 149  |       | 165  |       | 181  |       | 197  |       | 213  |       | 229  |              | 245  |
|       | 150  |       | 166  |       | 182  |       | 198  |       | 214  |       | 230  | ÷            | 246  |
|       | 151  |       | 167  |       | 183  |       | 199  |       | 215  |       | 231  |              | 247  |
|       | 152  |       | 168  |       | 184  |       | 200  |       | 216  |       | 232  |              | 248  |
|       | 153  |       | 169  |       | 185  |       | 201  |       | 217  |       | 233  |              | 249  |
|       | 154  |       | 170  |       | 186  |       | 202  |       | 218  |       | 234  | ·            | 250  |
|       | 155  |       | 171  |       | 187  |       | 203  |       | 219  |       | 235  |              | 251  |
|       | 156  |       | 172  |       | 188  |       | 204  |       | 220  |       | 236  |              | 252  |
|       | 157  |       | 173  |       | 189  |       | 205  |       | 221  |       | 237  |              | 253  |
|       | 158  |       | 174  |       | 190  |       | 206  |       | 222  |       | 238  |              | 254  |
|       | 159  |       | 175  |       | 191  |       | 207  |       | 223  |       | 239  | Double sized | 255  |

# Character programming (P2)

## Editing characters

### Correcting a character just entered

#### OPERATION

- “L” “E” “N” “O” “N”      ⇐ Enter LENON, instead of LEMON.  
      ⇐ Press left arrow key three times.  
      ⇐ Override mode  
“M”      ⇐ Enter “M”.

#### DISPLAY (character)

|        |
|--------|
| LENON█ |
| LENON  |
| LENON  |
| LEMON  |

### Correcting and adding a PLU descriptor already set

#### OPERATION

- 00      ⇐ Enter “00”.  
1 5 PLU      ⇐ Enter PLU No.  
“S”, “o”, “d”, “a”, “ ”      ⇐ Enter “Soda” and “space”.  
      ⇐ Override mode  
“L”      ⇐ Enter “L”.

#### DISPLAY (character)

|            |
|------------|
| Lemon      |
| Soda Lemon |
| Soda Lemon |
| Soda Lemon |

### Correcting a key descriptor already set

#### OPERATION

- 00      ⇐ Enter “00”.  
1      ⇐ Designate an appropriate key  
      ⇐ Press right arrow key two times.  
“M”      ⇐ Enter “M”.  
      ⇐ Delete “N”.

#### DISPLAY (character)

|       |
|-------|
| LENON |
| LENON |
| LEMON |
| LEMON |

### Correcting a message descriptor already set

#### OPERATION

- 0 1 0 1       ⇐ Enter record and file number.  
      ⇐ Press right arrow key two times.  
“O”      ⇐ Enter “O”.  
      ⇐ Delete “A”.


#### DISPLAY (character)

|        |
|--------|
| GRASS  |
| GRASS  |
| GROASS |
| GROSS  |

\* Reverse or blinking digit indicates cursor position.

## Issuing program reading report of program 2 mode

### Issuing procedure



### Report sample

|                      |                           |
|----------------------|---------------------------|
| P02.....             | Program read symbol       |
| GROSS 0001-01        |                           |
| NET 0002-01          |                           |
| CAID 0003-01         | Fixed totalizer character |
| CATI 0004-01         |                           |
| 0005-01              |                           |
| CHECK 0001-02        |                           |
| CHARGE2 0002-02      | Transaction key character |
| PD 0003-02           |                           |
| 0004-02              |                           |
| DEPT01 0001-05       |                           |
| DEPT02 0002-05       | Department character      |
| DEPT03 0003-05       |                           |
| 0004-05              |                           |
| GROUP01 0001-06      |                           |
| GROUP02 0002-06      | Group character           |
| GROUP03 0003-06      |                           |
| 0004-06              |                           |
| C01 0001-07          |                           |
| C02 0002-07          | Clerk character           |
| C03 0003-07          |                           |
| 0004-07              |                           |
| TBL01 0001-18        |                           |
| TBL02 0002-18        | Table character           |
| TBL03 0003-18        |                           |
| 0004-18              |                           |
| GT1 0001-20          |                           |
| GT2 0002-20          |                           |
| GT3 0003-20          |                           |
| · @No/ ** 0001-23    |                           |
| NoCT@ LB *QT 0002-23 | Special character         |
| X BUSY 0003-23       |                           |
| FIX 0001-24          |                           |
| TRANS 0002-24        | Report header character   |
| PLU 0003-24          |                           |
| 0004-24              |                           |
| BATCH 01 0001-29     |                           |
| BATCH 02 0002-29     | Batch X/Z character       |
| BATCH 03 0003-29     |                           |
| 0004-29              |                           |

|                         |                                     |
|-------------------------|-------------------------------------|
| 0001-32                 | Receipt message                     |
| YOUR RECEIPT            |                                     |
| 0002-32                 |                                     |
| THANK YOU               |                                     |
| 0001-33                 | Check endorsement message           |
| ***ENDORSE MESSAGE***** |                                     |
| *****                   |                                     |
| 0002-33                 |                                     |
| AGE*****                |                                     |
| 0001-34                 | Slip/external printer message       |
| ***SLIP MESSAGE*****    |                                     |
| *****                   |                                     |
| 0002-34                 |                                     |
| *****                   |                                     |
| 0001-39                 | Recall character                    |
| CHARACTER RECALL *****  |                                     |
| *****                   |                                     |
| 0002-39                 |                                     |
| *****                   |                                     |
| ORDER01 0001-65         | Order character                     |
| ORDER02 0002-65         |                                     |
| ORDER03 0003-65         |                                     |
| 0004-65                 |                                     |
| MC#01 0001-91           | Terminal connection table character |
| 0001-96                 |                                     |
| AT COMMAND*****         |                                     |
| *****                   |                                     |
| *****                   |                                     |
| 0002-96                 | AT command                          |
| ATA                     |                                     |
| ATI4                    |                                     |
| PASSWORD 0001-97        | Online password                     |



## *Character programming (P2)*

---

# Unit price/rate (Program 1)



## Date/time setting

### Date setting



\* You can use <X>, <X/XX> or <X/KETTEN> instead of these keys.

### Time setting




\* You can use <X>, <X/XX> or <X/KETTEN> instead of these keys.

## Unit price program


### Programming procedure

Programming the 1st unit price and unit quantity (to department/flat-PLU key)



# Unit price/rate programming (P1)

## Programming the unit price and unit quantity (to PLU)




## Program data

| Description   | Choice                   | Program code  |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
|---|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----------------|-----------------|----------------|----------------|----------------|----------------|
| <i>D<sub>12</sub> ~ D<sub>7</sub> for non scalable item (unit quantity/2nd unit quantity)</i> |                          |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| Unit quantity (integer)   | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td>D<sub>12</sub></td><td>D<sub>11</sub></td><td>D<sub>10</sub></td><td>D<sub>9</sub></td></tr></table>   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | D <sub>12</sub>          | D <sub>11</sub> | D <sub>10</sub> | D <sub>9</sub> |                |                |                |
| <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> |                          |                          |                          |                          |                 |                 |                |                |                |                |
| D <sub>12</sub>   | D <sub>11</sub>          | D <sub>10</sub>   | D <sub>9</sub>           |                          |                          |                          |                          |                 |                 |                |                |                |                |
| Unit quantity (decimal)   | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td>D<sub>8</sub></td><td>D<sub>7</sub></td></tr></table>  | <input type="checkbox"/> | <input type="checkbox"/> | D <sub>8</sub>           | D <sub>7</sub>           |                          |                 |                 |                |                |                |                |
| <input type="checkbox"/>  | <input type="checkbox"/> |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| D <sub>8</sub>  | D <sub>7</sub>           |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| <i>D<sub>12</sub> ~ D<sub>7</sub> for scalable item (unit quantity/2nd unit quantity)</i>     |                          |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| Unit quantity (integer)   | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td>D<sub>12</sub></td><td>D<sub>11</sub></td></tr></table>  | <input type="checkbox"/> | <input type="checkbox"/> | D <sub>12</sub>          | D <sub>11</sub>          |                          |                 |                 |                |                |                |                |
| <input type="checkbox"/>  | <input type="checkbox"/> |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| D <sub>12</sub>   | D <sub>11</sub>          |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| Unit quantity (decimal)   | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td>D<sub>10</sub></td><td>D<sub>9</sub></td><td>D<sub>8</sub></td></tr></table>  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | D <sub>10</sub>          | D <sub>9</sub>           | D <sub>8</sub>  |                 |                |                |                |                |
| <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/>  |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| D <sub>10</sub>   | D <sub>9</sub>           | D <sub>8</sub>  |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| Always "0"  |                          | <table border="1"><tr><td>0</td></tr><tr><td>D<sub>7</sub></td></tr></table>  | 0                        | D <sub>7</sub>           |                          |                          |                          |                 |                 |                |                |                |                |
| 0   |                          |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| D <sub>7</sub>  |                          |   |                          |                          |                          |                          |                          |                 |                 |                |                |                |                |
| Unit price  | Significant numbers      | <table border="1"><tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr><tr><td>D<sub>6</sub></td><td>D<sub>5</sub></td><td>D<sub>4</sub></td><td>D<sub>3</sub></td><td>D<sub>2</sub></td><td>D<sub>1</sub></td></tr></table> | <input type="checkbox"/> | D <sub>6</sub>  | D <sub>5</sub>  | D <sub>4</sub> | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |
| <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> |                          |                          |                          |                 |                 |                |                |                |                |
| D <sub>6</sub>  | D <sub>5</sub>           | D <sub>4</sub>  | D <sub>3</sub>           | D <sub>2</sub>           | D <sub>1</sub>           |                          |                          |                 |                 |                |                |                |                |

## Rate program


### <CURRENCY EXCHANGE>



**Example:**


$$\begin{array}{l} \$1.00 = ¥110.50 \Rightarrow \boxed{1} \boxed{\cdot} \boxed{1} \boxed{0} \boxed{5} \\ ¥100 = \$0.9050 \Rightarrow \boxed{0} \boxed{\cdot} \boxed{9} \boxed{0} \boxed{5} \end{array}$$

### <CHECK>, <NEW BALANCE>, <PREMIUM (%+)>, <DISCOUNT (%−)>, <RATE TAX>




## Amount program

### <CASH>, <CHECK>, <NEW BALANCE>, <PLUS (+)>, <MINUS (-)>, <COUPON>



## Scanning PLU direct maintenance programming

### Programming procedure



\*1 Skip by general function programming address code 32.


### Program data

| Description                    | Choice   | Program code   |                |                |                |  |                 |                 |                 |                |                |                |                |
|--------------------------------|--|--|----------------|----------------|----------------|--|-----------------|-----------------|-----------------|----------------|----------------|----------------|----------------|
| Unit quantity (0.01 ~ 9999.99) | integer part (0000 ~ 9999)   | <table border="1"><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td>D<sub>12</sub></td><td>D<sub>11</sub></td><td>D<sub>10</sub></td><td>D<sub>9</sub></td></tr></table>  |                |                |                |  | D <sub>12</sub> | D <sub>11</sub> | D <sub>10</sub> | D <sub>9</sub> |                |                |                |
|                                |  |  |                |                |                |  |                 |                 |                 |                |                |                |                |
| D <sub>12</sub>                | D <sub>11</sub>  | D <sub>10</sub>  | D <sub>9</sub> |                |                |  |                 |                 |                 |                |                |                |                |
| decimal part (00 ~ 99)         | <table border="1"><tr><td> </td><td> </td></tr><tr><td>D<sub>8</sub></td><td>D<sub>7</sub></td></tr></table> |  |                | D <sub>8</sub> | D <sub>7</sub> |  |                 |                 |                 |                |                |                |                |
|                                |  |  |                |                |                |  |                 |                 |                 |                |                |                |                |
| D <sub>8</sub>                 | D <sub>7</sub>   |  |                |                |                |  |                 |                 |                 |                |                |                |                |
| Unit price (000000 ~ 999999)   | Significant numbers  | <table border="1"><tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr><tr><td>D<sub>6</sub></td><td>D<sub>5</sub></td><td>D<sub>4</sub></td><td>D<sub>3</sub></td><td>D<sub>2</sub></td><td>D<sub>1</sub></td></tr></table> |                |                |                |  |                 | D <sub>6</sub>  | D <sub>5</sub>  | D <sub>4</sub> | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |
|                                |  |  |                |                |                |  |                 |                 |                 |                |                |                |                |
| D <sub>6</sub>                 | D <sub>5</sub>   | D <sub>4</sub>   | D <sub>3</sub> | D <sub>2</sub> | D <sub>1</sub> |  |                 |                 |                 |                |                |                |                |

# Unit price/rate programming (P1)

## **Issuing program reading report of program 1 mode**

### **Issuing procedure**



### **Report sample**

|          |         |                                    |
|----------|---------|------------------------------------|
| P01..... |         | Program read symbol                |
| CASH     | @100.00 | Transaction key unit price or rate |
| CHECK    | @1.00   |                                    |
| -        | @1.00   |                                    |
| %-       | 10%     |                                    |
| DEPT01   | 0001-05 | Department descriptor/rec-#/file-# |
| 1.2      | @1.00   | Unit quantity/unit price           |
| DEPT02   | 0002-05 |                                    |
| 1        | @2.00   |                                    |

# Program reading (Program 6)


## Issuing program reading report

### Issuing procedure

#### Reading by file



#### Reading by range



### Report code

| File name                     | Report code |           |              | Note             |
|-------------------------------|-------------|-----------|--------------|------------------|
|                               | Unit price  | Character | Status, etc. |                  |
| Fixed totalizer               | ----        | 201       | ----         |                  |
| Transaction key               | 102         | 202       | 302          |                  |
| PLU                           | 104         | 204       | 304          | By range reading |
| Department                    | 105         | 205       | 305          | By range reading |
| Group                         | ----        | 206       | ----         |                  |
| Clerk                         | ----        | 207       | 307          | By range reading |
| Hourly sales                  | ----        | ----      | 309          |                  |
| Scanning PLU                  | ----        | ----      | 316          |                  |
| Table analysis                | ----        | 218       | 318          |                  |
| Grand total                   | ----        | 220       | ----         |                  |
| General control               | ----        | ----      | 322          |                  |
| Special character             | ----        | 223       | ----         |                  |
| Report header                 | ----        | 224       | ----         |                  |
| Tax table                     | ----        | ----      | 325          |                  |
| Set menu table                | ----        | ----      | 328          |                  |
| Batch X/Z                     | ----        | 229       | 329          |                  |
| Clerk detail link             | ----        | ----      | 330          |                  |
| Receipt message               | ----        | 232       | ----         |                  |
| Check endorsement message     | ----        | 233       | ----         |                  |
| Slip/external printer message | ----        | 234       | ----         |                  |
| Arrangement table             | ----        | ----      | 338          |                  |
| Character recall              | ----        | 239       | ----         |                  |
| Non-PLU table                 | ----        | ----      | 340          |                  |
| Check print control           | ----        | ----      | 341          |                  |
| Mix & match                   | ----        | 251       | 351          |                  |
| Employee                      | ----        | ----      | 361          |                  |
| Scheduler                     | ----        | ----      | 362          |                  |
| Bottle link table             | ----        | ----      | 373          |                  |
| One touch NLU table           | ----        | ----      | 377          |                  |
| Miscellaneous message         | ----        | 278       | ----         |                  |
| Printing guidance message     | ----        | 279       | ----         |                  |
| Error message                 | ----        | 280       | ----         |                  |
| Registration guidance message | ----        | 281       | ----         |                  |
| X/Z guidance message          | ----        | 282       | ----         |                  |
| Program guidance message      | ----        | 283       | ----         |                  |
| Help message                  | ----        | 285       | ----         |                  |
| Terminal connection table     | ----        | 291       | 391          |                  |
| Printer connection table      | ----        | ----      | 393          |                  |
| AT command                    | ----        | 296       | ----         |                  |
| Online password               | ----        | 297       | ----         |                  |
| I/O parameter table           | ----        | ----      | 398          |                  |

# *Program reading (P6)*

---

## **Report sample**

### **Fixed totalizer**

|          |                       |
|----------|-----------------------|
| P02..... | Program 2 mode symbol |
| GROSS    | 0001-01               |
| NET      | 0002-01               |
| CAID     | 0003-01               |
| CATI     | 0004-01               |

### **Transaction key**

#### **Program 1**

|          |                       |
|----------|-----------------------|
| P01..... | Program 1 mode symbol |
| CHECK    | @10.00                |
| CASH     | @1.00                 |
| -        | @2.20                 |
| %-       | 10.24%                |

#### **Program 2**


|          |                       |
|----------|-----------------------|
| P02..... | Program 2 mode symbol |
| CHECK    | 0001-02               |
| CREDIT2  | 0002-02               |
| PD       | 0003-02               |
| CASH     | 0004-02               |

#### **Program 3**


|          |                         |
|----------|-------------------------|
| P03..... | Program 3 mode symbol   |
| CHECK    | 0001-02<br>000000000000 |
| CREDIT2  | 0002-02<br>000002000002 |

## PLU


### Program 1



### Program 2




### Program 3




# Program reading (P6)

## Department


### Program 1




### Program 2



### Program 3



## Group



## Clerk

### Program 2

|                      |                       |                               |
|----------------------|-----------------------|-------------------------------|
| <b>P02.....</b>      | Program 2 mode symbol |                               |
| <b>#0001 - #0010</b> |                       | Clerk range                   |
| <b>C01</b>           | <b>0001-07</b>        | Clerk descriptor/rec-#/file-# |
| <b>C02</b>           | <b>0002-07</b>        |                               |
| <b>C03</b>           | <b>0003-07</b>        |                               |

### Program 3

|                      |                       |                               |
|----------------------|-----------------------|-------------------------------|
| <b>P03.....</b>      | Program 3 mode symbol |                               |
| <b>#0001 - #0010</b> |                       | Clerk range                   |
| <b>C01</b>           | <b>0001-07</b>        | Clerk descriptor/rec-#/file-# |
|                      | <b>000001000001</b>   | Check-#/drawer-#/secret-#     |
| <b>67</b>            | <b>0000000000</b>     | Address code 67 program       |
| <b>68</b>            | <b>00000000</b>       | Address code 68 program       |
| <b>69</b>            | <b>000000000000</b>   | Address code 69 program       |
| <b>70</b>            | <b>0000000000</b>     | Address code 70 program       |
| <b>C02</b>           | <b>0002-07</b>        |                               |

## Hourly sales

|                                  |                        |
|----------------------------------|------------------------|
| <b>P03.....</b>                  | Program 3 mode symbol  |
| <b>0001-09 00:00 -&gt; 01:00</b> | Rec-#/file-#/time zone |
| <b>0002-09 01:00 -&gt; 02:00</b> |                        |
| <b>0003-09 02:00 -&gt; 03:00</b> |                        |


## Scanning PLU

|                                |   |
|--------------------------------|---|
| <b>P03.....</b>                | Program 3 mode symbol                                   |
| <b>SCAN-PLU0001</b>            | Scanning PLU descriptor                                 |
| <b>#49401004</b>               | Scanning PLU code                                       |
| <b>0 @10.00</b>                | Unit quantity/unit price                                |
| <b>0 000000 000100 0000 00</b> | Menu sheet No./status/link dept/bottle link/mix & match |


# Program reading (P6)

## Table analysis


### Program 2




### Program 3




### Grand total




### General control




### Special character




## Report header



## Tax table




## Set menu table



## Batch X/Z


### Program 2




# Program reading (P6)

---


## Program 3




## Clerk detail link




## Receipt message




## Check endorsement




## Slip/external printer message




## Arrangement table




## Character recall



## Non-PLU table



## Check print control




# Program reading (P6)


---

## Mix & match


### Program 2




### Program 3




## Employee




## Scheduler




## Bottle link table



## One touch NLU




## Help message




## Terminal connection table


### Program 2



### Program 3




## Printer connection table




# *Program reading (P6)*

---


## **AT command**




## **Online password**




## **I/O parameter table**




## **Miscellaneous message**




## **Printing guidance message**




## Error message




## Registration guidance message



## X/Z guidance message



## Program guidance message



## *Program reading (P6)*

---

# Auto-program & system utilities (Program 7)

## Auto-programming

Using the auto-program function makes it possible to save and load the terminal program files. Methods available for saving the terminal program are as follows:

- 1) Saving onto a personal computer connected through online.
- 2) Saving onto a CF card.

To ensure quick recovery from a corrupted file resulting from user error or system failure, it is recommended that you maintain backup copies of current terminal programs on a file basis.

Terminal program files can be loaded using procedures opposite to those used for saving.

### Note

Data except for program data and totalizer/counters, such as subtotal amount, item counter, and work area, cannot be saved by the auto-programming function.

**Never plug/unplug the CF card during auto-programming.**

## Auto-programming functions

The terminal is capable of saving and loading terminal program files. The terminal has the following transfer functions:

- 1) Copy complete terminal files (send/receive: activation by source terminal) :Command code 900  
This function copies complete terminal files (except system work files) with counter and totalizers. When a file is not reserved on the target terminal, the file is created automatically. This function is used for backing up a terminal.
- 2) Copy all terminal files (send/receive: activation by source terminal): Command code 090 (or 990)  
This function copies all terminal files (except system work files and terminal ID No.) with counter and totalizers. When a file is not reserved on the target terminal, the file is created automatically. This function is used for copying a terminal data to other terminal.
- 3) Copy all terminal program files (send/receive: activation by source terminal): Command code 092  
This function copies all terminal files (except system work files, terminal ID No., I/O parameter table file, and consecutive No.) without counters and totalizers. When a file is not reserved on the target terminal, the processing file is skipped.
- 4) Copy all terminal program files with file allocation (send/receive: activation by source terminal): Command code 992  
This function copies all terminal files (except system work files, terminal ID No., I/O parameter table file, and consecutive No.) without counters and totalizers. When a file is not reserved on the target terminal, the file is created automatically.
- 5) Copy individual terminal program files (send/receive: activation by source terminal) Command code 0xx (xx: file No.)  
This function copies the specific terminal program file (except system work files) without counters and totalizers. When the specific file is not reserved on the target terminal, it is skipped.
- 6) Copy individual terminal program files with file creation (send/receive: activation by source terminal)  
Command code 9xx (xx: file No.)  
This function copies the specific terminal program file (except system work files) without counters and totalizers. When the specific file is not reserved on the target terminal, it is allocated automatically.

# Auto-programming/system utilities (P7)

## Command code list

| File No.                        | File description           | Command 900 | Command 090/990 | Command 092/992 | Command 0xx/9xx |
|---------------------------------|----------------------------|-------------|-----------------|-----------------|-----------------|
| <b>System files</b>             |                            |             |                 |                 |                 |
| 089                             | Consecutive number work    | ✓           | ---             | ---             | ---             |
| 091                             | Terminal connection table  | ✓           | ✓               | ✓               | 091/991         |
| 093                             | Printer connection         | ✓           | ✓               | ✓               | 093/993         |
| 094                             | Start date                 | ✓           | ---             | ---             | ---             |
| 095                             | Initialize code            | ✓           | ✓               | ---             | ---             |
| 096                             | AT command                 | ✓           | ✓               | ✓               | 096/996         |
| 097                             | Online password            | ✓           | ✓               | ✓               | 097/997         |
| 098                             | I/O parameter table        | ✓           | ---             | ---             | 098/998         |
| 099                             | System error log           | ✓           | ---             | ---             | ---             |
| <b>Function and total files</b> |                            |             |                 |                 |                 |
| 001                             | Fixed totalizer            | ✓           | ✓               | ✓               | 001/901         |
| 101                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 201                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 301                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 401                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 501                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 002                             | Transaction key            | ✓           | ✓               | ✓               | 002/902         |
| 102                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 202                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 302                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 402                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 502                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 004                             | PLU                        | ✓           | ✓               | ✓               | 004/904         |
| 104                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 204                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 304                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 404                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 504                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 005                             | Department                 | ✓           | ✓               | ✓               | 005/905         |
| 105                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 205                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 305                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 405                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 505                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 006                             | Group                      | ✓           | ✓               | ✓               | 006/906         |
| 106                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 206                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 306                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 406                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 506                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 009                             | Hourly sales               | ✓           | ✓               | ✓               | 009/909         |
| 109                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 209                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 309                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 409                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 509                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 010                             | Monthly sales              | ✓           | ✓               | ---             | ---             |
| 110                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 210                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 310                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |
| 410                             | (periodic 1 consolidation) | ✓           | ✓               | ---             | ---             |
| 510                             | (periodic 2 consolidation) | ✓           | ✓               | ---             | ---             |
| 018                             | Table analysis             | ✓           | ✓               | ✓               | 018/918         |
| 118                             | (periodic total 1)         | ✓           | ✓               | ---             | ---             |
| 218                             | (periodic total 2)         | ✓           | ✓               | ---             | ---             |
| 318                             | (daily consolidation)      | ✓           | ✓               | ---             | ---             |


| <b>File No.</b>                         | <b>File description</b>       | <b>Command 900</b> | <b>Command 090/990</b> | <b>Command 092/992</b> | <b>Command 0xx/9xx</b> |
|---|-------------------------------|--------------------|------------------------|------------------------|------------------------|
| 418                                     | (periodic 1 consolidation)    | ✓                  | ✓                      | ---                    | ---                    |
| 518                                     | (periodic 2 consolidation)    | ✓                  | ✓                      | ---                    | ---                    |
| 020                                     | Grand total                   | ✓                  | ✓                      | ✓                      | 020/920                |
| 320                                     | (daily consolidation)         | ✓                  | ✓                      | ---                    | ---                    |
| <b>Check files</b>                      |                               |                    |                        |                        |                        |
| 015                                     | Check Index                   | ✓                  | ✓                      | ---                    | ---                    |
| 056                                     | Separate check buffer         | ✓                  | ✓                      | ---                    | ---                    |
| 060                                     | Check detail                  | ✓                  | ✓                      | ---                    | ---                    |
| <b>Clerk files</b>                      |                               |                    |                        |                        |                        |
| 007                                     | Clerk                         | ✓                  | ✓                      | ✓                      | 007/907                |
| 030                                     | Clerk detail link             | ✓                  | ✓                      | ✓                      | 030/930                |
| 011                                     | Clerk detail                  | ✓                  | ✓                      | ---                    | ---                    |
| 111                                     | (periodic total 1)            | ✓                  | ✓                      | ---                    | ---                    |
| 211                                     | (periodic total 2)            | ✓                  | ✓                      | ---                    | ---                    |
| 311                                     | (daily consolidation)         | ✓                  | ✓                      | ---                    | ---                    |
| 411                                     | (periodic 1 consolidation)    | ✓                  | ✓                      | ---                    | ---                    |
| 511                                     | (periodic 2 consolidation)    | ✓                  | ✓                      | ---                    | ---                    |
| <b>Time &amp; attendance files</b>      |                               |                    |                        |                        |                        |
| 019                                     | Time & attendance             | ✓                  | ✓                      | ---                    | ---                    |
| <b>Scanning PLU files</b>               |                               |                    |                        |                        |                        |
| 016                                     | Scanning PLU                  | ✓                  | ✓                      | ✓                      | 016/916                |
| 040                                     | Non PLU table                 | ✓                  | ✓                      | ✓                      | 040/940                |
| 051                                     | Mix & match table             | ✓                  | ✓                      | ✓                      | 051/951                |
| 151                                     | (periodic total 1)            | ✓                  | ✓                      | ---                    | ---                    |
| 251                                     | (periodic total 2)            | ✓                  | ✓                      | ---                    | ---                    |
| 351                                     | (daily consolidation)         | ✓                  | ✓                      | ---                    | ---                    |
| 451                                     | (periodic 1 consolidation)    | ✓                  | ✓                      | ---                    | ---                    |
| 551                                     | (periodic 2 consolidation)    | ✓                  | ✓                      | ---                    | ---                    |
| 070                                     | Batch maintenance PLU         | ✓                  | ✓                      | ✓                      | 070/970                |
| 071                                     | Direct maintenance PLU        | ✓                  | ✓                      | ---                    | ---                    |
| 076                                     | Scanning PLU index            | ✓                  | ✓                      | ✓                      | 016/916                |
| 077                                     | One touch NLU table           | ✓                  | ✓                      | ✓                      | 077/977                |
| <b>Arrangement file</b>                 |                               |                    |                        |                        |                        |
| 038                                     | Arrangement table             | ✓                  | ✓                      | ✓                      | 038/938                |
| <b>Program / message / buffer files</b> |                               |                    |                        |                        |                        |
| 022                                     | General control               | ✓                  | ✓                      | ✓                      | 022/922                |
| 023                                     | Special character             | ✓                  | ✓                      | ✓                      | 023/923                |
| 024                                     | Report header                 | ✓                  | ✓                      | ✓                      | 024/924                |
| 025                                     | Tax table                     | ✓                  | ✓                      | ✓                      | 025/925                |
| 028                                     | Set menu table                | ✓                  | ✓                      | ✓                      | 028/928                |
| 029                                     | Batch X/Z                     | ✓                  | ✓                      | ✓                      | 029/929                |
| 032                                     | Receipt/slip message          | ✓                  | ✓                      | ✓                      | 032/932                |
| 033                                     | Endorse message               | ✓                  | ✓                      | ✓                      | 033/933                |
| 034                                     | Slip/external printer message | ✓                  | ✓                      | ✓                      | 034/934                |
| 036                                     | Registration buffer           | ✓                  | ✓                      | ---                    | ---                    |
| 039                                     | Character recall              | ✓                  | ✓                      | ✓                      | 039/939                |
| 041                                     | Check print                   | ✓                  | ✓                      | ✓                      | 041/941                |
| 046                                     | Character key table           | ✓                  | ✓                      | ✓                      | 046/946                |
| 047                                     | Graphic logo *1               | ✓                  | ✓                      | ✓                      | 047/947                |
| 049                                     | External printer print buffer | ✓                  | ✓                      | ---                    | ---                    |
| 062                                     | Scheduler                     | ✓                  | ✓                      | ✓                      | 062/962                |
| 068                                     | Watermark print               | ✓                  | ✓                      | ✓                      | 068/968                |
| 073                                     | Bottle link table             | ✓                  | ✓                      | ✓                      | 073/973                |
| 074                                     | Key table                     | ✓                  | ✓                      | ✓                      | 074/974                |
| 078                                     | Miscellaneous message         | ✓                  | ✓                      | ✓                      | 078/978                |
| 079                                     | Printing guidance message     | ✓                  | ✓                      | ✓                      | 079/979                |
| 080                                     | Error message                 | ✓                  | ✓                      | ✓                      | 080/980                |

# Auto-programming/system utilities (P7)

| File No. | File description              | Command 900 | Command 090/990 | Command 092/992 | Command 0xx/9xx |
|----------|-------------------------------|-------------|-----------------|-----------------|-----------------|
| 081      | Registration guidance message | ✓           | ✓               | ✓               | 081/981         |
| 082      | X/Z guidance message          | ✓           | ✓               | ✓               | 082/982         |
| 083      | Program guidance message      | ✓           | ✓               | ✓               | 083/983         |
| 085      | Help message                  | ✓           | ✓               | ✓               | 085/985         |
| 086      | Slip print buffer             | ✓           | ✓               | ---             | ---             |

## Auto-programming operation

### To CF card




\* File name: You can use only the capital alphabet (A ~ Z), numeric (0. 1 ~ 9) and minus sign.

Note: You cannot overwrite the same file name.



If there is no enough room for auto-program delete other files in the CF card or format it.

If you use the CF card for the first time, format it.

### From CF card



### Cursor keys



## Other utilities

### Issuing system error log report



### Report sample

|                     |            |  |
|---------------------|------------|--|
| -----( 1033 )-----  |            |  |
| GT TIME             | 003783     | Total working time                                     |
| START DATE          | 04-03-2006 | Start date   |
| -----               |            |  |
| 01 0001 0001 000505 | 1058 0102  | Rec-#/job No./error code (Refer to the appendix.)/date |
| 02 0000 0000 000000 | 0000 0000  | Time/destination terminal ID                           |
| 03 0000 0000 000000 | 0000 0000  |  |
|                     |            |  |

# Auto-programming/system utilities (P7)

## Issuing CF card directory report




## Report sample

|                    |  |
|--------------------|--|
| ----- (1170) ----- | Title  |
| 001 PGM 1000.090   | Auto-programming title   |
| 10,953             | Index capacity   |
| 04-30-2004 12:34   | Date/time  |
| 002 FILE0001.090   | Auto-programming file name   |
| 1,024              | File capacity  |
| 04-30-2004 12:34   | Cf. The meaning of file name: FILEnnnn. mmm<br>nnnn: file number, mmm: auto-programming command code |


## Formatting of CF card




## Deleting a file from CF card



## Cursor keys



Up cursor key  
Down cursor key



Up cursor key  
Down cursor key

### Set the AT command to default value




### Set the AT command to MODEM

Before executing this command, you should connect a MODEM.



### Report sample



### Set the graphic logo to the external printer

Before executing this command, you should connect UP-350.





# Manager operation


This section describes modes and operations that are generally used by management only. Besides user programming procedure, it also describes how to perform clerk assignments for clerk interrupt function and set stock quantities.

## Manager control mode (X1 mode)

Manager control consists of the six operations listed below. Access to these operations can be restricted by password that makes it impossible to perform operations unless the correct password is input.

- Drawer assignments for each clerk (when optional multi-drawer system is used)
- Stock quantity maintenance
- Clerk assignment for clerk interrupt function
- Clerk number to clerk number key
- Programming for the Euro
- Programming for Australian GST
- Program 1 programming (programming unit prices for department keys, PLUs; programming unit prices, rates, times, dates for function keys)
- Master re-connection
- Resetting the busy flag

### Entering the manager control mode




### Procedure


1. If the register has no password for the manager mode, you need not to enter it.
  2. Press the clerk number key if you want the password you input not to appear on the display.
  3. An error occurs if you try to enter the manager control mode without inputting a password (when one is programmed), or if the password you input does not match the one programmed for the register.
- To avoid repetition, the above operation is abbreviated to the following for all of the other procedure in this section.

### Assign drawers for each clerk

#### Procedure (by clerk button)



#### Procedure (by clerk code)



#### Note:

1. Each clerk can be assigned a drawer when optional multi-drawer system is being used.
2. Input a 4-digit clerk number (0001 ~ 9999) that identifies the clerk you want to assign the drawer to.


# Manager operation

## Stock quantity maintenance (PLU/flat PLU/scanning PLU)


You can make changes in actual stock quantities for PLU using the procedures described in this section.

### To add to the actual stock quantity of a PLU/flat PLU/scanning PLU


#### Procedure for PLU



#### Procedure for flat PLU




#### Procedure for scanning PLU




### To subtract from the actual stock quantity of a PLU/flat PLU/scanning PLU


#### Procedure for PLU



#### Procedure for flat PLU




#### Procedure for scanning PLU




## To input the new stock quantity of a PLU/flat PLU


### Procedure for PLU



### Procedure for flat PLU



### Procedure for scanning PLU




## Clerk assignment

Linking a clerk to a clerk interrupt buffer enables clerk interrupt while a transaction is in progress.


### To link clerk button/key to interrupt buffers

#### Procedure




### To link clerk secret numbers to interrupt buffers

#### Procedure



### To link clerk numbers to clerk number keys

#### Procedure



#### Note:


To clear the programming, enter "000000."

# Manager operation

## Programming for the Euro

This procedure is used for defining main/sub currency, currency exchange rate for the Euro, and drawer number for sub currency at the same time. Please follow the guidance receipts issued in each time during this procedure.

### General procedure




**Note:** After this operation, the Init 2 (Memory all clear except the program area) is automatically performed.

### Data (Currency definition type)


| Description                                    | Choice | Program code   |
|--|--------|----------------|
| Currency definition type * :                   |        |                |
| Main = local, sub = Euro, change = local ..... | 1      |                |
| Main = local, sub = Euro, change = Euro .....  | 2      |                |
| Main = Euro, sub = local, change = Euro .....  | 3      | D <sub>1</sub> |
| Euro only (No sub currency) .....              | 4      |                |

\* Once you have chosen one of these numbers, do NOT select the smaller number of the type.


### Type 1 procedure




### Type 2 procedure



### Type 3 procedure



## Type 4 procedure



## Data (Currency conversion rate)

| Description  | Choice                 | Program code   |
|--|------------------------|--|
| Currency exchange rate: (6 digit with decimal point key)<br>example: 1 Euro = DM 1.95583 | Significant<br>numbers | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/><br>$D_6 \ D_5 \ D_4 \ D_3 \ D_2 \ D_1$ |

**Data (Drawer number for sub currency)**

| Description  | Choice                | Program code                               |
|--|-----------------------|--|
| Cash drawer number of sub currency: 0 - 2<br>("0" means main drawer) | Significant<br>number | <input type="checkbox"/><br>D <sub>1</sub> |

### Date (Unit price conversion to Euro)

| Description  | Choice            | Program code                               |
|--|-------------------|--|
| All unit price (department, PLU, flat-PLU, scanning PLU) are converted in Euro.<br>Note: All unit price/rate of the following function keys (<CASH>, <CHECK>, <NB>, <+>, <->, <COUPON>) are set to zero. | Yes = 0<br>No = 1 | <input type="checkbox"/><br>D <sub>1</sub> |

**Automatic execution of this procedure on the preset date/time**

You can execute this Euro switchover procedure automatically by using arrangement and scheduler. Please refer to the programming example on page 184.

# Manager operation

## Programming for the Australian GST

This procedure is used for defining

- Tax symbol (\*) is printed.
- Taxable amount (receipt) is skipped.
- “GST INCLUDED” is set to the TX1 descriptor.
- “TAXABLE AMT” is set to the TA1 descriptor.
- Total line is printed even in direct (cash) sales.
- Australian rounding is set.
- “\$” is set to the monetary symbol.
- Print “MOF message” on receipt.
- Tax (10% tax rate, add-in tax, fraction rounding off) is set to the tax table 1. No data is set to other tax tables.
- The taxable amount and tax amount except TA1/TX1 are not printed on fixed totalizer report.
- “RND/ST” is set to the subtotal descriptor for display.
- After subtotal, both “rounded ST” and “not rounded ST” are displayed.

at the same time.

### Procedure



## Programming of items in the program 1 mode

Use the manager control mode to program the items in the program 1 mode. These items can be preset to prohibit programming by manager control mode. The following is a list of items that you can program using the manager control mode.

- Unit prices for departments, and PLUs
- Unit prices for the plus, minus, coupon keys
- Second unit price for PLU
- Percentage for discount/premium key
- Rate or amount service charge for check cashing using the check tender key
- Rate or amount service charge for temporary finalization using the new balance key
- Date
- Time
- Currency exchange rate for currency exchange key
- Rate tax
- Scanning PLU direct maintenance

### To enter the program 1 mode



1. The register enters the program 1 mode at this point. You do not need to change the mode switch to the program position.
2. Perform program 1 programming as explained in the programming manual.

### To exit the program 1 mode

Change the position of the mode control key to another setting (REG1/2, RF, OFF, Z1, X2/Z2 or PGM).  
This procedure cancels program 1 mode of manager control (X1) mode.

# Read/reset report issuance


## Preparation for issuing report

### Money declaration

There are two ways to declare the money in drawer amount; money declaration in the REG1/REG2/RF mode or money declaration in the X1/Z1 mode. Both declarations release “money declaration compulsory.”


#### Money declaration in the REG1/REG2/RF modes

The register stores the declaration amount, declaration over and declaration short totalizers for each payment medium, and you can issue reports in the status of each totalizer.




- Declaration amount: Stores declared amount (added in the REG1/2, subtracted in RF).
- Declaration over: Stores difference between declared amount and in drawer amount if declared amount is greater than the in drawer amount.
- Declaration short: Stores difference between declared amount and in drawer amount if declared amount is less than the in drawer amount.

#### Money declaration in the X1/Z1 modes



### Password (X2/Z2 mode)

Without entering password of X2/Z2 mode, an error will occur if it is programmed.



Press the clerk number key if you want the password you input not to appear on the display.

### Issuing read/reset report

- The formats of read reports are similar to those of reset reports, except that the reset reports contain the symbol “Z” and the non-resettable number of resets at the top. Also, the non-resettable grand total is printed on the fixed totalizer reset report.
- If money declaration is programmed as compulsory, you must input an amount before you can perform read or reset operations, otherwise an error will occur.
- “\*” is printed on the left side of the “X or Z” symbol on the read or reset report if an overflow occurs in any of the counters or totalizers.
- A report header message (report title) that indicates the report code and report contents is printed in the header line of each report. The report header message is programmable up to maximum of 12 characters. Note that the report header is programmable for each totalizer file or for batch X/Z report file record, not for each report code.

# Read/reset report

## Programmability

- Report issuance can be programmed with the following features:
- Suppress printing of zero total lines.
  - Money declaration compulsory
  - Report header message (report title)
  - Print sales ratio
  - Suppress printing of grand total
  - Print two copies of the fixed total reset report.
  - Print PLU number/random PLU codes on the PLU report and individual report.
  - Clear (reset) actual stock quantity when the stock reset report programmed in a batch report is issued.
  - Printing control for totalizers and counters in the fixed total report
  - Start time period for the hourly sales and hourly item report
  - Print the monthly sales average amount on the monthly sales report.


## Issuing procedure

The following procedures are available for issuing reports:


- Individual read/reset report issuance.
- PLU/scanning PLU range read/reset report issuance
- Report code input for individual files for read/reset report issuance
- Batch read/reset report issuance for string report
- File reset (clear totalizers/counters) with no report

### Individual report


- Finance report



- Individual item/key report




- Individual clerk/PLU by group, dept./PLU stock by group, dept. report




| Report name                        | Report code (Read: #=0 / Reset: # = 1) |            |            |                    |            |            | Target-No.     |  |
|------------------------------------|--|------------|------------|--------------------|------------|------------|----------------|--|
|                                    |  |            |            | Consolidation file |            |            |                |  |
|                                    | Daily                                  | Periodic 1 | Periodic 2 | Daily              | Periodic 1 | Periodic 2 |                |  |
| Clerk individual                   | 20017                                  | 2#117      | 2#217      | 20317              | 2#417      | 2#517      | Clerk-No.      |  |
| PLU individual by group            | 1020014                                | 102#114    | 102#214    | 1020314            | 102#414    | 102#514    | Group-No.      |  |
| PLU individual by department       | 2020014                                | 202#114    | 202#214    | 2020314            | 202#414    | 202#514    | Department-No. |  |
| PLU stock individual by group      | 1020064                                | -----      | -----      | -----              | -----      | -----      | Group-No.      |  |
| PLU stock individual by department | 2020064                                | -----      | -----      | -----              | -----      | -----      | Department-No. |  |

• Individual open check report



Range report

- PLU range report
- Scanning PLU range report




\*1 If you skip to enter the start No., it starts the first record No./random code.

\*2 If you skip to enter the end No., it starts the last record No./random code.

# Read/reset report


| Report name                                    | Report code (Read: #=0 / Reset: # = 1) |            |            |                    |            |            | Target-No.           |                    |
|--|--|------------|------------|--------------------|------------|------------|----------------------|--------------------|
|  |  |            |            | Consolidation file |            |            |                      |                    |
|  | Daily                                  | Periodic 1 | Periodic 2 | Daily              | Periodic 1 | Periodic 2 | Start number         | End number         |
| PLU range by record number                     | 10014                                  | 1#114      | 1#214      | 10314              | 1#414      | 1#514      | Start rec-No.        | End rec-No.        |
| PLU range by random code                       | 10014                                  | 1#114      | 1#214      | 10314              | 1#414      | 1#514      | Start random code    | End random code    |
| PLU stock range by record number               | 10064                                  | -----      | -----      | 10364              | -----      | -----      | Start rec-No.        | End rec-No.        |
| PLU stock range by random code                 | 10064                                  | -----      | -----      | 10364              | -----      | -----      | Start random code    | End random code    |
| Scanning PLU by range group                    | 1000026                                | -----      | -----      | -----              | -----      | -----      | Start group-No.      | End group-No.      |
| Scanning PLU by range department               | 2000026                                | -----      | -----      | -----              | -----      | -----      | Start department-No. | End department-No. |
| Scanning PLU best 50 by range department       | 80026                                  | -----      | -----      | -----              | -----      | -----      | Start department-No. | End department-No. |
| Scanning PLU inactive item by range department | 90026                                  | -----      | -----      | -----              | -----      | -----      | Start department-No. | End department-No. |
| Scanning PLU stock by range group              | 1000065                                | -----      | -----      | -----              | -----      | -----      | Start group-No.      | End group-No.      |
| Scanning PLU stock by range department         | 2000065                                | -----      | -----      | -----              | -----      | -----      | Start department-No. | End department-No. |

## Individual file report




| Report name                                  | Report code (Read: #=0 / Reset: # = 1) |            |       |                    |            |       |
|--|--|------------|-------|--------------------|------------|-------|
|  |  |            |       | Consolidation file |            |       |
| Daily  | Periodic 1                             | Periodic 2 | Daily | Periodic 1         | Periodic 2 |       |
| Fixed totalizer                              | 11                                     | #111       | #211  | 311                | #411       | #511  |
| Transaction key                              | 12                                     | #112       | #212  | 312                | #412       | #512  |
| PLU by record number/random code (all)       | 14                                     | #114       | #214  | 314                | #414       | #514  |
| best 50 (amount order)                       | 60014                                  | 60114      | 60214 | 60314              | 60414      | 60514 |
| best 50 (quantity order)                     | 70014                                  | 70114      | 70214 | 70314              | 70414      | 70514 |
| by group                                     | 24                                     | #124       | #224  | 324                | #424       | #524  |
| menu (1st) (except TE-2200)                  | 81                                     | #181       | #281  | 381                | #481       | #581  |
| menu (2nd) (except TE-2200)                  | 82                                     | #182       | #282  | 382                | #482       | #582  |
| menu (3rd) (except TE-2200)                  | 83                                     | #183       | #283  | 383                | #483       | #583  |
| menu (4th) (except TE-2200)                  | 84                                     | #184       | #284  | 384                | #484       | #584  |
| menu (5th) (except TE-2200)                  | 85                                     | #185       | #285  | 385                | #485       | #585  |
| menu (6th) (except TE-2200)                  | 86                                     | #186       | #286  | 386                | #486       | #586  |
| PLU stock all PLU by record number           | 64                                     | -----      | ----- | -----              | -----      | ----- |
| by group                                     | 34                                     | -----      | ----- | -----              | -----      | ----- |
| Department                                   | 15                                     | #115       | #215  | 315                | #415       | #515  |
| best 50 (amount order)                       | 60015                                  | 60115      | 60215 | 60315              | 60415      | 60515 |
| best 50 (quantity order)                     | 70015                                  | 70115      | 70215 | 70315              | 70415      | 70515 |
| Group  | 16                                     | #116       | #216  | 316                | #416       | #516  |
| Clerk  | 17                                     | #117       | #217  | 317                | #417       | #517  |
| Hourly sales                                 | 19                                     | #119       | #219  | 319                | #419       | #519  |
| Monthly sales                                | 20                                     | #120       | #220  | 320                | #420       | #520  |
| Open check                                   | 25                                     | -----      | ----- | -----              | -----      | ----- |
| total only                                   | 40025                                  | -----      | ----- | -----              | -----      | ----- |
| Scanning PLU by range department (all)       | 26                                     | -----      | ----- | -----              | -----      | ----- |
| Scanning PLU stock by range department (all) | 65                                     | -----      | ----- | -----              | -----      | ----- |
| Table analysis                               | 28                                     | #128       | #228  | 328                | #428       | #528  |
| Mix & match                                  | 61                                     | #161       | #261  | 361                | #461       | #561  |
| Time & attendance                            | 29                                     | -----      | ----- | -----              | -----      | ----- |


## Batch report



Note: If you skip to enter the report code, the 1st batch X/Z is executed.



## File reset



| Report name                          | Report code |            |            |
|--------------------------------------|-------------|------------|------------|
|                                      | Daily       | Periodic 1 | Periodic 2 |
| PLU reset (no report)                | 50014       | 51114      | 51214      |
| Scanning PLU reset (no report)       | 50026       | -----      | -----      |
| Scanning PLU stock reset (no report) | 50065       | -----      | -----      |

# Read/reset report

## Report sample

### Financial report

|            |             |         |   |
|------------|-------------|---------|---|
| X          | 03-04-2006  | 19:00   | X1 mode symbol/date/time                                  |
| C01        | MC#01       | 000001  | Clerk descriptor/Mc-No./consecutive No.                   |
| X          | FLASH       |         | Report header/title                                       |
|            |             | 0000071 | Report code   |
| DECLA      | \$13,575.07 |         | Declared amount of main currency                          |
|            | -1.36       |         | Difference between declared amount and accumulated amount |
| EURO MONEY | €26.33      |         | Declared amount of sub currency                           |
|            | -1.73       |         | Difference between declared amount and accumulated amount |
| GROSS      | 2734.973    |         | Gross character/gross quantity                            |
|            | \$15,362.37 |         | Gross amount  |
| NET        | No 846      |         | Net character/net count                                   |
|            | \$13,601.80 |         | Net amount  |
| CAID       | \$13,576.43 |         | Cash in drawer of main currency                           |
| CATL       | \$13,575.07 |         | Declared cash in drawer amount of main currency           |
| CA-        | -1.36       |         | Declared short cash amount                                |
| CAID2      | €28.06      |         | Cash in drawer of sub currency                            |
| CATL2      | €26.33      |         | Declared cash in drawer of sub currency                   |
| CA-        | -1.73       |         | Declared cash in drawer amount of sub currency            |
| CR+ 2      | \$1.20      |         |   |
| FSID       | \$4.63      |         | Food stamp in drawer                                      |
| EBTT       | -4.63       |         | EBT total in drawer                                       |

### Individual item/key report

|                 |            |        |   |
|-----------------|------------|--------|---|
| X               | 03-04-2006 | 19:05  | X1 mode symbol/date/time                    |
| C01             | MC#01      | 000002 | Clerk descriptor/Mc-No./consecutive No.     |
| X               | INDIVIDUAL |        | Report header/title                         |
| PLU0001         | 83.933     |        | PLU character/quantity                      |
| 25.27%          | \$1,373.39 |        | Sales ratio/amount                          |
| OLD PRC         | \$26.35    |        | Old price total                             |
| RED PRC         | \$18.98    |        | Red price total                             |
| DISCOUNT        | \$56.37    |        | Discount total                              |
| #000001         |            |        | PLU code (4-digit) or Random code (6-digit) |
| SCAN-PLU0001    | 108        |        | Scanning PLU character/quantity             |
| 6.10%           | 76.89      |        | Sales ratio/amount                          |
| #49012345678904 |            |        | Scanning PLU code                           |
| CASH            | No 12      |        | Key descriptor/counter                      |
|                 | \$240.43   |        | Amount                                      |
| DEPT01          | 15         |        | Key descriptor/quantity                     |
| 10%             | \$780.92   |        | Sales ratio/amount                          |
| OLD PRC         | \$29.08    |        | Old price total                             |
| RED PRC         | \$25.33    |        | Red price total                             |
| DISCOUNT        | \$30.16    |        | Discount total                              |
| -----           |            |        |   |
| TL              | 207.933    |        | Quantity total                              |
|                 | \$2,871.63 |        | Amount total                                |
| RED PRC         | \$44.31    |        | Red price total                             |
| DISCOUNT        | \$86.53    |        | Discount total                              |

## Fixed total report

|            |                     |         |   |
|------------|---------------------|---------|---|
| Z          | 03-04-2006          | 19:10   | Mode symbol/date/time                                     |
| C01        | MC#01               | 012343  | Clerk descriptor/Mc-No./consecutive No.                   |
| Z          | FIX                 | 0001    | Report header/title/reset counter (Z only)                |
|            |                     | 0001011 | Report code   |
| DECLA      | \$13,575.07         |         | Declared amount of main currency                          |
|            | -1.36               |         | Difference between declared amount and accumulated amount |
| EURO MONEY | €26.33              |         | Declared amount of sub currency                           |
|            | -1.73               |         | Difference between declared amount and accumulated amount |
| GROSS      | 2734.973            |         | Gross character/gross quantity                            |
|            | \$15,362.37         |         | Gross amount  |
| NET        | No 846              |         | Net character/net count                                   |
|            | \$13,601.80         |         | Net amount  |
| CAID       | \$13,576.43         |         | Cash in drawer of main currency                           |
| CATL       | \$13,575.07         |         | Declared cash in drawer amount of main currency           |
| CA-        | \$1.36              |         | Declared short cash amount                                |
| CAID2      | €28.06              |         | Cash in drawer of sub currency                            |
| CATL2      | €26.33              |         | Declared cash in drawer of sub currency                   |
| CA-        | \$1.73              |         | Declared cash in drawer amount of sub currency            |
| CRF 2      | \$1.20              |         |   |
| FSID       | \$4.63              |         | Food stamp in drawer                                      |
| EBTTL      | -4.63               |         | EBT total in drawer                                       |
| <hr/>      |                     |         |   |
| RF         | No 1                |         | Refund mode count   |
|            | \$10.25             |         | Refund mode total   |
| CUST       | CT 123              |         | Customer count  |
| AVRG       | \$110.58            |         | Average sales amount per customer                         |
| FEE        | \$2.73              |         | Check cashing service fee total                           |
| +          | \$10.25             |         | New balance fee   |
| C-1        | \$2.38              |         | Clerk commission 1 total                                  |
| C-2        | \$57.46             |         | Clerk commission 2 total                                  |
| CECA1      | ¥12,793             |         | Foreign currency cash in drawer 1                         |
| CECK1      | ¥1,000              |         | Foreign currency check in drawer 1                        |
| CECK4      | ¥12,500             |         |   |
| DC         | \$95.96             |         | Reduction total   |
| COUPON     | \$10.26             |         | Coupon total  |
| REF        | \$7.68              |         | Item return total   |
| CLEAR      | 866                 |         | Clear count   |
| ROUND      | €2.55               |         | Rounding total of sub currency                            |
| ROUND      | \$6.37              |         | Rounding total of main currency                           |
| CANCEL     | No 6                |         | Cancellation count  |
|            | \$7.36              |         | Cancellation total  |
| DECLA      | No 4                |         | Declaration count   |
| <hr/>      |                     |         |   |
| TA1        | \$1,364.76          |         | Taxable amount 1 total                                    |
| TX1        | \$136.48            |         | Tax amount 1 total  |
| EX10       | *407.50             |         |   |
| NON TAX    | \$9.75              |         | Nontaxable amount   |
| <hr/>      |                     |         |   |
| GT1        | \$00000000462846.73 |         | Grand total 1   |
| GT2        | \$00000000645230.72 |         | Grand total 2   |
| GT3        | \$00000000449096.81 |         | Grand total 3   |
|            | 011462--->012343    |         | Consecutive number range of the day                       |

# Read/reset report

---

## Transaction key report

|        |            |             |  |
|--------|------------|-------------|--|
| Z      | 03-04-2006 | 19:15       | Mode symbol/date/time                      |
| C01    | MC#01      | 000004      | Clerk descriptor/Mc-No./consecutive No.    |
| Z      | TRANS      | 0001        | Report header/title/reset counter (Z only) |
|        |            | 0001012     | Report code                                |
| CASH   | No         | 846         | Cash count                                 |
|        |            | \$13,601.80 | Cash total                                 |
| CH     | No         | 12          | Charge count                               |
|        |            | \$31.80     |  |
| CHKP   | No         | 1           | Check print count                          |
| VOID   | No         | 4           | Void total                                 |
|        |            | \$64.48     | Validation count                           |
| VLD    | No         | 3           |  |
| RCT    | No         | 18          |  |
| STORE  | No         | 23          | Store count                                |
| RECALL | No         | 23          | Recall count                               |

Transaction keys are printed by function code order.

## PLU report

### All PLU/range/menu report

|          |                   |         |   |
|----------|-------------------|---------|---|
| Z        | 03-04-2006        | 19:25   | Mode symbol/date/time                       |
| C01      | MC#01             | 000006  | Clerk descriptor/Mc-No./consecutive No.     |
| Z        | PLU               | 0001    | Report header/title/reset counter (Z only)  |
|          |                   | 0001014 | Report code                                 |
|          | #000001 - #000500 |         | PLU range (range report only)               |
| PLU0001  | 83.933            |         | PLU character/quantity                      |
| 25.27%   | \$1,373.39        |         | Sales ratio/amount                          |
| OLD PRC  | \$26.35           |         | Old price total                             |
| RED PRC  | \$18.98           |         | Red price total                             |
| DISCOUNT | \$56.37           |         | Discount total                              |
| #000001  |                   |         | PLU code (4-digit) or Random code (6-digit) |
| PLU0002  | 23                |         |   |
| 4.37%    | \$62.14           |         |   |
| DISCOUNT | \$0.00            |         |   |
| #000500  |                   |         |   |
| -----    |                   |         |   |
| TL       | 207.933           |         | Quantity total                              |
|          | \$2,871.63        |         | Amount total                                |
| RED PRC  | \$44.31           |         | Red price total                             |
| DISCOUNT | \$86.53           |         | Discount total                              |

### By group/department report

|          |            |   |
|----------|------------|---|
| GROUP01  | .....01    | Classification title (by group/dept.)       |
| PLU0001  | 83.933     | PLU character/quantity                      |
| 25.27%   | \$1,373.39 | Sales ratio/amount                          |
| OLD PRC  | \$26.35    | Old price total                             |
| RED PRC  | \$18.98    | Red price total                             |
| DISCOUNT | \$56.37    | Discount total                              |
| #000001  |            | PLU code (4-digit) or Random code (6-digit) |
| -----    |            |   |
|          | 83.933     | Total column of this classification         |
| RED PRC  | \$1,373.39 |   |
| DISCOUNT | \$26.35    |   |
|          | \$56.37    |   |
| .....    | .....      |   |
| PLU0101  | 9          | Not classified items                        |
| 12.27%   | \$389.80   |   |
| OLD PRC  | \$6.35     |   |
| RED PRC  | \$1.98     |   |
| DISCOUNT | \$9.37     |   |
| -----    |            |   |
|          | 9          | Total column of not classified items        |
| RED PRC  | \$389.80   |   |
| DISCOUNT | \$1.98     |   |
|          | \$9.37     |   |
| -----    |            |   |
| TL       | 207.933    | Quantity total                              |
|          | \$2,871.63 | Amount total                                |
| RED PRC  | \$44.31    | Red price total                             |
| DISCOUNT | \$86.53    | Discount total                              |

# Read/reset report

---

## Best 50 report

|          |            |  |   |
|----------|------------|--|---|
| 1.....   |            |  | Ranking                                     |
| PLU0001  | 83.933     |  | PLU character/quantity                      |
| 25.27%   | \$1,373.39 |  | Sales ratio/amount                          |
| OLD PRC  | \$26.35    |  | Old price total                             |
| RED PRC  | \$18.98    |  | Red price total                             |
| DISCOUNT | \$56.37    |  | Discount total                              |
| #000001  |            |  | PLU code (4-digit) or Random code (6-digit) |
| 2.....   |            |  |   |
| PLU0050  | 67         |  |   |
| 21.19%   | \$1,152.06 |  |   |
| OLD PRC  | \$66.75    |  |   |
| RED PRC  | \$38.96    |  |   |
| DISCOUNT |            |  |   |
| #000045  |            |  |   |
| 50.....  |            |  |   |
| PLU0038  | 3          |  |   |
| 6.87%    | \$373.39   |  |   |
| OLD PRC  | \$2.57     |  |   |
| RED PRC  | \$7.64     |  |   |
| DISCOUNT | \$8.37     |  |   |
| #000038  |            |  |   |
| -----    |            |  |   |
| TL       | 207.933    |  | Quantity total                              |
|          | \$2,871.63 |  | Amount total                                |
| RED PRC  | \$44.31    |  | Red price total                             |
| DISCOUNT | \$86.53    |  | Discount total                              |

## PLU stock report

### All PLU/range report

|         |                     |         |   |
|---------|---------------------|---------|---|
| Z       | 03-04-2006          | 19:30   | Mode symbol/date/time                       |
| C01     | MC#01               | 000008  | Clerk descriptor/Mc-No./consecutive No.     |
| Z       | PLU STOCK           |         | Report header/title                         |
|         |                     | 0001064 | Report code                                 |
|         | \$000001 - \$000500 |         | PLU range (range report only)               |
| PLU0001 | 10                  |         | PLU character/optimum stock quantity        |
|         | 73                  |         | Current stock quantity                      |
| #000001 |                     |         | PLU code (4-digit) or Random code (6-digit) |
| PLU0002 | *                   | 10      | * means out of optimum stock quantity       |
|         |                     | 3       |   |
| #000002 |                     |         |   |

## By group/department report

|         |       |    |   |
|---------|-------|----|---|
| GROUP01 | ..... | 01 | Classification title (by group/dept.)       |
| PLU0001 |       | 15 | PLU character/optimum stock quantity        |
|         |       | 73 | Current stock quantity                      |
| #000001 |       |    | PLU code (4-digit) or Random code (6-digit) |
| PLU0002 | *     | 15 | * means out of optimum stock quantity       |
|         |       | 3  |   |
| #000002 |       |    |   |
| GROUP02 | ..... | 02 |   |
| PLU0010 |       | 30 |   |
|         |       | 73 |   |
| #000010 |       |    |   |
| PLU0011 |       | 20 |   |
|         |       | 23 |   |
| #000011 |       |    |   |

## Department report

### All department report

|          |            |            |  |
|----------|------------|------------|--|
| Z        | 03-04-2006 | 19:30      | Mode symbol/date/time                      |
| C01      | MC#01      | 000007     | Clerk descriptor/Mc-No./consecutive No.    |
| Z        | DEPT       | 0001       | Report header/title/reset counter (Z only) |
|          |            | 0001015    | Report code                                |
| DEPT01   |            | 83.933     | Department character/quantity              |
| 25.27%   |            | \$1,373.39 | Sales ratio/amount                         |
| OLD PRC  |            | \$26.35    | Old price total                            |
| RED PRC  |            | \$18.98    | Red price total                            |
| DISCOUNT |            | \$56.37    | Discount total                             |
| DEPT02   |            | 23         |  |
| 4.37%    |            | \$63.44    |  |
| DISCOUNT |            | \$0.00     |  |
| <hr/>    |            |            |  |
| TL       | 207.933    |            | quantity total                             |
|          | \$2,871.63 |            | Amount total                               |
| RED PRC  | \$44.31    |            | Red price total                            |
| DISCOUNT | \$86.53    |            | Discount total                             |

# Read/reset report

---

## Best 50 report

|          |            |  |                               |
|----------|------------|--|-------------------------------|
| 1.....   |            |  | Ranking                       |
| DEPT01   | 83.933     |  | Department character/quantity |
| 25.27%   | \$1,373.39 |  | Sales ratio/amount            |
| OLD PRC  | \$26.35    |  | Old price total               |
| RED PRC  | \$18.98    |  | Red price total               |
| DISCOUNT | \$56.37    |  | Discount total                |
| 2.....   |            |  |                               |
| DEPT50   | 67         |  |                               |
| 21.19%   | \$1,152.06 |  |                               |
| OLD PRC  | \$66.75    |  |                               |
| RED PRC  | \$38.96    |  |                               |
| DISCOUNT | \$43.37    |  |                               |
| 50.....  |            |  |                               |
| DEPT38   | 3          |  |                               |
| 6.87%    | \$373.39   |  |                               |
| OLD PRC  | \$2.57     |  |                               |
| RED PRC  | \$7.64     |  |                               |
| DISCOUNT | \$8.37     |  |                               |
| -----    |            |  |                               |
| TL       | 207.933    |  | Quantity total                |
|          | \$2,871.63 |  | Amount total                  |
| RED PRC  | \$44.31    |  | Red price total               |
| DISCOUNT | \$86.53    |  | Discount total                |

## Group report

|         |            |         |  |
|---------|------------|---------|--|
| Z       | 03-04-2006 | 19:35   | Mode symbol/date/time                      |
| C01     | MC#01      | 000008  | Clerk descriptor/Mc-No./consecutive No.    |
| Z       | GROUP      | 0001    | Report header/title/reset counter (Z only) |
|         |            | 0001016 | Report code                                |
| GROUP01 | 83.933     |         | Group character/quantity                   |
| 25.27%  | \$1,373.39 |         | Sales ratio/amount                         |
| GROUP02 | 23         |         |  |
| 4.37%   | \$63.44    |         |  |
| OP      | 45         |         |  |
| 4.37%   | 45         |         |  |
| -----   |            |         |  |
| TL      | 207.933    |         | Quantity total                             |
|         | \$2,871.63 |         | Amount total                               |

## Clerk report

|            |            |             |   |
|------------|------------|-------------|---|
| Z          | 03-04-2006 | 19:10       | Mode symbol/date/time                                     |
| C01        | MC#01      | 000008      | Clerk descriptor/Mc-No./consecutive No.                   |
| Z          | CASHIER    | 0001        | Report header/title/reset counter (Z only)                |
|            |            | 0001017     | Report code   |
| DECLA      |            | \$13,575.07 | Declared amount of main currency                          |
|            |            | -1.36       | Difference between declared amount and accumulated amount |
| EURO MONEY |            | €26.33      | Declared amount of sub currency                           |
|            |            | -1.73       | Difference between declared amount and accumulated amount |
| C01        | .....      | 1           | Clerk (manager) name/drawer No.                           |
| GROSS      |            | 2734.973    | Gross character/gross count                               |
|            |            | \$15,362.37 | Gross amount  |
| NET        | No         | 846         | Net character/net count                                   |
|            |            | \$13,601.80 | Net amount  |
| CAID       |            | \$13,576.43 | Cash in drawer  |
| CHID       |            | \$4.87      | Charge in drawer  |
| CKID       |            | \$273.97    | Check in drawer   |
| CRID       |            | \$28.06     | Credit in drawer  |
| RF         | No         | 1           | Refund mode total   |
|            |            | \$10.00     |   |
| C-1        |            | \$3.09      | Commission amount   |
| C-2        |            | \$8.93      |   |
| CLEAR      | No         | 325         | Clear total   |
| -----      |            |             |   |
| C02        | .....      | 1           | Clerk (cashier) name/drawer No.                           |
| GROSS      |            | 734         |   |
|            |            | \$7,362.37  |   |
| NET        | No         | 346         |   |
|            |            | \$8,601.80  |   |
| CLEAR      | No         | 315         |   |
| -----      |            |             |   |
| C05        | .....      | 1           | Clerk name/drawer No.                                     |
| GROSS      |            | 34          |   |
|            |            | \$362.37    |   |
| NET        | No         | 26          |   |
|            |            | \$501.80    |   |
| CLEAR      | No         | 15          |   |

# Read/reset report

---

## Hourly sales report

|              |            |             |  |
|--------------|------------|-------------|--|
| Z            | 03-04-2006 | 19:45       | Mode symbol/date/time                      |
| C01          | MC#01      | 000010      | Clerk descriptor/Mc-No./consecutive No.    |
| Z            | HOURLY     | 0001        | Report header/title/reset counter (Z only) |
|              |            | 0001019     | Report code                                |
| 00:00->01:00 |            |             | Time frame                                 |
|              | CT         | 12          | Customer count                             |
| GROSS        |            | \$1,373.39  | Gross total                                |
| NET          | No         | 12          | Net count                                  |
| 10.67%       |            | \$1,373.39  | Sales ratio/Net amount                     |
| 01:00->02:00 |            |             |  |
|              | CT         | 26          |  |
| GROSS        |            | \$4,253.64  |  |
| NET          | No         | 10          |  |
| 2.67%        |            | \$343.55    |  |
| -----        |            |             |  |
| TL           | CT         | 4357        | Customer count total                       |
| GROSS        |            | \$12,871.63 | Gross amount total                         |
| NET          | No         | 3674        | Net count total                            |
|              |            | \$12,881.00 | Net amount total                           |

## Monthly report

|        |            |             |  |
|--------|------------|-------------|--|
| Z      | 03-04-2006 | 19:50       | Mode symbol/date/time                      |
| C01    | MC#01      | 000011      | Clerk descriptor/Mc-No./consecutive No.    |
| Z      | MONTHLY    | 0001        | Report header/title/reset counter (Z only) |
|        |            | 0001020     | Report code                                |
| 1..... |            |             | Day  |
| GROSS  |            | 198.486     | Gross count                                |
|        |            | \$1,373.39  | Gross total                                |
| NET    | No         | 12          | Net count                                  |
|        |            | \$1,373.39  | Net amount                                 |
| 2..... |            |             |  |
| GROSS  |            | 498         |  |
|        |            | \$4,253.64  |  |
| NET    |            | 12          |  |
|        |            | \$4,203.64  |  |
| -----  |            |             |  |
| TL     |            |             | Gross count total                          |
| GROSS  |            | 74657       | Gross amount total                         |
|        |            | \$12,871.63 | Average gross sales total                  |
|        |            | \$0.17      |  |
| NET    | No         | 574         | Net count total                            |
|        |            | \$12,881.00 | Net amount total                           |
|        |            | \$22.44     | Average net sales total                    |

## Table analysis report

|        |            |             |  |
|--------|------------|-------------|--|
| Z      | 03-04-2006 | 19:55       | Mode symbol/date/time                      |
| C01    | MC#01      | 000012      | Clerk descriptor/Mc-No./consecutive No.    |
| Z      | ANALYSIS   | 0001        | Report header/title/reset counter (Z only) |
|        |            | 0001028     | Report code                                |
| TBL01  | CT         | 34          | Table character/customer count             |
| 10.66% |            | \$1,373.39  | Sales ratio/net amount                     |
| TBL02  | CT         | 27          |  |
| 20.24% |            | \$3,767.65  |  |
| TBL20  | CT         | 23          |  |
| 2.67%  | \$344.84   |             |  |
| <hr/>  |            |             |  |
| TL     | CT         | 162         | Customer count total                       |
|        |            | \$12,881.00 | Net amount total                           |

## Open check report

|           |            |            |   |
|-----------|------------|------------|---|
| Z         | 03-04-2006 | 20:05      | Mode symbol/date/time                           |
| C01       | MC#01      | 000014     | Clerk descriptor/Mc-No./consecutive No.         |
| Z         | OPEN CHECK |            | Report header/title                             |
|           |            | 0001025    | Report code                                     |
| REG       | 03-04-2003 | 09:02      | Mode symbol/date/time                           |
| C01       | MC#01      | 000004     | Clerk descriptor/Mc-No./consecutive No.         |
| TABLE No. | 123456     | CT 12      | Table No./No. of customer                       |
| CHECK No. | 123        |            | Check No.                                       |
|           |            | \$250.00   | Subtotal amount                                 |
| <hr/>     |            |            |   |
| REG       | 03-04-2003 | 09:02      |   |
| C01       | MC#01      | 000006     |   |
| TABLE No. | 111111     | CT 14      |   |
| CHECK No. | 12345678   |            |   |
| BUSY      |            | \$300.00   | Print "BUSY", if the check is currently opened. |
| <hr/>     |            |            |   |
| TL        | No         | 28         | No. of open check                               |
|           |            | \$1,374.00 | Open check total                                |

# Read/reset report

---

## Scanning PLU report

### By group/department report

|                |              |         |  |
|----------------|--------------|---------|--|
| Z              | 03-04-2006   | 20:10   | Mode symbol/date/time                      |
| C01            | MC#01        | 000015  | Clerk descriptor/Mc-No./consecutive No.    |
| Z              | SCAN PLU     | 0001    | Report header/title/reset counter (Z only) |
|                |              | 2001026 | Report code                                |
| DEPT01         | .....01      |         | Classified title (by group/dept)           |
| SCAN_PLU001    | 382          |         | Scanning PLU character/quantity            |
| 17.07%         | \$1,583.47   |         | Sales ratio/total                          |
| #4901234567894 |              |         | Scanning PLU code                          |
| SCAN_PLU002    | 382          |         |  |
| 38.01%         | \$3,526.46   |         |  |
| #4989012345674 |              |         |  |
| SCAN_PLU003    | 382          |         |  |
| 10.49%         | \$973.45     |         |  |
| #4967890123454 |              |         |  |
|                | -----        |         |  |
|                | 1253         |         | Total of this classification               |
|                | \$9,275.83   |         |  |
| DEPT02         | .....02      |         |  |
| SCAN_PLU010    | 453          |         |  |
| 17.07%         | \$1,583.47   |         |  |
| #4945678901234 |              |         |  |
|                | -----        |         |  |
|                | 243          |         |  |
|                | \$10,375.93  |         |  |
|                | -----        |         |  |
| TL             | 12653        |         | Quantity total                             |
|                | \$273,375.93 |         | Amount total                               |

**Best 50 report**

|                |              |                                 |
|----------------|--------------|---------------------------------|
| DEPT01         | ..... 01     | Classified title                |
| 1.....         |              | Ranking                         |
| SCAN_PLU002    | 382          | Scanning PLU character/quantity |
| 38.01%         | \$3,526.46   | Sales ratio/total               |
| #4934567890124 |              | Scanning PLU code               |
| 2.....         |              |                                 |
| SCAN_PLU005    | 285          |                                 |
| #4912345678904 |              |                                 |
| 50.....        |              |                                 |
| SCAN_PLU003    | 72           |                                 |
| 10.49%         | \$973.45     |                                 |
| #4956789012344 |              |                                 |
|                | 1253         | Total of this classification    |
|                | \$9,275.83   |                                 |
| DEPT02         | ..... 02     |                                 |
| 1.....         |              |                                 |
| SCAN_PLU010    | 453          |                                 |
| 17.07%         | ↑1 583.47    |                                 |
| #4990123456784 |              |                                 |
|                | 1243         |                                 |
|                | \$10,375.93  |                                 |
| TL             | 12653        | Quantity total                  |
|                | \$273,375.93 | Amount total                    |

**Inactive report**

|                |          |                                 |
|----------------|----------|---------------------------------|
| DEPT01         | ..... 01 | Classified title                |
| SCAN_PLU001    | 3        | Scanning PLU character/quantity |
|                | \$5.83   | Sales total                     |
| #4901234567894 |          | Scanning PLU code               |
| SCAN_PLU002    | 0        |                                 |
|                | \$0.00   |                                 |
| SCAN_PLU050    | 0        |                                 |
|                | \$0.00   |                                 |
| #4934567890124 |          |                                 |
|                | 3        | Total of this classification    |
|                | \$5.83   |                                 |
| DEPT02         | ..... 02 |                                 |
| 00.....40      |          |                                 |
| #123456        |          |                                 |
|                | 2        |                                 |
|                | \$10.93  |                                 |
|                | 25       | Quantity total                  |
| TL             | \$15.93  | Amount total                    |

# Read/reset report

---

## Scanning PLU stock report

|                    |   |
|--------------------|---|
| Z 03-04-2006 20:22 | Mode symbol/date/time                         |
| C01 MC#01 000018   | Clerk descriptor/Mc-No./consecutive No.       |
| Z SCAN STOCK 0001  | Report header/title/reset counter (Z only)    |
| 2001065            | Report code                                   |
| DEPT01 ..... 01    | Classified title (by group/dept)              |
| SCAN_PLU001 382    | Scanning PLU character/optimum stock quantity |
| 458.347            | Actual stock quantity                         |
| #4901234567894     | Scanning PLU code                             |
| SCAN_PLU002 * 382  | * indicates stock shortage                    |
| 105                |   |
| #4989012345674     |   |

## Mix & match report

|                    |  |
|--------------------|--|
| Z 03-04-2006 20:25 | Mode symbol/date/time                      |
| C01 MC#01 000019   | Clerk descriptor/Mc-No./consecutive No.    |
| Z MIX&MATCH 0001   | Report header/title/reset counter (Z only) |
| 0001061            | Report code                                |
| DISCOUNT01 No 6    | Mix & match character/count                |
| \$3.00             | Mix & match total                          |
| DISCOUNT02 No 12   |  |
| \$12.00            |  |
| 24                 |  |
| -----              |  |
| TL No 65           | Count total                                |
| \$75.93            | Amount total                               |

## Time & attendance report

|                       |  |
|-----------------------|--|
| Z 03-04-2006 20:30    | Mode symbol/date/time                          |
| C01 MC#01 000021      | Clerk descriptor/Mc-No./consecutive No.        |
| Z ATTENDANCE 0001     | Report header/title/reset counter (Z only)     |
| 0001029               | Report code                                    |
| CSHR01 1111111111     | Employee name/employee No.                     |
| 03-03-02 08:55->17:09 | Clock-in/out date/clock-in time/clock-out time |
| 08:16                 | Work time                                      |
| 03-03-03 08:56->17:11 |  |
| 08:17                 |  |
| 03-03-04 08:55->--:-- |  |
| --:--                 |  |
| -----                 |  |
| TL 16:33              | Total work time                                |
| CSHR02 2222222222     |  |

## File reset

### PLU reset

|                        |   |
|------------------------|---|
| Z 03-04-2006 22:25     | Mode symbol/date/time                   |
| C01 MC#01 000050       | Clerk descriptor/Mc-No./consecutive No. |
| Z PLU 0001             | Report header/title/reset counter       |
| 0051014                | Report code                             |
| PLU Z clear Normal End | Action/result                           |

### Scanning PLU reset

|                        |   |
|------------------------|---|
| Z 03-04-2006 22:30     | Mode symbol/date/time                   |
| C01 MC#01 000051       | Clerk descriptor/Mc-No./consecutive No. |
| Z SCAN PLU 0001        | Report header/title/reset counter       |
| 0051026                | Report code                             |
| PLU Z clear Normal End | Action/result                           |

## *Read/reset report*


---

# Application systems

## Scanning PLU

You can register items by scanning.

### System configuration of the scanning PLU system



## Setup

1. After connecting a barcode scanner, program I/O parameter table to fit the scanner.
2. Allocate scanning PLU function keys (such as <OBR>, <One touch NLU>, <PRICE CHANGE>, and <PRICE INQUIRY>). If you use multi price, allocate <PRICE SHIFT> too.
3. Allocate scanning PLU files and non-PLU table file.
4. Program the non-PLU table to suit your scanning system.
5. Program batch maintenance PLU file to add items.
6. Activate the batch maintenance PLU file.

## Barcode system

| Scanning PLU code |                 | Input method |                               |               |
|-------------------|-----------------|--------------|-------------------------------|---------------|
|                   |                 | Scanner      | OBR code <OBR>                | One touch NLU |
| PLU type          | EAN-13 (JAN-13) | ✓            | 13 digits with check digit    | ✓             |
|                   | EAN-8 (JAN-8)   | ✓            | 8 digits with check digit     | ✓             |
|                   | UPC-A           | ✓            | 11 digits without check digit | ✓             |
|                   | UPC-E           | ✓            | 6 digits without check digit  | ✓             |
| Non PLU type      | EAN-13 (JAN-13) | ✓            | 13 digits with check digit    | ✓             |
|                   | EAN-8 (JAN-8)   | ✓            | 8 digits with check digit     | ✓             |
|                   | UPC-A           | ✓            | 11 digits without check digit | ✓             |

# *Application systems*

---

## **PLU maintenance**

There are three ways to maintain scanning PLU, i.e. not found PLU maintenance, batch PLU maintenance and direct PLU maintenance.


### **Not found PLU maintenance**

When an item which code is not existed in the scanning PLU file is registered, the “Not found” error occurs. You can register this item by not found PLU maintenance procedure. After this maintenance, this item is registered without the “Not found” error and stored in the PLU file.

### **Batch maintenance**

Batch maintenance is used for adding items to the scanning PLU file, changing the scanning PLU item programming data or deleting items from the scanning PLU file.


- ① Program the batch maintenance PLU file.
- ② Activate the batch maintenance file.



### **Direct maintenance**

Direct maintenance is used for adding items to the scanning PLU file, or changing the scanning PLU item programming data.

- ① Program the direct maintenance PLU file.



## Scanning PLU registration

By scanner/code input/one touch NLU key

|                  |          |          | OPERATION  | RECEIPT  |
|------------------|----------|----------|--|--|
| Item 1<br>(scan) | Scan-PLU | (\$2.35) |  |  |
|                  | PLU code | 49012347 |  |  |
| Item 2<br>(code) | Scan-PLU | (\$2.00) | <b>“Scanning”</b><br><br>1 2 3<br>4 5 6 OBR<br>Scanning-PLU code and<br>OBR key<br><br>NLU | 1 PLU0001 ·2.34<br>#49012347<br>1 PLU0002 ·2.00<br>#123456<br>1 PLU0003 ·1.23<br>#49012354<br>TL -5.58<br>CASH ·5.58 |
| Item 3<br>(OTN)  | Scan-PLU | (\$1.23) |  |  |
|                  | PLU code | 49012354 |  |  |
| Payment          | Cash     | \$5.58   | One touch NLU  |  |
|                  |          |          |  | * <sup>1</sup> Programmable option   |
|                  |          |          | CA/AMT<br>/TEND  |  |

**Not found PLU item**

|                  |          |          | OPERATION  | RECEIPT                     |
|------------------|----------|----------|--|-----------------------------|
| Item 1<br>(scan) | Scan-PLU | (\$1.00) | <b>“Scanning”</b><br>Does not exist in the scanning<br>PLU file                                | 1 DEPT01 ·1.00<br>#49012361 |
|                  | PLU code | 49012361 |  | 1 DEPT01 ·1.00<br>#49012361 |
|                  | Dept.    | 1        |  | TL -2.00<br>CASH ·2.00      |
| Item 2<br>(scan) | Scan-PLU | (\$1.00) | <b>“Not Found Error”</b><br><br>1 0 0 1<br>Input price and press the linked<br>department key. |                             |
|                  | PLU code | 49012361 |  |                             |
| Payment          | Cash     | \$2.00   | <b>“Scanning”</b><br>Register normally.  |                             |
|                  |          |          | CA/AMT<br>/TEND  |                             |

# Application systems

## Price change operation

When a scanning PLU item is programmed to enable to change price, you can change the unit price temporarily. The preset price in the scanning PLU file is not changed by this operation. You can restrict the temporary price is less/greater than the programmed unit price by the general function program.

| OPERATION |          |                         | RECEIPT   |
|-----------|----------|-------------------------|---|
| Item      | Scan-PLU | (\$1.20)<br>↓<br>\$1.00 | <b>1 0 0</b> PRC CHG<br>Temporary unit price<br><br><b>“Scanning”</b><br>This item should be programmed as<br>“Enable to price change.” |
|           | PLU code | 49012361                |   |
|           | Dept.    | 1                       |   |
|           | Payment  | Cash \$1.00             | CA/AMT TEND   |

## Force to enter price manually

When a scanning PLU item is programmed to force to enter unit price, you must enter the unit price. The preset price in the scanning PLU file is not changed by this operation. You can restrict the temporary price is less/greater than the programmed unit price by the general function program.

| OPERATION |          |                         | RECEIPT  |
|-----------|----------|-------------------------|--|
| Item      | Scan-PLU | (\$1.20)<br>↓<br>\$1.00 | <b>“Scanning”</b><br>The message “Input Price” is shown.<br><br><b>1 0 0</b> PRICE |
|           | PLU code | 49012361                |  |
|           | Dept.    | 1                       |  |
|           | Payment  | Cash \$1.00             | CA/AMT TEND  |

## Multiple price

Before registering multiple price PLU, allocate <PRICE SHIFT> and program the appropriate price shift number to the key.

| OPERATION |                     |                              | RECEIPT  |
|-----------|---------------------|------------------------------|--|
| Item 1    | Scan-PLU (1st rec.) | (\$1.00)                     | <b>“Scanning”</b><br>No <PRICE SHIFT> designates the 1st record of the item. |
|           | PLU code            | 49016321                     |  |
|           | Item 2              | Scan-PLU (2nd rec.) (\$2.00) | <b>“Scanning”</b><br>PRC SFT2  |
|           | PLU code            | 49016321                     |  |
| Item 3    | Scan-PLU (3rd rec.) | (\$6.00)                     | <b>“Scanning”</b><br>PRC SFT3  |
|           | PLU code            | 49016321                     |  |
| Payment   | Cash                | \$9.00                       | CA/AMT TEND  |

## Mix & match discount

There are three types of mix & match processing:

- Discount 1 (discount every required quantity)
- Discount 2 (discount one time per one transaction)
- Discount 3 (discount continuously)

Mix & match discount affects to the item totalizer, link department totalizer and link department discount totalizer, when the “Net totaling” option is selected.

### Discount type 1:

In this type of processing, a discount is made when the quantity of a particular scanning PLU reaches a certain number during registration.

For example, assume that when three units of a particular scanning PLU, \$0.34 a piece, are sold at \$1.00. In this case, a discount is made automatically when the third unit of that scanning PLU is registered.

|          |            |          | OPERATION  | RECEIPT  |
|----------|------------|----------|--|--|
| Item     | Scan-PLU   | (\$0.34) | “Scanning”   |  |
|          | PLU code   | 49012361 | “Scanning”   | 1 SCAN-PLU0001 · 0.34<br>#49012361   |
|          | Quantity   | 3        | “Scanning”   | 1 SCAN-PLU0001 · 0.34<br>#49012361   |
| Discount | type 1: 3/ | \$0.02   | Mix & match discount is made.<br><br>CA / AMT / TEND | 1 SCAN-PLU0001 · 0.34<br>#49012361<br>DISCOUNT01 -0.02<br>TL · 1.00<br>CASH · 1.00 |
| Payment  | Cash       | \$1.00   |  | Discount amount  |

### Discount type 2:

In this type of processing, a discount is made when the quantity of a particular scanning PLU reaches a certain number during registration. But this discount is made only one time per one transaction.

|          |            |          | OPERATION  | RECEIPT  |
|----------|------------|----------|--|--|
| Item     | Scan-PLU   | (\$0.34) | “Scanning”   |  |
|          | PLU code   | 49012361 | “Scanning”   | 1 SCAN-PLU0001 · 0.34<br>#49012361   |
|          | Quantity   | 6        | “Scanning”   | 1 SCAN-PLU0001 · 0.34<br>#49012361   |
| Discount | type 2: 3/ | \$0.02   | Mix & match discount is made.<br><br>CA / AMT / TEND | 1 SCAN-PLU0001 · 0.34<br>#49012361<br>DISCOUNT01 -0.02<br>1 SCAN-PLU0001 · 0.34<br>#49012361<br>1 SCAN-PLU0001 · 0.34<br>#49012361<br>1 SCAN-PLU0001 · 0.34<br>#49012361<br>TL · 2.02<br>CASH · 2.02 |
| Payment  | Cash       | \$2.02   | Mix & match discount is not made.                    |  |

# Application systems


## **Discount type 3:**

In this type of processing, a discount is made when the quantity of a particular scanning PLU reaches a certain number during registration. And this discount is made after this item registration.

|          |            |          | OPERATION                     | RECEIPT               |
|----------|------------|----------|-------------------------------|-----------------------|
| Item     | Scan-PLU   | (\$0.34) | <b>“Scanning”</b>             | 1 SCAN-PLU0001 · 0.34 |
|          | PLU code   | 49012361 | <b>“Scanning”</b>             | #49012361 · 0.34      |
|          | Quantity   | 4        | <b>“Scanning”</b>             | 1 SCAN-PLU0001 · 0.34 |
| Discount | type 3: 3/ | \$0.02   | Mix & match discount is made. | #49012361 · 0.34      |
| Payment  | Cash       | \$1.32   | <b>“Scanning”</b>             | DISCOUNT01 -0.02      |
|          |            |          | Mix & match discount is made. | 1 SCAN-PLU0001 · 0.34 |
|          |            |          |                               | #49012361 · 0.34      |
|          |            |          |                               | DISCOUNT01 -0.02      |
|          |            |          |                               | TL - 1.32             |
|          |            |          |                               | CASH · 1.32           |

## **Check tracking system**

### **System configuration**



## Printing on the external printers


You can print receipts/orders on external printer. Maximum 2 external printers can be connected to a terminal. It is possible to print out to another printer (i.e. another external, or internal R/J) for backup.

The printouts from R/J printer and external printer can be divided into 3 types; 1. Receipt type, 2. Report type, and 3. Order type.

For receipt type, only <RECEIPT> and <BILL> have this option – Receipt 1/Receipt 2/Receipt 3 – of the target printer; R/J, external 1, or external 2.

For report type, you can define one target printer; R/J, external 1 or external 2.

For order type, each item has its own option – Order1/Order 2/Order 3 – of the target printer; R/J, external 1, or external 2.



## System configuration of the external printer system

- Maximum 2 printers/1 terminal (Refer to the system configuration chapter.)
- External printer buffer (file 049) should be allocated. (Refer to the program 5 chapter.)

### Setup

1. Program the target printer (Order1, Order 2, Order 3) to each item by address 16 of the item individual feature programming.
  2. Program the target printer (Receipt 1, Receipt 2, Receipt 3) to <BILL> or <RECEIPT>. If you want to print out these receipt to an external printer, select “Buffered print” of the address 05 of the general function program.
  3. Program the main printout destination and backup destination to the printer connection table.
  4. Program the I/O parameter table to define the peripheral devices including external printer(s).
- Note: FC operation is necessary, if you change the I/O parameter table.

### Backup system

If the main destination printer is out of order (such as power failure, or paper out), the terminal sends this data to the backup destination printer automatically.

#### Note:

1. The destination of normal registrations is “Receipt 1” (fixed).  
“Buffered print” of the address 05 of the general function is necessary.
2. The destination of post receipts/guest receipts is programmable.  
“Buffered print” of the address 05 of the general function is NOT necessary.
3. The destination of bill copy is programmable.  
“Buffered print” of the address 05 of the general function is necessary.
4. You cannot back up the printouts to the R/J printer to external printers.  
That is, R/J printer is the last backup printer.

# Application systems

## **Printing control options for order**

Below shows the summary of the programmable options for order printing.

| Programmable option  | for R/J | for local/<br>remote<br>printer | Program<br>location                            |
|--|---------|---------------------------------|--|
| Number of feed lines before order printing (1 ~ 9)                         |         | ✓                               | Address code 19 of the general control program |
| Number of feed lines after order printing (1 ~ 9)                          |         | ✓                               | Address code 19 of the general control program |
| Cut order  |         | ✓                               | Address code 19 of the general control program |
| Show guidance for backup print of order.                                   | ✓       |                                 | Address code 19 of the general control program |
| Alert when the external printer goes down.                                 |         | ✓                               | Address code 19 of the general control program |
| Baud rate  |         | ✓                               | I/O parameter table                            |
| Backup destination   |         | ✓                               | Printer connection table                       |
| Merge the same item registration on order receipt.<br>(Item consolidation) | ✓       | ✓                               | Address code 19 of the general control program |
| Breakdown set menu printing on order.                                      | ✓       | ✓                               | Address code 19 of the general control program |
| Print order with amount.   | ✓       | ✓                               | Address code 19 of the general control program |
| Print order with order character.  | ✓       | ✓                               | Address code 19 of the general control program |
| Print order even if training clerk is registered items.                    | ✓       | ✓                               | Address code 19 of the general control program |
| Printing color of order  |         | ✓                               | Address code 16 of item program                |
| Definition of order 1 ~ 3  | ✓       | ✓                               | Address code 16 of item program                |
| Definition of order character  | ✓       | ✓                               | Address code 16 of item program                |

## **Time and attendance**

You can control your employees' working time.

For this function, the employee file (file 061), the time and attendance file (file 019) and the <CLOCK-IN/OUT> key is necessary.

### **Clock-in operation**

1. Press the <CLOCK-IN/OUT> key, enter employee number and press the <CLOCK-IN/OUT> key. And then press the <CASH> key.

If you enter the employee number who has clocked in already, this operation is treated as clocked-out.

### **Clock-out operation**

1. Press the <CLOCK-IN/OUT> key, enter employee number and press the <CLOCK-IN/OUT> key. And then press the <CASH> key.

If you enter the employee number who does not have clocked in yet, this operation is treated as clocked-in.

## Tips

### Future order

This is an enhancement of the training function.

By using the original training specification, the training clerk cannot accept any customer. Because no journal printing and no memory affection of this function is made.

By using "Future order", you can get this sales data and journal printing even if the transaction is registered by the training clerk.

### Usage

Receipt issuance: **OFF**

1. Start training. (Sign on a training clerk.)

#### During training

2. Register items and finalize this transaction.

#### In case of accepting a customer

3. Register items and finalize this transaction.

4. Issue receipt or slip. (Press <GUEST RECEIPT> or <SLIP PRINT>.)

Journal printing and memory affection is made at this point.

:

5. End training. (Sign off the clerk.)

### Preparation

1. Allocate <GUEST RECEIPT> or <SLIP PRINT>. (See program 4.)

2. Set training flag to the training clerk. (See clerk program in the program 3 mode.)

3. Set the option "print journal when the key is pressed" to the key <GUEST RECEIPT>, <SLIP PRINT>.

4. Set to affect training registrations to the periodic 1 (or 2) total, all registrations (both normal and training) to the periodic 2 (or 1) by the address code 16 of the general control program in the program 3 mode.

5. Set space to the training filler and future order message in the special character table in the program 2 mode.

### Eat-in/takeout

This function is used for specifying if the customer eat in the restaurant or takeout. When the <EAT-IN> or <TAKEOUT> is pressed before finalize operation, the "Eat-in/takeout" compulsion is released and the tax exemption is applied.

After pressing <EAT-IN> or <TAKEOUT>, only finalize operation is possible.

The compulsion is released by <OPEN2>, so be sure to allocate this key before using this function.

#### Receipt sample

|             |        |
|-------------|--------|
| 1 HAMBURGER | · 2.00 |
| 1 POTATO    | · 1.50 |
| 1 COKE      | · 1.00 |
| TAKE-OUT    |        |


## Automatic execution of Euro switchover by arrangement and scheduler

The following sample shows an automatic execution program of arrangement and scheduler.

### Sample program

Execution date/time: 31. December 2003 23:59  
 Currency definition type: 3 (Main currency = Euro, Sub currency = Local, Change = Euro)  
 Currency conversion rate: 1 Euro = 6.55957 F Franc  
 Drawer of sub currency: Main  
 Unit price conversion: Yes

#### • Arrangement




\*<sup>1</sup> The same **ARR** should be pressed.

\*<sup>2</sup> Vacant record search: If you want to set an arrangement program to a new record, "vacant record search" is possible. (enter **0 0 0 0** instead of entering a record No.)

\*<sup>3</sup> A clerk who is programmed to enable to operate in X1 mode must be signed on.

\*<sup>4</sup> If necessary, sign on the original clerk who is programmed to disable to operate in X1 mode.

#### • Scheduler



# Appendix: Calculation method

The following calculation methods of totalizer memories are explained in this chapter.

- All formulas in these explanations are calculated in the registration mode.
- In the RF mode, the values in totalizers are calculated using the opposite sign.
- In the REG- mode, the value in totalizers and counters are calculated using the opposite sign.

## Fixed total file

| Total or Counter  | Increments or Decrements by  |
|---|--|
| Gross sales quantity  | Number of products registered for Departments + PLUs + Scanning PLUs (non hash)<br>{For Department, PLUs and Scanning PLUs<br>Single items : +1<br>Multiplication : Input quantity<br>Split price : Input quantity<br>Square : Input quantity × Input quantity<br>Cube : Input quantity × Input quantity × Input quantity}<br>– Last item void – Return item – Previous item void – Cancel   |
| Gross sales amount  | Number of products registered for Departments + PLUs + Scanning PLUs (non hash)<br>{For Department, PLUs and Scanning PLUs<br>Single items : Preset or manually input prices<br>Multiplication : Preset or manually input prices × Input quantity<br>Split price : (Preset or manually input prices / Input unit quantity)<br>× Input quantity<br>Square : Preset or manually input prices × Input quantity<br>× Input quantity<br>Cube : Preset or manually input prices × Input quantity<br>× Input quantity × Input quantity}<br>– Last item void – Return item – Previous item void – Cancel |
| In gross/net calculation:<br>1) When gross calculation is specified<br>2) When net calculation is specified | Adjustment amounts in Minus, Plus, Discount (%–), Premium (%+), Coupon transactions are not reflected.<br>Adjustment amounts in Minus, Plus, Discount (%–), Premium (%+) Coupon transactions are reflected.  |
| Net sales quantity  | +1 (When a transaction is finalized for sale. For REG- mode –1 is affected.)   |
| Net sales amount  | {Department + PLU + Scanning PLU product registration amounts<br>– Last item void amounts for the above<br>– Item return amounts for the above<br>– Previous item void amounts for the above<br>– Cancel amounts for the above}<br>+ {Plus (+ key)<br>+ Premium (%+ key)<br>– Error correction amounts<br>– Cancel amounts}<br>– {Minus (– key)<br>– Discount(%– key)<br>– Coupon<br>– Error correction amounts<br>– Cancel amounts}<br>+ {Manual tax<br>– Error correction amounts<br>– Cancel amounts}<br>+ Results of tax table calculations (add-on tax)                                     |

## Appendix (Calculation method)

| Total or Counter  | Increments or Decrements by  |
|---|--|
| Medium in drawer<br>(Cash, charge, check, credit,<br>Food stamp, EBT) | Sales total or tendered total by specified medium<br>+ Received on account total (Cash in drawer only)<br>– Paid out (Cash in drawer only)<br>+ Loan totals (by selected medium)<br>– Pick up totals (by selected medium)<br>– Change amounts (Cash in drawer only)<br>– Total of check cashing transaction (When specified as cash in drawer) |
| Declared short medium amount<br>(except Food stamp, EBT)              | Declared medium in drawer<br>– Medium in drawer<br>(Only effective when the result of this formula becomes negative)   |
| Declared over medium amount<br>(except Food stamp, EBT)               | Medium in drawer<br>– Declared medium in drawer<br>(Only effective when the result of this formula becomes negative)   |
| Number of RF mode items   | +1 (When cash sales, charge sales, credit sales, and check sales transaction are finalized in the RF/REG- mode.)   |
| RF mode amount  | Absolute value of total sales amount for RF/REG- mode registrations.   |
| Customer count  | Entered number of covers   |
| Average sales per customer  | Net sales amount / Customer count  |
| Check cashing service fee   | + Check amount × Service ratio or<br>+ Service fee amount  |
| New balance fee   | + MD/ST amount × Service charge ratio or<br>+ Service charge fee amount  |
| Clerk commission total  | Item sales (commissionable) × Clerk commission rate  |
| Foreign currency in cash drawer                                       | Entered amount in cash payment in foreign currency.  |
| Foreign currency in check drawer                                      | Entered amount in check payment in foreign currency.   |
| Discount amount   | + Registered amount of Minus/Discount key  |
| Coupon amount   | + Registered amount of Coupon key  |
| Item return amount  | + Registered item amount by RF/Void key  |
| Clear count   | + 1 (REG, RF, REG- mode) (When the <CLEAR> key is pressed.)  |
| Declaration count   | + 1 (whenever declaration is performed)  |
| Rounding  | + Fraction amount by roundings<br>(Roundings include IF1/2, Danish, Norwegian, Singaporean, and Finnish.)  |
| Taxable amount  | Subtotal of taxable amount at finalization of sale (in case of add-on tax)<br>Subtotal of taxable amount – VAT (in case of add-in tax)   |
| Tax amount  | Result of calculation using tax table for taxable amount at finalization of sales  |
| GT 1  | Grand total of net sales totals  |
| GT 2  | Absolute value of<br>{Registration amount (Department, PLU)}<br>+ Last item void amount<br>+ Previous item void amount<br>+ Refund amount}<br>+ {Plus, Minus, Premium, Discount, Coupon<br>+ Last item void amount}<br>+ Tax   |
| GT 3  | Net sales total<br>– add-on tax<br>– add-in tax<br>– commission  |

## Appendix: Font code tables

These models have the capability to print/display in Slavic, Greek, Cyrillic, Baltic, Arabic fonts.

If you want to use these special font set, initialize the machine and enter the special initialization code ( $D_{14} \sim D_{12}$ ) before the original code 1 ( $D_{11} \sim D_1$ ). (Refer to the initialization chapter.)

### Standard font set (default)

#### Multilingual + Euro (Windows code page 858)

|  |  |  | Chara | Code |
|--|--|--|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|
|  |  |  | Space | 32   | Ø     | 48   | @     | 64   | P     | 80   | '     | 96   | p     | 112  |       |      |
|  |  |  | !     | 33   | 1     | 49   | A     | 65   | Q     | 81   | a     | 97   | q     | 113  |       |      |
|  |  |  | "     | 34   | 2     | 50   | B     | 66   | R     | 82   | b     | 98   | r     | 114  |       |      |
|  |  |  | #     | 35   | 3     | 51   | C     | 67   | S     | 83   | c     | 99   | s     | 115  |       |      |
|  |  |  | \$    | 36   | 4     | 52   | D     | 68   | T     | 84   | d     | 100  | t     | 116  |       |      |
|  |  |  | %     | 37   | 5     | 53   | E     | 69   | U     | 85   | e     | 101  | u     | 117  |       |      |
|  |  |  | &     | 38   | 6     | 54   | F     | 70   | V     | 86   | f     | 102  | v     | 118  |       |      |
|  |  |  | '     | 39   | 7     | 55   | G     | 71   | W     | 87   | g     | 103  | w     | 119  |       |      |
|  |  |  | (     | 40   | 8     | 56   | H     | 72   | X     | 88   | h     | 104  | x     | 120  |       |      |
|  |  |  | )     | 41   | 9     | 57   | I     | 73   | Y     | 89   | i     | 105  | y     | 121  |       |      |
|  |  |  | *     | 42   | :     | 58   | J     | 74   | Z     | 90   | j     | 106  | z     | 122  |       |      |
|  |  |  | +     | 43   | ;     | 59   | K     | 75   | ^     | 91   | k     | 107  | {     | 123  |       |      |
|  |  |  | ,     | 44   | <     | 60   | L     | 76   | ¥     | 92   | l     | 108  |       | 124  |       |      |
|  |  |  | -     | 45   | .     | 61   | M     | 77   | [     | 93   | m     | 109  | }     | 125  |       |      |
|  |  |  | .     | 46   | >     | 62   | N     | 78   | \     | 94   | n     | 110  | ~     | 126  |       |      |
|  |  |  | /     | 47   | ?     | 63   | O     | 79   | ]     | 95   | o     | 111  |       | 127  |       |      |

| Chara | Code | Chara       | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------------|------|
| ç     | 128  | É     | 144  | á     | 160  | í     | 176  | ł     | 192  | ð     | 208  | ó     | 224  | -           | 240  |
| ü     | 129  | æ     | 145  | í     | 161  | ñ     | 177  | ł     | 193  | đ     | 209  | þ     | 225  | ±           | 241  |
| é     | 130  | æ     | 146  | ó     | 162  | ñ     | 178  | ł     | 194  | ê     | 210  | ô     | 226  | -           | 242  |
| â     | 131  | ô     | 147  | ú     | 163  | ı     | 179  | ł     | 195  | ë     | 211  | ò     | 227  | ¾           | 243  |
| ä     | 132  | ö     | 148  | ň     | 164  | ı     | 180  | -     | 196  | è     | 212  | õ     | 228  | ı           | 244  |
| à     | 133  | ò     | 149  | ň     | 165  | á     | 181  | ł     | 197  | €     | 213  | ő     | 229  | §           | 245  |
| å     | 134  | û     | 150  | ä     | 166  | â     | 182  | ã     | 198  | í     | 214  | μ     | 230  | ÷           | 246  |
| ç     | 135  | ù     | 151  | ø     | 167  | À     | 183  | ã     | 199  | î     | 215  | þ     | 231  | ›           | 247  |
| ê     | 136  | ÿ     | 152  | ð     | 168  | ©     | 184  | ł     | 200  | ï     | 216  | þ     | 232  | °           | 248  |
| ë     | 137  | ö     | 153  | ®     | 169  | ł     | 185  | ł     | 201  | ž     | 217  | ú     | 233  | ..          | 249  |
| è     | 138  | Ü     | 154  | ¬     | 170  | ł     | 186  | ł     | 202  | ř     | 218  | û     | 234  | ·           | 250  |
| ї     | 139  | ɸ     | 155  | ½     | 171  | ł     | 187  | ł     | 203  | ■     | 219  | Ù     | 235  | ¹           | 251  |
| ߱     | 140  | ݁     | 156  | ¼     | 172  | ܲ     | 188  | ܲ     | 204  | ܲ     | 220  | ܴ     | 236  | ³           | 252  |
| ߳     | 141  | ܦ     | 157  | ܵ     | 173  | ܶ     | 189  | -     | 205  | ܲ     | 221  | ܵ     | 237  | ²           | 253  |
| ߸     | 142  | ܰ     | 158  | ܲ     | 174  | ܴ     | 190  | ܲ     | 206  | ܲ     | 222  | -     | 238  | ܲ           | 254  |
| ߹     | 143  | ܲ     | 159  | ܲ     | 175  | ܲ     | 191  | ܲ     | 207  | ܲ     | 223  | '     | 239  | Double size | 255  |

# Appendix (Font table)

## Special font set

### Slavic (Windows code page 852)

Special initialization code D<sub>14</sub> D<sub>13</sub> D<sub>12</sub> = 010

| Chara | Code | Chara       | Code | Chara | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------------|------|-------|------|
| Ç     | 128  | É     | 144  | á     | 160  | í     | 176  | ł     | 192  | ð     | 208  | Ó     | 224  | -           | 240  |       |      |
| ü     | 129  | Ł     | 145  | í     | 161  | ó     | 177  | ł     | 193  | đ     | 209  | ß     | 225  | ”           | 241  |       |      |
| é     | 130  | Í     | 146  | ó     | 162  | ú     | 178  | τ     | 194  | ď     | 210  | Ô     | 226  | ,           | 242  |       |      |
| â     | 131  | ô     | 147  | ú     | 163  | ı     | 179  | ń     | 195  | ě     | 211  | Ñ     | 227  | ·           | 243  |       |      |
| ä     | 132  | ö     | 148  | À     | 164  | †     | 180  | -     | 196  | đ     | 212  | ń     | 228  | ˇ           | 244  |       |      |
| ú     | 133  | Ľ     | 149  | ä     | 165  | Á     | 181  | †     | 197  | ň     | 213  | ň     | 229  | §           | 245  |       |      |
| ć     | 134  | Ě     | 150  | ž     | 166  | Ā     | 182  | Ă     | 198  | í     | 214  | Š     | 230  | ÷           | 246  |       |      |
| ç     | 135  | Ś     | 151  | ž     | 167  | Ě     | 183  | ă     | 199  | î     | 215  | š     | 231  | ,           | 247  |       |      |
| ł     | 136  | ś     | 152  | Ę     | 168  | Ş     | 184  | ł     | 200  | ě     | 216  | Ŕ     | 232  | °           | 248  |       |      |
| ë     | 137  | Ö     | 153  | ę     | 169  | †     | 185  | r     | 201  | ј     | 217  | Ú     | 233  | ”           | 249  |       |      |
| ű     | 138  | Ü     | 154  |       | 170  | ı     | 186  | ł     | 202  | r     | 218  | ŕ     | 234  | •           | 250  |       |      |
| ő     | 139  | Ť     | 155  | ź     | 171  | ı     | 187  | τ     | 203  | ■     | 219  | ű     | 235  | ő           | 251  |       |      |
| î     | 140  | ť     | 156  | Č     | 172  | ј     | 188  | ń     | 204  | ■     | 220  | ý     | 236  | Ŗ           | 252  |       |      |
| ż     | 141  | Ŀ     | 157  | ş     | 173  | Ž     | 189  | -     | 205  | Ń     | 221  | Ý     | 237  | ř           | 253  |       |      |
| Ä     | 142  |       | 158  | «     | 174  | ż     | 190  | †     | 206  | Ü     | 222  | ť     | 238  | ■           | 254  |       |      |
| Ć     | 143  | č     | 159  | »     | 175  | ı     | 191  | ¤     | 207  | ■     | 223  | ’     | 239  | Double size | 255  |       |      |

## Greek

Special initialization code D<sub>14</sub> D<sub>13</sub> D<sub>12</sub> = 020

| Chara | Code | Chara       | Code | Chara | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------------|------|-------|------|
| Α     | 128  | Ρ     | 144  | ι     | 160  | ά     | 176  | λ     | 192  | τ     | 208  | ω     | 224  | ≡           | 240  |       |      |
| Β     | 129  | Σ     | 145  | κ     | 161  | ά     | 177  | τ     | 193  | τ     | 209  | ά     | 225  | ±           | 241  |       |      |
| Γ     | 130  | Τ     | 146  | λ     | 162  | ά     | 178  | τ     | 194  | τ     | 210  | έ     | 226  | ≥           | 242  |       |      |
| Δ     | 131  | Υ     | 147  | μ     | 163  | ι     | 179  | ή     | 195  | λ     | 211  | ή     | 227  | ≤           | 243  |       |      |
| Ε     | 132  | Φ     | 148  | ν     | 164  | ή     | 180  | -     | 196  | λ     | 212  | ϊ     | 228  | ∫           | 244  |       |      |
| Ζ     | 133  | Χ     | 149  | ξ     | 165  | ή     | 181  | ή     | 197  | ρ     | 213  | ί     | 229  | ʃ           | 245  |       |      |
| Η     | 134  | Ψ     | 150  | ο     | 166  | ή     | 182  | ή     | 198  | ρ     | 214  | ό     | 230  | ÷           | 246  |       |      |
| Θ     | 135  | Ω     | 151  | π     | 167  | ή     | 183  | ή     | 199  | ή     | 215  | ύ     | 231  | ≈           | 247  |       |      |
| Ι     | 136  | α     | 152  | ρ     | 168  | ή     | 184  | λ     | 200  | ή     | 216  | ϋ     | 232  | ◦           | 248  |       |      |
| Κ     | 137  | β     | 153  | σ     | 169  | ή     | 185  | ρ     | 201  | ή     | 217  | ώ     | 233  | •           | 249  |       |      |
| Λ     | 138  | γ     | 154  | ς     | 170  | ή     | 186  | λ     | 202  | ρ     | 218  | Ω     | 234  | ·           | 250  |       |      |
| Μ     | 139  | δ     | 155  | τ     | 171  | ή     | 187  | τ     | 203  | λ     | 219  | δ     | 235  | √           | 251  |       |      |
| Ν     | 140  | ε     | 156  | ν     | 172  | ή     | 188  | ή     | 204  | ■     | 220  | ∞     | 236  | ⁿ           | 252  |       |      |
| Ξ     | 141  | ζ     | 157  | φ     | 173  | ή     | 189  | -     | 205  | ή     | 221  | ∅     | 237  | ²           | 253  |       |      |
| Ο     | 142  | η     | 158  | χ     | 174  | ή     | 190  | ή     | 206  | ή     | 222  | ε     | 238  | ■           | 254  |       |      |
| Π     | 143  | θ     | 159  | ψ     | 175  | ή     | 191  | λ     | 207  | ■     | 223  | η     | 239  | Double size | 255  |       |      |

## Cyrillic (Windows code page 866)

Special initialization code D<sub>14</sub> D<sub>13</sub> D<sub>12</sub> = 030

| Chara | Code | Chara       | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------------|------|
| А     | 128  | Р     | 144  | а     | 160  | љ     | 176  | љ     | 192  | љ     | 208  | р     | 224  | Ё           | 240  |
| Б     | 129  | С     | 145  | б     | 161  | љ     | 177  | љ     | 193  | љ     | 209  | с     | 225  | ë           | 241  |
| В     | 130  | Т     | 146  | в     | 162  | љ     | 178  | т     | 194  | т     | 210  | т     | 226  | Ҫ           | 242  |
| Г     | 131  | Ү     | 147  | г     | 163  | љ     | 179  | һ     | 195  | һ     | 211  | ү     | 227  | ӗ           | 243  |
| Д     | 132  | Ф     | 148  | д     | 164  | љ     | 180  | -     | 196  | љ     | 212  | ф     | 228  | ї           | 244  |
| Е     | 133  | Х     | 149  | е     | 165  | љ     | 181  | ћ     | 197  | ћ     | 213  | х     | 229  | ї           | 245  |
| Ж     | 134  | Ц     | 150  | ж     | 166  | љ     | 182  | ћ     | 198  | ћ     | 214  | ц     | 230  | Ӯ           | 246  |
| З     | 135  | Ч     | 151  | з     | 167  | љ     | 183  | ћ     | 199  | ћ     | 215  | ч     | 231  | Ӵ           | 247  |
| И     | 136  | Ш     | 152  | и     | 168  | љ     | 184  | љ     | 200  | ћ     | 216  | ш     | 232  | °           | 248  |
| Ӣ     | 137  | Щ     | 153  | Ӣ     | 169  | љ     | 185  | ѓ     | 201  | ј     | 217  | Щ     | 233  | •           | 249  |
| Қ     | 138  | Ҷ     | 154  | қ     | 170  | љ     | 186  | љ     | 202  | ѓ     | 218  | Ҷ     | 234  | ·           | 250  |
| Ӆ     | 139  | Ҹ     | 155  | ԓ     | 171  | љ     | 187  | ҭ     | 203  | ԓ     | 219  | Ҹ     | 235  | ҹ           | 251  |
| Ӎ     | 140  | Ҷ     | 156  | ӎ     | 172  | љ     | 188  | ҭ     | 204  | ԓ     | 220  | Ҷ     | 236  | ӊ           | 252  |
| Ҥ     | 141  | Ҹ     | 157  | Ҥ     | 173  | љ     | 189  | -     | 205  | ԓ     | 221  | Ҹ     | 237  | ߰           | 253  |
| Ӯ     | 142  | Ҵ     | 158  | Ӯ     | 174  | љ     | 190  | ҭ     | 206  | ԓ     | 222  | Ҵ     | 238  | ԓ           | 254  |
| Ӯ     | 143  | ҵ     | 159  | Ӯ     | 175  | љ     | 191  | ҭ     | 207  | ԓ     | 223  | ҵ     | 239  | Double size | 255  |

## Baltic

Special initialization code D<sub>14</sub> D<sub>13</sub> D<sub>12</sub> = 040

| Chara | Code | Chara       | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------------|------|
|       | 128  |       | 144  |       | 160  |       | 176  | Ӑ     | 192  | Ӗ     | 208  | ӑ     | 224  | š           | 240  |
|       | 129  |       | 145  |       | 161  |       | 177  | ڶ     | 193  | ܍     | 209  | ڶ     | 225  | ń           | 241  |
|       | 130  |       | 146  | ¢     | 162  |       | 178  | Ӓ     | 194  | ܕ     | 210  | ӓ     | 226  | ڻ           | 242  |
|       | 131  |       | 147  | £     | 163  |       | 179  | Ҫ     | 195  | ܖ     | 211  | ܊     | 227  | ó           | 243  |
|       | 132  |       | 148  | ¤     | 164  |       | 180  | Ӓ     | 196  | ܖ     | 212  | ӓ     | 228  | ܠ           | 244  |
|       | 133  | •     | 149  |       | 165  |       | 181  | Ӓ     | 197  | ܖ     | 213  | ܊     | 229  | ܠ           | 245  |
|       | 134  |       | 150  |       | 166  |       | 182  | Ӗ     | 198  | ܖ     | 214  | ܊     | 230  | ö           | 246  |
|       | 135  |       | 151  | §     | 167  |       | 183  | ܖ     | 199  | ܖ     | 215  | ܊     | 231  |             | 247  |
|       | 136  |       | 152  | Ø     | 168  | ø     | 184  | ܖ     | 200  | ܖ     | 216  | ܊     | 232  | ݢ           | 248  |
|       | 137  |       | 153  |       | 169  |       | 185  | ܖ     | 201  | ܖ     | 217  | ܊     | 233  | ܊           | 249  |
|       | 138  |       | 154  | ܂     | 170  | ܂     | 186  | ܖ     | 202  | ܖ     | 218  | ܊     | 234  | ܠ           | 250  |
|       | 139  |       | 155  | «     | 171  | »     | 187  | ܖ     | 203  | ܖ     | 219  | ܊     | 235  | ܠ           | 251  |
|       | 140  |       | 156  |       | 172  |       | 188  | ܖ     | 204  | ܖ     | 220  | ܊     | 236  | ܠ           | 252  |
|       | 141  |       | 157  |       | 173  |       | 189  | ܖ     | 205  | ܖ     | 221  | ܊     | 237  | ܠ           | 253  |
|       | 142  |       | 158  |       | 174  |       | 190  | ܖ     | 206  | ܖ     | 222  | ܊     | 238  | ܠ           | 254  |
|       | 143  |       | 159  | ܂܂    | 175  | ܂܂    | 191  | ܖ     | 207  | ܖ     | 223  | ܊     | 239  | Double size | 255  |

# Appendix (Font table)

---

## Arabic

Special initialization code D<sub>14</sub> D<sub>13</sub> D<sub>12</sub> = 050

| Chara | Code | Chara       | Code |
|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------------|------|
| ◦     | 128  | ß     | 144  |       | 160  | ◦     | 176  | ¢     | 192  | ‘     | 208  | —     | 224  | “           | 240  |
| ·     | 129  | ∞     | 145  |       | 161  | ‘     | 177  | ‘     | 193  | ‘     | 209  | ‘     | 225  | ‘           | 241  |
| •     | 130  | ø     | 146  |       | 162  | ‘     | 178  | ‘     | 194  | ‘     | 210  | ‘     | 226  | ‘           | 242  |
| √     | 131  | ±     | 147  | £     | 163  | ‘     | 179  | ‘     | 195  | ‘     | 211  | ‘     | 227  | ‘           | 243  |
| █     | 132  | ½     | 148  | ¤     | 164  | ‘     | 180  | ‘     | 196  | ‘     | 212  | ‘     | 228  | ‘           | 244  |
| —     | 133  | ¼     | 149  | „     | 165  | ‘     | 181  | ‘     | 197  | ‘     | 213  | ‘     | 229  | ‘           | 245  |
|       | 134  | ≈     | 150  | !     | 166  | ‘     | 182  | ‘     | 198  | ‘     | 214  | ‘     | 230  | ‘           | 246  |
| †     | 135  | «     | 151  | „     | 167  | ‘     | 183  | ‘     | 199  | ‘     | 215  | ‘     | 231  | ‘           | 247  |
| ‡     | 136  | »     | 152  | „     | 168  | ‘     | 184  | ‘     | 200  | ‘     | 216  | ‘     | 232  | ‘           | 248  |
| ⊤     | 137  | ߵ     | 153  | ߻     | 169  | ߵ     | 185  | ߵ     | 201  | ߵ     | 217  | ߵ     | 233  | ߵ           | 249  |
| ⊤     | 138  | ߶     | 154  | ߷     | 170  | ߵ     | 186  | ߵ     | 202  | ߵ     | 218  | ߵ     | 234  | ߶           | 250  |
| ⊥     | 139  | ߸     | 155  | ߹     | 171  | ߸     | 187  | ߸     | 203  | ߸     | 219  | ߸     | 235  | ߸           | 251  |
| ߱     | 140  | ߶     | 156  | ߸     | 172  | ߸     | 188  | ߸     | 204  | ߸     | 220  | ߸     | 236  | ߳           | 252  |
| ߲     | 141  | ߵ     | 157  | ߷     | 173  | ߵ     | 189  | ߵ     | 205  | ߵ     | 221  | ߵ     | 237  | ߵ           | 253  |
| ߴ     | 142  | ߶     | 158  | ߷     | 174  | ߶     | 190  | ߶     | 206  | ߶     | 222  | ߶     | 238  | -           | 254  |
| ߵ     | 143  | ߸     | 159  | ߹     | 175  | ߸     | 191  | ߸     | 207  | ߸     | 223  | ߸     | 239  | Double size | 255  |

# Appendix: Peripheral device configuration

## UP-360

Dip switch is located at the bottom of the printer.

| SW No. | Function                | ON                             | OFF      |
|--------|-------------------------|--------------------------------|----------|
| 1      | 1 Reset by DTR          | Yes                            | No       |
|        | 2 reserved              | ---                            | fixed    |
|        | 3 Protocol              | DTR/DSR                        | XON/XOFF |
|        | 4 Transmision speed     | See transmission speed setting |          |
|        | 5                       |                                |          |
|        | 6 Parity                | See paritysetting              |          |
|        | 7                       |                                |          |
|        | 8 undefined             | ---                            | ---      |
|        | 9 Low power comsumption | Yes                            | No       |
|        | 10 undefined            | ---                            | ---      |

**UP-360 Bottom view**

| Transmission speed setting |        | Parity setting |        |
|----------------------------|--------|----------------|--------|
| bps                        | SW No. | SW No.         | SW No. |
|                            | 4      | 5              | 6      |
| 4800                       | OFF    | OFF            | OFF    |
| 9600                       | OFF    | ON             | OFF    |
| 19200                      | ON     | OFF            | ON     |
| 38400                      | ON     | ON             | ON     |

## SP-1300

| SW No. | Function                   | ON                    | OFF      |
|--------|----------------------------|-----------------------|----------|
| 1      | Baud rate setting          | See baud rate setting |          |
| 2      | Data length                | 8 bits                | 7 bits   |
| 4      | Parity check               | Disabled              | Enabled  |
| 5      | Parity                     | Odd                   | Even     |
| 6      | Handshake                  | DTR/DSR               | XON/XOFF |
| 7      | Receive buffer size        | 2 kbytes *            | 35 bytes |
| 8      | Character code set         | Katakana              | PC437    |
| 9      | Pin 6 (DSR) reset signal   | Enabled               | Disabled |
| 10     | Pin 25 (INIT) reset signal | Enabled               | Disabled |

DIP switch under the document table



Baud rate setting

| bps  | SW No. | SW No. |
|------|--------|--------|
|      | 7      | 8      |
| 1200 | OFF    | OFF    |
| 2400 | ON     | OFF    |
| 4800 | OFF    | ON     |
| 9600 | ON     | ON     |

\* Please select this option.

# *Appendix (Peripheral configuration)*

---

## **Quick scan 6000**

### **Select these options:**

1. Interface selection:  
SNI RS-232C interface selection
2. Baud rate:  
Baud rate = 9600 bps
3. Data format settings:  
Parity = Odd  
Stop bits = One  
Data bits = Eight bits
4. Software control:  
Hardware control = Enable CTS/RTS flow control  
Software control = Disable Xon/Xoff
5. RS-232C ACK/NAK options:  
ACK/NAK enable = Disable ACK/NAK
6. Setting symbology specific label identifiers:  
Transmit label I.D. as prefix

### **“SNI RS232C” default value:**

1. General features:  
Audible signal = Enable  
Power-up beeping = Enable  
Beeper volume = Low  
Beeper duration = 100ms  
When to beep = Beep/LED after decode  
Low power mode = Disable  
Debug mode = Disable  
Auto sense stand mode = Disable

2. RS-232 I/F settings:  
RS-232 I/F = N/A  
SNI RS-232 I/F = Enable  
Baud rate = 9600  
Parity = Odd  
Stop bit = 1  
Data bit = 8  
Hardware control = Use CTS/RTS flow control  
Software control = Disable = Xon/Xoff  
Intercharacter delay = 0  
Keyboard wedge I/F settings:  
KBD wedge I/F type = N/A  
External keyboard/No keyboard = N/A  
Send control characters = N/A  
Intercharacter delay = N/A
3. Label transmit format config items:  
Prefix = Disable  
Suffix = Global D00  
Label I.D. control = Transmit as prefix  
UPC-A label I.D. = 4100
4. Symbology:  
UPC/EAN = Enable
5. UPC/EAN options:  
UPC-A to EAN-13 expansion = Expand  
UPC-E to UPC-A expansion = Don't expand  
EAN-8 to EAN-13 expansion = Don't expand  
UPC-E to EAN-13 expansion = Don't expand

# Appendix: File record format

## Fixed totalizer file

### Fixed totalizer (daily)

File name: Fixed totalizer (daily)

File No.: 001 Max. allocatable records: 99(fixed)

| 0         | 12      | 17        | 22 |
|-----------|---------|-----------|----|
| Character | Counter | Totalizer |    |

### Fixed totalizer (periodic/consolidation)

File name: Fixed totalizer (periodic 1)

File No.: 101 Max. allocatable records: 99(fixed)

File name: Fixed totalizer (periodic 2)

File No.: 201 Max. allocatable records: 99(fixed)

File name: Fixed totalizer (daily consolidation)

File No.: 301 Max. allocatable records: 99(fixed)

File name: Fixed totalizer (periodic 1 consolidation)

File No.: 401 Max. allocatable records: 99(fixed)

File name: Fixed totalizer (periodic 2 consolidation)

File No.: 501 Max. allocatable records: 99(fixed)

| 0       | 5         | 10 |
|---------|-----------|----|
| Counter | Totalizer |    |

| Rec No. | Description                    | Rec No. | Description                        | Rec No. | Description             |
|---------|--------------------------------|---------|------------------------------------|---------|-------------------------|
| 001     | Gross sales total              | 034     | Credit 1 in drawer *               | 067     | Cancellation            |
| 002     | Net sales total                | 035     | Credit 2 in drawer *               | 068     | Money declaration count |
| 003     | Cash in drawer                 | 036     | Credit 3 in drawer *               | 069     | Taxable amount 1        |
| 004     | Cash declared amount           | 037     | Credit 4 in drawer *               | 070     | Tax 1                   |
| 005     | Declared short cash amount     | 038     | Credit declared amount *           | 071     | Tax exempt 1            |
| 006     | Declared over cash amount      | 039     | Declared short credit amount *     | 072     | Taxable amount 2        |
| 007     | Charge in drawer               | 040     | Declared over credit amount *      | 073     | Tax 2                   |
| 008     | Charge declared amount         | 041     | Food stamp in drawer               | 074     | Tax exempt 2            |
| 009     | Declared short charge amount   | 042     | Food stamp cash change             | 075     | Taxable amount 3        |
| 010     | Declared over charge amount    | 043     | EBT in drawer                      | 076     | Tax 3                   |
| 011     | Check in drawer                | 044     | EBT cash change                    | 077     | Tax exempt 3            |
| 012     | Check declared amount          | 045     | Refund mode total                  | 078     | Taxable amount 4        |
| 013     | Declared short check amount    | 046     | Customer count                     | 079     | Tax 4                   |
| 014     | Declared over check amount     | 047     | Average sales per customer         | 080     | Tax exempt 4            |
| 015     | Credit 1 in drawer             | 048     | Check cashing service fee          | 081     | Taxable amount 5        |
| 016     | Credit 2 in drawer             | 049     | New balance fee                    | 082     | Tax 5                   |
| 017     | Credit 3 in drawer             | 050     | not used                           | 083     | Tax exempt 5            |
| 018     | Credit 4 in drawer             | 051     | Clerk commission 1 total           | 084     | Taxable amount 6        |
| 019     | Credit declared amount         | 052     | Clerk commission 2 total           | 085     | Tax 6                   |
| 020     | Declared short credit amount   | 053     | Foreign currency cash in drawer 1  | 086     | Tax exempt 6            |
| 021     | Declared over credit amount    | 054     | Foreign currency check in drawer 1 | 087     | Taxable amount 7        |
| 022     | Cash in drawer *               | 055     | Foreign currency cash in drawer 2  | 088     | Tax 7                   |
| 023     | Cash declared amount *         | 056     | Foreign currency check in drawer 2 | 089     | Tax exempt 7            |
| 024     | Declared short cash amount *   | 057     | Foreign currency cash in drawer 3  | 090     | Taxable amount 8        |
| 025     | Declared over cash amount *    | 058     | Foreign currency check in drawer 3 | 091     | Tax 8                   |
| 026     | Charge in drawer *             | 059     | Foreign currency cash in drawer 4  | 092     | Tax exempt 8            |
| 027     | Charge declared amount *       | 060     | Foreign currency check in drawer 4 | 093     | Taxable amount 9        |
| 028     | Declared short charge amount * | 061     | Reduction                          | 094     | Tax 9                   |
| 029     | Declared over charge amount *  | 062     | Coupon                             | 095     | Tax exempt 9            |
| 030     | Check in drawer *              | 063     | Item return                        | 096     | Taxable amount 10       |
| 031     | Check declared amount *        | 064     | Clear counter                      | 097     | Tax 10                  |
| 032     | Declared short check amount *  | 065     | Rounding2 *                        | 098     | Tax exempt 10           |
| 033     | Declared over check amount *   | 066     | Rounding1                          | 099     | Nontaxable amount       |

\* Totalizers for sub currencies

## Appendix (File record format)

### Transaction key file

#### Transaction key (daily)

| File name: Transaction key (daily) |           |         |        |         |           | File No.: 002 | Max. allocatable records: 999 |
|------------------------------------|-----------|---------|--------|---------|-----------|---------------|-------------------------------|
| 0                                  | 2         | 14      | 21     | 25      | 30        | 35            |                               |
| Function code                      | Character | Program | @/Rate | Counter | Totalizer |               |                               |

#### Transaction key (periodic/consolidation)

|   |               |                               |
|---|---------------|-------------------------------|
| File name: Transaction key (periodic 1)               | File No.: 102 | Max. allocatable records: 999 |
| File name: Transaction key (periodic 2)               | File No.: 202 | Max. allocatable records: 999 |
| File name: Transaction key (daily consolidation)      | File No.: 302 | Max. allocatable records: 999 |
| File name: Transaction key (periodic 1 consolidation) | File No.: 402 | Max. allocatable records: 999 |
| File name: Transaction key (periodic 2 consolidation) | File No.: 502 | Max. allocatable records: 999 |

| 0       | 5 | 10        |
|---------|---|-----------|
| Counter |   | Totalizer |

### PLU file

#### PLU (daily)

| File name: PLU |                    |                      | File No.: 004        |       |             | Max. allocatable records: Depend on the model |                      |      |         |    |  |
|----------------|--------------------|----------------------|----------------------|-------|-------------|---|----------------------|------|---------|----|--|
| 0              | 16                 | 23                   | 25                   | 28    | 31          | 34  | 37                   | 40   | 43      | 48 |  |
| Character      | Program            | Link                 | Unit quantity        | @     | Random code | Minimum stock                                 | Bottle/set-menu link | HALO | Counter |    |  |
| 48             | 53                 | 58                   | 63                   | 68    | 73          |   |                      |      |         |    |  |
| Totalizer      | Discount totalizer | Old amount totalizer | Red amount totalizer | Stock |             |   |                      |      |         |    |  |

#### PLU (periodic/consolidation)

|   |               |                                     |
|---|---------------|-------------------------------------|
| File name: PLU (periodic 1)               | File No.: 104 | Max. allocatable records: see above |
| File name: PLU (periodic 2)               | File No.: 204 | Max. allocatable records: see above |
| File name: PLU (daily consolidation)      | File No.: 304 | Max. allocatable records: see above |
| File name: PLU (periodic 1 consolidation) | File No.: 404 | Max. allocatable records: see above |
| File name: PLU (periodic 2 consolidation) | File No.: 504 | Max. allocatable records: see above |

| 0       | 5         | 10                 | 15                   | 20                   | 25    | 30 |
|---------|-----------|--------------------|----------------------|----------------------|-------|----|
| Counter | Totalizer | Discount totalizer | Old amount totalizer | Red amount totalizer | Stock |    |

## Department file

### Department (daily)

| File name: Department (daily)   | File No.: 005 | Max. allocatable records: 99 |
|---|---------------|------------------------------|
| 0      16      23      25      28      31      34      39      44      49      54      59<br>Character      Program      Link      Unit quantity      @      HALO      Counter      Totalizer      Discount totalizer      Old amount totalizer      Red amount totalizer |               |                              |

### Department (periodic/consolidation)

|  |               |                              |
|--|---------------|------------------------------|
| File name: Department (periodic 1)               | File No.: 105 | Max. allocatable records: 99 |
| File name: Department (periodic 2)               | File No.: 205 | Max. allocatable records: 99 |
| File name: Department (daily consolidation)      | File No.: 305 | Max. allocatable records: 99 |
| File name: Department (periodic 1 consolidation) | File No.: 405 | Max. allocatable records: 99 |
| File name: Department (periodic 2 consolidation) | File No.: 505 | Max. allocatable records: 99 |

| 0       | 5         | 10                 | 15                   | 20                   | 25 |
|---------|-----------|--------------------|----------------------|----------------------|----|
| Counter | Totalizer | Discount totalizer | Old amount totalizer | Red amount totalizer |    |

## Group file

### Group (daily)

| File name: Group (daily)   | File No.: 006 | Max. allocatable records: 99 |
|--|---------------|------------------------------|
| 0      12      17      22<br>Character      Counter      Totalizer |               |                              |

### Group (periodic/consolidation)

|   |               |                              |
|---|---------------|------------------------------|
| File name: Group (periodic 1)               | File No.: 106 | Max. allocatable records: 99 |
| File name: Group (periodic 2)               | File No.: 206 | Max. allocatable records: 99 |
| File name: Group (daily consolidation)      | File No.: 306 | Max. allocatable records: 99 |
| File name: Group (periodic 1 consolidation) | File No.: 406 | Max. allocatable records: 99 |
| File name: Group (periodic 2 consolidation) | File No.: 506 | Max. allocatable records: 99 |

| 0       | 5         | 10 |
|---------|-----------|----|
| Counter | Totalizer |    |

## Appendix (File record format)

### Clerk file

#### Clerk (programming)

| File name: Clerk (programming) |                       |          |         |         |                 |               | File No.: 007          | Max. allocatable records: 99 |
|--------------------------------|-----------------------|----------|---------|---------|-----------------|---------------|------------------------|------------------------------|
| 0                              | 12                    | 15       | 16      | 18      | 23              | 27            | 33                     | 38                           |
| Character                      | Clerk initial check # | Drawer # | Clerk # | Program | Commission rate | Check # range | Mode/operation control |                              |

#### Clerk detail (daily, periodic/consolidation)

|  |               |                                   |
|--|---------------|-----------------------------------|
| File name: Clerk detail (daily)                    | File No.: 011 | Max. allocatable records: 99 x 99 |
| File name: Clerk detail (periodic 1)               | File No.: 111 | Max. allocatable records: 99 x 99 |
| File name: Clerk detail (periodic 2)               | File No.: 211 | Max. allocatable records: 99 x 99 |
| File name: Clerk detail (daily consolidation)      | File No.: 311 | Max. allocatable records: 99 x 99 |
| File name: Clerk detail (periodic 1 consolidation) | File No.: 411 | Max. allocatable records: 99 x 99 |
| File name: Clerk detail (periodic 2 consolidation) | File No.: 511 | Max. allocatable records: 99 x 99 |

| 0       | 5         | 10 |
|---------|-----------|----|
| Counter | Totalizer |    |

#### Clerk detail link (program)

File name: Clerk detail link      File No.: 030      Max. allocatable records: 200

| 0                                  | 7                | 8 | 9        |
|------------------------------------|------------------|---|----------|
| Record No/<br>Scanning<br>PLU code | Multi price flag |   | File No. |

## Hourly sales file

### Hourly sales (daily)

File name: Hourly sales (daily)

File No.: 009 Max. allocatable records: 99

| 0          | 2        | 4               | 9           | 14                 | 19        | 24 |
|------------|----------|-----------------|-------------|--------------------|-----------|----|
| Start time | End time | No. of customer | Gross total | No. of transaction | Net total |    |

### Hourly sales (periodic/consolidation)

File name: Hourly sales (periodic 1)

File No.: 109 Max. allocatable records: 99

File name: Hourly sales (periodic 2)

File No.: 209 Max. allocatable records: 99

File name: Hourly sales (daily consolidation)

File No.: 309 Max. allocatable records: 99

File name: Hourly sales (periodic 1 consolidation)

File No.: 409 Max. allocatable records: 99

File name: Hourly sales (periodic 2 consolidation)

File No.: 509 Max. allocatable records: 99

| 0               | 5           | 10                 | 15        | 20 |
|-----------------|-------------|--------------------|-----------|----|
| No. of customer | Gross total | No. of transaction | Net total |    |

## Monthly sales file

### Monthly sales (daily, periodic/consolidation)

File name: Monthly sales (daily)

File No.: 010 Max. allocatable records: 31 (fixed)

File name: Monthly sales (periodic 1)

File No.: 110 Max. allocatable records: 31 (fixed)

File name: Monthly sales (periodic 2)

File No.: 210 Max. allocatable records: 31 (fixed)

File name: Monthly sales (daily consolidation)

File No.: 310 Max. allocatable records: 31 (fixed)

File name: Monthly sales (periodic 1 consolidation)

File No.: 410 Max. allocatable records: 31 (fixed)

File name: Monthly sales (periodic 2 consolidation)

File No.: 510 Max. allocatable records: 31 (fixed)

| 0               | 5                 | 10            | 15              | 20 |
|-----------------|-------------------|---------------|-----------------|----|
| Counter (Gross) | Totalizer (Gross) | Counter (Net) | Totalizer (Net) |    |

## Appendix (File record format)

### **Scanning PLU files**

#### **Scanning PLU file (daily)**

File name: Scanning PLU      File No.: 016      Max. allocatable records: Depend on the model

| 0        | 7                | 8         | 24      | 27   | 29            | 32 | 35          | 37               | 39               | 40            | 43      | 48        | 53           | 58 |
|----------|------------------|-----------|---------|------|---------------|----|-------------|------------------|------------------|---------------|---------|-----------|--------------|----|
| PLU code | Multi price flag | Character | Program | Link | Unit quantity | @  | Bottle link | Last update date | Mix & match link | Minimum stock | Counter | Totalizer | Actual stock |    |

### **Non PLU table file (program)**

File name: Non PLU table      File No.:040 Max. allocatable records: 100

| 0       | 8 |
|---------|---|
| Program |   |

### **Batch maintenance PLU file (program)**

File name: Batch maintenance PLU      File No.:070 Max. allocatable records: 1000

| 0        | 7                | 8    | 9         | 25      | 28   | 30            | 33 | 36          | 3839             | 42            |
|----------|------------------|------|-----------|---------|------|---------------|----|-------------|------------------|---------------|
| PLU code | Multi price flag | Flag | Character | Program | Link | Unit quantity | @  | Bottle link | Mix & match link | Minimum stock |

### **Direct maintenance PLU file (program)**


File name: Direct maintenance PLU      File No.:071 Max. allocatable records: 1000

| 0        | 7                | 8    | 9         | 25      | 28   | 30            | 33 | 36          | 3839             | 42            |
|----------|------------------|------|-----------|---------|------|---------------|----|-------------|------------------|---------------|
| PLU code | Multi price flag | Flag | Character | Program | Link | Unit quantity | @  | Bottle link | Mix & match link | Minimum stock |

## One touch NLU table file

File name: One touch NLU table

File No.:077 Max. allocatable records: 999




## Mix & match table file

### Mix & match table file (daily)

File name: Mix & match table (daily)

File No.: 051 Max. allocatable records: 99



### Mix & match table file (periodic/consolidation)

File name: Mix & match table (periodic 1)

File No.: 151 Max. allocatable records: 99

File name: Mix & match table (periodic 2)

File No.: 251 Max. allocatable records: 99

File name: Mix & match table (daily consolidation)


File No.: 351 Max. allocatable records: 99

File name: Mix & match table (periodic 1 consolidation)

File No.: 451 Max. allocatable records: 99

File name: Mix & match table (periodic 2 consolidation)

File No.: 551 Max. allocatable records: 99




## Bottle link table file

### Bottle link table file (program)

File name: Bottle link table

File No.: 073 Max. allocatable records: 999



## Appendix (File record format)

### **Table analysis file**

#### **Table analysis (daily)**

File name: Table analysis (daily)

File No.: 018 Max. allocatable records: 99

| 0         | 12                | 15                | 18                 | 23        | 28 |
|-----------|-------------------|-------------------|--------------------|-----------|----|
| Character | Minimum check No. | Maximum check No. | Counter (customer) | Totalizer |    |

#### **Table analysis (periodic/consolidation)**

File name: Table analysis (periodic 1)

File No.: 118 Max. allocatable records: 99

File name: Table analysis (periodic 2)

File No.: 218 Max. allocatable records: 99

File name: Table analysis (daily consolidation)

File No.: 318 Max. allocatable records: 99

File name: Table analysis (periodic 1 consolidation)

File No.: 418 Max. allocatable records: 99

File name: Table analysis (periodic 2 consolidation)

File No.: 518 Max. allocatable records: 99

| 0                  | 5         | 10 |
|--------------------|-----------|----|
| Counter (customer) | Totalizer |    |

### **Time and attendance file**

#### **Time and attendance (daily)**

File name: Time and attendance (daily)

File No.: 019 Max. allocatable records: 99

| 0             | 3             | 5              | 8              | 10            | 12        | 14        | 16 |
|---------------|---------------|----------------|----------------|---------------|-----------|-----------|----|
| Clock-in date | Clock-in time | Clock-out date | Clock-out time | Employee rec# | Next rec# | Work time |    |

### **Employee file**


File name: Employee

File No.: 061 Max. allocatable records: 99

| 0         | 12 | 17              |
|-----------|----|-----------------|
| Character |    | Employee number |


## Grand total file

### Grand total (daily)



File No.: 020 Max. allocatable records: 3 (fixed)


### Grand total (consolidation)



File No.: 320 Max. allocatable records: 3 (fixed)

## General control file

### General control



File No.: 022 Max. allocatable records: 37 (fixed)

| Rec No. | Contents                                     |
|---------|--|
| 001     | Date order, Monetary mode                    |
| 002     | Password, Machine ID., Machine No.           |
| 003     | Consecutive number                           |
| 004     | Clerk interrupt, Rounding, Tax system        |
| 005     | Receipt control (1)                          |
| 006     | Calculation, Operation control               |
| 007     | Menu shift control                           |
| 008     | Fixed totalizer report control (1)           |
| 009     | Fixed totalizer report control (2)           |
| 010     | Print control, Till timer                    |
| 011     | (future use)                                 |
| 012     | (future use)                                 |
| 013     | Communication control                        |
| 014     | Print control (currency exchange totalizers) |
| 015     | Report control (1)                           |
| 016     | Report control (2)                           |
| 017     | Report control (3), Money declaration        |
| 018     | Slip/Guest/KP print                          |
| 019     | Order control                                |

| Rec No. | Contents                         |
|---------|----------------------------------|
| 020     | (future use)                     |
| 021     | Message control                  |
| 022     | (future use)                     |
| 023     | (future use)                     |
| 024     | (future use)                     |
| 025     | Condiment                        |
| 026     | Check tracking                   |
| 027     | Clerk control                    |
| 028     | Euro (definition, exchange rate) |
| 029     | Euro (display, rounding)         |
| 030     | Internal thermal printer control |
| 031     | Scanning PLU                     |
| 032     | Direct maintenance PLU           |
| 033     | Batch PLU maintenance            |
| 034     | Backlight control                |
| 035     | (future use)                     |
| 036     | Store/Recall range               |
| 037     | Auto check range                 |


## *Appendix (File record format)*

## Special character file

## Special character

## File name: Special character

File No.: 023 Max. allocatable records: 42 (fixed)




See page nn of this manual for the detail of each record.

# Report header file

## Report header

File name: Report header

File No.: 024 Max. allocatable records: 27 (fixed)




See page nn of this manual for the detail of each record.

## Tax table file

## Tax table

File name: Tax table

File No.: 025 Max. allocatable records: 10




## **Set menu table file**

## **Set menu table**

## File name: Set menu table

File No.: 028 Max. allocatable records: 999



## Batch X/Z file

### Batch X/Z

|  |  | File name: Batch X/Z | 0    | 12           | 14           | 15           | 16           | 17           | 18           | 19           | 20           | 21           | 22            | 23 | 24 |
|--|--|----------------------|------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|----|----|
|  |  | Character            | Mode | X/Z code (1) | X/Z code (2) | X/Z code (3) | X/Z code (4) | X/Z code (5) | X/Z code (6) | X/Z code (7) | X/Z code (8) | X/Z code (9) | X/Z code (10) |    |    |

File No.: 029 Max. allocatable records: 10

## Receipt message file

### Receipt message

|  |  | File name: Receipt message | 0 | 24 |
|--|--|----------------------------|---|----|
|  |  | Character                  |   |    |

File No.: 032 Max. allocatable records: 42

| Rec No. | Message                         |
|---------|---------------------------------|
| 1 ~ 4   | Receipt logo message            |
| 5 ~ 8   | Receipt commercial message      |
| 9 ~ 12  | Receipt bottom message          |
| 13 ~ 16 | Bill top message                |
| 17 ~ 20 | Bill copy message               |
| 21 ~ 24 | Bill bottom message             |
| 25      | Post receipt message            |
| 26 ~ 29 | Guest/slip intermediate message |
| 30 ~ 39 | Guest bottom message            |
| 40 ~ 42 | Australian MOF message          |

## Check endorsement message file

### Check endorsement message

|  |  | File name: Check endorsement message | 0 | 40 |
|--|--|--------------------------------------|---|----|
|  |  | Character                            |   |    |

File No.: 033 Max. allocatable records: 4

## Slip/external printer message file

### Slip/external printer message

|  |  | File name: Slip/external printer message | 0 | 40 |
|--|--|--|---|----|
|  |  | Character                                |   |    |

File No.: 034 Max. allocatable records: 42

| Rec No. | Message                         |
|---------|---------------------------------|
| 1 ~ 4   | Receipt logo message            |
| 5 ~ 8   | Receipt/slip commercial message |
| 9 ~ 12  | Receipt/slip bottom message     |
| 13 ~ 16 | Bill top message                |
| 17 ~ 20 | Bill copy message               |
| 21 ~ 24 | Bill bottom message             |
| 25      | Post receipt message            |
| 26 ~ 29 | Guest/slip intermediate message |
| 30 ~ 39 | Guest bottom message            |
| 40 ~ 42 | Australian MOF message          |

## Appendix (File record format)

### **Arrangement file**

#### **Arrangement file**

File name: Arrangement

File No.: 038 Max. allocatable records: 9999

|      |              |              |              |              |              |              |              |              |              |               |    |
|------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|----|
| 0    | 1            | 2            | 3            | 4            | 5            | 6            | 7            | 8            | 9            | 10            | 11 |
| Flag | Key code (1) | Key code (2) | Key code (3) | Key code (4) | Key code (5) | Key code (6) | Key code (7) | Key code (8) | Key code (9) | Key code (10) |    |

### **Character recall file**

#### **Character recall**

File name: Character recall

File No.: 039 Max. allocatable records: 999

|           |    |
|-----------|----|
| 0         | 40 |
| Character |    |

### **Check print file**

#### **Check print**

File name: Check print

File No.: 041 Max. allocatable records: 9

|         |   |
|---------|---|
| 0       | 3 |
| Program |   |

### **Scheduler file**

#### **Scheduler**

File name: Scheduler


File No.: 062 Max. allocatable records: 99

|      |     |               |      |    |
|------|-----|---------------|------|----|
| 0    | 3   | 10            | 15   | 22 |
| Type | Job | Date/<br>time | Work |    |

## System files

### Character key table file

File name: Character key table      File No.: 046      Max. allocatable records: depends on the model



### Key/character key table record No.

TE-2200

|              |              |     |          |          |          |          |     |     |     |     |     |     |     |     |     |
|--------------|--------------|-----|----------|----------|----------|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| RECEIPT FEED | JOURNAL FEED | 063 | <b>C</b> | 056      | 054      | 052      | 046 | 040 | 034 | 028 | 022 | 016 | 010 | 004 |     |
|              |              | 068 | 062      | 057      | 055      | 053      | 051 | 045 | 039 | 033 | 027 | 021 | 015 | 009 | 003 |
|              |              | 067 | 061      | <b>7</b> | <b>8</b> | <b>9</b> | 050 | 044 | 038 | 032 | 026 | 020 | 014 | 008 | 002 |
|              |              | 066 | 060      | <b>4</b> | <b>5</b> | <b>6</b> | 049 | 043 | 037 | 031 | 025 | 019 | 013 | 007 | 001 |
|              |              | 065 | 059      | <b>1</b> | <b>2</b> | <b>3</b> | 048 | 042 | 036 | 030 | 024 | 018 | 012 | 006 |     |
|              |              | 064 | 058      | <b>0</b> |          |          | 047 | 041 | 035 | 029 | 023 | 017 | 011 | 005 |     |

TE-2400 (Eu)

|     |     |     |     |     |     |     |     |     |     |     |          |          |          |              |              |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|----------|----------|--------------|--------------|
| 007 | 014 | 021 | 028 | 035 | 042 | 049 | 056 | 063 | 070 | 077 |          |          |          | RECEIPT FEED | JOURNAL FEED |
| 006 | 013 | 020 | 027 | 034 | 041 | 048 | 055 | 062 | 069 | 076 |          |          |          |              |              |
| 005 | 012 | 019 | 026 | 033 | 040 | 047 | 054 | 061 | 068 | 075 | <b>C</b> |          |          |              |              |
| 004 | 011 | 018 | 025 | 032 | 039 | 046 | 053 | 060 | 067 | 074 | <b>7</b> | <b>8</b> | <b>9</b> |              |              |
| 003 | 010 | 017 | 024 | 031 | 038 | 045 | 052 | 059 | 066 | 073 | <b>4</b> | <b>5</b> | <b>6</b> |              |              |
| 002 | 009 | 016 | 023 | 030 | 037 | 044 | 051 | 058 | 065 | 072 | <b>1</b> | <b>2</b> | <b>3</b> |              |              |
| 001 | 008 | 015 | 022 | 029 | 036 | 043 | 050 | 057 | 064 | 071 | <b>0</b> |          |          |              |              |

TE-2400 (US)

|     |     |     |     |     |     |     |     |     |     |          |          |          |  |              |              |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------|----------|----------|--|--------------|--------------|
| 007 | 014 | 021 | 028 | 035 | 042 | 049 | 056 | 063 | 070 |          |          |          |  | RECEIPT FEED | JOURNAL FEED |
| 006 | 013 | 020 | 027 | 034 | 041 | 048 | 055 | 062 | 069 |          |          |          |  |              |              |
| 005 | 012 | 019 | 026 | 033 | 040 | 047 | 054 | 061 | 068 | <b>C</b> |          |          |  |              |              |
| 004 | 011 | 018 | 025 | 032 | 039 | 046 | 053 | 060 | 067 | <b>7</b> | <b>8</b> | <b>9</b> |  |              |              |
| 003 | 010 | 017 | 024 | 031 | 038 | 045 | 052 | 059 | 066 | <b>4</b> | <b>5</b> | <b>6</b> |  |              |              |
| 002 | 009 | 016 | 023 | 030 | 037 | 044 | 051 | 058 | 065 | <b>1</b> | <b>2</b> | <b>3</b> |  |              |              |
| 001 | 008 | 015 | 022 | 029 | 036 | 043 | 050 | 057 | 064 | <b>0</b> |          |          |  |              |              |

No character can be programmed to shadowed keys.

## Appendix (File record format)


### Key table file

File name: Character key table      File No.: 074      Max. allocatable records: depends on the model

|                               |          |                               |          |                               |          |                               |          |                               |          |                               |          |                               |
|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|
| 0                             | 3        | 4                             | 7        | 8                             | 11       | 12                            | 15       | 16                            | 19       | 20                            | 23       | 24                            |
| Record No./random<br>PLU code | File No. | Record No./random<br>PLU code |
|                               |          |                               |          |                               |          |                               |          |                               |          |                               |          |                               |
|                               |          |                               |          |                               |          |                               |          |                               |          |                               |          |                               |
|                               |          |                               |          |                               |          |                               |          |                               |          |                               |          |                               |

### Key/key table record No.

TE-2200



TE-2400 (Eu)

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |                 |                 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------------|-----------------|
| 038 | 045 | 052 | 059 | 066 | 073 | 080 | 087 | 094 | 101 | 108 | 031 | 029 | 026 | RECEIPT<br>FEED | JOURNAL<br>FEED |
| 037 | 044 | 051 | 058 | 065 | 072 | 079 | 086 | 093 | 100 | 107 | 030 | 028 | 025 | 023             | 019             |
| 036 | 043 | 050 | 057 | 064 | 071 | 078 | 085 | 092 | 099 | 106 | C   | 027 | 024 | 022             | 018             |
| 035 | 042 | 049 | 056 | 063 | 070 | 077 | 084 | 091 | 098 | 105 | 7   | 8   | 9   | 021             | 017             |
| 034 | 041 | 048 | 055 | 062 | 069 | 076 | 083 | 090 | 097 | 104 | 4   | 5   | 6   | 020             | 015             |
| 033 | 040 | 047 | 054 | 061 | 068 | 075 | 082 | 089 | 096 | 103 | 1   | 2   | 3   | 014             | 016             |
| 032 | 039 | 046 | 053 | 060 | 067 | 074 | 081 | 088 | 095 | 102 | 0   | 011 | 012 |                 | 013             |

TE-2400 (US)


|     |     |     |     |     |     |     |     |     |     |     |     |     |     |                 |                 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------------|-----------------|
| 045 | 052 | 059 | 066 | 073 | 080 | 087 | 094 | 101 | 108 | 038 | 036 | 033 | 030 | RECEIPT<br>FEED | JOURNAL<br>FEED |
| 044 | 051 | 058 | 065 | 072 | 079 | 086 | 093 | 100 | 107 | 037 | 035 | 032 | 029 | 023             | 019             |
| 043 | 050 | 057 | 064 | 071 | 078 | 085 | 092 | 099 | 106 | C   | 027 | 031 | 028 | 022             | 018             |
| 042 | 049 | 056 | 063 | 070 | 077 | 084 | 091 | 098 | 105 | 7   | 8   | 9   | 027 | 021             | 017             |
| 041 | 048 | 055 | 062 | 069 | 076 | 083 | 090 | 097 | 104 | 4   | 5   | 6   | 026 | 020             | 015             |
| 040 | 047 | 054 | 061 | 068 | 075 | 082 | 089 | 096 | 103 | 1   | 2   | 3   | 025 | 014             | 016             |
| 039 | 046 | 053 | 060 | 067 | 074 | 081 | 088 | 095 | 102 | 0   | 011 | 012 | 024 |                 | 013             |

The shadowed key cannot be programmed with any other function keys.

### Terminal connection table file

File name: Terminal connection table


File No.: 091 Max. allocatable records: 1



### Printer connection table

File name: Printer definition table


File No.: 093 Max. allocatable records: 7



### Operation start date file

File name: Operation start date


File No.: 094 Max. allocatable records: 1 (fixed)



### Initialize code file

File name: Initialize code

File No.: 095 Max. allocatable records: 1 (fixed)




## Appendix (File record format)

### **AT command file**

File name: AT command


File No.: 096 Max. allocatable records: 2 (fixed)



### **Online password file**

File name: Online password


File No.: 097 Max. allocatable records: 1



### **I/O parameter table file**

File name: I/O parameter table


File No.: 098 Max. allocatable records: 2 (fixed)



### **System error log file**

File name: System error log

File No.: 099 Max. allocatable records: 99



## **Graphic image files**

### **Graphic logo file**

File name: Graphic logo

File No.: 047 Max. allocatable records: 168 (fixed)

### **Graphic logo file (for external printer)**


File name: Graphic logo

File No.: 067 Max. allocatable records: 168 (fixed)

### **Watermark print file**

File name: Watermark print

File No.: 068 Max. allocatable records: 168 (fixed)




## Guidance message files

### Error message file

File name: Error message

0 16



File No.: 080 Max. allocatable records: 191(fixed)

| Rec-No. | Meaning  | Default (English) message |
|---------|--|---------------------------|
| 001     | Error code (do NOT change)   | E001                      |
| 002     | Mode switch position changed before finalization.  | Wrong mode                |
| 003     | Error code (do NOT change)   | E003                      |
| 004     | Clerk button pressed before finalization of a registration being performed under another clerk button. The signed on clerk differs from the clerk performed the tracking check registration. | Wrong operator            |
| 005     | Error code (do NOT change)   | E004                      |
| 006     | Initialization or unit lock clear operation in progress.   | Error INIT/FC             |
| 007     | Error code (do NOT change)   | E005                      |
| 008     | Memory allocation exceeds total memory capacity. (1/2)   | Insufficient m            |
| 009     | Memory allocation exceeds total memory capacity. (2/2)   | emory                     |
| 010     | Error code (do NOT change)   | E008                      |
| 011     | Registration without entering a clerk number.  | Please sign on            |
| 012     | Error code (do NOT change)   | E009                      |
| 013     | Operation without entering the password.   | Enter password            |
| 014     | Error code (do NOT change)   | E010                      |
| 015     | The drawer is left open longer than the program time (drawer open alarm).  | Close the drawer          |
| 016     | Error code (do NOT change)   | E011                      |
| 017     | Attempt to register while the cash drawer is open.   | Close the drawer          |
| 018     | Error code (do NOT change)   | E013                      |
| 019     | Journal paper near end. (option) (1/2)   | Journal paper ne          |
| 020     | Journal paper near end. (option) (2/2)   | ar end                    |
| 021     | Error code (do NOT change)   | E016                      |
| 022     | Two consecutive transactions attempted in the refund mode. (1/2)   | Change back to R          |
| 023     | Two consecutive transactions attempted in the refund mode. (2/2)   | EG mode                   |
| 024     | Error code (do NOT change)   | E017                      |
| 025     | Attempt made to register an item without inputting a check number. (1/2)   | Enter CHK/TBL nu          |
| 026     | Attempt made to register an item without inputting a check number. (2/2)   | mber                      |
| 027     | Error code (do NOT change)   | E018                      |
| 028     | Attempt made to register an item without inputting a table number. (1/2)   | Enter Table numb          |
| 029     | Attempt made to register an item without inputting a table number. (2/2)   | er                        |
| 030     | Error code (do NOT change)   | E019                      |
| 031     | Finalize operation attempted without entering the number of customer. (1/2)  | Enter number of           |
| 032     | Finalize operation attempted without entering the number of customer. (2/2)  | customers                 |
| 033     | Error code (do NOT change)   | E021                      |
| 034     | No department linked PLU is registered.  | No DEPT Link              |
| 035     | not used   |                           |
| 036     | not used   |                           |
| 037     | Error code (do NOT change)   | E023                      |
| 038     | Actual stock quantity becomes less than the minimum stock quantity.  | Stock shortage            |
| 039     | Error code (do NOT change)   | E024                      |
| 040     | Actual stock quantity becomes/is negative.   | No stock                  |
| 041     | Error code (do NOT change)   | E025                      |
| 042     | Scale read error/perform non-scale registration to scalable item. (1/2)  | Illegal scale re          |
| 043     | Scale read error/perform non-scale registration to scalable item. (2/2)  | ad or entry               |
| 044     | Error code (do NOT change)   | E026                      |
| 045     | No condiment/preparation PLU is registered. (1/2)  | Enter condiment/          |
| 046     | No condiment/preparation PLU is registered. (2/2)  | preparation PLU           |
| 047     | Error code (do NOT change)   | E029                      |
| 048     | Item registration is prohibited, while partial tender. (1/2)   | In the tender op          |
| 049     | Item registration is prohibited, while partial tender. (2/2)   | eration                   |
| 050     | Error code (do NOT change)   | E030                      |
| 051     | Finalization of a transaction attempted without registering rate-tax. (1/2)  | Press RATE TAX k          |
| 052     | Finalization of a transaction attempted without registering rate-tax. (2/2)  | ey                        |

## Appendix (File record format)

| Rec-No. | Meaning   |                                    | Default (English) message          |
|---------|---|------------------------------------|------------------------------------|
| 053     | Error code (do NOT change)  | E031                               | E031                               |
| 054     | Finalization of a transaction attempted without confirming the subtotal.  | Press ST key                       | PRESS ST KEY                       |
| 055     | Error code (do NOT change)  | E032                               | E032                               |
| 056     | Finalization of a transaction attempted without confirming of the food stamp subtotal.  | Press FSST key                     | PRESS FSST KEY                     |
| 057     | Error code (do NOT change)  | E033                               | E033                               |
| 058     | Finalize operation attempted without entering amount tender. (1/2)  | Enter tendered a<br>mount          | ENTER TENDERED A<br>MOUNT          |
| 059     | Finalize operation attempted without entering amount tender. (2/2)  |                                    |                                    |
| 060     | Error code (do NOT change)  | E035                               | E035                               |
| 061     | Change amount exceeds preset limit. (1/2)   | Change amount ex<br>ceeds limit    | CHANGE AMOUNT EX<br>CEEDS LIMIT    |
| 062     | Change amount exceeds preset limit. (2/2)   |                                    |                                    |
| 063     | Error code (do NOT change)  | E036                               | E036                               |
| 064     | Contents of the drawer exceed programmed limit. (1/2)   | Remove money fro<br>m the drawer   | REMOVE MONEY FRO<br>M THE DRAWER   |
| 065     | Contents of the drawer exceed programmed limit. (2/2)   |                                    |                                    |
| 066     | Error code (do NOT change)  | E037                               | E037                               |
| 067     | High amount lock out/low digit lock out error (1/2)   | Digit or amount<br>limitation over | DIGIT OR AMOUNT<br>LIMITATION OVER |
| 068     | High amount lock out/low digit lock out error (2/2)   |                                    |                                    |
| 069     | Error code (do NOT change)  | E038                               | E038                               |
| 070     | Read/reset operation without declaring cash in drawer.<br>This error appears only when this function is activated. (1/2)                      | Perform money de<br>claration      | PERFORM MONEY DE<br>CLARATION      |
| 071     | Same as above (2/2)   |                                    |                                    |
| 072     | Error code (do NOT change)  | E040                               | E040                               |
| 073     | Attempt to register a new transaction without issuing a guest receipt. (1/2)  | Issue guest rece<br>ipt            | ISSUE GUEST RECE<br>IPT            |
| 074     | Attempt to register a new transaction without issuing a guest receipt. (2/2)  |                                    |                                    |
| 075     | Error code (do NOT change)  | E041                               | E041                               |
| 076     | Attempt to register a new transaction without validation.   | Print validation                   | PRINT VALIDATION                   |
| 077     | Error code (do NOT change)  | E042                               | E042                               |
| 078     | Validation paper (slip printer) has run out. (1/2)  | Insert VLD paper                   | INSERT VLD PAPER                   |
| 079     | Validation paper (slip printer) has run out. (2/2)  | and retry                          | AND RETRY                          |
| 080     | Error code (do NOT change)  | E044                               | E044                               |
| 081     | Attempt to register a new transaction without printing check.   | Print Cheque                       | PRINT CHEQUE                       |
| 082     | Error code (do NOT change)  | E045                               | E045                               |
| 083     | Attempt to register a new transaction without printing check endorsement. (1/2)   | Print Check Endo<br>rsement        | PRINT CHECK ENDO<br>RSEMENT        |
| 084     | Attempt to register a new transaction without printing check endorsement. (2/2)   |                                    |                                    |
| 085     | Error code (do NOT change)  | E046                               | E046                               |
| 086     | Registration buffer full. Separate check buffer full.   | REG buffer full                    | REG BUFFER FULL                    |
| 087     | Error code (do NOT change)  | E047                               | E047                               |
| 088     | Attempt to register a new transaction without printing slip.  | Print bill                         | PRINT BILL                         |
| 089     | Error code (do NOT change)  | E048                               | E048                               |
| 090     | No paper is inserted or paper is out in the slip printer. (1/2)   | Insert slip pape<br>r and retry    | INSERT SLIP PAPE<br>R AND RETRY    |
| 091     | No paper is inserted or paper is out in the slip printer. (2/2)   |                                    |                                    |
| 092     | Error code (do NOT change)  | E049                               | E049                               |
| 093     | Check tracking index memory full. (1/2)   | Check memory ful<br>l              | CHECK MEMORY FUL<br>L              |
| 094     | Check tracking index memory full. (2/2)   |                                    |                                    |
| 095     | Error code (do NOT change)  | E050                               | E050                               |
| 096     | Check tracking detail memory full. (1/2)  | DETAIL memory fu<br>ll             | DETAIL MEMORY FU<br>LL             |
| 097     | Check tracking detail memory full. (2/2)  |                                    |                                    |
| 098     | Error code (do NOT change)  | E051                               | E051                               |
| 099     | Attempt to made use <New Check> to open a new check using a number that is already used for an existing check in check tracking memory. (1/2) | CHK/TBL No. is o<br>ccupied        | CHK/TBL NO. IS O<br>CCUPIED        |
| 100     | Same as above (2/2)   |                                    |                                    |
| 101     | Error code (do NOT change)  | E052                               | E052                               |
| 102     | Attempt to made use <Add Check>, <Separate Check> to open a check using a number that is already opened. (1/2)                                | CHK/TBL No. is B<br>usy            | CHK/TBL NO. IS B<br>USY            |
| 103     | Same as above (2/2)   |                                    |                                    |
| 104     | Error code (do NOT change)  | E053                               | E053                               |
| 105     | Attempt made to use <Old Check> reopen a new check using a number that is not used for an existing check in check tracking memory. (1/2)      | CHK/TBL No. is n<br>ot opened      | CHK/TBL NO. IS N<br>OT OPENED      |
| 106     | Same as above (2/2)   |                                    |                                    |
| 107     | Error code (do NOT change)  | E054                               | E054                               |
| 108     | Check number range over (1/2)   | Out of CHK/TBL N<br>o. range       | OUT OF CHK/TBL N<br>O. RANGE       |
| 109     | Check number range over (2/2)   |                                    |                                    |
| 110     | Error code (do NOT change)  | E055                               | E055                               |
| 111     | Normal registration is prohibited during separate check operation. (1/2)  | In the SEP CHK o<br>peration       | IN THE SEP CHK O<br>PERATION       |
| 112     | Normal registration is prohibited during separate check operation. (2/2)  |                                    |                                    |
| 113     | Error code (do NOT change)  | E056                               | E056                               |
| 114     | Store/auto new check range full   | CHK range full                     | CHK RANGE FULL                     |

| Rec-No. | Meaning  | Default (English) message    |
|---------|--|------------------------------|
| 115     | Error code (do NOT change)   | E059                         |
| 116     | Attempt to finalize a transaction without specifying <EAT-IN> or <TAKE-OUT>. (1/2)                     | Press EAT-IN or TAKE-OUT key |
| 117     | Attempt to finalize a transaction without specifying <EAT-IN> or <TAKE-OUT>. (2/2)                     | TAKE-OUT KEY                 |
| 118     | Error code (do NOT change)   | E060                         |
| 119     | External printer offline   | Printer offline              |
| 120     | Error code (do NOT change)   | E061                         |
| 121     | External printer went down.  | Printer error                |
| 122     | Error code (do NOT change)   | E062                         |
| 123     | External printer paper end (1/2)   | Printer paper en             |
| 124     | External printer paper end (2/2)   | d                            |
| 125     | Error code (do NOT change)   | E063                         |
| 126     | External printer is now printing.  | Printer busy                 |
| 127     | Error code (do NOT change)   | E064                         |
| 128     | Printing buffer full (1/2)   | Print buffer ful             |
| 129     | Printing buffer full (2/2)   | l                            |
| 130     | Error code (do NOT change)   | E075                         |
| 131     | Attempt to finalize a transaction when balance is less than or equal to zero. (1/3)                    | Negative balance             |
| 132     | Attempt to finalize a transaction when balance is less than or equal to zero. (2/3)                    | cannot be final              |
| 133     | Attempt to finalize a transaction when balance is less than or equal to zero. (3/3)                    | ized                         |
| 134     | Error code (do NOT change)   | E085                         |
| 135     | Data exists in the consolidation file. (1/2)   | Data exist in co             |
| 136     | Data exists in the consolidation file. (2/2)   | nsolidation file             |
| 137~138 | not used   |                              |
| 139     | Error code (do NOT change)   | E099                         |
| 140     | Disable to read/reset or consolidate the not found PLU item.   | Check NFP items              |
| 141     | Error code (do NOT change)   | E100                         |
| 142     | Prohibit master operation. (1/2)   | Operate at the M             |
| 143     | Prohibit master operation. (2/2)   | aster terminal               |
| 144     | Error code (do NOT change)   | E101                         |
| 145     | Scanning PLU direct maintenance/batch maintenance file becomes full. (1/3)                             | PLU maintenance              |
| 146     | Scanning PLU direct maintenance/batch maintenance file becomes full. (2/3)                             | file full. Press             |
| 147     | Scanning PLU direct maintenance/batch maintenance file becomes full. (3/3)                             | <#2> to exit.                |
| 148     | Error code (do NOT change)   | E102                         |
| 149     | Not found PLU file becomes full. (1/3)   | NFP maintenance              |
| 150     | Not found PLU file becomes full. (2/3)   | file full. Press             |
| 151     | Not found PLU file becomes full. (3/3)   | <#2> to exit.                |
| 152     | Error code (do NOT change)   | E105                         |
| 153     | Scanning PLU/not found PLU file full   | PLU file full                |
| 154     | Error code (do NOT change)   | E121                         |
| 155     | Network startup error. (1/2)   | Inline startup e             |
| 156     | Network startup error. (2/2)   | rror                         |
| 157~158 | not used   |                              |
| 159     | Error code (do NOT change)   | E139                         |
| 160     | Attempt to register <-> or <CPN> when the balance becomes negative. (1/2)                              | Negative balance             |
| 161     | Attempt to register <-> or <CPN> when the balance becomes negative. (2/2)                              | is not allowed               |
| 162~164 | not used   |                              |
| 165     | Error code (do NOT change)   | E146                         |
| 166     | Arrangement file is full. (1/2)  | Arrangement file             |
| 167     | Arrangement file is full. (2/2)  | full                         |
| 168~169 | not used   |                              |
| 170     | Error code (do NOT change)   | E170                         |
| 171     | No CF card is set.   | Insert CF card               |
| 172     | Error code (do NOT change)   | E202                         |
| 173     | Can not read, because no designated file is in the CF card or internal flash memory.                   | File not found               |
| 174     | Error code (do NOT change)   | E203                         |
| 175     | Insufficient memory in the CF card or internal flash memory. (1/2)                                     | Insufficient mem             |
| 176     | Insufficient memory in the CF card or internal flash memory. (2/2)                                     | ory                          |
| 177     | Error code (do NOT change)   | E204                         |
| 178     | Write protect switch of the CF card is on. (1/2)   | Check the write              |
| 179     | Write protect switch of the CF card is on. (2/2)   | protect switch               |
| 180     | Error code (do NOT change)   | E205                         |
| 181     | Can not write, because designated file has already been in the CF card or internal flash memory. (1/2) | File already exi             |
| 182     | Same as above (2/2)  | st                           |


## Appendix (File record format)

| Rec-No. | Meaning  |  | Default (English) message                      |
|---------|--|--|--|
| 183     | Error code (do NOT change)   | E066   | E066   |
| 184     | Attempt to print the last separated transaction on slip. (1/3)                         | Print from the beginning of the transaction    | PRINT FROM THE BEGINNING OF THE TRANSACTION    |
| 185     | Attempt to print the last separated transaction on slip. (2/3)                         |  |  |
| 186     | Attempt to print the last separated transaction on slip. (3/3)                         |  |  |
| 187     | Error code (do NOT change)   | E015   | E015   |
| 188     | Printer error: Paper jam, Printer head is released. (1/2)                              | Check R/J printer                              | CHECK R/J PRINTER                              |
| 189     | Printer error: Paper jam, Printer head is released. (2/2)                              | r  | P  |
| 190     | Error code (do NOT change)   | E201   | E201   |
| 191     | Flash memory format is illegal.  | Illegal Format                                 | ILLEGAL FORMAT                                 |
| 192     | Error code (do NOT change)   | E140   | E140   |
| 193     | This sheet holder is prohibited by PGM.  | Wrong menu                                     | WRONG MENU                                     |
| 194     | Error code (do NOT change)   | E184   | E184   |
| 195     | Employee No. is not found. (1/3)   | Employee No. is not Found in the Employee File | EMPLOYEE NO. IS NOT FOUND IN THE EMPLOYEE FILE |
| 196     | Employee No. is not found. (2/3)   |  |  |
| 197     | Employee No. is not found. (3/3)   |  |  |
| 198     | Error code (do NOT change)   | E165   | E165   |
| 199     | This employee is not clocking in. (1/2)  | Employee No. is not Clocking-in                | EMPLOYEE NO. IS NOT CLOCKING-IN                |
| 200     | This employee is not clocking in. (2/2)  | not Clocking-in                                | NOT CLOCKING-IN                                |
| 201     | Error code (do NOT change)   | E186   | E186   |
| 202     | This employee No. is used on another terminal. (1/2)                                   | Employee No. is Occupied                       | EMPLOYEE NO. IS OCCUPIED                       |
| 203     | This employee No. is used on another terminal. (2/2)                                   |  |  |
| 204     | Error code (do NOT change)   | E176   | E176   |
| 205     | Time & attendance file becomes full. (1/2)   | Time&Attendance file full                      | TIME&ATTENDANCE FILE FULL                      |
| 206     | Time & attendance file becomes full. (2/2)   |  |  |
| 207     | Error code (do NOT change)   | E177   | E177   |
| 208     | Time & attendance data communication error (1/3)                                       | Time&Attendance Data Communicati               | TIME&ATTENDANCE DATA COMMUNICATI               |
| 209     | Time & attendance data communication error (2/3)                                       | on Error                                       | ON ERROR                                       |
| 210     | Time & attendance data communication error (3/3)                                       |  |  |
| 211     | Error code (do NOT change)   | E110   | E110   |
| 212     | Communication error message with master terminal (1/3)                                 | Master is busy/d                               | MASTER IS BUSY/D                               |
| 213     | Communication error message with master terminal (2/3)                                 | own. Retry:<CA>                                | OWN. RETRY:<CA>                                |
| 214     | Communication error message with master terminal (3/3)                                 | Remove:<ST>                                    | REMOVE:<ST>                                    |
| 215     | Error code (do NOT change)   | E103   | E103   |
| 216     | Entered scanning PLU code is illegal or not found. (1/3)                               | PLU Code is not exist.                         | PLU CODE IS NOT EXIST.                         |
| 217     | Entered scanning PLU code is illegal or not found. (2/3)                               | Input PLU                                      | INPUT PLU                                      |
| 218     | Entered scanning PLU code is illegal or not found. (3/3)                               | Code   | CODE   |
| 219     | CHK/TBL master is removed from the system. (1/4)                                       | **Press<C>Key **                               | **PRESS :C: KEY **                             |
| 220     | CHK/TBL master is removed from the system. (2/4)                                       | CHK/TBL Master i                               | CHK/TBL MASTER I                               |
| 221     | CHK/TBL master is removed from the system. (3/4)                                       | s removed from s                               | S REMOVED FROM S                               |
| 222     | CHK/TBL master is removed from the system. (4/4)                                       | ystem  | YSTEM  |
| 223     | Error code (do NOT change)   | E070   | E070   |
| 224     | The terminal connected with the target printer is busy/down. (1/2)                     | Target print ter                               | TARGET PRINT TER                               |
| 225     | The terminal connected with the target printer is busy/down. (2/2)                     | minal busy/down                                | MINAL BUSY/DOWN                                |
| 226     | Error code (do NOT change)   | E071   | E071   |
| 227     | The print buffer of the terminal connected with the target printer becomes full. (1/2) | Target terminal                                | TARGET TERMINAL                                |
| 228     | The print buffer of the terminal connected with the target printer becomes full. (2/2) | print BF full                                  | PRINT BF FULL                                  |
| 229     | Error code (do NOT change)   | E073   | E073   |
| 230     | Receipt/order print error (1/3)  | Your receipt/ord                               | YOUR RECEIPT/ORD                               |
| 231     | Receipt/order print error (2/3)  | er may not be is                               | ER MAY NOT BE IS                               |
| 232     | Receipt/order print error (3/3)  | sued   | SUED   |
| 233     | Error code (do NOT change)   | E012   | E012   |
| 234     | Journal paper end (1/2)  | Journal paper en                               | JOURNAL PAPER EN                               |
| 235     | Journal paper end (2/2)  | d  | D  |
| 236     | Error code (do NOT change)   | E013   | E013   |
| 237     | Receipt paper end (1/2)  | Receipt paper en                               | RECEIPT PAPER EN                               |
| 238     | Receipt paper end (2/2)  | d  | D  |

## Miscellaneous message file

File name: Miscellaneous message

File No.: 078 Max. allocatable records: 58 (fixed)



| Rec-No. | Meaning  | Default (English) message |   |   |   |
|---------|--|---------------------------|---|---|---|
| 001     | Register total working time message                    | G                         | T | T | I |
| 002     | Register start date message                            | S                         | A | R | T |
| 003     | RAM message in PGM5                                    | R                         | A | M |   |
| 004     | bytes message in PGM5                                  | b                         | y | t | e |
| 005     | FILE message in PGM5                                   | F                         | I | L | E |
| 006     | ROM version message                                    | V                         | E | R | . |
| 007     | ROM label name message                                 | L                         | A | B | E |
| 008     | IPL message while initial program loading              | I                         | P | L |   |
| 009     | INIT message while initializing                        | I                         | N | I | T |
| 010     | FC message while flag clear                            | F                         | C | : |   |
| 011     | Error End message after completion of communication    | E                         | r | r | o |
| 012     | Normal End message after completion of communication   | N                         | o | r | m |
| 013     | not used   |                           |   |   |   |
| 014     | Separator of date symbol                               | -                         | - |   |   |
| 015     | Day of a week (monday)                                 | (                         | M | O | N |
| 016     | Day of a week (tuesday)                                | (                         | T | U | E |
| 017     | Day of a week (wednesday)                              | (                         | W | E | D |
| 018     | Day of a week (thursday)                               | (                         | T | H | U |
| 019     | Day of a week (friday)                                 | (                         | F | R | I |
| 020     | Day of a week (saturday)                               | (                         | S | A | T |
| 021     | Day of a week (sunday)                                 | (                         | S | U | N |
| 022     | Communicating message                                  | -                         | - | - | - |
| 023     | Program downloading/uploading message                  | A                         | U | T | O |
| 024     | Flash memory message                                   | F                         | L | A | S |
| 025     | Inline message   | I                         | N | L | I |
| 026     | Online COM1 port message                               | C                         | O | M | 1 |
| 027     | Job No. message  | J                         | O | B |   |
| 028     | REG1 mode message in arrangement program               | R                         | E | G | 1 |
| 029     | REG2 mode message in arrangement program               | R                         | E | G | 2 |
| 030     | RF mode message in arrangement program                 | R                         | F |   |   |
| 031     | not used   |                           |   |   |   |
| 032     | X1 mode message in arrangement program                 | X                         | 1 |   |   |
| 033     | Z1 mode message in arrangement program                 | Z                         | 1 |   |   |
| 034     | X2/Z2 mode message in arrangement program              | X                         | 2 | / | Z |
| 035     | Receipt on/off message in arrangement program          | R                         | C | T |   |
| 036     | Menu sheet 1st page message in arrangement program     | M                         | E | N | U |
| 037     | Menu sheet 2nd page message in arrangement program     | M                         | E | N | U |
| 038     | Designation of sub currency to the Euro message        | E                         | U | R | O |
| 039     | Designation of sub currency to the local money message | L                         | O | C | A |
| 040     | Daily read report message                              | X                         |   |   |   |
| 042     | Daily reset report message                             | Z                         |   |   |   |
| 043     | Periodic 1 read report message                         | X                         | X | 1 |   |
| 043     | Periodic 1 reset report message                        | Z                         | Z | 1 |   |
| 044     | Periodic 2 read report message                         | X                         | X | 2 |   |
| 045     | Periodic 2 reset report message                        | Z                         | Z | 2 |   |
| 046     | Daily consolidation read report message                | C                         | X |   |   |
| 047     | Daily consolidation reset report message               | C                         | Z |   |   |
| 048     | Periodic 1 consolidation read report message           | C                         | X | X | 1 |
| 049     | Periodic 1 consolidation reset report message          | C                         | Z | Z | 1 |
| 050     | Periodic 2 consolidation read report message           | C                         | X | X | 2 |
| 051     | Periodic 2 consolidation reset report message          | C                         | Z | Z | 2 |
| 052     | Model name (do NOT change)                             |                           |   |   |   |
| 053     | Taxable amount 1 descriptor for Australian GST         | T                         | A | X | A |
| 054     | Tax amount 1 descriptor for Australian GST             | G                         | S | T | I |
| 055     | Main currency monetary symbol for Australian GST       | \$                        |   |   |   |
| 056     | Taxable 1 symbol for Australian GST                    | *                         |   |   |   |
| 057     | Subtotal key descriptor (display) for Australian GST   | R                         | N | D | / |
| 058     | Delete file in the CF card.                            | D                         | E | L | E |

## *Appendix (File record format)*

## **Printing guidance message file**

File name: Printing guidance message

File No.: 079 Max. allocatable records: 85(fixed)

| Rec-No. | Meaning                                 | Default (English) message |                      |            |       |  |
|---------|---|---------------------------|----------------------|------------|-------|--|
| 001-4   | not used                                |                           |                      |            |       |  |
| 005     | Direct maintenance result: success      | Direct                    | Mainte               | Normal     | End   |  |
| 006     | Direct maintenance result: failure      | Direct                    | Mainte               | Error      | End   |  |
| 006     | Batch maintenance result: success       | Batch                     | Mainte               | Normal     | End   |  |
| 008     | Batch maintenance result: failure       | Batch                     | Mainte               | Error      | End   |  |
| 009-15  | not used                                |                           |                      |            |       |  |
| 016     | Flash memory format result: success     | Format                    |                      | Normal     | End   |  |
| 017     | Flash memory format result: failure     | Format                    |                      | Error      | End   |  |
| 018-21  | not used                                |                           |                      |            |       |  |
| 022     | PLU file reset result: success          | PLU                       | Reset                | Normal     | End   |  |
| 023     | PLU file reset result: failure          | PLU                       | Reset                | Error      | End   |  |
| 024-25  | not used                                |                           |                      |            |       |  |
| 026     | Initialize AT command message           | AT                        | command              | initialize |       |  |
| 027     | MODEM set message                       | Modem                     | set                  |            |       |  |
| 028-31  | not used                                |                           |                      |            |       |  |
| 032     | PLU reset result: success               | PLU                       | Z clear              | Normal     | End   |  |
| 033     | PLU reset result: failure               | PLU                       | Z clear              | Error      | End   |  |
| 034     | Euro currency system setup message 1-1  | EURO                      | currencty            | system     |       |  |
| 035     | Euro currency system setup message 1-2  | configuration             |                      | setting    |       |  |
| 036     | Euro currency system setup message 1-3  | ***                       | *****                | WARNING    | ***** |  |
| 037     | Euro currency system setup message 1-4  | This                      | operation            | resets     |       |  |
| 038     | Euro currency system setup message 1-5  | all                       | totalizers.          |            |       |  |
| 039     | Euro currency system setup message 1-6  | *****                     | *****                | *****      | ***** |  |
| 040     | Euro currency system setup message 1-7  | OK                        | : <#1>               |            |       |  |
| 041     | Euro currency system setup message 1-8  | CANCEL                    | : <#2>               |            |       |  |
| 042     | Euro currency system setup message 2-1  | 1. Main                   | : LOCAL              |            |       |  |
| 043     | Euro currency system setup message 2-2  | Sub                       | : EURO               |            |       |  |
| 044     | Euro currency system setup message 2-3  | Change                    | : LOCAL              |            |       |  |
| 045     | Euro currency system setup message 2-4  | 2. Main                   | : LOCAL              |            |       |  |
| 046     | Euro currency system setup message 2-5  | Sub                       | : EURO               |            |       |  |
| 047     | Euro currency system setup message 2-6  | Change                    | : EURO               |            |       |  |
| 048     | Euro currency system setup message 2-7  | 3. Main                   | : EURO               |            |       |  |
| 049     | Euro currency system setup message 2-8  | Sub                       | : LOCAL              |            |       |  |
| 050     | Euro currency system setup message 2-9  | Change                    | : EURO               |            |       |  |
| 051     | Euro currency system setup message 2-10 | 4. EURO only              |                      |            |       |  |
| 052     | Euro currency system setup message 2-11 | Enter configuration       | No.                  |            |       |  |
| 053     | Euro currency system setup message 2-12 | and press <#1>            | key.                 |            |       |  |
| 054     | Euro currency system setup message 2-13 | CANCEL                    | : <#2>               |            |       |  |
| 055     | Euro currency system setup message 3-1  | Enter EURO                | exchange rate        |            |       |  |
| 056     | Euro currency system setup message 3-2  | and press <#1>            | key.                 |            |       |  |
| 057     | Euro currency system setup message 3-3  | ex) 1 EURO = ? . ? ? ? ?  |                      |            |       |  |
| 058     | Euro currency system setup message 3-4  | CANCEL                    | : <#2>               |            |       |  |
| 059     | Euro currency system setup message 4-1  | Enter drawer No.          | of sub               |            |       |  |
| 060     | Euro currency system setup message 4-2  | currency and press        | <#1>                 |            |       |  |
| 061     | Euro currency system setup message 4-3  | key.                      |                      |            |       |  |
| 062     | Euro currency system setup message 4-4  | CANCEL                    | : <#2>               |            |       |  |
| 063     | Euro currency system setup message 6-1  | EURO                      | currencty system was |            |       |  |
| 064     | Euro currency system setup message 6-2  | changed.                  |                      |            |       |  |
| 065     | Euro currency system setup message 6-3  | 1 EURO =                  |                      |            |       |  |
| 066     | Euro currency system setup message 6-4  | Drawer No. =              |                      |            |       |  |
| 067     | Euro currency system setup message 6-5  | All totalizers were re-   |                      |            |       |  |
| 068     | Euro currency system setup message 6-6  | set.                      |                      |            |       |  |
| 069     | Australian GST setup message            | GST system was changed.   |                      |            |       |  |
| 070     | Euro currency system setup message 5-1  | Automatic UNIT            | PRI CEs              |            |       |  |
| 071     | Euro currency system setup message 5-2  | change to EURO            | money.               |            |       |  |
| 072     | Euro currency system setup message 5-3  | OK : 0 <#1>               |                      |            |       |  |


| Rec-No.  | Meaning                                | Default (English) message                 |
|----------|--|---|
| 073      | Euro currency system setup message 5-4 | N O : 1 <# 1>                             |
| 074      | Euro currency system setup message 5-5 | C A N C E L : <# 2>                       |
| 075      | Euro currency system setup message 6-7 | U N I T P R I C E s w e r e c h a n g e d |
| 076      | Euro currency system setup message 6-8 | t o E U R O .                             |
| 077      | Euro currency system setup message 7-1 | U N I T P R I C E s w e r e n o t         |
| 078      | Euro currency system setup message 7-2 | c h a n g e d t o E U R O .               |
| 079 -083 | not used                               |   |
| 084      | Clock-in message                       | C L O C K - I N                           |
| 085      | Clock-out message                      | C L O C K - O U T                         |
| 086      | CF card data save: success             | C F C A R D                               |
| 087      | CF card data save: failure             | N o r m a l E n d<br>E r r o r E n d      |

## Appendix (File record format)

### X/Z guidance message file

File name: X/Z guidance message

File No.: 082 Max. allocatable records: 48(fixed)



| Rec-No. | Meaning  | Default (English) message |
|---------|--|---------------------------|
| 001     | PLU range report message 1st line  | PLU by range              |
| 002     | Input start No. message 1st line   | INPUT START NO.           |
| 003     | Input start No. message 2nd line   | and press <#1>            |
| ---     | PLU range report message 1st line (quote from rec-001)                     | PLU by range              |
| 004     | Input end No. message 1st line   | INPUT END NO. AN          |
| 005     | Input end No. message 2nd line   | d press <#1>              |
| 006     | PLU stock range report message 1st line                                    | STOCK by RANGE            |
| ---     | Input start No. message 1st line (quote from rec-002)                      | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)                      | and press <#1>            |
| ---     | PLU stock range report message 1st line (quote from rec-006)               | STOCK by RANGE            |
| ---     | Input end No. message 1st line (quote from rec-004)                        | INPUT END NO. AN          |
| ---     | Input end No. message 2nd line (quote from rec-005)                        | d press <#1>              |
| 007     | PLU individual group report message 1st line                               | PLU by GROUP              |
| 008     | Input target No. message 1st line  | INPUT NO. AND PR          |
| 009     | Input target No. message 2nd line  | ess <#1>                  |
| 010     | PLU individual department report message 1st line                          | PLU by DEPT               |
| ---     | Input target No. message 1st line (quote from rec-008)                     | INPUT NO. AND PR          |
| ---     | Input target No. message 2nd line (quote from rec-009)                     | ess <#1>                  |
| 011     | PLU individual subdepartment report message 1st line                       | PLU by SUBDEPT            |
| ---     | Input target No. message 1st line (quote from rec-008)                     | INPUT NO. AND PR          |
| ---     | Input target No. message 2nd line (quote from rec-009)                     | ess <#1>                  |
| 012     | Group stock report message 1st line  | STOCK by GROUP            |
| ---     | Input target No. message 1st line (quote from rec-008)                     | INPUT NO. AND PR          |
| ---     | Input target No. message 2nd line (quote from rec-009)                     | ess <#1>                  |
| 013     | Department stock report message 1st line                                   | STOCK by DEPT             |
| ---     | Input target No. message 1st line (quote from rec-008)                     | INPUT NO. AND PR          |
| ---     | Input target No. message 2nd line (quote from rec-009)                     | ess <#1>                  |
| 014     | Subdepartment stock report message 1st line                                | STOCK by SUBDEPT          |
| ---     | Input target No. message 1st line (quote from rec-008)                     | INPUT NO. AND PR          |
| ---     | Input target No. message 2nd line (quote from rec-009)                     | ess <#1>                  |
| 015     | Individual clerk report message 1st line                                   | INDIVIDUAL CLK            |
| ---     | Input target No. message 1st line (quote from rec-008)                     | INPUT NO. AND PR          |
| ---     | Input target No. message 2nd line (quote from rec-009)                     | ess <#1>                  |
| 016     | Scanning PLU by group report message 1st line                              | SCAN PLU by GP            |
| ---     | Input start No. message 1st line (quote from rec-002)                      | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)                      | and press <#1>            |
| ---     | Scanning PLU by group report message 1st line (quote from rec-016)         | SCAN PLU by GP            |
| ---     | Input end No. message 1st line (quote from rec-004)                        | INPUT END NO. AN          |
| ---     | Input end No. message 2nd line (quote from rec-005)                        | d press <#1>              |
| 017     | Scanning PLU by department report message 1st line                         | SCAN PLU by DEPT          |
| ---     | Input start No. message 1st line (quote from rec-002)                      | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)                      | and press <#1>            |
| ---     | Scanning PLU by department report message 1st line (quote from rec-017)    | SCAN PLU by DEPT          |
| ---     | Input end No. message 1st line (quote from rec-004)                        | INPUT END NO. AN          |
| ---     | Input end No. message 2nd line (quote from rec-005)                        | d press <#1>              |
| 018     | Scanning PLU by subdepartment report message 1st line                      | SCAN PLU by SDPT          |
| ---     | Input start No. message 1st line (quote from rec-002)                      | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)                      | and press <#1>            |
| ---     | Scanning PLU by subdepartment report message 1st line (quote from rec-018) | SCAN PLU by SDPT          |
| ---     | Input end No. message 1st line (quote from rec-004)                        | INPUT END NO. AN          |
| ---     | Input end No. message 2nd line (quote from rec-005)                        | d press <#1>              |

| Rec-No. | Meaning  | Default (English) message |
|---------|--|---------------------------|
| 019     | PLU best report message 1st line                             | PLU BEST by DEPT          |
| ---     | Input start No. message 1st line (quote from rec-002)        | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)        | and press <#1>            |
| ---     | PLU best report message 1st line (quote from rec-016)        | PLU BEST by DEPT          |
| ---     | Input end No. message 1st line (quote from rec-004)          | INPUT END NO. AN          |
| ---     | Input end No. message 2nd line (quote from rec-005)          | d press <#1>              |
| 020     | PLU inactive report message 1st line                         | PLU NON ACTIVE            |
| ---     | Input start No. message 1st line (quote from rec-002)        | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)        | and press <#1>            |
| ---     | PLU inactive report message 1st line (quote from rec-020)    | PLU NON ACTIVE            |
| ---     | Input end No. message 1st line (quote from rec-004)          | INPUT END NO. AN          |
| ---     | Input end No. message 2nd line (quote from rec-005)          | d press <#1>              |
| 021     | not used   |                           |
| 022     | Scanning PLU reset message 1st line                          | SCAN PLU Z clear          |
| 023     | Execution message  | Start Yes:<#1>            |
| 024     | Cancellation message   | No:<#2>                   |
| 025     | NFP reset message 1st line                                   | NFP Z clear               |
| ---     | Execution message (quote from rec-023)                       | Start Yes:<#1>            |
| ---     | Cancellation message (quote from rec-024)                    | No:<#2>                   |
| 026     | NFP file reset 1st message                                   | NFP reset                 |
| ---     | Execution message (quote from rec-023)                       | Start Yes:<#1>            |
| ---     | Cancellation message (quote from rec-024)                    | No:<#2>                   |
| 027     | NFP maintenance file reset message 1st line                  | NFP MAINT reset           |
| ---     | Execution message (quote from rec-023)                       | Start Yes:<#1>            |
| ---     | Cancellation message (quote from rec-024)                    | No:<#2>                   |
| 028     | PLU stock maintenance (addition) message 1st line            | PLU STOCK                 |
| 029     | PLU stock maintenance (addition) message 2nd line            | Add stock QTY             |
| 030     | PLU stock maintenance (input new stock) message 1st line     | PLU STOCK                 |
| 031     | PLU stock maintenance (input new stock) message 2nd line     | Input new QTY             |
| 032     | Inline consolidation (terminal by terminal) message 1st line | ----- INLINE -----        |
| 033     | Input target machine No. message 1st line                    | Input Term No. a          |
| 034     | Input target machine No. message 2nd line                    | nd press <#2>             |
| ---     | Inline consolidation message 1st line (quote from rec-032)   | ----- INLINE -----        |
| 035     | Input report code message 1st line                           | Input Report COD          |
| 036     | Input report code message 2nd line                           | E and press <#1>          |
| 037     | Inline consolidation (all terminal) message 1st line         | ----- INLINE -----        |
| ---     | Input report code message 1st line (quote from rec-035)      | Input Report COD          |
| ---     | Input report code message 2nd line (quote from rec-036)      | E and press <#1>          |
| 038     | PLU reset message 1st line                                   | PLU Z clear               |
| ---     | Execution message (quote from rec-023)                       | Start Yes:<#1>            |
| ---     | Cancellation message (quote from rec-024)                    | No:<#2>                   |
| 039     | Reconnection master terminal message 1st line                | Master Connect            |
| 040     | Reconnection master terminal message 2nd line                | Start Yes:<#1>            |
| 041     | Reconnection master terminal message 3rd line                | No:<#2>                   |
| 042     | Succeeded result message of master reconnection 1st line     | Master Connectio          |
| 043     | Succeeded result message of master reconnection 2nd line     | n Normal End              |
| 044     | Failed result message of master reconnection 1st line        | Master Connectio          |
| 045     | Failed result message of master reconnection 2nd line        | n Error End               |
| 046     | Busy reset message 1st line                                  | Busy Reset                |
| 047     | Busy reset message 2nd line                                  | Input CHK/TBL# a          |
| 048     | Busy reset message 3rd line                                  | nd press <#1>             |

# Appendix (File record format)

## Program guidance message file

File name: Program guidance message  
0 16

File No.: 083 Max. allocatable records: 93(fixed)

Character

| Rec-No. | Meaning  | Default (English) message         |
|---------|--|-----------------------------------|
| 001     | Range program message 1st line                                       | Range PGM RANGE PGM               |
| 002     | Input start No. message 1st line                                     | Input start No. INPUT START NO.   |
| 003     | Input start No. message 2nd line                                     | and press <#1> AND PRESS #1       |
| ---     | Range program message 1st line (quote from rec-001)                  | Range PGM RANGE PGM               |
| 004     | Input end No. message 1st line                                       | Input end No. an INPUT END NO. AN |
| 005     | Input end No. message 2nd line                                       | d press <#1> D PRESS #1           |
| ---     | Range program message 1st line (quote from rec-001)                  | Range PGM RANGE PGM               |
| 006     | Input program data message 1st line                                  | Input PGM data a INPUT PGM DATA A |
| 007     | Input program data message 2nd line                                  | nd press <#1> ND PRESS #1         |
| 008     | PLU direct maintenance message 1st line                              | Direct Mainte DIRECT MAINTE       |
| 009     | Input PLU code message   | PLU Code ? PLU CODE ?             |
| ---     | PLU direct maintenance message 1st line (quote from rec-008)         | Direct Mainte DIRECT MAINTE       |
| 010     | Input unit price/quantity message                                    | Unit Qty&Price ? UNIT QTY&PRICE ? |
| ---     | PLU direct maintenance message 1st line (quote from rec-008)         | Direct Mainte DIRECT MAINTE       |
| 011     | Input link department message  | DEPT Linkage ? DEPT LINKAGE ?     |
| 012     | NFP maintenance activation message 1st line                          | NFP Maintenance NFP MAINTENANCE   |
| 013     | Execution message  | Start Yes:<#1> START YES:#1       |
| 014     | Cancellation message   | No:<#2> NO:#2                     |
| 015     | NFP maintenance programming message 1st line                         | NFP Maintenance NFP MAINTENANCE   |
| 016     | Input action code message 1st line                                   | Update:1 Delete UPDATE:1 DELETE   |
| 017     | Input action code message 2nd line                                   | :2 :2                             |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| 018     | Input PLU code message   | PLU Code ? PLU CODE ?             |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| ---     | Input unit price/quantity message (quote from rec-010)               | Unit Qty&Price ? UNIT QTY&PRICE ? |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| ---     | Input link department message (quote from rec-011)                   | DEPT Linkage ? DEPT LINKAGE ?     |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| 019     | Input descriptor message   | PLU Descriptor ? PLU DESCRIPTOR ? |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| 020     | Input status message   | PLU Status ? PLU STATUS ?         |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| 021     | Input bottle link message  | Bottle Link ? BOTTLE LINK ?       |
| ---     | NFP maintenance programming message 1st line (quote from rec-015)    | NFP Maintenance NFP MAINTENANCE   |
| 022     | Input mix & match link message                                       | Mix&Match Link ? MIX&MATCH LINK ? |
| 023     | One touch NLU key program message 1st line                           | One touch NLU ONE TOUCH NLU       |
| ---     | Input PLU code message (quote from rec-018)                          | PLU Code ? PLU CODE ?             |
| ---     | One touch NLU key program message 1st line (quote from rec-023)      | One touch NLU ONE TOUCH NLU       |
| 024     | Designate NLU key message  | Press <NLU> Key PRESS <NLU> KEY   |
| 025     | Direct maintenance programming message 1st line                      | Direct Mainte DIRECT MAINTE       |
| 026     | Input action code message  | Add:0 Modify:1 ADD:0 MODIFY:1     |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input PLU code message (quote from rec-018)                          | PLU Code ? PLU CODE ?             |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input unit price/quantity message (quote from rec-010)               | Unit Qty&Price ? UNIT QTY&PRICE ? |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input link department message (quote from rec-011)                   | DEPT Linkage ? DEPT LINKAGE ?     |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input descriptor message (quote from rec-019)                        | PLU Descriptor ? PLU DESCRIPTOR ? |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input status message (quote from rec-020)                            | PLU Status ? PLU STATUS ?         |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input bottle link message (quote from rec-021)                       | Bottle Link ? BOTTLE LINK ?       |
| ---     | Direct maintenance programming message 1st line (quote from rec-025) | Direct Mainte DIRECT MAINTE       |
| ---     | Input mix & match link message (quote from rec-022)                  | Mix&Match Link ? MIX&MATCH LINK ? |
| 027     | Batch maintenance activation message 1st line                        | Batch mainte BATCH MAINTE         |
| ---     | Execution message (quote from rec-013)                               | Start Yes:<#1> START YES:#1       |
| ---     | Cancellation message (quote from rec-014)                            | No:<#2> NO:#2                     |

| Rec-No. | Meaning   | Default (English) message |
|---------|---|---------------------------|
| 028     | Batch maintenance programming message 1st line                      | Batch Mainte              |
| 029     | Input batch maintenance record No. message                          | RECH# ?                   |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| 030     | Input action code message 1st line                                  | Add:0 Modify:1            |
| 031     | Input action code message 2nd line                                  | Delete:2                  |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input PLU code message (quote from rec-018)                         | PLU Code ?                |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input unit price/quantity message (quote from rec-010)              | Unit Qty&Price ?          |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input link department message (quote from rec-011)                  | DEPT Linkage ?            |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input descriptor message (quote from rec-019)                       | PLU Descriptor ?          |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input status message (quote from rec-020)                           | PLU Status ?              |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input bottle link message (quote from rec-021)                      | Bottle Link ?             |
| ---     | Batch maintenance programming message 1st line (quote from rec-028) | BATCH MAINTE              |
| ---     | Input mix & match link message (quote from rec-022)                 | MIX&MATCH Link ?          |
| 032     | Tax table programming message 1st line                              | Tax table                 |
| 033     | Input tax rate message 1st line                                     | INPUT TAX RATE A          |
| 034     | Input tax rate message 2nd line                                     | nd press <#1>             |
| ---     | Tax table programming message 1st line (quote from rec-032)         | TAX TABLE                 |
| 035     | Input tax table maximum message 1st line                            | INPUT MAXIMUM TA          |
| 036     | Input tax table maximum message 2nd line                            | BLE AMOUNT AND P          |
| 037     | Input tax table maximum message 3rd line                            | RESS <#1>                 |
| ---     | Tax table programming message 1st line (quote from rec-032)         | TAX TABLE                 |
| 038     | Input rounding/calculation type message 1st line                    | INPUT ROUNDING,           |
| 039     | Input rounding/calculation type message 2nd line                    | CAL-TYPE AND PRE          |
| 040     | Input rounding/calculation type message 3rd line                    | SS <#1>                   |
| ---     | Tax table programming message 1st line (quote from rec-032)         | TAX TABLE                 |
| 041     | Input sum of cyclic patterns message 1st line                       | INPUT SUM OF CYC          |
| 042     | Input sum of cyclic patterns message 2nd line                       | LIC PATTERNS AND          |
| 043     | Input sum of cyclic patterns message 3rd line                       | PRESS <#1>                |
| ---     | Tax table programming message 1st line (quote from rec-032)         | TAX TABLE                 |
| 044     | Input No. of cyclic patterns message 1st line                       | INPUT NO. OF CYC          |
| 045     | Input No. of cyclic patterns message 2nd line                       | LIC VALUES AND P          |
| 046     | Input No. of cyclic patterns message 3rd line                       | RESS <#1>                 |
| ---     | Tax table programming message 1st line (quote from rec-032)         | TAX TABLE                 |
| 047     | Input sum of non-cyclic values message 1st line                     | INPUT SUM OF NON          |
| 048     | Input sum of non-cyclic values message 2nd line                     | -CYCLIC VALUES A          |
| 049     | Input sum of non-cyclic values message 3rd line                     | nd press <#1>             |
| ---     | Tax table programming message 1st line (quote from rec-032)         | TAX TABLE                 |
| 050     | Input actual values message 1st line                                | INPUT ACTUAL VAL          |
| 051     | Input actual values message 2nd line                                | UES AND PRESS <#          |
| 052     | Input actual values message 3rd line                                | 1>                        |
| 053     | Mix & match programming message 1st line                            | MIX&MATCH TABLE           |
| 054     | Input discount amount message 1st line                              | INPUT DISCOUNT A          |
| 055     | Input discount amount message 2nd line                              | MOUNT AND PRESS           |
| 056     | Input discount amount message 3rd line                              | <#1>                      |
| ---     | Mix & match programming message 1st line (quote from rec-052)       | MIX&MATCH TABLE           |
| 057     | Input status message 1st line                                       | INPUT STATUS AND          |
| 058     | Input status message 2nd line                                       | PRESS <#1>                |
| 059     | Memory allocation programming message 1st line                      | Memory Alloc              |
| 060     | Input No. of records of file message 1st line                       | INPUT NO. OF REC          |
| 061     | Input No. of records of file message 2nd line                       | ORDS AND PRESS :          |
| 062     | Input No. of records of file message 3rd line                       | #1>                       |
| 063     | Program reading by range message 1st line                           | PGM READ                  |
| ---     | Input start No. message 1st line (quote from rec-002)               | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)               | and press <#1>            |
| ---     | Program reading by range message 1st line (quote from rec-03)       | PGM READ                  |
| ---     | Input start No. message 1st line (quote from rec-002)               | INPUT START NO.           |
| ---     | Input start No. message 2nd line (quote from rec-003)               | and press <#1>            |


## Appendix (File record format)

| Rec-No. | Meaning   | Default (English) message |                  |
|---------|---|---------------------------|------------------|
| 064     | Please wait message   | Please wait               | PLEASE WAIT      |
| 065     |   |                           |                  |
| 066     | Auto-program (register to register) message   | INLINE AUTO PGM           | INLINE AUTO PGM  |
| 067     | Input target machine No. message 1st line   | Input Term/GP No          | INPUT TERM/GP NO |
| 068     | Input target machine No. message 2nd line   | . and press <#2>          | , AND PRESS :#2: |
| ---     | Auto-program (register to register) message (quote from rec-066)                              | INLINE AUTO PGM           | INLINE AUTO PGM  |
| 069     | Input command code message 1st line   | Input OPE CODE a          | INPUT OPE CODE A |
| 070     | Input command code message 2nd line   | nd press <#1>             | ND PRESS :#1:    |
| 071     | CF card formatting message 1st line   | CF format                 | CF FORMAT        |
| ---     | Execution message (quote from rec-013)  | Start Yes:<#1>            | START YES:#1:    |
| ---     | Cancellation message (quote from rec-014)   | No:<#2>                   | NO:#2:           |
| 072     | Internal flash memory formatting message 1st line   | FLASH format              | FLASH FORMAT     |
| ---     | Execution message (quote from rec-013)  | Start Yes:<#1>            | START YES:#1:    |
| ---     | Cancellation message (quote from rec-014)   | No:<#2>                   | NO:#2:           |
| 073     | Auto-program (register to internal flash) message 1st line                                    | Save to FLASH             | SAVE TO FLASH    |
| 074     | Input command code message 1st line   | Input OPE CODE a          | INPUT OPE CODE A |
| 075     | Input command code message 2nd line   | nd press <#1>             | ND PRESS :#1:    |
| 076     | Auto-program (register to CF card) message 1st line   | Save to CF                | SAVE TO CF       |
| ---     | Input command code message 1st line (quote from rec-013)                                      | Start Yes:<#1>            | START YES:#1:    |
| ---     | Input command code message 2nd line (quote from rec-014)                                      | No:<#2>                   | NO:#2:           |
| 077     | Auto-program (CF card to register) message 1st line   | Restore CF                | RESTORE CF       |
| ---     | Input command code message 1st line (quote from rec-074)                                      | Input OPE CODE a          | INPUT OPE CODE A |
| ---     | Input command code message 2nd line (quote from rec-075)                                      | nd press <#1>             | ND PRESS :#1:    |
| 078     | Auto-program (internal flash to register) message 1st line                                    | Restore FLASH             | RESTORE FLASH    |
| ---     | Input command code message 1st line (quote from rec-074)                                      | Input OPE CODE a          | INPUT OPE CODE A |
| ---     | Input command code message 2nd line (quote from rec-075)                                      | nd press <#1>             | ND PRESS :#1:    |
| 079     | Auto-program (register to COM port) message 1st line  | COM AUTO PGM              | COM AUTO PGM     |
| ---     | Input command code message 1st line (quote from rec-074)                                      | Input OPE CODE a          | INPUT OPE CODE A |
| ---     | Input command code message 2nd line (quote from rec-075)                                      | nd press <#1>             | ND PRESS :#1:    |
| 080     | Send IPL data to INLINE message 1st line  | IPL to INLINE             | IPL TO INLINE    |
| ---     | Input command code message 1st line (quote from rec-074)                                      | Input OPE CODE a          | INPUT OPE CODE A |
| ---     | Input command code message 2nd line (quote from rec-075)                                      | nd press <#1>             | ND PRESS :#1:    |
| 081     | Send IPL data to CF card message 1st line   | IPL to CF                 | IPL TO CF        |
| ---     | Input command code message 1st line (quote from rec-074)                                      | Input OPE CODE a          | INPUT OPE CODE A |
| ---     | Input command code message 2nd line (quote from rec-075)                                      | nd press <#1>             | ND PRESS :#1:    |
| 082     | Send IPL data to COM port message 1st line  | IPL to COM PORT           | IPL TO COM PORT  |
| ---     | Input command code message 1st line (quote from rec-074)                                      | Input OPE CODE a          | INPUT OPE CODE A |
| ---     | Input command code message 2nd line (quote from rec-075)                                      | nd press <#1>             | ND PRESS :#1:    |
| 083     | Set AT command to MODEM message 1st line  | Modem Set                 | MODEM SET        |
| ---     | Execution message (quote from rec-013)  | Start Yes:<#1>            | START YES:#1:    |
| ---     | Cancellation message (quote from rec-014)   | No:<#2>                   | NO:#2:           |
| 084     | Arrangement table program message   | Arrange No. ?             | ARRANGE NO. ?    |
| 085     |   |                           |                  |
| 086     | Setting the graphic logo to the external printer message                                      | Logo image set            | LOGO IMAGE SET   |
| ---     | Execution message (quote from rec-013)  | Start Yes:<#1>            | START YES:#1:    |
| ---     | Cancellation message (quote from rec-014)   | No:<#2>                   | NO:#2:           |
| 087     | Error code  | E106                      | E 106            |
| 088     | Error message 1st line of an attempt of adding an existing item in the PLU file               | Item exists in t          | ITEM EXISTS IN T |
| 089     | Error message 2nd line of an attempt of adding an existing item in the PLU file               | he PLU FILE               | HE PLU FILE      |
| 090     | Error message 1st line of an attempt of adding an existing item in the batch maintenance file | PLU is occupied           | PLU IS OCCUPIED  |
| 091     | Error message 2nd line of an attempt of adding an existing item in the batch maintenance file | Modify:<#1> Ski           | MODIFY:#1 SKI    |
| 092     | Error message 3rd line of an attempt of adding an existing item in the batch maintenance file | p:<#2>                    | P:#2:            |
| ---     | NFP Maintenance (quote from rec-015)  | NFP Maintenance           | NFP MAINTENANCE  |
| 093     | Field number inputting for partial maintenance  | Input Field No.           | INPUT FIELD NO.  |
| ---     | Direct Maintenance (quote from rec-025)   | Direct Mainte             | DIRECT MAINTE    |
| ---     | Field number inputting for partial maintenance (quote from rec 093)                           | Input Field No.           | INPUT FIELD NO.  |
| ---     | Batch Maintenance (quote from rec-028)  | Batch Mainte              | BATCH MAINTE     |
| ---     | Field number inputting for partial maintenance (quote from rec 093)                           | Input Field No.           | INPUT FIELD NO.  |
| 094     | Restore from CF activation 1st line   | Restore CF                | RESTORE CF       |
| 095     | Restore from CF activation 2nd line   | Select FILE NAME          | SELECT FILE NAME |
| 096     | Restore from CF activation 3rd line   | and press <#1>            | AND PRESS :#1:   |
| 097     | Delete file from CF activation 1st line   | Delete CF                 | DELETE CF        |
| ---     | Delete file from CF activation 2nd line (quote from rec 095)                                  | Select FILE NAME          | SELECT FILE NAME |
| ---     | Delete file from CF activation 3rd line (quote from rec 096)                                  | and press <#1>            | AND PRESS :#1:   |
| ---     | Save to CF activation 1st line (quote from 076)   | Save to CF                | SAVE TO CF       |
| ---     | Save to CF activation 2nd line (quote from rec 013)   | Start Yes:<#1>            | START YES:#1:    |
| ---     | Save to CF activation 3rd line (quote from rec 014)   | No:<#2>                   | NO:#2:           |

## Registration guidance message file

File name: Registration guidance message

File No.: 081 Max. allocatable records: 23(fixed)



| Rec-No. | Meaning   | Default (English) message           |
|---------|---|-------------------------------------|
| 001     | Guidance message of registering not found PLU 1st line                | Not Found PLU NOT FOUND PLU         |
| 002     | Guidance message of registering not found PLU 2nd line                | Input Unit Price INPUT UNIT PRICE   |
| 003     | Guidance message of registering not found PLU 3rd line                | , and Press DEPT , AND PRESS DEPT   |
| 004     | Guidance message of registering not found PLU 4th line                | Key KEY                             |
| 005     | Guidance message of backup printing of order 1st line                 | Backup Print BACKUP PRINT           |
| 006     | Guidance message of backup printing of order 2nd line                 | <CR>:Backup <ST> :CR: BACKUP :ST:   |
| 007     | Guidance message of backup printing of order 3rd line                 | :Retry :RETRY                       |
| 008     | Guidance message of scanning PLU price input compulsory 1st line      | Price Entry PRICE ENTRY             |
| 009     | Guidance message of scanning PLU price input compulsory 2nd line      | Input Unit Price INPUT UNIT PRICE   |
| 010     | Guidance message of scanning PLU price input compulsory 3rd line      | , and Press <PRC> , AND PRESS :PRC: |
| 011     | Guidance message of scanning PLU price input compulsory 4th line      | > key : KEY                         |
| 012     | (not used)  |                                     |
| 013     | (not used)  |                                     |
| 014     | (not used)  |                                     |
| 015     | (not used)  |                                     |
| 016     | Guidance message of registering employee 1st line                     | Time&Attendance TIMEATTENDANCE      |
| 017     | Guidance message of registering employee 1st line                     | Input EMPLOYEE N INPUT EMPLOYEE N   |
| 018     | Guidance message of registering employee 3rd line                     | o. and press <CL> O, AND PRESS :CL: |
| 019     | Guidance message of registering employee 4th line                     | OCK-IN/OUT> CLOCK-IN/OUT:           |
| 020     | Guidance message of clock-in operation 1st line                       | CLOCK-IN OK? CLOCK-IN OK?           |
| 021     | Guidance message of clock-in operation 2nd line                       | Yes:<CR> No:<ST> YES:CR: NO:ST:     |
| 022     | Guidance message of clock-out operation 1st line                      | CLOCK-OUT OK? CLOCK-OUT OK?         |
| 023     | Guidance message of clock-out operation 2nd line (quote from rec-021) | Yes:<CR> No:<ST> YES:CR: NO:ST:     |

## *Appendix (File record format)*

## Help message file

## File name: Help message

File No.: 085 Max. allocatable records: 199 (fixed)

A horizontal number line starting at 0 and ending at 24. There is a tick mark in the middle at 12, which is labeled "Character".

Note: It is necessary to allocate this file, if you want to make your original help.

| Rec-No. | Meaning                                | Default (English) message |
|---------|--|---------------------------|
| 001     | Header message of help receipt (1/19)  | ENTER NUMBER THEN         |
| 002     | Header message of help receipt (2/19)  | PRESS <HELP> KEY.         |
| 003     | Header message of help receipt (3/19)  |                           |
| 004     | Header message of help receipt (4/19)  | 01:HOW TO PROGRAM         |
| 005     | Header message of help receipt (5/19)  | DATE AND TIME?            |
| 006     | Header message of help receipt (6/19)  |                           |
| 007     | Header message of help receipt (7/19)  | 02:UNIT PRICE FOR         |
| 008     | Header message of help receipt (8/19)  | DEPARTMENTS AND PLUS      |
| 009     | Header message of help receipt (9/19)  |                           |
| 010     | Header message of help receipt (10/19) | 03:HOW TO PROGRAM         |
| 011     | Header message of help receipt (11/19) | TAX TABLE?                |
| 012     | Header message of help receipt (12/19) |                           |
| 013     | Header message of help receipt (13/19) | 04:HOW TO REPLACE         |
| 014     | Header message of help receipt (14/19) | PAPER ROLL?               |
| 015     | Header message of help receipt (15/19) |                           |
| 016     | Header message of help receipt (16/19) | 05:HOW TO TAKE REPORTS?   |
| 017     | Header message of help receipt (17/19) |                           |
| 018     | Header message of help receipt (18/19) |                           |
| 019     | Header message of help receipt (19/19) |                           |
| 020     | First help item message (1/17)         | 01:HOW TO PROGRAM         |
| 021     | First help item message (2/17)         | DATE AND TIME?            |
| 022     | First help item message (3/17)         |                           |
| 023     | First help item message (4/17)         | 1)TURN MODE KEY TO PGM.   |
| 024     | First help item message (5/17)         |                           |
| 025     | First help item message (6/17)         | 2)ENTER HHMM              |
| 026     | First help item message (7/17)         | PRESS <X> KEY.            |
| 027     | First help item message (8/17)         |                           |
| 028     | First help item message (9/17)         | 3)PRESS <C> KEY.          |
| 029     | First help item message (10/17)        |                           |
| 030     | First help item message (11/17)        | 4)ENTER YYMMDD            |
| 031     | First help item message (12/17)        | PRESS <X> KEY.            |
| 032     | First help item message (13/17)        |                           |
| 033     | First help item message (14/17)        | 5)PRESS <C> KEY.          |
| 034     | First help item message (15/17)        |                           |
| 035     | First help item message (16/17)        |                           |
| 036     | First help item message (17/17)        |                           |
| 037     | Second help item message (1/53)        | 02:UNIT PRICE FOR         |
| 038     | Second help item message (2/53)        | DEPARTMENTS AND PLUS      |
| 039     | Second help item message (3/53)        |                           |
| 040     | Second help item message (4/53)        | A)SET UP UNIT PRICES FOR  |
| 041     | Second help item message (5/53)        | DEPARTMENTS               |
| 042     | Second help item message (6/53)        |                           |
| 043     | Second help item message (7/53)        | <DEPT> MEANS DEPARTMENT   |
| 044     | Second help item message (8/53)        | KEY.                      |
| 045     | Second help item message (9/53)        |                           |
| 046     | Second help item message (10/53)       | 1)TURN MODE KEY TO PGM.   |
| 047     | Second help item message (11/53)       |                           |
| 048     | Second help item message (12/53)       | 2)ENTER xxxxxx            |
| 049     | Second help item message (13/53)       | THEN PRESS <DEPT>.        |

<X/FOR> instead of <X> for the U.S.

<X/FOR> instead of <X> for the U.S.

| Rec-No. | Meaning                          | Default (English) message |
|---------|----------------------------------|---------------------------|
| 050     | Second help item message (14/53) |                           |
| 051     | Second help item message (15/53) | 3 )REPEAT 2 ).            |
| 052     | Second help item message (16/53) |                           |
| 053     | Second help item message (17/53) | 4 )PRESS <SUBTOTAL>.      |
| 054     | Second help item message (18/53) |                           |
| 055     | Second help item message (19/53) | B )SET UP UNIT PRICES FOR |
| 056     | Second help item message (20/53) | PLUS                      |
| 057     | Second help item message (21/53) |                           |
| 058     | Second help item message (22/53) | 1 )TURN MODE KEY TO PGM.  |
| 059     | Second help item message (23/53) |                           |
| 060     | Second help item message (24/53) | 2 )ENTER nnnn             |
| 061     | Second help item message (25/53) | THEN PRESS <PLU>.         |
| 062     | Second help item message (26/53) |                           |
| 063     | Second help item message (27/53) | nnnn=PLU No.              |
| 064     | Second help item message (28/53) |                           |
| 065     | Second help item message (29/53) | 3 )ENTER xxxxxx           |
| 066     | Second help item message (30/53) | PRESS <CASH>.             |
| 067     | Second help item message (31/53) |                           |
| 068     | Second help item message (32/53) | 4 )REPEAT 2 ), 3 )        |
| 069     | Second help item message (33/53) |                           |
| 070     | Second help item message (34/53) | 5 )PRESS <SUBTOTAL>.      |
| 071     | Second help item message (35/53) |                           |
| 072     | Second help item message (36/53) | xxxxxx IS AN UNIT PRICE   |
| 073     | Second help item message (37/53) | YOU WANT TO SET UP.       |
| 074     | Second help item message (38/53) | AN UNIT PRICE MUST BE     |
| 075     | Second help item message (39/53) | WITHIN THE RANGE OF       |
| 076     | Second help item message (40/53) | 0.01-9999.99              |
| 077     | Second help item message (41/53) |                           |
| 078     | Second help item message (42/53) |                           |
| 079     | Second help item message (43/53) |                           |
| 080     | Second help item message (44/53) |                           |
| 081     | Second help item message (45/53) |                           |
| 082     | Second help item message (46/53) |                           |
| 083     | Second help item message (47/53) |                           |
| 084     | Second help item message (48/53) |                           |
| 085     | Second help item message (49/53) |                           |
| 086     | Second help item message (50/53) |                           |
| 087     | Second help item message (51/53) |                           |
| 088     | Second help item message (52/53) |                           |
| 089     | Second help item message (53/53) |                           |
| 090     | Third help item message (1/26)   | 03:HOW TO PROGRAM         |
| 091     | Third help item message (2/26)   | TAX TABLE?                |
| 092     | Third help item message (3/26)   |                           |
| 093     | Third help item message (4/26)   | 1 )TURN MODE KEY TO PGM   |
| 094     | Third help item message (5/26)   |                           |
| 095     | Third help item message (6/26)   | 2 )ENTER 3 THEN PRESS     |
| 096     | Third help item message (7/26)   | <SUBTOTAL> KEY.           |
| 097     | Third help item message (8/26)   |                           |
| 098     | Third help item message (9/26)   | 3 )ENTER 0125 THEN PRESS  |
| 099     | Third help item message (10/26)  | <SUBTOTAL> KEY.           |
| 100     | Third help item message (11/26)  |                           |
| 101     | Third help item message (12/26)  | 4 )XX. XXXX <CASH> KEY    |
| 102     | Third help item message (13/26)  |                           |
| 103     | Third help item message (14/26)  | 5 )0 <CASH> KEY           |
| 104     | Third help item message (15/26)  |                           |
| 105     | Third help item message (16/26)  | 6 )YYZZ <CASH> KEY        |
| 106     | Third help item message (17/26)  |                           |
| 107     | Third help item message (18/26)  | 7 )PRESS <SUBTOTAL> KEY.  |
| 108     | Third help item message (19/26)  |                           |
| 109     | Third help item message (20/26)  | XX. XXXX=RATE             |
| 110     | Third help item message (21/26)  | YY=OO(CUT OFF )           |

## Appendix (File record format)

---

| Rec-No. | Meaning                          | Default (English) message |
|---------|----------------------------------|---------------------------|
| 111     | Third help item message (22/26)  | YY=50(ROUND OFF )         |
| 112     | Third help item message (23/26)  | YY=90(ROUND UP )          |
| 113     | Third help item message (24/26)  | ZZ=02(ADD-ON )            |
| 114     | Third help item message (25/26)  | ZZ=03(VAT )               |
| 115     | Third help item message (26/26)  |                           |
| 116     | Fourth help item message (1/20)  | 04:HOW TO REPLACE         |
| 117     | Fourth help item message (2/20)  | PAPER ROLL?               |
| 118     | Fourth help item message (3/20)  |                           |
| 119     | Fourth help item message (4/20)  | 1)TAKE PRINTER COVER OUT  |
| 120     | Fourth help item message (5/20)  |                           |
| 121     | Fourth help item message (6/20)  | 2)PULL UP PLATEN ARM.     |
| 122     | Fourth help item message (7/20)  |                           |
| 123     | Fourth help item message (8/20)  | 3)LOAD PAPER ROLL FROM    |
| 124     | Fourth help item message (9/20)  | BOTTOM UP.                |
| 125     | Fourth help item message (10/20) |                           |
| 126     | Fourth help item message (11/20) | 4)PULL DOWN PLATEN ARM.   |
| 127     | Fourth help item message (12/20) |                           |
| 128     | Fourth help item message (13/20) | 5)REPLACE PRINTER COVER.  |
| 129     | Fourth help item message (14/20) |                           |
| 130     | Fourth help item message (15/20) |                           |
| 131     | Fourth help item message (16/20) |                           |
| 132     | Fourth help item message (17/20) |                           |
| 133     | Fourth help item message (18/20) |                           |
| 134     | Fourth help item message (19/20) |                           |
| 135     | Fourth help item message (20/20) |                           |
| 136     | Fifth help item message (1/64)   | 05:HOW TO TAKE REPORTS?   |
| 137     | Fifth help item message (2/64)   |                           |
| 138     | Fifth help item message (3/64)   | YOU CAN TAKE THE          |
| 139     | Fifth help item message (4/64)   | FOLLOWING REPORTS.        |
| 140     | Fifth help item message (5/64)   |                           |
| 141     | Fifth help item message (6/64)   | 1)DAILY X REPORT          |
| 142     | Fifth help item message (7/64)   | PRESS <CASH> KEY @X MODE  |
| 143     | Fifth help item message (8/64)   |                           |
| 144     | Fifth help item message (9/64)   | 2)DAILY Z REPORT          |
| 145     | Fifth help item message (10/64)  | PRESS <CASH> KEY @Z MODE  |
| 146     | Fifth help item message (11/64)  |                           |
| 147     | Fifth help item message (12/64)  | 3)PERIODIC1 X REPORT      |
| 148     | Fifth help item message (13/64)  | 100 <CASH> KEY @ X2/Z2    |
| 149     | Fifth help item message (14/64)  | MODE                      |
| 150     | Fifth help item message (15/64)  |                           |
| 151     | Fifth help item message (16/64)  | 4)PERIODIC1 Z REPORT      |
| 152     | Fifth help item message (17/64)  | 1100 <CASH> KEY @ X2/Z2   |
| 153     | Fifth help item message (18/64)  | MODE                      |
| 154     | Fifth help item message (19/64)  |                           |
| 155     | Fifth help item message (20/64)  | 5)PERIODIC2 X REPORT      |
| 156     | Fifth help item message (21/64)  | 200 <CASH> KEY @ X2/Z2    |
| 157     | Fifth help item message (22/64)  | MODE                      |
| 158     | Fifth help item message (23/64)  |                           |
| 159     | Fifth help item message (24/64)  | 6)PERIODIC2 Z REPORT      |
| 160     | Fifth help item message (25/64)  | 1200 <CASH> KEY @ X2/Z2   |
| 161     | Fifth help item message (26/64)  | MODE                      |
| 162     | Fifth help item message (27/64)  |                           |
| 163     | Fifth help item message (28/64)  | 7)PLU X REPORT            |
| 164     | Fifth help item message (29/64)  | 14 <CASH> KEY @ X MODE    |
| 165     | Fifth help item message (30/64)  |                           |
| 166     | Fifth help item message (31/64)  | 8)PLU Z REPORT            |
| 167     | Fifth help item message (32/64)  | 14 <CASH> KEY @ Z MODE    |
| 168     | Fifth help item message (33/64)  |                           |
| 169     | Fifth help item message (34/64)  | 9)HOURLY X REPORT         |
| 170     | Fifth help item message (35/64)  | 19 <CASH> KEY @ X MODE    |
| 171     | Fifth help item message (36/64)  |                           |

| <b>Rec-No.</b> | <b>Meaning</b>                  | <b>Default (English) message</b> |
|----------------|---------------------------------|----------------------------------|
| 172            | Fifth help item message (37/64) | 10 )HOURLY Z REPORT              |
| 173            | Fifth help item message (38/64) | 19 <CASH>KEY @ Z MODE            |
| 174            | Fifth help item message (39/64) |                                  |
| 175            | Fifth help item message (40/64) | 11 )MONTHLY X REPORT             |
| 176            | Fifth help item message (41/64) | 20 <CASH>KEY @ X MODE            |
| 177            | Fifth help item message (42/64) |                                  |
| 178            | Fifth help item message (43/64) | 12 )MONTHLY Z REPORT             |
| 179            | Fifth help item message (44/64) | 20 <CASH>KEY @ Z MODE            |
| 180            | Fifth help item message (45/64) |                                  |
| 181            | Fifth help item message (46/64) |                                  |
| 182            | Fifth help item message (47/64) |                                  |
| 183            | Fifth help item message (48/64) |                                  |
| 184            | Fifth help item message (49/64) |                                  |
| 185            | Fifth help item message (50/64) |                                  |
| 186            | Fifth help item message (51/64) |                                  |
| 187            | Fifth help item message (52/64) |                                  |
| 188            | Fifth help item message (53/64) |                                  |
| 189            | Fifth help item message (54/64) |                                  |
| 190            | Fifth help item message (55/64) |                                  |
| 191            | Fifth help item message (56/64) |                                  |
| 192            | Fifth help item message (57/64) |                                  |
| 193            | Fifth help item message (58/64) |                                  |
| 194            | Fifth help item message (59/64) |                                  |
| 195            | Fifth help item message (60/64) |                                  |
| 196            | Fifth help item message (61/64) |                                  |
| 197            | Fifth help item message (62/64) |                                  |
| 198            | Fifth help item message (63/64) |                                  |
| 199            | Fifth help item message (64/64) |                                  |

## *Appendix (File record format)*

---

# Appendix: Compulsory

This section explains the priority compulsions and the methods to solve them.

## Compulsions at the first item registration

| Priority | Error code | Meaning                                | Released by<br><OPEN2> | Action   |
|----------|------------|--|------------------------|--|
| 1        | E017       | Force to enter check number.           | ✓                      | Register check number by <NEWCHK>, <OLDCHK>, <SEPCHK>. |
| 2        | E018       | Force to enter table number.           | ✓                      | Register table number.                                 |
| 3        | E019       | Force to enter the number of customer. | ✓                      | Register the number of customer.                       |

## Compulsion during item registration

| Priority | Error code | Meaning                                       | Released by<br><OPEN2> | Action                               |
|----------|------------|---|------------------------|--------------------------------------|
| 1        | E026       | Force to register condiment/preparation item. | ✓                      | Register condiment/preparation item. |
| 2        | E041       | Force to validate.                            | ✓                      | Perform validation.                  |

## Compulsions during finalizing

| Priority | Error code | Meaning   | Released by<br><OPEN2> | Action   |
|----------|------------|---|------------------------|--|
| 1        | E030       | Force to register <RATE TAX>.   | ✓                      | Register <RATE TAX>.                                 |
| 2        | E075       | Disable to finalize while the ST amount is negative or equal to zero. | ✓                      | Register items until the ST amount becomes positive. |
| 3        | E059       | Force to register <EAT-IN> or <TAKEOUT>.                              | ✓                      | Register <EAT-IN> or <TAKEOUT>.                      |
| 4        | E032       | Force to register <FSST>.   |                        | Press <FSST>.  |
| 5        | E031       | Force to register <ST>.   |                        | Press <ST>.  |
| 6        | E033       | Force to enter tendered amount.                                       |                        | Enter tendered amount.                               |
| 7        | E047       | Force to print slip auto batch printing                               | ✓                      | Insert paper to slip printer.                        |

## Compulsions after finalization

| Priority | Error code | Meaning                             | Released by<br><OPEN2> | Action                                     |
|----------|------------|-------------------------------------|------------------------|--|
| 1        | E047       | Force to slip batch print manually. | ✓                      | Insert paper to slip and press <SLIP>.     |
| 2        | E040       | Force to issue guest receipt.       | ✓                      | Issue guest receipt.                       |
| 3        | E041       | Force to print validation.          | ✓                      | Insert paper and press <VALID>.            |
| 4        | E044       | Force to print check.               | ✓                      | Insert check to slip and press <CHK PRT>.  |
| 5        | E045       | Force to print check endorsement.   | ✓                      | Insert check to slip and press <CHK ENDS>. |

## Appendix (Compulsory)

# Appendix: Error code

| Error code | Message                         | Meaning  | Action   |
|------------|---------------------------------|--|--|
| E001       | Wrong mode                      | Mode switch position changed before finalization.  | Return the mode switch to its original setting and finalize the operation.   |
| E003       | Wrong operator                  | Clerk button pressed before finalization of a registration being performed under another clerk button. The signed on clerk differs from the clerk performed the tracking check registration. | Press the original clerk button and finalize the transaction before pressing another clerk button. Input correct check number or assign the proper clerk number. |
| E004       | Error INIT/FC                   | Initialization or unit lock clear operation in progress.   | Complete operation.  |
| E005       | Insufficient memory             | Memory allocation exceeds total memory capacity.   | Reallocate memory or expand memory (if possible).  |
| E008       | Please sign on                  | Registration without entering a clerk number.  | Enter a clerk number.  |
| E009       | Enter password                  | Operation without entering the password.   | Enter password.  |
| E010       | Close the drawer                | The drawer is left open longer than the program time (drawer open alarm).  | Close the drawer.  |
| E011       | Close the drawer                | Attempt to register while the cash drawer is open.   | Shut the cash drawer.  |
| E016       | Change back to REG mode         | Two consecutive transactions attempted in the refund mode.   | Switch to another mode and then back to the RF mode for the next transaction.  |
| E017       | Enter CHK/TBL number            | Attempt made to register an item without inputting a check number.   | Input a check number.  |
| E018       | Enter Table number              | Attempt made to register an item without inputting a table number.   | Input a table number.  |
| E019       | Enter number of customers       | Finalize operation attempted without entering the number of customer.  | Enter the number of customer.  |
| E021       | No DEPT Link                    | No department linked PLU is registered.  | Correct the program.   |
| E023       | Stock shortage                  | Actual stock quantity becomes less than the minimum stock quantity.  | Perform stock maintenance.   |
| E024       | No stock                        | Actual stock quantity becomes/is negative.   | Perform stock maintenance.   |
| E026       | Enter condiment/preparation PLU | No condiment/preparation PLU is registered.  | Register condiment/preparation PLU.  |
| E029       | In the tender operation         | Item registration is prohibited, while partial tender.   | Finalize the transaction.  |
| E030       | Press RATE TAX key              | Finalization of a transaction attempted without registering rate-tax.  | Register <RATE TAX>.   |
| E031       | Press ST key                    | Finalization of a transaction attempted without confirming the subtotal.   | Press <SUBTOTAL>.  |
| E032       | Press FSST key                  | Finalization of a transaction attempted without confirming of the food stamp subtotal.   | Press <FS/ST>.   |
| E033       | Enter tendered amount           | Finalize operation attempted without entering amount tender.   | Enter the amount tendered.   |
| E035       | Change amount exceeds limit     | Change amount exceeds preset limit.  | Input amount tendered again.   |
| E036       | Remove money from the drawer    | Contents of the drawer exceed programmed limit.  | Perform pick up operation.   |
| E037       | Digit or amount limitation over | High amount lock out/low digit lock out error  | Enter correct amount.  |
| E038       | Perform money declaration       | Read/reset operation without declaring cash in drawer. This error appears only when this function is activated.  | Perform money declaration.   |
| E040       | Issue guest receipt             | Attempt to register a new transaction without issuing a guest receipt.   | Issue a guest receipt.   |
| E041       | Print validation                | Attempt to register a new transaction without validation.  | Perform validation operation.  |
| E042       | Insert VLD paper and retry      | Validation paper (slip printer) has run out.   | Insert new validation paper.   |
| E044       | Print Cheque                    | Attempt to register a new transaction without printing check.  | Perform check print.   |
| E045       | Print Check Endorsement         | Attempt to register a new transaction without printing check endorsement.  | Perform check endorsement.   |
| E046       | REG buffer full                 | Registration buffer full.<br>Separate check buffer full.   | Finalize the transaction.<br>Allocate sufficient separate check buffer.  |
| E047       | Print bill                      | Attempt to register a new transaction without printing slip.   | Perform slip printing operation.   |
| E048       | Insert slip paper and retry     | No paper is inserted or paper is out in the slip printer.  | Insert new slip paper.   |

# Appendix (Error code)

## Error code (...continued)

| Error code | Message  | Meaning   | Action  |
|------------|--|---|---|
| E049       | CHECK memory full                              | Check tracking index memory full.   | Finalize and close the check number currently used.   |
| E050       | DETAIL memory full                             | Check tracking detail memory full.  | Finalize and close the check number currently used.   |
| E051       | CHK/TBL No. is occupied                        | Attempt to made use <New Check> to open a new check using a number that is already used for an existing check in check tracking memory. | Finalize and close the check that is currently under the number that you want to use or use a different check number.                             |
| E052       | CHK/TBL No. is busy                            | Attempt to use the same check number whilst the specified number is being used in the other terminal.                                   | Use another check number or close the check at that terminal.   |
| E053       | CHK/TBL No. is not opened                      | Attempt made to use <Old Check> reopen a new check using a number that is not used for an existing check in check tracking memory.      | Use the correct check number (if you want to reopen a check that already exists in check tracking memory) or use <New Check> to open a new check. |
| E054       | Out of CHK/TBL No. range                       | Check number range over.  | Enter correct number.   |
| E055       | In the SEP CHK operation                       | Normal registration is prohibited during separate check operation.  | Terminate separate check operation.   |
| E056       | CHK range full                                 | All check number are occupied in range.   | Recall the stored data.   |
| E059       | Press EAT-IN or TAKE-OUT key                   | Attempt to finalize a transaction without specifying <EAT-IN> or <TAKE-OUT>.  | Press <EAT-IN> or <TAKE-OUT>.   |
| E060       | Printer offline                                | External printer offline  |   |
| E061       | Printer error                                  | External printer went down.   |   |
| E062       | Printer paper end                              | External printer paper end  | Replace new paper.  |
| E064       | Print buffer full                              | Printing buffer full  |   |
| E066       | Print from the beginning of the transaction    | Attempt to print the last separated transaction on slip.  | Print from the beginning of the transaction   |
| E075       | Negative balance cannot be finalized           | Attempt to finalize a transaction when balance is less than or equal to zero.   | Register item(s) until the balance becomes positive amount.   |
| E085       | Data exist in consolidation file               | Data exists in the consolidation file.  | Clear the data.   |
| E100       | Operate at the master terminal                 | Prohibit master operation.  | Perform it at master terminal.  |
| E101       | PLU maintenance file full. Press <#2> to exit  | Scanning PLU direct maintenance/batch maintenance file becomes full.  | Terminate the maintenance.  |
| E103       | PLU Code is not exist. Input the PLU Code      | PLU code is not existed in the file.  | Enter proper PLU code.  |
| E105       | PLU file full                                  | Scanning PLU/not found PLU file full  | Modify the designated item.   |
| E106       | Item exists in the PLU FILE                    | The designated item has already existed in the scanning PLU file.   |   |
| E112       | Close the journal platen arm                   | The journal platen arm is opened.   | Close the journal platen arm.   |
| E114       | Close the receipt platen arm                   | The receipt platen arm is opened.   | Close the receipt platen arm.   |
| E139       | Negative balance is not allowed                | Attempt to register <-> or <CPN> when the balance becomes negative.   | Enter proper minus/coupon amount.   |
| E146       | Arrangement file full                          | Arrangement file is full.   | Set the arrangement properly.   |
| E164       | Employee No. is not Found in the Employee File | Attempt to enter a wrong employee number which is not set to the employee file.   | Enter proper employee number.   |
| E165       | Employee No. is not Clocking-in.               | Attempt to clock out the employee who is not clocked in.  | Enter proper employee number.   |
| E166       | Employee No. is Occupied                       | Attempt to clock in the employee who has clocked in already.  | Enter proper employee number.   |
| E176       | Time&Attendance file full                      | Time and attendance file becomes full.  | Delete unused employee number or reallocate the time and attendance file.   |
| E200       | Insert CF card                                 | No CF card is set.  | Set CF card.  |
| E201       | Illegal Format                                 | Illegally formatted CF card   | Format the CF card.   |
| E202       | File not found                                 | The designated file is not found in the CF card.  | Enter proper file name.   |
| E203       | Insufficient memory                            | Insufficient memory in the CF card.   | Use a vacant (formatted) CF card.   |
| E205       | File already exist.                            | Can not write, because designated file has already been in the CF card.   | Check the operation and retry.  |

## System error code

| Error code           | Meaning   | Error code                                      | Meaning  |
|----------------------|---|---|--|
| File I/O errors      |   |   |  |
| 750                  | File cannot be created.   | 2022  | File I/O error   |
| 751                  | No designated drive   | 2023  | Retry error  |
| 752                  | FCB area shortage of flash memory   | 2024  | Receive SYN error                                      |
| 753                  | No appropriate record number is designated.   | 2025  | Receive FIN error                                      |
| 754                  | No partition exists.  | 2026  | FIN is in sending sequence whole recalling n_write()   |
| 755                  | No vacant record is remained.   | 2027  | Illegal format   |
| 756                  | Changing is not permitted.  | 2028  | Illegal command  |
| 757                  | The designate file cannot be found.   | 2029  | Busy with response                                     |
| 758                  | The same file has already existed.  | 2030  | Communication abortion                                 |
| 759                  | The same page has already existed.  | 2031  | Online receiving hardware error                        |
| 760                  | No vacant record is remained.   | 2032  | Inline receiving hardware error                        |
| 762                  | The contents of internal memory and CF card are different.                            | 2033  | Online receiving overrun                               |
| 763                  | The contents of scanning PLU file among the master/satellite terminals are different. | 2034  | Online sending hardware error                          |
| 764                  | Write error   | 2035  | Inline sending hardware error                          |
| CF card I/O errors   |   |   |  |
| 781                  | CF card device error  | 2036  | Token is not detected while sending                    |
| 783                  | CF card format error  | 2037  | Time over while detecting DSR ON                       |
| 785                  | No designated file  | Program data send/receive (auto-program) errors |  |
| 788                  | The file is already existed in the CF card.   | 2100  | Command code error                                     |
| Communication errors |   | 2101  | Index format error                                     |
| 2000                 | Network join error  | 2102  | Machine ID number error                                |
| 2001                 | Inline port open error  | 2103  | Maximum record number error                            |
| 2002                 | Inline synchronize error  | Mail box function errors                        |  |
| 2003                 | Inline command error  | 2300  | Mail box full error                                    |
| 2004                 | Time over   | 2301  | Job number error                                       |
| 2005                 | Parameter error   | Other errors                                    |  |
| 2006                 | Time out  | 2900  | Break operation  |
| 2007                 | ID number over error  | 2901  | Password error   |
| 2008                 | Packet error  | 2902  | I/O parameter program error                            |
| 2009                 | ID  | Logic driver initialize common errors           |  |
| 2010                 | WAK receive error   | 5000  | Parameter error (Illegal information of I/O parameter) |
| 2011                 | Packet type error   | 5001  | No connection (Illegal information of I/O parameter)   |
| 2012                 | Sequence error  | 5010  | Logical driver COM open error                          |
| 2013                 | Packet format error   | 5011  | Logical driver COM double open                         |
| 2014                 | Time over (5 seconds)   | 5012  | Logical driver COM not open                            |
| 2015                 | User time out   | 5013  | Logical driver COM device error                        |
| 2016                 | Other communication error   | 5014  | Logical driver COM remain data error                   |
| 2017                 | Not found PLU area error  | MODEM errors                                    |  |
| 2018                 | Online port open error  | 5300  | MODEM initialize error                                 |
| 2019                 | No response   | 5301  | MODEM open error                                       |
| 2020                 | File not found  | 5302  | Negotiation error                                      |
| 2021                 | File create error   | 5303  | AT command sending error                               |
|                      |   | 5304  | Control ER error                                       |
|                      |   | 5305  | Receive status error                                   |



## Index

### A

action code 102  
activation of batch maintenance 99  
add check 31, 79, 115  
add-in rate tax 88  
add-in tax 186  
add-on rate tax 85  
add-on tax 185  
Arabic font 190  
arrangement 25, 31, 69, 90, 115, 204  
arrangement table 25, 127, 135  
AT command 24, 112, 127, 138  
AT command file 208  
Australian GST 47, 154  
auto sign-off 46  
auto-program 141, 144  
average sales per customer 186

### B

backup system for external printer 181  
Baltic font 189  
barcode system 175  
batch feature programming 52  
batch maintenance PLU 25, 99, 176  
batch maintenance PLU file 198  
batch X/Z 26, 89, 110, 127, 133, 159, 203  
best 50 report 164, 166, 171  
bill 70  
bill bottom message 47  
bill copy 31, 115  
bill copy message 47  
bill top message 47  
Bon receipt control 56  
bottle link 102  
bottle link table 26, 95, 127, 136, 199  
bottle return 31, 79, 115  
bottom message 47

### C

calculation & operation control 36  
calculation method 185  
cancel 31, 79, 115, 185  
cash 31, 57, 115, 125  
CF card 11, 12  
CF card directory report 146  
character code 119  
character key table 26  
character key table file 205  
character keyboard 117  
character print 60  
character recall 26, 60, 127, 135  
character recall file 204  
charge 31, 57, 115  
check 57, 125

check cashing service fee 186  
check detail 25  
check endorse message 26  
check endorsement 31, 68, 115, 134  
check endorsement message 110, 127  
check endorsement message file 203  
check file 25  
check index 25  
check number 51, 80  
check print 26, 31, 79, 115  
check print control 90, 127, 135  
check print file 204  
check tender 31, 115  
check tracking 47, 180  
clerk 25, 89, 106, 127, 131, 157, 159  
clerk assignment 149, 151  
clerk control 81  
clerk detail 25, 134, 196  
clerk detail link 25, 80, 127, 196  
clerk file 25, 196  
clerk number 31, 74, 115, 149  
clerk program 80  
clerk report 167  
clock-in 182  
clock-in/out 31, 77, 115  
clock-out 182  
commercial message 47  
commission 186  
commission rate 82  
condiment 47, 57  
consecutive number 24, 33  
contrast control 13  
coupon 31, 62, 115, 125, 185, 186  
coupon 2 31, 79, 115  
credit 31, 58, 115  
cube 31, 76, 115, 185  
currency exchange 31, 70, 115, 125  
currency exchange control 41  
customer 69, 186  
customer display 11  
customer number 31, 115  
Cyrillic font 189

# **Index**

---

## **D**

date order 33  
date setting 123  
decimal point 31, 115  
declaration 31, 38, 79, 115, 160, 161, 167, 186  
deleting a file from CF card 146  
department  
24, 31, 52, 54, 115, 116, 127, 130, 159  
department best 50 159  
department file 195  
department report 165  
deposit 31, 63, 115  
descriptor 105  
diag mode 20  
direct maintenance PLU 25, 176  
direct maintenance PLU file 198  
discount 31, 65, 115, 125, 185, 186  
drawer 12, 14, 34, 38, 40, 58, 59, 80, 149, 152  
drawer assignment 149

## **E**

eat-in 31, 78, 115, 183  
EBT 59  
EBT tender 31, 115  
editing character 120  
employee 25, 111, 127, 136  
employee file 200  
employee number 92  
enter 31, 115  
error code 229, 230, 231  
error correction 31, 66, 115, 185  
error message 26, 112, 127, 139  
error message file 209  
Euro 48, 149, 152, 184, 187  
exempt 72  
external printer 12, 14, 181

## **F**

file allocation 23  
file reset 159, 173  
financial report 160  
fixed totalizer 24, 89, 105, 127, 128, 159, 185  
fixed totalizer file 193  
flag clear 19  
flat-PLU 31, 52, 54, 115, 116  
font code 187  
food stamp shift 31, 79, 115  
food stamp subtotal 31, 79, 115  
food stamp tender 31, 59, 115  
foreign currency in drawer 186  
formatting CF card 146  
function and total file 24  
future order 183

## **G**

general control 26, 127, 132  
general control file 201  
general control program 33  
grand total 25, 106, 127, 132, 186  
grand total file 201  
graphic image file 208  
graphic logo 26, 47  
graphic logo file 208  
Greek font 188  
gross sales 185  
group 24, 89, 106, 127, 130, 159  
group file 195  
group report 166  
guest receipt 183  
guidance message file 209

## **H**

hardware configuration 11  
help message 111  
HHS-15 12, 14  
high amount limit 55  
hourly sales 24, 127, 131, 159  
hourly sales file 197  
hourly sales report 168  
HS1250 14

## **I**

I/O parameter table 24, 96, 127, 138  
I/O parameter table file 208  
in drawer 155, 160, 161, 167, 186  
individual feature programming 54  
individual item/key report 160  
init 2 19  
initialization 17  
initialize code 24  
initialize code file 207  
intermediate message 47  
IPL (Initial program loading) 15  
IPL via CF card 16  
IPL via COM port 15  
issuing program reading report 127  
item/clerk descriptors by range 116

## **J**

job command table 94

## **K**

key allocation 29  
key function/machine feature 33  
key table 26  
key table file 206

## **L**

link 54  
loan 31, 61, 115, 186

**M**

manager control mode 149  
 manager operation 149  
 manual tax 31, 66, 115, 185  
 media change 31, 79, 115  
 memory map 15  
 menu 72  
 menu & price shift 37  
 menu shift 31, 115  
 merchandise subtotal 31, 75, 115  
 message 109  
 message control 46  
 minus 31, 62, 115, 125, 185  
 miscellaneous message 26, 112, 127, 138  
 miscellaneous message file 213  
 mix & match  
 89, 91, 102, 111, 127, 136, 159, 179  
 mix & match report 172  
 mix & match table 25  
 mix & match table file 199  
 mode control 82  
 mode switch 11  
 MODEM 14  
 money declaration 37, 155, 156  
 money declaration in the REG1/REG2/RF modes 155  
 monthly 89  
 monthly report 168  
 monthly sales 25, 159  
 monthly sales file 197  
 multi drawer 12  
 multilingual font 187  
 multiple price 178  
 multiplication 31, 76, 115, 185

**N**

net sales 185  
 new balance 31, 59, 115, 125  
 new balance fee 186  
 new check 31, 76, 115  
 new/old check 31, 76, 115  
 no sale 31, 79, 115  
 non add 31, 68, 115  
 non add/no sale 31, 68, 115  
 non PLU table 25, 98, 127, 135, 175  
 non PLU table file 198  
 not found PLU 177, 178, 179

**O**

OBR 31, 79, 115, 175  
 old check 31, 79, 115  
 one touch NLU 31, 78, 103, 115, 137, 175, 177  
 one touch NLU table 25, 127  
 one touch NLU table file 199  
 online control 40  
 online password 24, 127, 138

online password file 208  
 open 31, 115  
 open check 31, 79, 115, 159  
 open check report 169  
 open2 31, 73, 115  
 operation control 36  
 operation start date file 207  
 operator display 11  
 operator read/reset 31, 115  
 operator x/z 74  
 order control 45, 55

**P**

paid out 31, 61, 115, 186  
 password 20, 21, 33, 155  
 peripheral device 14, 191  
 pick up 31, 61, 115, 186  
 PLU 24, 31, 52, 54, 79, 115, 116, 127, 129  
 PLU best 50 159  
 PLU by group 89, 159  
 PLU by record number/random code 159  
 PLU file 194  
 PLU individual by department 157  
 PLU individual by group 157  
 PLU range by random code 158  
 PLU range by record number 158  
 PLU report 163  
 PLU reset 159, 173  
 PLU stock 89  
 PLU stock all PLU by record number 159  
 PLU stock by group 89, 159  
 PLU stock individual by department 157  
 PLU stock individual by group 157  
 PLU stock range by random code 158  
 PLU stock range by record number 158  
 PLU stock report 164  
 plus 31, 62, 115, 125, 185  
 premium 31, 65, 115, 125, 185  
 preparation 227  
 previous balance 31, 64, 115  
 previous balance subtotal 31, 79, 115  
 price 31, 79, 115  
 price change 31, 77, 115, 175  
 price inquiry 31, 79, 115, 175  
 price shift 31, 37, 73, 115, 175  
 print control 44  
 print control for fixed total report 38, 39  
 print control for grand total 43  
 print control for guest receipt and slip 45  
 print control for receipt 35  
 print control for report 42  
 print control for taxable amount 40  
 printer connection table 24, 127, 137, 181, 207  
 printer cover 11  
 printing guidance message 26, 112, 127, 138  
 printing guidance message file 214  
 printing history 2

# **Index**

---

- program / message / buffer file 26  
program 1 programming in X1 mode 149, 154  
program guidance message 26, 113, 127, 139  
program guidance message file 218  
program reading report of program 1 126  
program reading report of program 2 121  
program reading report of program 3 104  
program reading report of program 4 32  
program reading report of program 5 27  
program sub mode 21
- Q**
- quantity/for 31, 76, 115  
Quick Scan 6000 14, 192
- R**
- random code 55  
rate 125  
rate tax 31, 66, 115, 125  
read/reset report 155  
recall 31, 79, 115  
recall character message 111  
receipt 31, 67, 115  
receipt message 26, 127, 134  
receipt message file 203  
receipt on/off 31, 79, 115  
received on account 31, 61, 115, 186  
red price 31, 79, 115  
refund 31, 79, 115  
registration buffer 26  
registration guidance message 26, 113, 127, 139  
registration guidance message file 221  
remote printer buffer 26  
report (batch) 159  
report (individual file) 158  
report (individual item/key) 156  
report (range) 157  
report code 89  
report header 26, 110, 127, 133  
report header file 202  
return 185  
review 31, 74, 115  
revised point 2  
RF mode 186  
Robotics 14  
rounding 34, 186
- S**
- sales ratio 156  
scanner 12, 14  
scanning 49
- scanning PLU 25, 127, 131, 159, 175  
scanning PLU best 50 by range department 158  
scanning PLU by range department 158  
scanning PLU by range group 158  
scanning PLU direct maintenance 100, 125  
scanning PLU file 25, 198  
scanning PLU inactive item by range department 158  
scanning PLU index 25  
scanning PLU maintenance 99  
scanning PLU report 170  
scanning PLU reset 159, 173  
scanning system setup 175  
scheduler 26, 93, 127, 136  
scheduler file 204  
secret number 80  
separate check 31, 79, 115  
separate check buffer 25  
set menu 55  
set menu table 26, 127, 133  
set menu table file 202  
set the AT command to default value 147  
set the AT command to MODEM 147  
Singapore tax 88  
single item 185  
Slavic font 188  
slip 71  
slip back feed/release 31, 115  
slip backfeed/release 79  
slip feed/release 31, 79, 115  
slip print 31, 115, 183  
slip print buffer 26  
slip printer 12, 14  
slip/external printer message 26, 111, 127, 135  
slip/external printer message file 203  
slit drawer 37  
SP-1300 12, 14, 191  
special character 26, 107, 127, 132  
special character file 202  
split price 185  
square 31, 76, 115, 185  
standard font 187  
start date 24  
stock 55, 102  
stock inquiry 31, 79, 115  
stock quantity maintenance 149, 150  
store 31, 79, 115  
store/recall/auto new check number 50, 51  
stroke keyboard 11  
subtotal 31, 75, 115  
system configuration 11  
system error log 24  
system error log file 208  
system error log report 145  
system file 24  
system utilities 141

**T**

table analysis 25, 89, 106, 127, 132, 159  
table analysis file 200  
table analysis report 169  
table number 31, 79, 115  
table number range 82  
table range 83  
takeout 31, 78, 115, 183  
tax exempt 31, 115  
tax shift 31, 71, 115  
tax system 34  
tax table 26, 84, 127, 133  
tax table file 202  
taxable amount subtotal 31, 115  
taxable status 53, 62, 64, 65, 91, 103  
taxable subtotal 71  
terminal connection table 24, 112, 127, 137  
text print 31, 115  
text recall 31, 115  
three zero 31, 115  
till timer 40  
time & attendance 159  
time & attendance report 173  
time and attendance 25, 182  
time and attendance file 25, 200  
time setting 123  
time zone 83, 89  
tip 31, 60, 115  
touch keyboard 11  
transaction key 24, 89, 115, 127, 128, 159, 194  
transaction key program 57  
transaction key report 162  
tray total 31, 75, 115  
two zero 31, 115

**U**

U.S. tax table with rate setting 87  
U.S. tax table without rate setting 86  
unit price 123  
unit price and unit quantity (1st) 123  
UP-360 12, 191

**V**

validation 31, 79, 115  
VAT 31, 79, 115  
void 31, 67, 115, 185

**W**

watermark 47  
watermark print 26  
watermark print file 208

**X**

X/Z guidance message 26, 113, 127, 139  
X/Z guidance message file 216





# CASIO.

**CASIO COMPUTER CO., LTD.**  
6-2, Hon-machi 1-chome  
Shibuya-ku, Tokyo 151-8543, Japan

IR0508-000501A TE22\_24DM\*E  
Printed in Japan