Operation Guide 4736

About This Manual

- Button operations are indicated using the letters shown All of the displays in this manual show black-on-white. 35
 - All of the displays in this manual show black-on-white For the sake of simplicity, the sample displays in this manual do not show the analog hands of the watch.
 Depending on the model of your watch, display text appears either as dark figures on a light background or light figures on a dark background. All sample displays in this manual are shown using dark
- SAT 35

figures on a light background.

- Each section of this manual provides you with the information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section.


General Guide

Press © to change from mode to mode.
In any mode (except when a setting scree the face of the watch. pt when a setting screen is on the display), press (B) to illuminate

Timekeeping Mode

World Time Mode Countdown Timer Mode Stopwatch Mode


Hand Setting Mode



Timekeeping

This watch features separate digital and analog timekeeping. The procedures for setting the digital time and analog time are different.

. In the Timekeeping Mode, you can press (D) to change the display format as shown below



Digital Time and Date

Use the Timekeeping Mode to set and view a digital display of the current time and date. When setting the digital time, you can also configure settings for summer time (Daylight Saving Time or DST), your Home City code (the code for the city where you normally use the watch), the 12/24-hour format, and the illumination duration.

- normaily use the watch), the 12/24-hour format, and the illumination ouration.
 This watch is preset with a number of city codes, each of which represents the time zone where that city is located. When setting the digital time, it is important that you select the correct city code for your Home City. If your location is not included in the preset city codes, select the preset city code that is in the same time zone as your location.
- Note that all of the times for the World Time Mode city codes are displayed in accordance with the digital time and date settings you configure in the Timekeeping
- Mode. After you correctly set your Home City time and date, you can set the watch up for timekeeping with a different city code simply by changing the Home City code in the Timekeeping Mode.

To set the digital time and date



In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting

- screen screen. 2. Press © twice to move the flashing to the Home City code setting (see the illustration below), and then use (a) and (b) to select the code you want. • Make sure you select your Home City code before changing any other setting. • For full information on city codes, see the "City Code Table"

Table". (C) to move the f in the co

3. Fress () to move the hashing in the sequence shown below to select the other settings.
Seconds DST Home City Code Hour Minutes
$ \begin{array}{c} \bullet \\ \bullet \\ \bullet \\ \end{array} \end{array} \qquad \begin{array}{c} \bullet \\ \bullet $
Illumination Duration Cay Month Year 12/24-Hour Format

4. When the setting you want to change is flashing, use (B) and (D) to change it as described below

Alarm Mode

Screen	To do this:	Do this:
36	Reset the seconds to 00	Press D.
OF	Toggle between Daylight Saving Time (III) and Standard Time (III)	Press D.
TYO	Change the Home City code	Use (D) (east) and (B) (west).
10:08	Change the hour or minutes	Use \textcircled{D} (+) and \textcircled{B} (–).
12H	Toggle between 12-hour (12H) and 24-hour (24H) timekeeping	Press D.
2007	Change the year	Use (D) (+) and (B) (-).
6-30	Change the month or day	
LT+	Select three seconds or one second as the illumination duration	Press D.

5. Press (A) to exit the setting screen.

- Press (A) to exit the setting screen.
 Resetting the seconds only (without changing the DST, Home City code, hour, or minute setting) causes the analog minute hand setting to be adjusted to match the seconds count automatically. If you change any of the other settings, you will have to adjust the hand setting manually.
 See "Digital Time Daylight Saving Time (DST) Setting" below for details about the DST setting.
 The 12-hour/24-hour timekeeping format you select in the Timekeeping Mode is applied in all modes.
- applied in all modes
- For details about illumination duration, see "Illumination".

Digital Time Daylight Saving Time (DST) Setting Daylight Saving Time (summer time) advances the digital time setting by one hour from Standard Time. Remember that not all countries or even local areas use Daylight Saving Time.

To toggle the Timekeeping Mode digital time between DST and Standard Time

- B
- g Mode digital time between DST and Standard Time 1. In the Timekeeping Mode, hold down @ until the seconds start to flash, which indicates the setting screen. 2. Press © once to display the DST setting screen. 3. Press @ to to togle between Daylight Saving Time (gr displayed) and Standard Time (gr displayed). 4. Press @ to exit the setting screen. The DST indicator appears on the Timekeeping, Alarm, and Hand Setting Mode to indicate that Daylight Saving Time is tured on Time is turned on

Setting the Analog Time

Z \

DST

10:00

Perform the procedure below when the time indicated by the analog hands does not match the time of the digital display

To adjust the analog time

0

 In the Timekeeping Mode, press © five times to enter the Hand Setting Mode.
 Hold down (A) until the current digital time starts to flash, which indicates the analog setting screen.
 Press (D) to advance the analog time setting by (B)

- 20 seconds
- Holding down (D) advances the analog time setting at high speed.

after the time advances 12 hours or i an atarm (daily atarm, Houry Time Sign or countdown beeper) starts to sound.
Press (A) to exit the setting screen.
The watch will automatically adjust the minute hand slightly to match its internal second count when you exit the setting screen.
To return to the Timekeeping Mode, press (C).

CASIO,

Operation Guide 4736

CASIO.

World Time



World Time digitally displays the current time in 27 cities (29 time zones) around the world.All of the operations in this section are performed in the World Time Mode, which you enter by pressing C

To view the time in another city In the World Time Mode, press () to scroll eastwardly through city codes. • For full information about city codes, see the "City Code

Table". If the current time shown for a city is wrong, it probably means there is a problem with your Timekeeping Mode time and/or Home City code settings. Go to the Timekeeping Mode and make the necessary adjustments.



- To toggle a city code time between Standard Time and Daylight Saving Time 1. In the World Time Mode, use ① to display the city code whose Standard Time/Daylight Saving Time setting you
 - whose Standard Time/Daylight Saving Time setting you want to change.
 Hold down (A) for about two seconds to toggle between Daylight Saving Time (DST indicator displayed) and Standard Time (DST indicator not displayed).
 The DST indicator is on the display whenever you
 - display a city code for which Daylight Saving Time is turned on.
 - Note that the DST/Standard Time setting affects only the currently displayed city code. Other city codes are not affected.
 - Note that you cannot switch between Standard Time and Daylight Saving Time while GMT is selected as the city code

Countdown Timer



The countdown timer can be set within a range of one minute to 60 minutes. An alarm sounds when the countdown reaches zero. The countdown timer also has an auto-repeat feature and a progress beeper that signals the progress of the countdown.All of the operations in this section are performed in the

Countdown Timer Mode, which you enter by pressing $\hat{\mathbb{O}}$.

Configuring the Countdown Timer

Configuring the Countdown Timer The following are the settings you should configure before actually using the countdown timer. Countdown start time, Auto-repeat on/off; Progress beeper on/off • See "To configure the countdown timer" for information

about setting up the timer.

Countdown Timer Beeper Operations

The watch beeps at various times during a countdown so you can keep informed about the countdown status without looking at the display. The following describes the types of beeper operations the watch performs during a countdown

Countdown End Beeper

- The countdown end beeper lets you know when the countdown reaches zero
- When the progress beeper is turned off, the countdown end beeper sounds for about 10 seconds, or until you press any button to stop it.
 When the progress beeper is turned on, the countdown end beeper sounds for about one second.

Progress Beeper

- Progress Beeper When the progress beeper is turned on, the watch uses beeps to signal countdown progress as described below. Starting from five minutes before the end of the countdown, the watch emits four short beeps at the top of each countdown minute. 30 seconds before the end of the countdown, the watch emits four short beeps. The watch emits a short beep for each of the last 10 seconds of the countdown. If the countdown start time is six minutes or greater, the watch emits a short beep for each second of the final 10 seconds before the five-minute point is reached. Four short beeps are amited to signal when the five-minute point is reached. Four short beeps are emitted to signal when the five-minute point is reached.

To configure the countdown timer



 While the countdown start time is on the display in the Countdown Timer Mode, hold down (a) until the current countdown start time starts to flash, which indicates the setting screen. If the countdown start time is not displayed, use the

 The counter way is at takes in the space of the procedure under "To use the countdown timer" to display it.
 Press © to move the flashing in the sequence shown below to select other settings. 2. Pr



3. When the setting you want to change is flashing, use B and D to change it as described below.

Setting	Screen	Button Operation
Start Time	05'00	Use () (+) and () (-) to change the setting. • You can set a start time in the range of 1 to 60 minutes in 1-minute increments.
Auto-repeat		Press (1) to toggle auto-repeat off (
Progress Beeper	"hOF	Press D to toggle the progress beeper off (DF) and on (DN).

Press (a) to exit the setting screen.
 You can also perform steps 1 and 2 of the above procedure whenever you need to view the current auto-repeat and progress beeper settings.

To use the countdown timer Press D while in the Countdown Timer Mode to start the



countdown timer The countdown timer operation continues even if you

- countdown time to its starting value

Stopwatch



1/100 second

Ser

The stopwatch lets you measure elapsed time, split times, and two finishes. The display range of the stopwatch is 59 minutes, 59.99 seconds.

- The stopwatch continues to run, restarting from zero
 - after it reaches its limit, until you stop it. The stopwatch measurement operation continues even
- The stopwatch measurement operation continues even if you exit the Stopwatch Mode.
 Exiting the Stopwatch Mode while a split time is frozen on the display clears the split time and returns to elapsed time measurement.
 All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing [©]C.

To measure times with the stopwatch

Flansed Time

\$

6

Liapseu Time				
(D)		0>		A
Start	Stop	Re-start	Stop	Clear
Split Time				
0>				A
Start	Split (SPL displayed)	Split release	Stop	Clear
Two Finishes				
D>				A
Start	Split First runner finishes. Display time of first runner.	Second runner finishes.	Split release Display time of second runner.	Clear

Alarms



You can set five independent Daily Alarms. When an You can set five independent Daily Alarms. When an alarm is turned on, the alarm tone sounds when the alarm time is reached. One of the alarms is a snooze alarm, while the other four are one-time alarms. You can turn on an Hourly Time Signal that causes the watch to beep twice every hour on the hour. • There are six screens in the Alarm Mode. Four are for one-time alarms (indicated by numbers from R_{1} through R_{1} 4), one is for a snooze alarm (indicated by SNZ), and one is for the Hourly Time Signal (indicated by STG). • All of the operations in this section are performed in the Alarm Mode, which you enter by pressing $\hat{\mathbb{G}}$.

Alarm time (Hour : Minutes)

To set an alarm time

Alarm on indicator

1. In the Alarm Mode, use (D) to scroll through the alarm screens until the one whose time you want to set is displayed.



- To set a one-time alarm, display one of the screens indicated by an alarm number from AL1 through AL4. To set the snooze alarm, display the screen indicated by SNZ

- SNZ.
 The snooze alarm repeats every five minutes.
 After you select an alarm, hold down (a) until the hour setting of the alarm time starts to flash, which indicates the setting screen.
 This operation automatically turns on the alarm.
 Press (b) to move the flashing between the hour and minute settings.
 While a setting is flashing, use (b) (+) and (a) (-) to change it.
 When setting the alarm time using the 12-hour format, take care to set the time correctly as a.m. (no indicator) or p.m. (P indicator).
 Press (b) to exit the setting screen.
- 5. Press (A) to exit the setting screen

Operation Guide 4736

CASIO,

Alarm Operation

Alarm Operation The alarm sounds at the preset time for about 20 seconds, regardless of the mode the watch is in. In the case of the snooze alarm, the alarm operation is performed a total of seven times, every five minutes, or until you turn the alarm off. • Alarm and Hourly Time Signal operations are performed in accordance with the Timekeeping Mode digital time. • To stop the alarm tone after it starts to sound, press any button.

- Displaying the Timekeping Mode setting screen Displaying the Timekeping Mode setting screen Displaying the Timekeping Mode setting screen Displaying the Timekeping Mode setting screen

To test the alarm In the Alarm Mode, hold down (D) to sound the alarm.

To turn an alarm on and off

Ø ΠŪ C On/Off status

Snooze alarm indicator

Alarm on indicator (IF alsplayed). Turning on a one-time alarm (RL1 through RL4) causes the alarm on indicator to appear on its Alarm Mode screen. In all other modes, the alarm on indicator is displayed when one or more of the alarms is turned on. Turning on the snooze alarm (SNZ) displays the alarm Mode

turned on.

- indicator and snooze alarm indicator on the Alarm Mode snooze alarm screen, and in all other modes . The alarm on indicator flashes while the alarm is
- The adart of indicator flashes while the alarm is sounding.
 The snooze alarm indicator flashes during the 5-minute intervals between alarms.

To turn the Hourly Time Signal on and off 1. In the Alarm Mode, use ① to select the Hourly Time Hourly time signal on indicator

A (C))^B :00 \ ΠΠ 1/10 0

On/Off status

In the Alarm Mode, use (b) to select the Houry Time Signal (STG).
 Press (A) to toggle it on (CH displayed) and off (CH displayed).
 The Hourly Time Signal on indicator is shown on the display on the Alarm Mode Hourly Time Signal screen, and in all other modes while the Hourly Time Signal is ture of each of the Signal is ture of the Signal is ture of each of the Signal is ture of the Signal is ture of each of the Signal is ture of the Signal i

World Time

- The World Time Mode times are calculated from the current Home City time setting in the Timekeeping Mode, using the Greenwich Mean Time (GMT) differentials associated with each city code.
 The GMT differential is a value that indicates the time difference between Greenwich
- Mean Time and the time zone where a city is located. GMT differential is calculated by this watch based on Universal Time Coordinated
- (UTC) data

City Code Table

City Code	City	GMT Differential	Other major cities in same time zone		
		-11.0	Pago Pago		
HNL	Honolulu	-10.0	Papeete		
ANC	Anchorage	-09.0	Nome		
LAX	Los Angeles	-08.0	San Francisco, Las Vegas, Vancouver, Seattle/Tacoma, Dawson City		
DEN	Denver	-07.0	El Paso, Edmonton		
СНІ	Chicago	-06.0	Houston, Dallas/Fort Worth, New Orleans, Mexico City, Winnipeg		
NYC	New York	-05.0	Montreal, Detroit, Miami, Boston, Panama City, Havana, Lima, Bogota		
CCS	Caracas	-04.0	La Paz, Santiago, Port Of Spain		
RIO	Rio De Janeiro	-03.0	Sao Paulo, Buenos Aires, Brasilia, Montevideo		
		-02.0			
		-01.0	Praia		
GMT		+00.0	Dublin, Lisbon, Casablanca, Dakar, Abidjan		
LON	London	+00.0	Dublin, Lisbon, Casabianca, Dakar, Abiojan		
PAR	Paris	+01.0	Milan, Rome, Madrid, Amsterdam, Algiers, Berlin, Hamburg, Frankfurt, Vienna, Stockholm		
CAI JRS	Cairo Jerusalem	+02.0	Athens, Helsinki, Istanbul, Beirut, Damascus, Cape Town		
JED	Jeddah	+03.0	Kuwait, Rivadh, Aden, Addis Ababa, Nairobi, Moscow		
THB	Tehran	+03.5	Shiraz		
DXB	Dubai	+04.0	Abu Dhabi, Muscat		
KBL	Kabul	+04.5			
KHI	Karachi	+05.0	Male		
DEL	Delhi	+05.5	Mumbai, Kolkata		
DAC	Dhaka	+06.0	Colombo		
RGN	Yangon	+06.5			
BKK	Bangkok	+07.0	Jakarta, Phnom Penh, Hanoi, Vientiane		
HKG	Hong Kong	+08.0	Singapore, Kuala Lumpur, Beijing, Taipei, Manila, Perth, Ulaanbaatar		
TYO	Tokyo	+09.0	Seoul, Pyongyang		
ADL	Adelaide	+09.5	Darwin		
SYD	Sydney	+10.0	Melbourne, Guam, Rabaul		
NOU	Noumea	+11.0	Port Vila		
WLG	Wellington	+12.0	Christchurch, Nadi, Nauru Island		
*Deeee	*Based on data as of December 2005				

*Based on data as of December 2005



- Two LEDs (light-emitting diodes) illuminate the face of the watch for easy reading in the dark. Illumination may be hard to see when viewed under direct sunlight. Illumination automatically turns off whenever an alarm or under the second sec
- sounds. Frequent use of illumination runs down the batteries.

To illuminate the face of the watch

To illuminate the face of the watch
In any mode (except when a setting screen is on the display), press (a) to turn on illumination.
You can use the procedure below to select either one second or three seconds as the illumination duration.
When you press (b), the illumination will remain on for about one second or three seconds, depending on the transitive indication second or three seconds. current illumination duration setting

- screen. 2. Press © nine times so the illumination duration setting

 - Press () nine times so the illumination duration setting screen is on the display.
 While the illumination duration setting is flashing, press () to toggle the setting between one second (*) and three seconds (*).
 Press (A) to exit the setting screen.

Reference

This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and functions of this watch.

Auto Return Feature

If you leave a screen with flashing digits on the display for two or three minutes without performing any operation, the watch exits the setting screen automatically

Scrolling

The (B) and (D) are used in various modes and setting screens to scroll through data on the display. In most cases, holding down these buttons scrolls at high speed.

Initial Screens

When you enter the World Time or Alarm Mode, the data you were viewing when you last exited the mode appears first.

Timekeeping

- Resetting the seconds to BB while the current count is in the range of 30 to 59 causes the minutes to be increased by 1. In the range of 00 to 29, the seconds are reset to BB without changing the minutes.
 With the 12-hour format, the P (PM) indicator appears on the display for times in the range of noon to 11:59 p.m. and no indicator appears for times in the range of minutes 11:60 p.m.
- midnight to 11:59 a.m. . With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without
- With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without any indicator.
 The year can be set in the range of 2000 to 2039.
 The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's batteries replaced.