



**TEKNOR
APEX**

UNDER LICENSE TO
SUPERIOR MANUFACTURING GROUP



THE TEKNOR/NOTRAX® ADVANTAGE

Quality Craftsmanship


For over 40 years, the name Teknor Apex has meant superior quality, service, and innovative products for the food service industry. Now known as Apex™, this brand is the cornerstone of Superior Manufacturing Group's Food Service Matting Division offering the widest selection of products to a variety of markets including entrance matting, anti-fatigue/safety matting, and food service matting.

Exceeding Expectations

Apex™ offers a complete selection of floor matting options to meet any application requirement, quality expectation, and budget. Continually striving to develop the finest in quality matting, Apex™ has several products that either meet or exceed the National Sanitation Foundation (NSF) standard for grease and oil protection and durability.

Still the Best Choice

As the industry leader, Apex™ will continue to provide the very best products and service to meet the demands of the market and remain your best choice for floor matting products.



MICROSTOP™

is a unique anti-microbial rubber compound made from a specially formulated blend of raw materials that inhibits the growth of microorganisms such as bacteria, and fungi that can cause odor, stains, and product deterioration. MicroStop™ is incorporated directly into the mat during the manufacturing process so it cannot be washed off or wear away over time as anti-microbial treatments can. Apex™ floor matting products with MicroStop™ should be used in conjunction with standard cleaning and disinfecting practices in order to provide a cleaner and healthier work environment.

All MicroStop™ products from Apex™ are manufactured here in the U.S.A. and pass ASTM G-21, the test used by NSF/ANSI for standard 52 as it pertains to the anti-microbial properties of supplemental flooring for use in food preparation, dry storage, and warewashing areas.

Look for the MicroStop™ logo with select Apex™ food service matting products.

CHOOSING THE RIGHT MAT

Your selection should be determined by the optimum combination of comfort, drainage and quality.

COMFORT


- Generally thicker mats are more comfortable.
- 7/8" mats are best where workers remain for a full shift.
- 1/2" mats are excellent for extended use work stations.
- 3/8" mats are best for traffic areas.

DRAINAGE

- In areas of frequent spills and standing water, use a full-drainage mat.
- In drier work and traffic areas, a mat that offers moderate drainage is adequate.

QUALITY

- Grease and oil break down mats and shorten service life. Certain types of matting are formulated and designed to provide greater protection against grease and oil – the primary contributor to rubber deterioration.



TEKNOR APEX
 UNDER LICENSE TO
 SUPERIOR MANUFACTURING GROUP


LOCATION AND MAT RECOMMENDATION

LOCATION	RECOMMENDATION	REQUIREMENTS
1 Cooking Line	San EZE®, San EZE II®, Tek Tough®, Optimat®, Ultra Mat Max™, Superflow®, Niru® Versa Runner®	Flexible configurations, exposure to greases & oils, good drainage, anti-fatigue, and anti-slip properties
2 Carving Station	San EZE®, San EZE II®, Tek Tough®, Niru® Versa Runner®, Hercules®, Step Light®, Superflow®	Flexible configurations, some exposure to greases, oils, & water, drainage & comfort
3 Dishwasher/Pot Scrub	Tek Tough®, Tek Tough Jr.®, Ultra Mat®, Challenger®, Competitor®, Superflow®	Flexible configurations, some exposure to greases, oils, & water, drainage & comfort
4 Dessert Bar	Tek Tough Jr.®, Superflow®, Comfort Zone™, Competitor®	Beveled edges for cart traffic, reduced tripping hazard, some exposure to greases, oils & water
5 Bar	Optimat®, Superflow®, Grip True®, Tek Connect®	Drainage, anti-slip, and comfort
6 Waitperson Station	Tek Connect®, Comfort Zone™	Flexible configurations, drainage & comfort
7 Walk-in Freezers	Multi-Mat II®, Grip True®, Deep Freeze Mat™	Withstand cold temperatures, anti-slip surface
8 Receiving	Traction Mat®, Corrugated Runner®, Niru® Versa Runner®	Withstand heavy traffic, anti-slip surface low profile for cart & dolly traffic
9 Cash Register	Superfoam®, Comfort Rest Series, Marble Sof-Tyle™, Foot Saver®	Strong anti-fatigue properties, durable
10 Foyer	Water Master, Atlantic Olefin, Bristol Ridge, Uptown™, Boulevard™, Chevron, Aqua Edge	Good water absorbing qualities
11 Entrance	Ridge Scraper, Finger Scrape, Water Master, BrilliantStep™	Keeps moisture and debris outside, withstands elements, Branding (BrilliantStep™)
12 Dining or Kitchen Entrance	Atlantic Olefin, Bristol Ridge, Uptown™	Aesthetically pleasing and functional

#T11 SAN-EZE II® Our top-of-the-line grease-proof mat

Thickness: 7/8"

- Tested and certified by the National Sanitation Foundation (NSF) for grease and oil protection and durability
- Provides superior ergonomic comfort and traction in wet or greasy areas
- Beveled ramps and corners available to reduce trip hazards
- Modular design with connecting system for longer lengths and custom configurations
- Drainage system removes liquid and debris from worker platform
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment



AVAILABLE COLORS:
Brick Red



Brick Red: 7 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

DIMENSIONS	WGT	MODEL NO.
Full: 39" x 58 1/2"	38.0	182-766
Square: 39" x 39"	25.0	182-741
Medium: 39" x 29 1/4"	19.0	182-725
Small: 39" x 19 1/2"	12.5	290-981

Also available in custom sizes. Call for quotation.

Attachable Ramp: Packed 12 per box.

DIMENSIONS	WGT	MODEL NO.
Roll: 29' x 13/4"	14.0	293-829
Precut: 58 1/2" x 13/4"	2.5	296-293
Precut: 39" x 13/4"	1.5	293-738
Precut: 29 1/4" x 13/4"	1.2	293-720

Attachable Ramp Corner Piece: Packed 12 per bag.

DIMENSIONS	WGT	MODEL NO.
N/A	1.0	182-808

Mat Connector: Packed 12 per bag.

DIMENSIONS	WGT	MODEL NO.
N/A	0.2	406-954



A heavy duty grease-resistant mat #T12 SAN-EZE®



(Brown Only)

Thickness: 7/8"

- Two versions: Standard Nitrile rubber blend (black), and heavy-duty 100% Nitrile rubber (brown)
- Tested and certified by the National Sanitation Foundation (NSF) for grease and oil protection and durability (brown mat only)
- Provides sure traction in wet or greasy areas
- Modular design with connecting system for longer lengths and custom configurations
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (brown mat only)

AVAILABLE COLORS:
Black, Brown



(Brown only)



Black: 3 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████		██████████	██████████	██████████
comfort	██████████		██████████	██████████	██████████
drainage	██████████		██████████	██████████	██████████
wearability	██████████		██████████	██████████	██████████
traction	██████████		██████████	██████████	██████████

Brown: 4 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████		██████████	██████████	██████████
comfort	██████████		██████████	██████████	██████████
drainage	██████████		██████████	██████████	██████████
wearability	██████████		██████████	██████████	██████████
traction	██████████		██████████	██████████	██████████

DIMENSIONS	WGT	Black MODEL NO.	Brown MODEL NO.
Full: 39" x 58 1/2"	38.0	183-210	183-244
Square: 39" x 39"	25.0	183-103	183-137
Medium: 39" x 29 1/4"	19.0	182-998	183-020
Small: 39" x 19 1/2"	12.5	182-881	182-915

Also available in custom cut sizes. Call for quotation.

Attachable Ramp

Packed 12 per box.

DIMENSIONS	WGT	Black MODEL NO.	Brown MODEL NO.
Roll: 29' x 13/4"	14.0	183-426	183-442
Precut: 58 1/2" x 13/4"	2.5	183-509	183-525
Precut: 39" x 13/4"	1.5	183-459	183-475
Precut: 29 1/4" x 13/4"	1.2	183-384	183-400

Corner Piece Packed 6 per box. **Mat Connector** Packed 12 per bag.

	Black MODEL NO.	Brown MODEL NO.
WGT		
1.0	183-582	183-608

	Black MODEL NO.	Brown MODEL NO.
WGT		
0.2	406-952	406-953

SAFETY/ANTI-FATIGUE • "WET"



#T13 TEK-TOUGH® An outstanding anti-fatigue mat

Thickness: 7/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Provides superior comfort and traction in wet or greasy areas
- Beveled ramps and corners available to reduce trip hazards
- Modular design with connecting system for longer lengths and custom configurations
- Drainage system removes liquid and debris from worker platform



AVAILABLE COLORS:
Red, Black



Black: 2 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red: 5 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
3' x 5'	30.0	435-001	439-502
3' x 3'	18.0	435-719	439-632
3' x 2'	12.0	435-717	439-600

Attachable Ramps: Packed 6 per box.

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
36" x 13/4"	1.0	437-525	439-634
60" x 13/4"	2.0	437-526	439-635

Connector: Packed 12 per bag.

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
N/A	0.2	437-412	439-628




Built-in beveled edge #T14 TEK-TOUGH JR.®



Thickness: 1/2"

- Lightweight design for easy handling and cleaning
- **Molded-in beveled edges to reduce trip hazards**
- Drainage system removes liquid and debris from worker platform
- Mat connectors available
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (gray mat only)

AVAILABLE COLORS:
Black, Red, Gray



Black: 1 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	[Progressive bar]				
comfort	[Progressive bar]				
drainage	[Progressive bar]				
wearability	[Progressive bar]				
traction	[Progressive bar]				

Red and Gray: 3 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	[Progressive bar]				
comfort	[Progressive bar]				
drainage	[Progressive bar]				
wearability	[Progressive bar]				
traction	[Progressive bar]				

Black		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	20.0	436-931
3' x 10' (9'10" actual length)	40.0	437-434
3' x 15' (14'8" actual length)	60.0	440-448
3' x 20' (19'6" actual length)	80.0	440-451

Black		
DIMENSIONS	WGT	MODEL NO.
N/A	0.2	441-725

DIMENSIONS	WGT	Red MODEL NO.	Gray MODEL NO.
3' x 5'	20.0	436-932	436-971
3' x 10' (9'10" actual length)	40.0	440-447	440-446
3' x 15' (14'8" actual length)	60.0	440-449	440-450
3' x 20' (19'6" actual length)	80.0	440-453	440-452

Red			Gray
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
N/A	0.2	441-727	441-726


SAFETY/ANTI-FATIGUE • "WET"




#T15 OPTIMAT® The honeycomb anti-fatigue mat

Thickness: 1/2"

- Available in standard Nitrile rubber (brown) and 100% Nitrile rubber (red) compounds for varying degrees of grease and oil resistance
- Tested and certified by the National Sanitation Foundation (NSF) for grease and oil protection and durability
- Lightweight design for easy handling and cleaning
- Modular design with connecting system for longer lengths and custom configurations
- Drainage system removes liquid and debris from worker platform
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment



AVAILABLE COLORS:
Brown, Red



Brown

2 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

3 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					


		Brown	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
36" x 72"	26.0	406-181	406-186
36" x 48"	17.0	406-179	406-184
36" x 36"	13.0	406-178	406-183
36" x 24"	8.5	406-177	406-182

		Brown	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
A type	0.03	406-194	406-196
B type	0.03	406-195	406-197

Pack: 12 per bag. **Important:** Specify A or B type. Use every 12". 36" ends use A type. Sides with dimensions other than 36" use B connectors.




The mat that never ends #T16 TEK-CONNECT®



Thickness: 1/2"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Molded-in mat connectors allow for longer lengths and easy custom configurations
- Connects on 3' and 4' sides (ideal mat for 4' wide runners)
- Drainage system removes liquid and debris from worker platform

AVAILABLE COLORS:
Red, Black



Red

3 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Black

1 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red		
DIMENSIONS	WGT	MODEL NO.
3' x 4'	16.0	752-237

Black		
DIMENSIONS	WGT	MODEL NO.
3' x 4'	16.0	752-155


SAFETY/ANTI-FATIGUE • "WET"



#T18 **SUPERFLOW** Reversible anti-fatigue mat with a beveled edge

Thickness: 5/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Reversible for extended life
- Molded-in beveled edges to reduce trip hazards and allow for cart traffic
- Lightweight for easy handling and cleaning
- Drainage system removes liquid and debris from worker platform



AVAILABLE COLORS:
Black, Red



Black

1 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

2 Year Limited Warranty

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					



Black		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	17.0	1002-250
4' x 6'	27.0	T18-U0046-BL

Red		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	17.0	1002-251
4' x 6'	27.0	T18-U0046-RD

SAFETY/ANTI-FATIGUE • "WET"



High-end kitchen comfort #544 COMFORT ZONE™



Thickness: 5/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Molded-in beveled edges to reduce trip hazards
- Drainage system removes liquid and debris from worker platform
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (red mat only)

AVAILABLE COLORS:
Red, Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					



Black		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	31.0	544-S0035-BL

Red		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	31.0	544-S0035-RD

SAFETY/ANTI-FATIGUE • "WET"



#T22 GRIP TRUE® *Aggressive grip traction*

Thickness: 3/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Unique aggressive rubber surface for the ultimate in sure footing
- Sure traction design keeps mat firmly in place
- Drainage system for use in wet areas



AVAILABLE COLORS:
Red, Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

		Black	
DIMENSIONS	WGT	MODEL NO.	
3' x 4'	15.0	753-601	
3' x 8'	30.0	753-602	

		Red	
DIMENSIONS	WGT	MODEL NO.	
3' x 4'	17.0	754-252	
3' x 8'	34.0	754-251	

SAFETY/ANTI-FATIGUE • "WET"



Molded-in mat connectors #T32 ULTRA MAT®



AVAILABLE COLORS:
Black, Red

Thickness: 1/2"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Lightweight for easy handling and cleaning
- Drainage system removes liquid and debris from worker platform
- Modular design with connecting system for longer lengths and custom configurations

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
3' x 3'	17.0	993-437	993-436
3' x 5'	30.0	993-596	993-597

ULTRA MAT MAX™

Heavy-weight quality #T56 ULTRA MAT MAX™



AVAILABLE COLORS: Black, Red

Thickness: 3/4"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Unique support design offers exceptional fatigue relief
- Drainage system removes liquid and debris from worker platform
- Modular design with molded-in connecting system for longer lengths and custom configurations
- Optional beveled ramps available to reduce trip hazards
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment (red mat only)



(Red Only)

Black:

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Red:

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
3' x 3'	24.0	T56-U0033-BL	T56-U0033-RD
3' x 5'	39.0	T56-U0035-BL	T56-U0035-RD

Attachable Ramps:

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
3' male	1.8	551-M0003-BL	551-M0003-TC
5' male	3.0	551-M0005-BL	551-M0005-TC
3' female	1.6	551-F0003-BL	551-F0003-TC
5' female	3.0	551-F0005-BL	551-F0005-TC




SAFETY/ANTI-FATIGUE • "WET"



#T30 COMPETITOR® Built-in beveled edge

Thickness: 1/2"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Lightweight for easy handling and cleaning
- Molded-in beveled edges to reduce trip hazards
- Drainage system removes liquid and debris from worker platform
- Low profile for easy cart access



AVAILABLE COLORS:
Black, Red



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Black		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	23.0	755-100
3' x 3'	13.8	1003-923

Red		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	23.0	755-101

SAFETY/ANTI-FATIGUE • "WET"



Economy heavy duty matting #T25 CHALLENGER®



AVAILABLE COLORS:
Red, Black

Thickness: 3/4"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Aggressive anti-slip surface for better traction
- Drainage system removes liquid and debris from worker platform

Black


QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
3' x 5'	34.0	065-340	065-341

Economy heavy duty matting - metric size* #T26 HERCULES®



AVAILABLE COLORS:
Black, Red

Thickness: 7/8"

- Available in general purpose (black) and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Aggressive anti-slip surface for better traction
- Drainage system removes liquid and debris from worker platform
- For those that prefer metric sizes

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

*39" x 58 1/2" is equal to 1 meter x 1.5 meters

DIMENSIONS	WGT	Black MODEL NO.	Red MODEL NO.
39" x 58 1/2"	41.0	065-338	065-339
39" x 39"	26.0	065-588	065-591
39" x 29 1/4"	20.0	065-589	065-592
39" x 19 1/2"	14.0	065-590	065-593




SAFETY/ANTI-FATIGUE • "MET"



#T23 MULTI-MAT II® Reversible drainage mat

Thickness: 3/8"

- Available in general purpose (black), standard (brown), and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Non-skid surface for added traction
- Reversible for extended life
- Drainage system for use in wet areas
- Low profile for easy cart access



AVAILABLE COLORS:
Red, Brown, Black



SAFETY/ANTI-FATIGUE • "WET"

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Brown

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

DIMENSIONS	WGT	Black		Brown	
		MODEL #	MODEL #	MODEL #	MODEL #
Sheet: 3' x 2'	7.5	410-940	411-564		
Sheet: 3' x 4'	15.0	410-941	411-565		
Sheet: 3' x 8'	30.0	410-942	411-566		
Roll: 2' x 30'	75.0	411-574	411-573		
Roll: 2' x 60'	150.0	411-572	411-571		
Roll: 3' x 32'	120.0	410-943	411-567		
Roll: 3' x 64'	240.0	410-944	411-568		
Roll: 4' x 30'	150.0	411-570	411-569		

DIMENSIONS	WGT	Red	
		MODEL #	MODEL #
Sheet: 3' x 2'	8.5	416-228	
Sheet: 3' x 4'	17.0	416-229	
Sheet: 3' x 8'	34.0	416-230	
Roll: 2' x 30'	85.0	416-231	
Roll: 2' x 60'	170.0	416-232	
Roll: 3' x 32'	136.0	416-233	
Roll: 3' x 64'	272.0	416-234	
Roll: 4' x 30'	170.0	416-235	

Custom Roll:

DIMENSIONS	Black	Brown	Red
	WGT	WGT	WGT
2' x (3' increments)	2.5	2.5	2.8
3' x (2' increments)	3.8	3.8	4.2
4' x (3' increments)	4.9	4.9	5.6

2', 3' & 4' widths up to 64' long.

Must be ordered in increments shown above
PRICES AND WEIGHTS FOR CUSTOM
SIZES ARE PER RUNNING FOOT.




Grease-proof comfort #755 NIRU® VERSA RUNNER®



Thickness: 3/8"

- Made from a durable grease-proof 100% Nitrile rubber compound
- Slotted perforations for drainage
- Ribbed underside enhances anti-fatigue value and channels liquid away from the mat
- Low profile for easy cart access
- Manufactured with MicroStop™ anti-microbial rubber compound that inhibits the growth of bacteria and fungi to provide a cleaner and healthier work environment

AVAILABLE COLORS:
Red, Black



Note: Call for custom cut.

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
comfort	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
drainage	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
wearability	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
traction	[Progressive bar chart showing increasing performance from Fair to Ultimate]				

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
comfort	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
drainage	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
wearability	[Progressive bar chart showing increasing performance from Fair to Ultimate]				
traction	[Progressive bar chart showing increasing performance from Fair to Ultimate]				



Black		
DIMENSIONS	WGT	MODEL NO.
2' x 60'	180.0	755-C0024-BL
3' x 60'	270.0	755-C0036-BL
4' x 60'	360.0	755-C0048-BL

Red		
DIMENSIONS	WGT	MODEL NO.
2' x 60'	180.0	755-C0024-RD
3' x 60'	270.0	755-C0036-RD
4' x 60'	360.0	755-C0048-RD


SAFETY/ANTI-FATIGUE • "WET"



#T19 STEP LIGHT® *Light-duty anti-fatigue matting*

Thickness: 1/2"

- Available in general purpose (black), and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- **Unique and aggressive anti-slip surface for added traction**
- Lightweight for easy handling and cleaning
- Drainage system for use in wet areas



AVAILABLE COLORS:
Red, Black

Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

		Black	Red
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	16.0	754-274	754-275

#T47 PLASTI-TILE *Heavy-duty shelf and bar liner*

Thickness: 7/8"

- Tough and durable PVC molded vinyl
- 12" x 12" tiles easily snap together
- Improves drainage and air circulation



IMPROVED DESIGN!

AVAILABLE COLORS:
Black, Green, Blue, Yellow

12" x 12" Interlocking Tiles

COLOR	PACK	WGT.	MODEL NO.
Black	24	1.0	065-585
Blue	24	1.0	065-583
Green	24	1.0	065-586
Yellow	24	1.0	065-584



SAFETY/ANTI-FATIGUE • "WET"






Thickness: 5/8"

- Closed cell PVC Nitrile foam blend does not absorb liquids
- Highly resistant to greases, oils, and animal & vegetable fats
- Lightweight for easy handling and cleaning
- All four sides are beveled to minimize trip hazards
- Perforated version with drainage holes to facilitate removal of liquids and debris

AVAILABLE COLORS:
Black



Solid

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Perforated

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Solid Version:

DIMENSIONS	WGT	MODEL NO.
3' x 2'	4.8	065-547
3' x 3'	7.3	065-548
3' x 4'	9.7	065-549
3' x 5'	12.1	065-550
3' x 6'	14.5	065-551
3' x 8'	19.4	065-552

Perforated Version:

DIMENSIONS	WGT	MODEL NO.
3' x 2'	4.8	T17-P0032-BL
3' x 3'	7.3	T17-P0033-BL
3' x 4'	9.7	T17-P0034-BL
3' x 5'	12.1	T17-P0035-BL
3' x 6'	14.5	T17-P0036-BL
3' x 8'	19.4	T17-P0038-BL



#T20 FOOTSAVER® Solid surface rubber mat

Thickness: 3/8"

- Diamond deck plate surface for added traction
- Superior comfort and support
- Ideal for dry areas and workstations
- Available in interlocking or finished pieces
- Molded-in beveled edges to reduce trip hazards




AVAILABLE COLORS:
Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				



Interlocking Piece:

	Black	
DIMENSIONS	WGT	MODEL NO.
28" x 31"	10.0	354-571

Finished Piece:

DIMENSIONS	WGT	MODEL NO.
28" x 31"	10.0	367-813

Endcap Piece:

DIMENSIONS	WGT	MODEL NO.
28" x 31"	10.0	354-605

SAFETY/ANTI-FATIGUE • "DRY"



Heavy-duty connecting mat #T31 CLICK MAT SOLID



Thickness: 3/4"



- Durable rubber compound protects against oils, greases, and machine cutting fluids
- Modular design with connecting system for longer lengths and custom configurations
- Beveled ramps available to reduce trip hazards and allow for easy cart access
- Superior anti-fatigue support

AVAILABLE COLORS:
Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					



	Black	
DIMENSIONS	WGT	MODEL NO.
3' x 3'	18.0	4457-150

Attachable Ramps:

	Black	
DIMENSIONS	WGT	MODEL NO.
3' Male	1.8	551-M0003-BL
3' Female	1.6	551-F0003-BL


SAFETY/ANTI-FATIGUE • "DRY"




#T41 COMFORT REST PEBBLE FOAM Vinyl anti-fatigue mat

Thickness: Standard 3/8", Heavy-Duty 9/16"

- Pebble-embossed PVC sponge provides excellent support and comfort
- Non-directional top surface adds traction and is easy to clean
- All four sides are beveled to minimize trip hazards
- Perfect anti-fatigue mat for dry applications



AVAILABLE COLORS:
Coal



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████		██████████		
comfort	██████████		██████████	██████████	
drainage	██████████		██████████		
wearability	██████████		██████████	██████████	
traction	██████████		██████████	██████████	

Custom sizes available -
please call for quotation.

DIMENSIONS	Standard approx. 3/8" thick		Heavy-Duty approx. 9/16" thick	
	WGT	MODEL #	WGT	MODEL #
2' x 3'	4.3	4468-397	6.6	4454-399
2' x 5'	7.0	4468-419	11.0	4468-413
3' x 5'	11.0	4454-512	16.5	4454-408
3' x 10'	22.0	4454-518	33.0	4454-411
4' x 6'	17.6	4454-524	26.4	4454-417
2' x 60'	90.0	4454-533	132.0	4451-000
3' x 60'	135.0	4454-536	198.0	4451-003
4' x 60'	180.0	4454-542	264.0	4451-004

SAFETY/ANTI-FATIGUE • "DRY"




Vinyl anti-fatigue mat #T42 COMFORT REST RIBBED FOAM



Thickness: Standard 3/8", Heavy-Duty 9/16"

- PVC sponge provides excellent support and comfort
- All four sides are beveled to minimize trip hazards
- Perfect anti-fatigue mat for dry applications

AVAILABLE COLORS:
Coal, Silver



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

Custom sizes available - please call for quotation.

DIMENSIONS	WGT	Standard approx. 3/8" thick		WGT	Heavy-Duty approx. 9/16" thick	
		Coal MODEL #	Silver MODEL #		Coal MODEL #	Silver MODEL #
2' x 3'	4.3	4458-356	4458-359	6.6	4454-165	4454-166
2' x 5'	7.3	4468-410	4468-408	11.0	4468-404	4468-402
27" x 36"	4.5	434-399	434-405	N/A	N/A	N/A
27" x 60"	8.5	434-400	434-406	N/A	N/A	N/A
3' x 5'	11.0	0434-396	0434-402	16.5	4454-171	4454-172
3' x 10'	33.0	4458-425	4458-428	33.0	4454-162	4454-164
4' x 6'	17.6	4458-433	4458-436	26.4	4454-179	4454-180
2' x 60'	90.0	0434-395	0434-401	*54.0	*T42-R0524-BL	*T42-R0524-GY
3' x 60'	135.0	0434-397	0434-403	*82.0	*T42-R0536-BL	*T42-R0536-GY
4' x 60'	180.0	0434-398	0434-404	*115.0	*T42-R0548-BL	*T42-R0548-GY

*T42 Heavy Duty available in 30' rolls only.


SAFETY/ANTI-FATIGUE • "DRY"



#T21 TRACTION MAT® Solid surface multi-purpose 3/8" mat

Thickness: 3/8"

- Available in general purpose (black), standard (brown), and heavy-duty (red) rubber compounds for varying degrees of grease and oil protection
- Non-skid surface for added traction
- Low profile for easy cart access



AVAILABLE COLORS:
Black, Brown, Red



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Brown

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

Red

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████				
traction	██████████				

		Black	Brown
	DIMENSIONS	MODEL NO.	MODEL NO.
	Sheet: 3' x 2'	411-627	411-635
	Sheet: 3' x 4'	411-628	411-636
	Sheet: 3' x 8'	411-629	411-637
	Roll: 3' x 32'	411-632	411-640
	Roll: 3' x 64'	411-633	411-641
	WGT		

		Red
	DIMENSIONS	MODEL NO.
	Sheet: 3' x 2'	418-005
	Sheet: 3' x 4'	418-006
	Sheet: 3' x 8'	418-007
	Roll: 3' x 32'	418-010
	Roll: 3' x 64'	418-011
	WGT	

Custom Roll: 2', 3' & 4' widths up to 64' long. Must be ordered in 2' increments shown below. For custom 2' and 4' widths, please call for quotation. Prices and weights shown are per running foot. See Multi-Mat II® chart.

SAFETY/ANTI-FATIGUE • "DRY"




Vinyl runner mat #T27 CORRUGATED RUNNER®

Thickness: 1/8"

- Corrugated rib-tooth design improves traction
- Creates a barrier to cold floors and offers a silencing effect on noisy tile floors
- Low profile for easy cart access
- Vinyl construction offers protection against many oils, greases and chemicals



AVAILABLE COLORS:
Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage					
wearability	██████████				
traction	██████████				



		Black	
DIMENSIONS	WGT	MODEL NO.	
2' x 75' Roll	52.0	4450-120	
3' x 75' Roll	80.0	065-418	
4' x 75' Roll	125.0	4459-607	

SAFETY/ANTI-FATIGUE • "DRY"



#470 MARBLE SOF-TYLE™ *Easy-care comfort*

Thickness: 1/2"

- Smooth marble-pattern top surface of heavy-duty rubber is combined with dense closed cell foam base utilizing exclusive UniFusion™ technology
- UniFusion™ bond guaranteed for the life of the mat (See warranty for details)
- Sloped beveled foam on all 4 undersides allows for easy access onto and off of the mat
- Top surface easy to sweep clean



AVAILABLE COLORS:
Black, Gray, Blue



All Colors

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance					
comfort					
drainage					
wearability					
traction					

		Black	
DIMENSIONS	WGT	MODEL NO.	
2' x 3'	9.0	470-H2436-BL	
3' x 5'	23.0	470-H3660-BL	

		Blue	
DIMENSIONS	WGT	MODEL NO.	
2' x 3'	9.0	470-H2436-BU	
3' x 5'	23.0	470-H3660-BU	

		Gray	
DIMENSIONS	WGT	MODEL NO.	
2' x 3'	9.0	470-H2436-GY	
3' x 5'	23.0	470-H3660-GY	

SAFETY/ANTI-FATIGUE • "DRY"



Designed to withstand cold temps **#765 DEEP FREEZE MAT™**



Thickness: 3/8"

- The only rubber mat specifically formulated to perform in deep-freeze environments
- Features a raised knob solid top surface to enhance traction
- Tested to withstand temperatures to - 40° Fahrenheit (approximately - 40° Celsius)
- Low profile for easy cart access

AVAILABLE COLORS:
Black



Black

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
grease resistance	██████████				
comfort	██████████				
drainage	██████████				
wearability	██████████		██████████		
traction	██████████		██████████	██████████	



DIMENSIONS	WGT	<i>Black</i>
		MODEL NO.
2' x 60'	180.0	765-C0024-BL
3' x 60'	270.0	765-C0036-BL
4' x 60'	360.0	765-C0048-BL

SAFETY//ANTI-FATIGUE • "DRY"




#T45 SANI-TUFF® All-rubber cutting boards

- Won't crack, splinter, swell, or absorb liquids or odors
- Lasts far longer than wood or plastic
- NSF tested and certified
- Resiliency preserves knife edges longer
- Can be resurfaced by sanding
- Optional cutouts and gravy groove available



AVAILABLE COLORS:
Buff



1/2" Thick

SIZE	PACK	WGT.	MODEL NO.
6" x 8"	12	1.0	148-155
8" x 8"	12	1.4	149-880
12" x 18"	6	4.7	157-628
15" x 20"	6	6.5	159-905
18" x 24"	6	9.4	161-331
48" x 72"	1	76.0	T45-S2048-BF

3/4" Thick

SIZE	PACK	WGT.	MODEL NO.
12" x 18"	4	7.0	157-651
15" x 20"	4	9.7	159-921
18" x 24"	4	14.0	161-356
48" x 72"	1	113.0	T45-S3048-BF

1" Thick

SIZE	PACK	WGT.	MODEL NO.
12" x 18"	3	9.5	157-594
15" x 20"	3	13.0	159-871
18" x 24"	3	18.7	161-299
48" x 72"	1	150.0	T45-S4048-BF

2" Thick

SIZE	PACK	WGT.	MODEL NO.
48" x 72"	1	300.0	T45-S8048-BF

1" Round Boards

DIAMETER	PACK	WGT.	MODEL NO.
12"	10	5.0	147-454
14"	10	6.5	147-538
16"	10	8.8	147-629

2" Round Boards

DIAMETER	PACK	WGT.	MODEL NO.
12"	5	10.5	147-462
14"	5	13.0	147-553
16"	5	17.0	147-637

Custom Sizes

- Available up to 48" x 72"
- Weight: .0433 lbs. per cubic inch

THICKNESS
1/2"
3/4"
1"
2"

Custom Round Sizes:

- Same as equivalent square size plus \$15.00 net.

Options:

- Cutouts: \$22.00 each
- Gravy Groove: \$24.00 extra



Thermoplastic cutting boards #T46 PLASTI-TUFF®



- Made from a white high density polyethelene
- Won't crack, splinter, swell, or absorb liquids or odors
- Highly resistant to warping
- NSF tested and certified
- Available in several sizes and thicknesses
- Optional cutouts and gravy groove available



AVAILABLE COLORS:
White



Custom Round Sizes:

- Same as equivalent square size plus \$15.00 net.

Options:

- Cutouts: \$22.00 each
- Gravy Groove: \$24.00 extra

1/2" Thick

SIZE	PACK	WGT.	MODEL #
6" x 8"	12	0.8	168-476
8" x 8"	12	1.1	169-136
12" x 18"	6	3.7	171-876
15" x 20"	6	5.1	173-070
18" x 24"	6	7.4	173-724
48" x 96"	1	79.0	177-949

3/4" Thick

SIZE	PACK	WGT.	MODEL #
12" x 18"	4	5.6	171-892
15" x 20"	4	7.7	173-096
18" x 24"	4	11.1	173-740
48" x 96"	1	118.0	177-964

1" Thick

SIZE	PACK	WGT.	MODEL #
12" x 18"	3	7.41	171-868
15" x 20"	3	10.29	173-054
18" x 24"	3	14.8	173-690
48" x 96"	1	158.0	177-931

Custom Sizes

THICKNESS
1/2"
3/4"
1"
2"

- Available up to 49" x 109"
- Weight: .0343 lbs. per cubic inch



#T48 RAINBOW-PAK® Thermoplastic cutting boards

Thickness: 1/2"

- Made from a high density polyethelene
- Won't crack, splinter, swell, absorb liquids or odors
- Highly resistant to warping
- NSF tested and certified
- Each Rainbow-Pak® consists of 6 color-coded cutting boards to minimize the risk of cross contamination



AVAILABLE COLORS:
Red, Green, Blue, Yellow, Tan



Assorted Colors - 6 per pack

SIZE	WGT.	MODEL #
12" x 18" X 1/2"	22.0	437-522
15" x 20" X 1/2"	30.0	437-523
18" x 24" X 1/2"	45.0	437-524

Single Color - 6 per pack

SIZE	COLOR	MODEL #
12" x 18" X 1/2"	Red	754-662
12" x 18" X 1/2"	Green	754-663
12" x 18" X 1/2"	Blue	437-943
12" x 18" X 1/2"	Yellow	437-940
12" x 18" X 1/2"	Tan	437-941
15" x 20" X 1/2"	Red	754-664
15" x 20" X 1/2"	Green	754-665
15" x 20" X 1/2"	Blue	437-948
15" x 20" X 1/2"	Yellow	437-945
15" x 20" X 1/2"	Tan	437-946
18" x 24" X 1/2"	Red	754-666
18" x 24" X 1/2"	Green	754-667
18" x 24" X 1/2"	Blue	437-953
18" x 24" X 1/2"	Yellow	437-950
18" x 24" X 1/2"	Tan	437-951



Wall Chart & Cutting Guide



Rainbow Pak Rak

Rainbow Pak Rak

- Helps organize and maintain cutting boards
- Cutting boards not included

SIZE	WGT.	MODEL NO.
-	2.0	437-521





Hot Water Hose

- Withstands hot water temperatures up to 200° Fahrenheit
- Rubber jacket resists abrasion

Hot Water Hose

LENGTH	I.D.	PACK	WGT	MODEL #
25'	5/8"	10	5.3	724-546
50'	5/8"	5	10.0	724-311
50'	3/4"	3	15.3	724-547



Nozzles

DESCRIPTION	PACK	WGT	MODEL #
(A) Pro Series	5	1.0	752-784
(B) Premium	10	1.0	725-369
(C) Standard	5	1.0	714-089

Nozzles

- Insulated nozzle with contoured grip
- For hot water use
- Ideal for all wash down needs


BAR RAIL MAT



Thickness: 5/8"

- For use in restaurants, bars or anywhere drinks are served
- Prevents glasses and bottles from "walking" on wet counters
- Bar mats have insets for jigger storage and can hold up to six glasses

AVAILABLE COLORS:
Brown



		Brown	
DIMENSIONS	WGT	MODEL NO.	
3" x 27"	1.0	T98-4490-322	
12" x 18"	2.0	T98-4490-321	




#T28 FINGER SCRAPE *Ultimate entrance mat*

Thickness: 3/8"

- Tough rubber compound remains flexible even in extreme cold temperatures
- Slip resistant surface
- Molded rubber bristles grab and hold dirt
- Molded beveled edging on all 4 sides creates a retention dam to trap moisture while reducing trip hazards



AVAILABLE COLORS:
Black



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

ENTRANCE



DIMENSIONS	WGT	Black MODEL NO.
16" x 24"	4.0	0065-857
24" x 32"	10.0	0438-022
28" x 46"	16.4	4490-204
32" x 39"	15.0	0438-023
36" x 60"	27.0	0065-856
36" x 72"	33.0	0438-024

Perfect for entrances and C-stores #T29 RIDGE SCRAPER



Thickness: 1/4"

- Durable rubber matting designed with a low profile for door clearance / cart traffic
- **Raised bar design scrapes debris from shoes**
- Easy to clean – simply hose off
- Raised edge contains spills

AVAILABLE COLORS:
Black



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

Black		
DIMENSIONS	WGT	MODEL NO.
3' x 5'	11.0	0065-587
3' x 10'	48.0	4468-247
4' x 6'	18.0	4468-246


ENTRANCE



#T34 AQUA EDGE *Dirt / Moisture – carpet edge – rubber backing*

Thickness: 3/8"

- Molded bubble pattern facilitates scraping and drying, while raised perimeter retains moisture and debris
- Extremely durable – ideal for high traffic areas
- Fashionable carpet-to-the-edge to blend in with the décor
- 26 ounces of tufted yarn per sq. yard for increased moisture retention
- Anti-microbial carpet treatment to stop bacteria and germs at the door
- **Recommended product for “Green Cleaning” applications**
- High grade rubber backing reduces mat movement



AVAILABLE COLORS:
Dark Brown, Charcoal,
Slate Blue



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

Custom sizes available - please call for quotation.

		Dark Brown	Charcoal	Slate Blue
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	MODEL NO.
3' x 5'	7.0	4454-721	4454-720	4454-723
4' x 6'	11.0	4454-741	4454-740	4454-743

Charcoal

Dark Brown

Slate Blue



Traps dirt/moisture, rubber border & backing #T35 WATER MASTER



Thickness: 3/8"

- 100% polypropylene stain and fade resistant fibers
- Raised waffle pattern facilitates scraping and drying, while the channel design retains moisture and debris
- Raised rubber border on all 4 sides acts as a containment barrier that traps moisture and debris
- 26 ounces of tufted yarn per sq. yard for increased moisture retention
- **Recommended product for "Green Cleaning" applications**
- Molded rubber cleats on the underside of the mat grip underlying surfaces and minimizes mat movement

AVAILABLE COLORS:
Dark Brown, Charcoal,
Slate Blue



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

Custom sizes available - please call for quotation.

		Dark Brown	Charcoal	Slate Blue
DIMENSIONS	WGT	MODEL NO.	MODEL NO.	MODEL NO.
3' x 5'	7.0	4468-436	4468-435	4468-433
4' x 6'	24.0	4468-478	4468-432	4468-430

Charcoal

Dark Brown


Slate Blue



#138 UPTOWN™ Upscale scrape & entrance mat

Thickness: 3/8"

- High-low looped pile entrance mat that provides functionality for drying and retaining moisture and debris, while offering an upscale, elegant look
- 40 ounces of tufted Decalon® yarn per square yard offer the ultimate in moisture absorption and crush resistance
- A heavy-weight vinyl backing available in corresponding colors to ensure minimum mat movement and enhance the aesthetic appeal of the mat
- **Recommended product for "Green Cleaning" applications**



AVAILABLE COLORS:
Charcoal, Brown



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption	[Progressive bar from FAIR to ULTIMATE]				
dirt scraping	[Progressive bar from FAIR to ULTIMATE]				
outdoor use	[Progressive bar from FAIR to ULTIMATE]				
wearability	[Progressive bar from FAIR to ULTIMATE]				

		Charcoal	Brown
DIMENSIONS	WGT	MODEL NO.	MODEL NO.
3' x 5'	13.0	138-S0035-CH	138-S0035-BR
4' x 6'	21.0	138-S0046-CH	138-S0046-BR

Charcoal

Brown



ENTRANCE



Combine w/ Uptown™ for high-end matting system **#139 BOULEVARD™**



Thickness: 3/8"

- A unique high-low wave design of alternating Decalon® drying yarn and Decalon® yarn wrapped with a tough mono-filament for ultra-aggressive scraping
- 40 ounces of tufted yarn per square yard offer the ultimate in moisture absorption and crush resistance
- A heavy-weight vinyl backing available in corresponding colors to ensure minimum mat movement and enhance the aesthetic appeal of the mat
- **Recommended product for "Green Cleaning" applications**

AVAILABLE COLORS:
Charcoal, Brown



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

DIMENSIONS	WGT	Charcoal	Brown
		MODEL NO.	MODEL NO.
3' x 5'	14.0	139-S0035-CH	139-S0035-BR
4' x 6'	22.0	139-S0046-CH	139-S0046-BR

Charcoal

Brown



ENTRANCE



#T37 ATLANTIC OLEFIN *Superior water absorption*

Thickness: 3/8"

- Stain resistant, 100% Olefin fibers – A step above commodity entrance matting
- **Exceptional water absorption**
- Vinyl backing helps reduce mat movement



AVAILABLE COLORS:
Forest Green, Dark Toast,
Gun Metal, Slate Blue,
Crimson



QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
<i>water absorption</i>					
<i>dirt scraping</i>					
<i>outdoor use</i>					
<i>wearability</i>					

ENTRANCE

DIMENSIONS	WGT	Forest Green	Dark Toast	Gun Metal	Slate Blue	Crimson
		MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
2' x 3'	4.0	4468-175	4468-173	4468-171	4468-174	4468-172
3' x 4'	8.0	4468-111	0434-315	0434-323	4468-110	0434-331
3' x 5'	10.0	4468-181	0434-316	0434-324	4468-078	0434-332
3' x 6'	12.0	4468-103	0434-317	0434-325	4468-102	0434-333
3' x 10'	20.0	4468-119	0434-318	0434-326	4468-118	0434-334
4' x 6'	16.0	4468-163	0434-320	0434-328	4468-082	0434-336
4' x 8'	21.0	4468-127	0434-321	0434-329	4468-126	0434-337
4' x 10'	27.0	4468-180	4468-133	4468-131	4468-134	4468-132
3' x 60'	120.0	4468-159	0434-319	0434-327	4468-086	0434-335
4' x 60'	160.0	4468-155	0434-322	0434-338	4468-090	0434-388
6' x 60'	240.0	4468-151	4468-137	4468-135	4468-138	4468-136

Custom sizes available - please call for quotation.



Best scraper mat #T39 BRISTOL RIDGE



AVAILABLE COLORS:
Forest Green, Coffee, Cardinal,
Midnight, Slate Blue

Thickness: 3/8"

- A lighter-weight double rib high / low design – best scraper mat on the market
- Solution dyed to prevent fading
- Vinyl backing helps reduce mat movement
- Low profile to perform in narrow clearance doorways

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

Custom sizes available - please call for quotation.

DIMENSIONS	WGT	Forest Green MODEL #	Coffee MODEL #	Cardinal MODEL #	Midnight MODEL #	Slate Blue MODEL #
2' x 3'	4.0	4457-860	4457-881	4457-883	4457-884	4457-887
3' x 4'	9.0	4457-861	0434-363	0434-355	0434-347	4457-895
3' x 5'	12.0	4457-862	0434-364	0434-356	0434-348	4457-902
3' x 6'	13.5	4457-863	0434-365	0434-357	0434-349	4457-910
3' x 10'	22.8	4457-944	4457-912	0434-358	0434-350	4457-945
3' x 20'	44.0	4457-864	4457-914	4457-916	4457-917	4457-920
4' x 6'	18.0	4457-865	0434-368	0434-360	0434-352	4457-926
4' x 8'	24.0	4457-866	0434-369	0434-361	0434-353	4457-934
4' x 20'	58.0	4457-867	4457-938	4457-940	4457-941	4457-942
3' x 60'	120.0	4458-167	0434-367	0434-359	0434-351	4458-188
4' x 60'	182.0	4458-174	0434-370	0434-362	0434-354	4458-189
6' x 60'	263.0	4458-184	4458-180	4458-182	4458-183	4458-190

Dirt / Moisture #T40 CHEVRON



AVAILABLE COLORS:
Charcoal,
Slate Blue, Dark Brown

**IMPROVED
HEAVIER
WEIGHT!**

Thickness: 5/16"

- Popular chevron carpet design – attractive and functional
- Multi-directional pattern scrapes debris from shoes regardless of traffic flow
- Vinyl backing helps reduce mat movement
- Low profile to perform in narrow clearance doorway

QUALITY METER	FAIR	GOOD	BETTER	BEST	ULTIMATE
water absorption					
dirt scraping					
outdoor use					
wearability					

DIMENSIONS	WGT	Charcoal MODEL NO.	Dark Brown MODEL NO.	Slate Blue MODEL NO.
2' x 3'	5.0	4459-101	4459-102	4459-103
3' x 5'	12.0	4459-117	4459-118	4459-119
4' x 6'	19.0	4459-141	4459-142	4459-143

Custom sizes available - please call for quotation.



ENTRANCE




BRILLIANTSTEP™ IMAGE MATTING

- Dye-injection process for long lasting, vibrant color
- Color palette of 16 base colors
- Perfect for placement inside entrances of restaurants, hotels, retail shops, department stores, schools and supermarkets
- Anti-slip backing to minimize mat movement
- 24 ozs. of cut-pile nylon provides increased moisture retention



Call for Pricing



ENTRANCE

DEALER SHOWROOM MERCHANDISERS

DISPLAYS



VERTICAL DISPLAY RACK

Free-standing rack with point-of-purchase selection guide designed for display of 12" mat samples. Requires only one square foot of showroom floor space. Ships complete with product samples and catalogs. No assembly required.

MULTI-MAT II® RACK

Point-of-purchase rack that holds two 32' rolls of Multi-Mat II®. Complete with attractive header display that provides a way to merchandise and sell custom sizes direct from showroom floor.



CUTTING BOARD DISPLAY RACK

Cardboard merchandiser for marketing Plasti-TUFF® and Sani-TUFF® boards. Holds up to six cases of assorted sizes.



- Heavy-duty galvanized steel frame resists rust
- Five inch high density polyurethane casters
- Holds up to 500 lbs. of matting



DIMENSIONS	WGT	MODEL NO.
40" x 42" x 28"	85	755-641



MAT UTILITY KART

- Heavy-duty galvanized steel frame resists rust
- Quick and easy to assemble and store
- Middle section will transport a 44 gallon container
- Removable handles (folds up for easy handling)
- Bolt-on casters



DIMENSIONS	WGT	MODEL NO.
44" x 25" x 30"	50	112-733



MAT REPLACEMENT GUARANTEE

Mats are guaranteed against defects in material, workmanship, and breakdown due to grease and oil exposure. Matting subjected to grease must be cleaned on a regular basis with hot water and a detergent that contains neither bleach, nor chlorine or butyl.

Factory liability is limited to the remaining warranty from date of purchase. Warranty claims must be authorized for return and shipped prepaid for inspection and evaluation. Replacement matting is prorated to the equivalent of the remaining period.

Notes – improper cleaning, handling, folding, or use of commercial dishwasher for cleaning mats will shorten expected useful life. This is not covered under replacement guarantee.

DO NOT use BLEACH or any BUTYL-BASED DEGREASER regardless of where the mat is used. Usage of these chemicals will void the product warranty.

INDEX

#T34	AQUA EDGE	32	#T23	MULTI-MAT II®	14
#T37	ATLANTIC OLEFIN	36	#755	NIRU® VERSA RUNNER®	15
	BAR RAIL MAT	29	#T15	OPTIMAT®	6
#139	BOULEVARD™	35	#T47	PLASTI-TILE	16
	BRILLIANTSTEP™ IMAGE MATTING	38	#T46	PLASTI-TUFF®	27
#T39	BRISTOL RIDGE	37	#T48	RAINBOW-PAK®	28
#T25	CHALLENGER®	13		RAK-A-MAT	39
#T40	CHEVRON	37	#T29	RIDGE SCRAPER	31
#T31	CLICK MAT SOLID	19	#T11	SAN-EZE II®	2
#T41	COMFORT REST PEBBLE FOAM	20	#T12	SAN-EZE®	3
#T42	COMFORT REST RIBBED FOAM	21	#T45	SANI-TUFF®	26
#544	COMFORT ZONE™	9	#T19	STEP LIGHT®	16
#T30	COMPETITOR®	12	#T18	SUPERFLOW®	8
#T27	CORRUGATED RUNNER®	23	#T17	SUPERFOAM®	17
	DEALER SHOWROOM MERCHANDISERS	38	#T16	TEK-CONNECT®	7
#765	DEEP FREEZE MAT™	25	#T14	TEK-TOUGH JR.®	5
#T28	FINGER SCRAPE	30	#T13	TEK-TOUGH®	4
#T20	FOOTSAVER®	18	#T21	TRACTION MAT®	22
#T22	GRIP TRUE®	10	#T56	ULTRA MAT MAX®	11
#T26	HERCULES®	13	#T32	ULTRA MAT®	11
	HOSES & NOZZLES	29	#138	UPTOWN™	34
#470	MARBLE SOF-TYLE™	24	#T35	WATER MASTER	33
	MAT UTILITY KART	39			

1. Payment terms are net 30 days.
2. BROKEN CARTON CHARGE: \$5.00; HOSE CARTONS: \$12.00.
3. MINIMUM ORDER: Standard sizes, \$100.00 (net invoice); custom sizes, no minimum. Orders under minimum will be processed plus \$25.00 (net) handling charge.
4. RETURN MERCHANDISE: Request to return merchandise must be approved by the factory. Unauthorized returns will be refused. Authorized merchandise returns are subject to a 20% restocking fee, with a \$25 minimum charge.
5. DROP SHIPMENTS: As a favor for dealers, stock merchandise will be drop shipped subject to a \$25.00 drop shipment charge.
6. DAMAGED CLAIMS: Title to merchandise passes at the time of pick-up by the carrier. Loss or damage claims must be filed with the carrier.
7. Orders are accepted at the prices in effect at the time of shipment. Prices are subject to change without notice.
8. Because of the unique characteristic of rubber-based products, the specifications listed are nominal measurements.
9. Stated warranty relates only to manufacturing defects and protection from grease and oil exposure under normal operating conditions. Improper cleaning and material handling (folding, tearing, etc.) may shorten the expected useful life of rubber matting and is not subject to warranty claim. Never fold rubber matting. The use of commercial dishwasher is not recommended for cleaning floor matting. Intense hot water for extended period of time in a dishwasher can contribute to rubber deterioration. In heavy grease areas, daily cleaning is recommended.
10. Superior Manufacturing Group guarantees the bond on all NoTrax® Apex™ laminated mats that incorporate the UniFusion™ process for the lifetime of the mat. The bond is guaranteed under normal conditions of use in reasonable dry application environments, or a full refund or replacement mat (based on the manufacturer's discretion) will be issued. Proof of purchase is required for all refunds or replacements. This lifetime warranty protects against de-lamination or bond failure, and does not cover issues unrelated to the bond such as wear or foam tears.

MATTING ICONS



Drainage:
Open construction allows for moisture to pass through, providing secure footing in a wet environment.



Anti-Slip:
Matting designed to provide added traction through aggressive surface patterns and textures.



Welding:
Made of durable rubber compounds, these mats can be used in areas where welding takes place.



Anti-Static:
Formulated to absorb static electricity.



Outdoor Use: Heavy-duty construction designed to act as a first line of defense against tracked-in dirt by scraping, soil and moisture from shoes.



Custom:
Mats available in custom sizes and/or lengths.



Food Service:
Matting suitable for use in kitchens, bars and other food service areas where durability, grease resistance and drainage are a priority.



Ergonomic/Anti-Fatigue:
Matting that alleviates foot pressure, stimulates blood circulation and helps reduce stress on the lower back, leg joints and major muscle groups.



Food Processing:
Matting suitable for use in food processing plants/areas where exposure to animal fats, greases, and oils are common.



Products featuring the GreenTRAX™ logo in this catalog are top-rated for use in a highly efficient entrance matting system for Green Cleaning



SUPERIOR MANUFACTURING GROUP, INC.

HOW TO ORDER

Fax: 800.310.9412 • Phone: 866.966.8729
Or, contact your local Apex™ Representative.
When ordering, please order by model number.



FOOD SERVICE DIVISION

The Plant
60 Valley Street
Suite 101
Providence, RI 02909
USA



MOSELLE DIVISION

Moselle, Mississippi USA
ISO 9001:2002



CALHOUN DIVISION

Calhoun, Georgia USA
ISO 9001:2002



SMG - EUROPE B.V.

Barendrecht, Netherlands



CORPORATE HEADQUARTERS

Chicago, Illinois USA



T980099018
9/2008