



B/A PRODUCTS Co.
8925 MCGAW COURT
COLUMBIA MD 21045-4725
PHONE (410) 381-1700
FAX (410) 381-6358
TOLL FREE (800) 327-3301

*PARTS AND ACCESSORIES FOR THE TOWING &
AUTO TRANSPORT INDUSTRIES*

www.baproduct.com



*B/A PRODUCTS CO. HAS BEEN SUPPLYING QUALITY PARTS &
ACCESSORIES TO THE TOWING INDUSTRY SINCE 1978.*

B/A PRODUCTS CO.

2012 Catalog Draft



TABLE OF CONTENTS

Auto Transport Assemblies	22 - 24
Basket Style Wheel Lift Straps	27 - 28
Cable Tensioners	32
Cargo Tie-Downs	39 - 40a
Dolly Tires	41
Door Tools	36 - 38
Form Holders	50
Folding Steps	51
Grade 40 V Chains	1
Grade 40 Chain Assemblies	2
Grade 70 Chain Assemblies	6 - 8
Grade 70 Clusters	9
Grade 70 Hooks & Fittings	3 - 5
Grade 70 V Chains	10 - 11
Grade 70 V Straps	12 - 13
Grade 80 Chain Assemblies, Hooks & Fittings	14 - 15
Grade 100 Chain Assemblies, Hooks & Fittings	15a - 15b
Grade 120 Chain Assemblies, Hooks & Fittings	15c
Hand Rails	51
Light Bars & Mini Light Bars	42
Motorcycle Dolly & Accessories	45
Plug in Jumper Cables	49 - 50
PTO Cables	46
Recovery Straps & Accessories	34 - 35b
Rollback Tie-Down Systems	16 - 17
Roll back / Under lift Tie-Downs	20 - 21a
Round Slings	29
Side Pullers & Accessories	30a
Sling Straps	41
Snatch Blocks	30 - 30a
Steering Wheel Locks	48
Strap Ratchets	18 - 19
Tire Chains	52
Tow Lights & Accessories	43 - 44
Trailer Accessories Replacement Parts	24 - 24a
Trailer Straps	25 - 26
Throttle Cables	47
Winch Cables	31-31a

All assemblies are manufactured in our factory with 5/16" Grade 40 (High Test) chain and are completely zinc plated. All J hooks are forged, heat treated steel.



5/16" G4 V Chain with 15" J hooks and Grab hooks at pear link

Length	Part #
2' legs	F11-8


WLL: 3,900 lbs



5/16" G4 V Chain with 15" J & T hooks and Grab hooks at pear link

Length	Part #
2' legs	F11-8T

WLL: 3,900 lbs



5/16" G4 V Chain with 8" J hooks and Grab hooks at pear link

Length	Part #
2' legs	F11-8D

WLL: 3,900 lbs



5/16" G4 V Chain with 8" J & T hooks and Grab hooks at pear link

Length	Part #
2' legs	F11-8DT
3' legs	F11-8DT3

WLL: 3,900 lbs



5/16" G4 V Chain with 8" J & Mini J hooks and Grab hooks at pear link

Length	Part #
2' legs	F11-8DJ

WLL: 3,900 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 40 CHAIN ASSEMBLIES



All assemblies are manufactured in our factory using the highest quality domestic 5/16" Grade 40 (High Test) chain and are completely zinc plated. All hooks are forged, heat treated steel.



5/16" G40 chain with T & Mini J hook on one end

Length	Part #
6'	11-11MT1

WLL: 3,900 lbs



5/16" G40 chain with 15" J hook one end, Grab hook other end

Length	Part #
10'	F11-1C
8'	F11-1

WLL: 3,900 lbs



5/16" G40 chain with 15" J hook one end, Grab & T hook other end

Length	Part #
10'	F11-6
8'	F11-6B
6'	F11-6A6

WLL: 3,900 lbs



5/16" G40 chain with 8" J hook one end, Grab & T hook other end

Length	Part #
10'	F11-6C
8'	F11-6E
6'	F11-6D6

WLL: 3,900 lbs



5/16" G40 chain with Slip hook one end

Length	Part #
10'	11-11D

WLL: 3,900 lbs



5/16" G40 chain with Grab hook one end, R, T, Mini J cluster other end

Length	Part #
10'	11-GCL10

WLL: 3,900 lbs



3/8" G40 chain with 15" J hook one end, grab & T hooks other end

Length	Part #
10'	11-6-38

WLL: 3,900 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 HOOK & FITTINGS



Hooks & fittings for any need.



Part # N711-2
15" Forged J hook
WLL: 5,400 lbs




Part # N711-2-L
15" Forged J Hook
on link
WLL: 5,400 lbs



Part # G711-2CL
Clevis 15" Forged J
Hook
WLL: 5,400 lbs



Part # N711-10
Forged 8" J hook
WLL: 5,400 lbs



Part # N711-10-L
Forged 8" hook on
link
WLL: 5,400 lbs



Part # G711-10CL
Clevis Forged 8" J
hook
WLL: 5,400 lbs



G70 Clevis Grab hook with latch		
Size	Part #	WLL
5/16"	11-516G7GHL	4,700 lbs
3/8"	11-38G7GHL	6,600 lbs
1/2"	11-12G7GHL	11,300 lbs



G70 Slip hook with latch		
Size	Part #	WLL
5/16"	11-516G7SHL	4,700 lbs
3/8"	11-38G7SHL	6,600 lbs
1/2"	11-12G7SHL	11,300 lbs



G70 Weldable Grab hook		
Size	Part #	WLL
5/16"	11-516WGH	4,700 lbs
3/8"	11-38WGH	6,600 lbs
1/2"	11-12WGH	11,300 lbs
5/8"	11-58WGH	15,800 lbs



Double Clevis		
Size	Part #	WLL
5/16"	11-DC516	4,700 lbs
3/8"	11-DC38	6,600 lbs
1/2"	11-DC12	11,300 lbs
5/8"	11-DC58	15,800 lbs

Warning: Never exceed Work Load Limit (WLL)



Part # 11-7A
Plated T Hook

WLL: 4,700 lbs



Part # 11-7A-L
Plated T Hook with link

WLL: 4,700 lbs



Part # 11-7H
Plated Hammerhead™ hook

WLL: 4,700 lbs



Part # 11-7H-L
Hammerhead™ Hook with link

WLL: 4,700 lbs



Part # 11-7R
Plated R Hook

WLL: 4,700 lbs



Part #: BAP-R
R hook on link

WLL: 4700 lbs



Part # 11-7J
Forged Mini J hook Plated

WLL: 4,700 lbs



Part # 11-7J-L
Plated and forged Mini J hook

WLL: 4,700 lbs



Part # 11-398H
Heavy Duty sling hook

WLL: 4,700 lbs



Part # 11-398H-L
Heavy Duty sling hook with link

WLL: 4,700 lbs

Warning: Never exceed Work Load Limit (WLL)



Part # 11-7D
T/Grab hook Combo

WLL: 4,700 lbs



Part # 11-7MDG
Mini Datsun /Grab hook
combo

WLL: 3,150 lbs



Part # 11-7MD
Forged Mini Datsun /
Compact Mini J hook

WLL: 4,700 lbs



Part # BAP-58S
5/8" long open S hook

WLL: 3,150 lbs



Open Fairlane

Size	Part #
5/8"	BAP-58MF
9/16"	BAP-916MF

WLL: 3,150 lbs



Part # 11-7MF
Mini Datsun (mini Fairlane)
hook.

WLL: 3,150 lbs



Part # BAP-G
Grab hook on link

WLL: 4,700 lbs



Part # 11-7HO
Plated hook cluster:
Hammerhead™ on Oblong

WLL: 5,400 lbs



Cold Shut

Size	Part #
3/8"	11-3
7/16"	11-716CS

WLL: Not Rated

BULK CHAIN - ALL GRADES



Grade 40 - Zinc Plated		
Chain Size	Part #	Work Load Limit
5/16"	11-516G4	3,900 lbs
3/8"	11-38G4	5,400 lbs
1/2"	11-12G4	9,200 lbs
5/8"	11-58G4	11,500 lbs



Grade 70 - Yellow Zinc		
Chain Size	Part #	Work Load Limit
1/4"	11-14G7	3,150 lbs
5/16"	11-516G7	4,700 lbs
3/8"	11-38G7	6,600 lbs
1/2"	11-12G7	11,300 lbs
5/8"	11-58G7	15,800 lbs



Grade 80 - Alloy Chain		
Chain Size	Part #	Work Load Limit
		Straight
5/16"	G8-516	5,350 lbs
3/8"	G8-38	7,100 lbs
1/2"	G8-12	12,000 lbs
5/8"	G8-58	18,100 lbs
3/4"	G8-34	28,300 lbs



Grade 100		
Chain Size	Part #	Work Load Limit
		Straight
5/16"	G10-516	5,700 lbs
3/8"	G10-38	8,800 lbs
1/2"	G10-12	15,000 lbs
5/8"	G10-58	22,600 lbs
3/4"	G10-34	35,300 lbs



Grade 120		
Chain Size	Part #	Work Load Limit
		Straight
1/2"	G12-12	17,900 lbs
3/8"	G12-38	10,600 lbs
9/32"	G12-932	5,200 lbs

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 CHAIN ASSEMBLIES

All assemblies are manufactured in our factory using the highest quality Domestic 5/16" Grade 70 (Transport) Chain and are completely zinc plated.
All hooks are forged, heat treated steel.



5/16" G7 Chain with 15" J hook one end, T & Grab hooks other end.

Length	Part #
10'	N711-6
8'	N711-6B
6'	N711-6A6

WLL: 4,700 lbs



5/16" G7 Chain with 8" J hook one end, T & Grab hooks other end.

Length	Part #
10'	N711-6C
8'	N711-6E
6'	N711-6D6
5'	N711-6D

WLL: 4,700 lbs



5/16" G7 Chain with 15" J one end, Grab & Hammerhead™ hooks other end

Length	Part #
10'	N711-6H
8'	N711-6BH
6'	N711-6AH6

WLL: 4,700 lbs



5/16" G7 Chain with 15" J one end, Grab & Mini J hooks other end

Length	Part #
10'	N711-6J
8'	N711-6BJ
6'	N711-6AJ6

WLL: 4,700 lbs



5/16" G7 Chain with 15" J one end, Grab, R, T & Mini J hooks other end

Length	Part #
10'	N711-6LUG10
8'	N711-6LUG8
6'	N711-6LUG6

WLL: 4,700 lbs



5/16" G7 Chain with a 15" J hook one end & Grab hook other end

Length	Part #
8'	N711-1

WLL: 4,700 lbs



5/16" G7 Chain with 15" J one end, Grab & Compact J hooks other end

Length	Part #
10'	N711-6M10

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 CHAIN ASSEMBLIES



3/8" G7 Chain with a Grab hook on each end

Length	Part #
20'	11BC-38G720
15'	11BC-38G715
10'	11BC-38G710

WLL: 6,600 lbs



5/16" G7 Chain with a Grab hook on each end

Length	Part #
20'	11BC-516G720
15'	11BC-516G715
10'	11BC-516G710

WLL: 4,700 lbs



5/16" G7 Chain with Mini J & Grab hooks on one end

Length	Part #
8'	N711-GJ8

WLL: 4,700 lbs



5/16" G7 Chain with Hammerhead™ combo & Grab hooks on one end

Length	Part #
8'	N711-HG8

WLL: 4,700 lbs



5/16" G7 Chain with grab hook one end, T & Grab hooks other end

Length	Part #
10'	N711-5V10
6'	N711-5V6

WLL: 4,700 lbs



5/16" G7 Chain with Grab hook on welded link one end & welded link other end

Length	Part #
30"	N711-30GL

WLL: 4,700 lbs



5/16" G7 Chain with Grab hook one end, R, T Mini J Cluster other end

Length	Part #
10'	N711-GCL10
8'	N711-GCL8
6'	N711-GCL6
4'	N711-GCL4

WLL: 4,700 lbs



5/16" G7 Chain with Mini J & T hooks one end

Length	Part #
6'	N711-MT1

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



5/16" G7 Chain with Grab hook one end, R & Hammerhead™ hooks other end

Length	Part #
12'	N711-RH12G
10'	N711-RH10G

WLL: 4,700 lbs



5/16" G7 Chain with Grab & T hooks on one end.

Length	Part #
8'	N711-TG8

WLL 4,700 lbs



5/16" G7 Chain with 3/8" Clevis Slip hook on one end

Length	Part #
10'	N711-11D

WLL: 4,700 lbs



5/16" G7 Chain with Eye Slip hook on one end

Length	Part #
10'	N711-3210

WLL: 4,700 lbs



5/16" G7 Chain with Heavy Duty Latched Sling hook one end

Length	Part #
12'	N711-3212
10'	N711-11ALH

WLL: 4,700 lbs



5/16" G7 Chain with Heavy Duty Latched Sling hook one end & Grab hook other end

Length	Part #
12'	N711-3213

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

All assemblies are completely zinc plated.
** Customs assemblies made to order, call with specifications.**



Part #11-7CL
Plated hook cluster: R, T
and Mini J Hooks on
Oblong
WLL: 4,700 lbs



Part #11-7CL-G
Plated hook cluster: Grab,
R, T and Mini J Hooks
WLL: 4,700 lbs



Part # 11-7CL-P
Plated hook cluster: R, T
and Mini J Hooks on Pear
link
WLL: 4,700 lbs



Part #11-7GH
Plated hook cluster: Grab
and Hammerhead™ on
Oblong
WLL: 4,700 lbs



Part #11-7GMT
Plated hook cluster: Grab,
T and Mini J Hooks on
Oblong
WLL: 4,700 lbs



Part #11-7JTO
Plated hook cluster: T and
Mini J Hooks on Oblong
WLL: 4,700 lbs



Part # N711-8E
Grab hooks on Pear link
WLL: 4,700 lbs



Part # 11-7MRT
R, T & MINI Datsun Hook
Cluster
WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

All assemblies are completely zinc plated.

** Customs assemblies made to order, call with specifications.**



Part # 11-7RH
R & Hammerhead™ hook
on oblong

WLL: 4,700 lbs



Part # HDW-8CJ
8" J & Mini J hooks on
oblong

WLL: 4,700 lbs



Part # HDW-8CLT
15" J & Mini J hooks on
oblong

WLL: 4,700 lbs



Part # HDW-8FCH
8" J & Hammerhead™ on
oblong

WLL: 4,700 lbs



Part #BA-DGRT
SC — Mini Datsun, Grab,
R and T hooks Cluster

WLL: 4,700 lbs



Part #BAP-DGRT
Mini Datsun, Grab, R and
T hooks Cluster

WLL: 4,700 lbs



Part #BA-DGT
SC - Mini Datsun, Grab and
T hooks Cluster

WLL: 4,700 lbs



Part #BAP-DGT
Mini Datsun, Grab and T
hooks Cluster

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 AUTO TRANSPORT CLUSTERS



All assemblies are completely zinc plated.
** Customs assemblies made to order, call with specifications.**



Part #BA-G
SC - Grab hook on link

WLL: 4,700 lbs



Part #BAP-G
Grab hook on link

WLL: 4,700 lbs



Part #BA-GG
SC - Two Grab hooks on link

WLL: 4,700 lbs



Part #BAP-GG
Two Grab hooks on link

WLL: 4,700 lbs



Part #BA-GJ
SC - Grab and Mini J hook Cluster

WLL: 4,700 lbs



Part #BAP-GJ
Grab and Mini J hook Cluster

WLL: 4,700 lbs



Part #BA-GJRT
SC - Grab, Mini J, R and T hook Cluster

WLL: 4,700 lbs



Part #BAP-GJRT
Grab, Mini J, R and T hook Cluster

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

All assemblies are completely zinc plated.

** Customs assemblies made to order, call with specifications.**



Part #BA-GR
SC - Grab & R hook on link

WLL: 4,700 lbs



Part #BAP-GR
Grab & R hook on link

WLL: 4,700 lbs



Part #BA-GT
SC - Grab & T hook on link

WLL: 4,700 lbs



Part #BAP-GT
Grab & T hook on link

WLL: 4,700 lbs



Part #BA-R
SC - R hook on link

WLL: 4,700 lbs



Part #BAP-R
R hook on link

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 V CHAINS



All assemblies are made with Domestic 5/16" Grade 70 (Transport) Chain. All hooks are forged, heat treated steel. Entire V Chain is zinc plated. All V Chains feature grab hooks at pear link for adjustment and are manufactured at the B/A factory.
(4,700 lbs WLL on a Straight pull - 5,400 lbs WLL on a 60° angle)



V Chain with 15" J hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8	5,400 lbs
3' leg	N711-8-3	5,400 lbs



V Chain with 15" J & Hammerhead™ hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8H	5,400 lbs




V Chain with 15" J & Mini J hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8J	5,400 lbs
3' leg	N711-8J3	5,400 lbs



V Chain with 15" J & T hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8T	5,400 lbs
3' leg	N711-8T3	5,400 lbs



V Chain with 8" J hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8D	5,400 lbs
3' leg	N711-8D3	5,400 lbs



V Chain with 8" J & Hammerhead™ hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8DH	5,400 lbs
3' leg	N711-8DH3	5,400 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

(4,700 lbs W.L.L. on a Straight pull - 5,400 lbs W.L.L. on a 60° angle)



V Chain with 8" J & Mini J hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8DJ	5,400 lbs
3' leg	N711-8DJ3	5,400 lbs



V Chain with 8" J & T hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8DT	5,400 lbs
3' leg	N711-8DT3	5,400 lbs



V Chain with Hammerhead™ hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8HM	5,400 lbs



V Chain with R, T & Mini J hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8LU2	5,400 lbs
3' leg	N711-8LU	5,400 lbs
5' leg	N711-8LU5	5,400 lbs
6' leg	N711-8LU6	5,400 lbs



V Chain with Mini J hooks (and Grab hooks at pear link)

Length	Part #	WLL
2' leg	N711-8MJ	5,400 lbs



V Chain with R & Hammerhead™ hooks (and Grab hooks at pear link)

Length	Part #	WLL
3' leg	N711-8RH	5,400 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 V STRAPS



B/A Products V Straps are manufactured in our Columbia, MD factory using the highest quality domestic web and have the following features:

- ◆ Stocked in 24" and 30" legs.
- ◆ All components are Forged G70 & zinc plated.
- ◆ 3" 3ply construction provides the most durable V Strap in the industry.
- ◆ Tower Edge™ black cordura reinforced edge webbing for abrasion resistance.
- ◆ Tapered eyes on the pear link end and cordura lined on the hook end.

Work Load Limit 5,400 lbs at 45°



V Strap with 15" J hooks

Length	Part #
24" legs	N711-8CL
30" legs	N711-8CL30



V Strap with 15" J hooks & T hooks

Length	Part #
24" legs	N711-8CLT
30" legs	N711-8CLT30



V Strap with 15" J hooks, T & Mini J hooks

Length	Part #
24" legs	N711-8CLTJ



V Strap with 8" J hooks

Length	Part #
24" legs	N711-8C
30" legs	N711-8C30



V Strap with 8" J hooks & Mini J hooks

Length	Part #
24" legs	N711-8CJ
30" legs	N711-8CJ30



V Strap with 8" J hooks & T hooks

Length	Part #
24" legs	N711-8FCT
30" legs	N711-8FCT30

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



V Strap with 8" J hooks & Hammerhead™ combo hooks

Length	Part #
24" legs	N711-8FCH
30" legs	N711-8FCH30



V Strap with Clusters (R, T & Mini J hooks)

Length	Part #
24" legs	N711-8CLU
30" legs	N711-8CLU30
36" legs	N711-8CLU36
72" legs	N711-8CLU72



V Strap with Mini J hooks


Length	Part #
24" legs	N711-8CMJ
30" legs	N711-8CMJ30



Adjustable V Strap with chain and hook clusters (R, T & Mini J hooks)

Length	Part #
24" legs	N711-AV-CP

Overall leg length 36"



V Strap with Hammerhead™ combo hooks

Length	Part #
24" legs	N711-8CH
30" legs	N711-8CH30



Adjustable V Strap with chain and hook clusters (R, T & Mini J hooks)

Length	Part #
24" legs	N711-AV-WP

Overall leg length 36"

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 80 HOOKS



All Hooks are Forged Grade 80.

** Custom assemblies made to order, call with specifications.**



CLEVLOCK CRADLE GRAB		
Size	Part #	WLL
5/16"	G8-516CGH	5,350 lbs
3/8"	G8-38CGH	7,100 lbs
1/2"	G8-12CGH	12,000 lbs
5/8"	G8-58CGH	18,100 lbs
3/4"	G8-34CGH	28,300 lbs



COUPLING LINK / HAMMERLOCK		
Size	Part #	WLL
1/4"	G8-14ACL	3,500 lbs
5/16"	G8-516ACL	5,350 lbs
3/8"	G8-38ACL	7,100 lbs
1/2"	G8-12ACL	12,000 lbs
5/8"	G8-58ACL	18,100 lbs
3/4"	G8-34ACL	28,300 lbs



G80 LOCKABLE CRADLE GRAB		
Size	Part #	WLL
5/16"	G8-516LG	5,350 lbs
3/8"	G8-38LG	7,100 lbs
1/2"	G8-12LG	12,000 lbs
5/8"	G8-58LG	18,100 lbs



G80 CLEVIS GRAB HOOK		
Size	Part #	WLL
1/4"	G8-14H	3,500 lbs
5/16"	G8-516H	5,350 lbs
3/8"	G8-38H	7,100 lbs
1/2"	G8-12H	12,000 lbs
5/8"	G8-58H	18,100 lbs



G80 FOUNDRY HOOKS		
Size	Part #	WLL
3/8"	G8-38EFH	7,100 lbs
1/2"	G8-12EFH	12,000 lbs
5/8"	G8-58EFH	18,100 lbs



G80 SELF LOCK CLEVIS HOOK		
Size	Part #	WLL
5/16"	G8-516SLCH	5,350 lbs
3/8"	G8-38SLCH	7,100 lbs
1/2"	G8-12SLCH	12,000 lbs
5/8"	G8-58SLCH	18,100 lbs



G80 CLEVIS SLING HOOK WITH LATCH		
Size	Part #	WLL
5/16"	G8-516SHL	5,350 lbs
3/8"	G8-38SHL	7,100 lbs
1/2"	G8-12SHL	12,000 lbs
5/8"	G8-58SHL	18,100 lbs



G80 OMEGA COUPLING LINK		
Size	Part #	WLL
3/8"	G8-38OL	7,100 lbs
1/2"	G8-12OL	12,000 lbs
5/8"	G8-58OL	18,100 lbs

Warning: Never exceed Work Load Limit (WLL)

GRADE 80 CHAIN ASSEMBLIES

All J Hooks are Forged Grade 80.
 ** Custom assemblies made to order, call with specifications.**
 AVAILABLE IN ANY LENGTH OR HOOK COMBINATION



Grade 80 Chain with Cradle Grab Hooks on both ends					
Length	Part #	WLL	Length	Part #	WLL
5/16"			1/2"		
10'	G8-51610SGG	5,350 lbs	10'	G8-1210SGG	12,000 lbs
15'	G8-51615SGG		15'	G8-1215SGG	
20'	G8-51620SGG		20'	G8-1220SGG	
3/8"			5/8"		
10'	G8-3810SGG	7,100 lbs	10'	G8-5810SGG	18,100 lbs
15'	G8-3815SGG		15'	G8-5815SGG	
20'	G8-3820SGG		20'	G8-5820SGG	



Grade 80 Chain with Grab Hooks on both ends					
Length	Part #	WLL	Length	Part #	WLL
5/16"			1/2"		
10'	G8-51610	5,350lbs	10'	G8-1210	12,000 lbs
20'	G8-51620		20'	G8-1220	
3/8"			5/8"		
10'	G8-3810	7,100 lbs	10'	G8-5810	18,100 lbs
15'	G8-3815		15'	G8-5815	
20'	G8-3820		20'	G8-5820	



Grade 80 Chain with Grab Hooks		
Reach	Part #	WLL
3'	G8-118-3	12,000 lbs
4'	G8-118-4	
5'	G8-118-5	
6'	G8-118-6	
8'	G8-118-8	
10'	G8-118-10	

Warning: Never exceed Work Load Limit (WLL)

GRADE 80 CHAIN ASSEMBLIES



All assemblies are made with 3/8" Grade 80 Chain. All J Hooks are Forged Grade 80.

** Custom assemblies made to order, call with specifications.**

AVAILABLE IN ANY LENGTH OR HOOK COMBINATION



Grade 80 Chain with 15" J hook & Grab hook on

Length	Part #	WLL
10'	G8-3810JOG	7,100 lbs
15'	G8-3815JOG	
20'	G8-3820JOG	



Grade 80 Chain with 15" J hook & Grab hook on

Length	Part #	WLL
10'	G8-3810GJ	7,100 lbs
15'	G8-3815GJ	
20'	G8-3820GJ	

Warning: Never exceed Work Load Limit (WLL)



G100 CLEVLOCK CRADLE GRAB		
Size	Part #	WLL
3/8"	G10-38CGH	8,800 lbs
1/2"	G10-12CGH	15,000 lbs
5/8"	G10-58CGH	22,600 lbs
3/4"	G10-34CGH	35,300 lbs



G100 COUPLING LINK		
Size	Part #	WLL
1/4"	G10-14ACL	4,300 lbs
3/8"	G10-38ACL	8,800 lbs
1/2"	G10-12ACL	15,000 lbs
5/8"	G10-58ACL	22,600 lbs



G100 CLEVLOCK SLIP HOOK WITH LATCH		
Size	Part #	WLL
3/8"	G10-38SHL	8,800 lbs
1/2"	G10-12SHL	15,000 lbs
5/8"	G10-58SHL	22,600 lbs



G100 EYE GRAB HOOK		
Size	Part #	WLL
3/8"	G10-38EGH	8,800 lbs
1/2"	G10-12EGH	15,000 lbs
5/8"	G10-58EGH	22,600 lbs



G100 EYE FOUNDRY HOOK		
Size	Part #	WLL
3/8"	G10-38EFH	8,800 lbs
1/2"	G10-12EFH	15,000 lbs
5/8"	G10-58EFH	22,600 lbs



G100 CLEVLOCK FOUNDRY HOOK		
Size	Part #	WLL
3/8"	G10-38CFH	8,800 lbs
1/2"	G10-12CFH	15,000 lbs
5/8"	G10-58CFH	22,600 lbs



G100 CLEVIS MASTER SET		
Size	Part #	WLL
3/8"	G10-38CMS	lbs
1/2"	G10-12CMS	lbs
5/8"	G10-58CMS	lbs



G100 MASTER LINK - GREEN		
Size	Part #	WLL
13/16"	G10-AML2-G	17,600 lbs
1 1/8"	G10-AML3-G	30,000 lbs
1 1/4"	G10-AML5-G	45,200 lbs



G100 MASTER LINK		
Size	Part #	WLL
3/4"	G10-AML1	10,000 lbs
7/8"	G10-AML2	16,700 lbs
1"	G10-AML3	26,000 lbs
1 1/4"	G10-AML5	39,100 lbs
1 1/2"	G10-AML6	61,100 lbs



G100 MASTER LINK ASSEMBLY		
Size	Part #	WLL
3/4"	G10S-AKX1813	11,200 lbs
7/8"	G10S-AKX2216	15,200 lbs
1"	G10S-AKX2618	26,000 lbs
1.5"	G10S-AKX3626	43,400 lbs

** AVAILABLE IN ANY AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 100 HOOKS



G100 MASTER LINK		
Size	Part #	WLL
1/2"	G10S-AX13	4,700 lbs
5/8"	G10S-AX16	8,600 lbs
3/4"	G10S-AX18	12,900 lbs
7/8"	G10S-AX22	17,600 lbs
1"	G10S-AX26	30,000 lbs
1.25"	G10S-AX32	38,200 lbs
1.5"	G10S-AX36	50,200 lbs



G100 COUPLING LINK		
Size	Part #	WLL
5/16"	G10S-CLX08	5,700 lbs
3/8"	G10S-CLX10	8,800 lbs
1/2"	G10S-CLX13	15,000 lbs
5/8"	G10S-CLX16	22,600 lbs



G100 EYE SLING HK WITH LATCH		
Size	Part #	WLL
5/16"	G10S-CAX08SF	5,700 lbs
3/8"	G10S-CAX10SF	8,800 lbs
1/2"	G10S-CAX13SF	15,000 lbs
5/8"	G10S-CAX16SF	22,600 lbs



G100 CLEVLOCK SLING HK WITH LATCH		
Size	Part #	WLL
5/16"	G10S-CBX08SF	5,700 lbs
3/8"	G10S-CBX10SF	8,800 lbs
1/2"	G10S-CBX13SF	15,000 lbs
5/8"	G10S-CBX16SF	22,600 lbs



G100 EYE GRAB HOOK		
Size	Part #	WLL
5/16"	G10S-CDX08	5,700 lbs
3/8"	G10S-CDX10	8,800 lbs
1/2"	G10S-CDX13	15,000 lbs
5/8"	G10S-CDX16	22,600 lbs



G100 CLEVLOCK EYE GRAB HOOK		
Size	Part #	WLL
5/16"	G10S-CFX08	5,700 lbs
3/8"	G10S-CFX10	8,800 lbs
1/2"	G10S-CFX13	15,000 lbs
5/8"	G10S-CFX16	22,600 lbs



G100 EYE GRAB HK WITH ROD LATCH		
Size	Part #	WLL
5/16"	G10S-CFX08S	5,700 lbs
3/8"	G10S-CFX10S	8,800 lbs
1/2"	G10S-CFX13S	15,000 lbs
5/8"	G10S-CFX16S	22,600 lbs



G100 EYE SELF LOCKING HOOK		
Size	Part #	WLL
5/16"	G10S-CROX08	5,700 lbs
3/8"	G10S-CROX10	8,800 lbs
1/2"	G10S-CROX13	15,000 lbs
5/8"	G10S-CROX16	22,600 lbs



G100 CLEVLOCK SELF LOCKING HOOK		
Size	Part #	WLL
5/16"	G10S-CRFX08	5,700 lbs
3/8"	G10S-CRFX10	8,800 lbs
1/2"	G10S-CRFX13	15,000 lbs
5/8"	G10S-CRFX16	22,600 lbs



G100 SELFLOCK SWIVEL HOOK		
Size	Part #	WLL
5/16"	G10S-CRGX08	5,700 lbs
3/8"	G10S-CRGX10	8,800 lbs
1/2"	G10S-CRGX13	15,000 lbs
5/8"	G10S-CRGX16	22,600 lbs

** AVAILABLE IN ANY AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 100 CHAIN ASSEMBLIES



Grade 100 Chain with Grab hook and


Size	Part	WLL
1/2"	G10-12GSO10	15,000 lbs
5/8"	G10-58GSO10	22,600 lbs



Grade 100 V Chain with Grab

Size	Part	WLL
1/2"	G10-12V1	26,000 lbs
5/8"	G10-58V1	39,100 lbs

W.L.L on a 60° angle



Grade 100 V Chain with Slip hooks

Size	Part	WLL
1/2"	G10-12V1S	26,000 lbs
5/8"	G10-58V1S	39,100 lbs

W.L.L on a 60° angle



Grade 100 Oblong & Foundry

Size	Part	WLL
1/2"	G10-12FH1	15,000 lbs
5/8"	G10-58FH1	22,600 lbs



Grade 100 Foundry hook and Grab hook on Oblong

Size	Part	WLL
1/2"	G10-12FGO	22,600 lbs
5/8"	G10-58FGO	15,000 lbs



Grade 100 chain with Cradle grabs on both ends

Length	5/16" chain		3/8" chain	
	Part #	WLL	Part#	WLL
10'	G10-51610SGG	5,700 lbs	G10-3810SGG	8,800 lbs
20'	G10-51620SGG	5,700 lbs	G10-3820SGG	8,800 lbs
Length	1/2" chain		5/8" chain	
	Part #	WLL	Part #	WLL
10'	G10-1210SGG	15,000 lbs	G10-5810SGG	22,600 lbs
15'	G10-1215SGG	15,000 lbs	G10-5815SGG	22,600 lbs
20'	G10-1220SGG	15,000 lbs	G10-5820SGG	22,600 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

GRADE 120 CHAIN ASSEMBLIES



Grade 120 chain features square links. Chain assemblies offer a 50% higher WLL over G80 chains, allowing downsizing of chains. Due to the special form, it reduces the surface pressure of the chain and consequently reduces wear substantially. It offers a safety factor of 6:1. Meets the NACM standard for heat resistance with 400°F.

**** Custom assemblies made to order, call with specifications.****
AVAILABLE IN ANY LENGTH OR HOOK CONFIGURATION



Grade 120 chain with Grabs on each end			
Chain Size	Part #	Length	W.L.L.
9/32"	G12-93210SGG	10'	5,600 lbs
	G12-93220SGG	20'	
3/8"	G12-3810SGG	10'	10,600 lbs
	G12-3820SGG	20'	
1/2"	G12-1210SGG	10'	17,900 lbs
	G12-1220SGG	20'	



Eye Grab Hook


Grade 120 Eye Grab Hook			G120 Eye Sling Hook w/ Latch	
Size	Part #	WLL	Part #	WLL
9/32"	G12-932EGH	5,200 lbs	G12-932ESHL	5,200 lbs
3/8"	G12-38EGH	10,600 lbs	G12-38ESHL	10,600 lbs
1/2"	G12-12EGH	17,900 lbs	G12-12ESHL	17,900 lbs




Eye Sling Hook



Grade 120 Oversized Oblong		
Size	Part #	WLL
9/32"	G12-932AML	6,100 lbs
3/8"	G12-38AML	12,800 lbs
1/2"	G12-12AML	30,000 lbs



Grade 120 Coupling Link		
Size	Part #	WLL
9/32"	G12-932ACL	5,200 lbs
3/8"	G12-38ACL	10,600 lbs
1/2"	G12-12ACL	17,900 lbs



Grade 120 Master Link	
Part #	WLL @ 60° Angle
G12-MLA1	9,000 lbs
G12-MLA2	18,400 lbs
G12-MLA3	31,000 lbs
G12-MLA4	46,500 lbs

Warning: Never exceed Work Load Limit (WLL)

This patented Tie-Down System is simple to install, yet provides the most secure, damage free Tie-Down available.
 Prevents movement forward or backward on all four tires. Completely adjustable to fit any car or light truck tire size.
Each strap has a work load limit of 4,000 lbs.
 Available in styles to fit any carrier or trailer.
 Instructions for use included.
 Systems are available in any strap length and hook combination.



Part # 38-200
 Roll Back Tie-Down System
 Consists of:
 38-200-L (4) 14' Long straps with snap hook
 38-200-S (4) Short straps with sewn eyes
 38-100-R (4) Ratchets with chain



Part # 38-200C
 Roll Back Tie-Down System
 Consists of:
 38-200C-L (4) 14' Long straps with chain
 38-200-S (4) Short straps with sewn eyes
 38-100-R (4) Ratchets with chain



Part # 38-200D
 Roll Back Tie-Down System
 Consists of:
 38-200-L (4) 14' Long straps with snap hook
 38-200-S (4) Short straps with sewn eyes
 38-100-R (4) Ratchets with chain
 38-DR1 (2) Bolt on Forged D-Rings



Part # 38-200SH
 Roll Back Tie-Down System
 Consists of:
 38-200-L (4) 14' Long straps with snap hook
 38-200-S (4) Short straps with sewn eyes
 38-22D (4) Ratchets with snap hook

ROLLBACK TIE-DOWN SYSTEM



Part # 38-201
Roll Back Tie-Down System
Consists of:
38-200-L (4) 14' Long straps with snap hook
38-201-S (4) Short straps with D-rings
38-100-R (4) Ratchets with chain



Part # 38-201C
Roll Back Tie-Down System
Consists of:
38-200C-L (4) 14' Long straps with chain
38-201-S (4) Short straps with D-rings
38-100-R (4) Ratchets with chain



Part # 38-201D
Roll Back Tie-Down System
Consists of:
38-200-L (4) 14' Long straps with snap hook
38-201-S (4) Short straps with D-rings
38-100-R (4) Ratchets with chain




















Part # 38-201SH
Roll Back Tie-Down System
Consists of:
38-200-L (4) 14' Long straps with snap hook
38-201-S (4) Short straps with D-rings
38-22D (4) Ratchets with snap hook

Warning: Never exceed Work Load Limit (WLL)

Ratchets & Fittings Meet or Exceed OEM Specifications.

Patented Double Locking Mechanism.

 <p>Part # 38-10 2" Ratchet Without Hook WLL: 3,670 lbs</p>		 <p>Part # 38-20 2" Wide Handle Ratchet Without Hook WLL: 3,670 lbs</p>
 <p>Part # 38-10A 2" Ratchet with Finger Hook WLL: 1,000 lbs</p>	 <p>Part # 38-10A-H Single Finger Hook WLL: 1,000 lbs</p>	 <p>Part # 38-20A 2" Wide Handle Ratchet with Finger hook WLL: 1,000 lbs</p>
 <p>Part # 38-10B 2" Ratchet with "A" Bracket WLL: 1,665 lbs</p>	 <p>Part # 38-10B-H "A" Bracket WLL 1,665 lbs</p>	 <p>Part # 38-20B 2" Wide Handle Ratchet with "A" Bracket WLL: 1,665 lbs</p>
 <p>Part # 38-10C 2" Ratchet with Double J Hook WLL: 1,665 lbs</p>	 <p>Part # 38-10C-H Double J Hook WLL:1,665 lbs</p>	 <p>Part # 38-20C 2" Wide Handle Ratchet with Double J Hook WLL: 1,665 lbs</p>
 <p>Part # 38-10F 2" Ratchet with Bent Finger Hook WLL: 2,000 lbs</p>	 <p>Part # 38-10F-H Bent Finger Hook WLL: 2,000 lbs</p>	 <p>Part # 38-20F 2" Wide Handle Ratchet with Bent Finger Hook WLL: 2,000 lbs</p>
 <p>Part # 38-11 2" Ratchet for Eagle Strap</p>	 <p>Part # 38-11-H Flat Hook with Spacers WLL: 3,670 lbs</p>	 <p>Part # 38-21 2" Wide Handle Ratchet with Flat Hook WLL: 3,670 lbs</p>

Warning: Never exceed Work Load Limit (WLL)

Ratchets & Fittings Meet or Exceed OEM Specifications.

Patented Double Locking Mechanism.



Part # 38-100-R
2" Wide Handle Ratchet with chain
WLL: 3,670 lbs



Part# 38-100R-H
Chain with U-Bracket & Pins
WLL: 3,670 lbs



Part # 38-100-RG
Wide Handle Ratchet with Chain & Grade 80 Clevis Grab Hook
WLL: 4,000 lbs



Part # 38-12
2" Ratchet with Snap Hook
WLL: 2,000 lbs



Part # 38-12-H
Snap Hook with Spacers
WLL: 2,000 lbs



Part # 38-22D
2" Wide Handle Ratchet with Snap Hook
WLL: 2,000 lbs



Part # 38-13
2" Ratchet with Hitch Pin
WLL: 3,670 lbs



Part # 38-13-H
Hitch Pin
WLL: 3,670 lbs



Part # 38-23
2" Wide Handle Ratchet with Hitch Pin
WLL: 3,670 lbs



Part # 38-14
2" Ratchet with Side Hook
WLL: 1,000 lbs



Part # 38-14-H
Side Hook
WLL: 1,000 lbs



Part # 38-24
2" Wide Handle Ratchet with Side Hook
WLL: 1,000 lbs



Part # 38-15J
2" Ratchet with Looped Hook
WLL: 1,000 lbs



Part # 38-15J-H
Looped Ratchet Hook
WLL: 1,000 lbs



Part # 38-25J
2" Wide Handle Ratchet with Looped Hook
WLL: 1,000 lbs



Part # 38-17
2" Ratchet with Forged Finger Hook
WLL: 2,570 lbs




Part # 38-17-H
Forged Finger Hook
WLL: 2,570 lbs



Part # 38-27
2" Ratchet with Forged Finger Hook
WLL: 2,570 lbs



Part # 38-30S
3" Short Handle Ratchet
WLL: 7,330 lbs



Part # 38-30L
3" Long Handle Ratchet
WLL: 7,330 lbs



Part # 38-40L
4" Wide Handle Ratchet
WLL: 8,000 lbs

Warning: Never exceed Work Load Limit (WLL)

B/A straps meets or exceeds OEM specifications.
Straps can be made to your specifications.

 <p>Part # 38-1 2" Strap with O-Ring WLL: 3,330 lbs</p>	 <p>Part # 38-1A 2" Strap with Grab Plate WLL: 4,000 lbs</p>
 <p>Part # 38-100 2" x 86" Heavy Duty strap with Cluster and Chain WLL: 4,000 lbs</p>	 <p>Part # 38-100-RG Wide handle Ratchet with with chain & G8 Clevis Grab hook WLL: 4,000 lbs</p>
 <p>Part # 38-102 2" x 73" Heavy Duty strap with Snap hooks WLL: 2,000 lbs</p>	 <p>Part # 38-103 2" x 86" Strap with Cluster on strap and Snap hook on Ratchet WLL: 2,000 lbs</p>
 <p>Part # 38-104 2" Medium Duty strap with Cordura Sleeves WLL: 4,000 lbs vertical only</p>	 <p>Part # 38-104HD 2" Heavy Duty strap with Cordura Sleeves WLL: 6,500 lbs vertical only</p>
 <p>Part # 38-105DJ 2" Medium Duty Tie-Down with Double J Hooks and Cordura Sleeves WLL: _____</p>	 <p>Part # 38-106 3" Heavy Duty strap with long handle Ratchet WLL: 7.335 lbs vertical only</p>
 <p>Part # 38-2 2" Strap with HD Flat hook WLL: 3,330 lbs</p>	 <p>Part # 38-2A 4" Strap with Flat hook WLL: 5,000 lbs</p>



Part # 38-2N
2" Strap with Narrow hook
WLL: 1,665 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

ROLL BACK / UNDERLIFT TIE-DOWNS



B/A straps meets or exceeds OEM specifications.
Fits just like the originals.

	<p>Part # 38-3 1.75" Strap with Snap hook, D-Ring & Cordura Sleeve (Eagle Strap) WLL: 2,000 lbs</p>		<p>Part # 38-3/OEM 4 ply OEM Style Eagle Strap WLL: _____</p>										
	<p>Part # 38-3D 2" Strap with Snap hook WLL: 2,000 lbs</p>		<p>Part # 38-4 2" Strap with Double J hook WLL: 1,665 lbs</p>										
	<p>Part # 38-5 2" Strap with sewn loop WLL: 4,000 lbs</p>		<p>Part # 38-5A 3" Strap with sewn loop WLL: 5,000 lbs</p>										
	<p>Part # 38-5D 2" Strap with 1" tapered eye WLL: 4,000 lbs</p>		<p>Part # 38-5J 2" x 100" Strap with Mini J hook WLL: 4,000 lbs</p>										
	<p>Part # 38-5H 2" Strap with Hammerhead Hook WLL: 4,000 lbs</p>		<p>2" Webbing Axle Straps</p> <table border="1"> <thead> <tr> <th>Part #</th> <th>Length</th> </tr> </thead> <tbody> <tr> <td>38-50</td> <td>26"</td> </tr> <tr> <td>38-50-30</td> <td>30"</td> </tr> <tr> <td>38-50-36</td> <td>36"</td> </tr> <tr> <td>38-50-48</td> <td>48"</td> </tr> </tbody> </table> <p>WLL: 3,330 lbs</p>	Part #	Length	38-50	26"	38-50-30	30"	38-50-36	36"	38-50-48	48"
Part #	Length												
38-50	26"												
38-50-30	30"												
38-50-36	36"												
38-50-48	48"												
	<p>Part #: 38-508 Axle Tie Down with Twist hooks & ratchet WLL: 3,330 lbs</p>		<p>Part # 38-8 2" Strap with Twist hook WLL: 3,330 lbs</p>										
	<p>Part # 38-8C 2" Strap with twist hook & D-Ring Plate WLL: 3,330 lbs</p>		<p>Part # 38-8E 2" x 12" Extension strap with Twist hook WLL: 3,330 lbs</p>										

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



ROLL BACK / UNDERLIFT TIE-DOWNS

B/A straps meet or exceed OEM specifications. Fit just like the originals.
Straps can be customized



Part # 38-JD400
2" x 100" Strap with quick pick

WLL: 1,000 lbs



Part # 38-KT9-S
9' Strap

WLL: 3,330 lbs



Part # 38-OB1HD
2" x 86" Heavy Duty strap with Oblong on one end

WLL: Vertical 4,700 lbs



Velcro Cordura Sleeves

Part #	Length
CSL-1	24" for chain
CSL-2	24" for 2" webbing
CSL-3	24" for 3" webbing

Cordura Sleeves

Part #	Length
38-SL2	18" for 2" webbing
38-SL3	18" for 3" webbing

REPLACEMENT STRAPS

TIE-DOWN	SHORT	LONG
PART #	STRAP	STRAP
38-100		38-100-S
38-100-RG		38-100-S
38-102	38-102-S	38-102-L
38-103	38-102-S	38-100-S
38-104		38-104-L
38-104HD		38-104HD-S
38-106		38-106-S
38-109	38-109-S	38-109-L
38-508	38-508-S	38-508-L

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

B/A Products manufactures a complete line of Auto Transport Chains. Available in 1/4"



1/4" Grade 70 chain with Forged Datsun, Grab & T hooks on one end

Length	Part #
4'	BA-DGT-4
6'	BA-DGT-6
8'	BA-DGT-8

WLL: 3,150 lbs



1/4" Grade 70 chain with Mini Fairlane, Grab, R & T hooks on one end

Length	Part #
4'	BA-FGRT-4
6'	BA-FGRT-6
8'	BA-FGRT-8

WLL: 3,150 lbs



1/4" Grade 70 chain with Grab, & R hooks on one end

Length	Part #
6'	BA-GR-6
8'	BA-GR-8
10'	BA-GR-10

WLL: 3,150 lbs



1/4" Grade 70 chain with Grab, R & T hooks on one end

Length	Part #
4'	BA-GRT-4
8'	BA-GRT-8
6'	BA-GRT-6

WLL: 3,150 lbs



1/4" Grade 70 chain with Grab & T hooks on one end

Length	Part #
5'	BA-GT-5
6'	BA-GT-6
7'	BA-GT-7

WLL: 3,150 lbs



1/4" Grade 70 chain with Hammerhead, Grab & R hooks on one end

Length	Part #
6'	BA-HGR-6
8'	BA-HGR-8
10'	BA-HGR-10

WLL: 3,150 lbs



1/4" Grade 70 chain, with fully plated Mini Fairlane & Grab hooks on one end

Length	Part #
4'	BAP-FG-4
6'	BAP-FG-6
8'	BAP-FG-8

WLL: 3,150 lbs



1/4" Grade 70 chain with fully plated Mini Fairlane, grab, R & T hooks on one end

Length	Part #
4'	BAP-FGRT-4
6'	BAP-FGRT-6
8'	BAP-FGRT-8

WLL: 3,150 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION. FULLY PLATED OR PLAIN HOOKS WITH PLATED CHAIN **

Warning: Never exceed Work Load Limit (WLL)



1/4" Grade 70 chain with Plated Grab, Mini J, R & T hooks on one end

<u>Length</u>	<u>Part #</u>
4'	BAP-GJRT-4
6'	BAP-GJRT-6
8'	BAP-GJRT-8

WLL: 3,150 lbs



1/4" Grade 70 chain with Plated Grab, R & T hooks on one end

<u>Length</u>	<u>Part #</u>
6'	BAP-GRT-6
8'	BAP-GRT-8
10'	BAP-GRT-10

WLL: 3,150 lbs



1/4" Grade 70 chain with Plated Hammerhead, Grab & R hooks on one end

<u>Length</u>	<u>Part #</u>
6'	BAP-HGR-6
8'	BAP-HGR-8
10'	BAP-HGR-10

WLL: 3,150 lbs



Grade 70 5/16" chain Plated with Forged Datsun, Grab, R & T hooks

<u>Length</u>	<u>Part #</u>
6'	PT5-DGRT-6
8'	PT5-DGRT-8
10'	PT5-DGRT-10

WLL: 4,700 lbs



Grade 70 5/16" chain with Grab, Mini J, grab, R & T hooks on one end

<u>Length</u>	<u>Part #</u>
6'	PT5-GJRT-6
8'	PT5-GJRT-8
10'	PT5-GJRT-10

WLL: 4,700 lbs



Grade 70 5/16" chain with Plated Grab, R & T hooks

<u>Length</u>	<u>Part #</u>
4'	PT5-GRT-4
6'	PT5-GRT-6
8'	PT5-GRT-8

WLL: 4,700 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION. FULLY PLATED OR PLAIN HOOKS WITH PLATED CHAIN **



5/16" G70 Trailer Chain with Forged Datsun, Grab, R & T hooks on one end

Length	Part #
6'	T5-DGRT-6
8'	T5-DGRT-8
10'	T5-DGRT-10

WLL: 4,700 lbs



5/16" G70 Trailer Chain with Forged Datsun, Grab, R & T hooks on one end

Length	Part #
4'	T5-FGRT-4
6'	T5-FGRT-6
8'	T5-FGRT-8

WLL: 3,150 lbs

**** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION. FULLY PLATED OR PLAIN HOOKS WITH PLATED CHAIN ****

Warning: Never exceed Work Load Limit (WLL)

TRAILER ACCESSORIES REPLACEMENT PARTS

Available in 1.50 & 1.70



Part # BA-133L
Left gear 1.33" ID

Part # BA-133R
Right Gear 1.33" ID



Part # BA-216
Pin
Part # BA-P248
Pawl



Part # BA-205
Pin
Part # BA-P249
Pawl



Part # BA-QRL-R
Right quick release pawl


Part # BA-QRL-L
Left quick release pawl



Part # BA-SL
Spring lock



Part # BA-SL-L
Long spring lock



Part # 38-10010
Perpendicular Swivel J
with 2.25" bracket



Part # BA-10012
Swivel J with
2.25" bracket



Part # BA-MS4
4' Arm Measuring stick. Measures from 5'10" to 15'.

Part # BA-METRIC
4' Arm Measuring stick. Measures from 1.7m (170cm) to 5.57m (457cm).

Features folding 48" Cross Arm. Measuring stick is made out of Light-weight Fiberglass & folds down for convenient storage.



Slide Rite® Graphite Lube		
	Part #	Qty/Case
Gallon	BA-SRG	4 gallons
Quart	BA-SRQ	6 quarts
Aerosol Cans	BA-SRA	12 cans

** Sold by case only **



Part# BA-LUBE (Case of 12)
Chain Gang Chain & Cable Lubricant

- * Reduces Friction & Wear
- * Eliminates Corrosion
- * Able to Withstand Extreme Temperatures
- * Water Resistant



No-Skid® will help reduce the risk of slipping or falling in a potentially slippery area.

No-Skid® in Gallons		
Length	Part #	Qty/Case
BLACK	BA-NSB	4
GRAY	BA-NSG	4
WHITE	BA-NSW	4

** Sold by case only **



Winch Bars	
Length	Part #
24"	BA-WB24
28"	BA-WB28
34"	BA-WB34
38.5" *	BA-WB385

*For use with 5/16" Chain Only



Tarp Straps	
Length	Part #
10"	38-TS10
15"	38-TS15
21"	38-TS21
31"	38-TS31
41"	38-TS41

Meets or exceeds OEM specifications. Fit just like the originals.
Customized straps made to order.



Part # BA-106
Tie Down system with Double J hooks and Grippers.

WLL: _____ lbs



Part # BA-900LW1
7.5' Strap with D-Rings and 2 Double J hooks

WLL: _____ lbs



Part # BA-ERS100
Tie Down with 3 Swivel E Track fittings & Ratchet

WLL: 3,670 lbs



Part # BA-R100
Tie Down with Double J hooks, Grippers and Ratchet

WLL: _____ lbs




Part # BA-SJR100
Tie Down with 3 Swivel & Ratchet

WLL: 3,670 lbs


** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



Part # BA-300
Basket with Grab and
2 Double J Hooks

WLL: _____ lbs




Part # BA-305
Basket with ratchet and
Double J hooks

WLL: _____ lbs



Part # BA-SJ300
Basket with grab & Swivel
hooks

WLL: 3,330 lbs



Part # BA-SJ305
Basket with ratchet and
Swivel hooks

WLL: 3,330 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)


BASKET STYLE WHEEL LIFT STRAPS



Meets or exceeds OEM specifications. Fit just like originals.
Customized Baskets straps made to order.




Part # 38-6
Holmes Basket Straps
WLL: 1,665 lbs



Part # 38-6C
Holmes Basket Strap
with chains
WLL: 3,330 lbs



Part # 38-6G
Generic Basket Strap
WLL: 1,665 lbs



Part # 38-6H
Hydratech Basket
WLL: 2,000lbs



Part # 38-6HD
Holmes Old Style
Strap
WLL: 1,665 lbs



Part # 38-6J
Jerr-dan Basket
Strap
WLL: 2,000 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



Part # 38-6L
Extra Long Holmes
Strap

WLL: 1,665 lbs



Part # 38-6V
1" Vulcan Basket
Strap

WLL: 1,000 lbs



Part # 38-7
Basket Strap-Reilly

WLL: 2,000 lbs




Part # 38-9VS
Vulcan Basket Strap

WLL: 3,330



Part # 38-61
1" Coated Basket
Strap

WLL: 1,500 lbs



Part # 38-62C
2" Basket with
Chevron T hook

WLL: 1,600 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

BASKET STYLE WHEEL LIFT STRAPS



Part # 38-63
Chevron Basket with
one Cross Strap

WLL: 1,600 lbs



Part # 38-64
Chevron Truck Tire
Basket

WLL: 1,600 lbs



Part # 38-65A
Flat hook side rail Tie
Down

WLL: 3,330 lbs




Part # 38-JD2
Long Jerr Dan Basket
Yellow

WLL: 7,000 lbs



Part # 38-JD3
Short Jerr-Dan Basket
Strap -Red

WLL: 4,000 lbs



Part # 38-JD4
Old Style Finger hook
quick pick strap

WLL: 1,000 lbs



Part # 38-JD5
Flat hook 2pcs Quick Pick
strap

WLL: 3,000 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



Blue Round Sling



Green Round Sling



Purple Round Sling



Red Round Sling



Yellow Round Sling

Round Slings Rated Capacities					
Part #	Sling Color	Length	Vertical WLL	Choker WLL	Basket WLL
38-RSP-4	Purple	4'	2,600 lbs	2,100 lbs	5,200 lbs
38-RSP-6	Purple	6'	2,600 lbs	2,100 lbs	5,200 lbs
38-RSP-8	Purple	8'	2,600 lbs	2,100 lbs	5,200 lbs
38-RSP-10	Purple	10'	2,600 lbs	2,100 lbs	5,200 lbs
38-RSP-12	Purple	12'	2,600 lbs	2,100 lbs	5,200 lbs
38-RSG-6	Green	6'	5,300 lbs	4,200 lbs	10,600 lbs
38-RSG-10	Green	10'	5,300 lbs	4,200 lbs	10,600 lbs
38-RSG-12	Green	12'	5,300 lbs	4,200 lbs	10,600 lbs
38-RSY-6	Yellow	6'	8,400 lbs	6,700 lbs	16,800 lbs
38-RSY-10	Yellow	10'	8,400 lbs	6,700 lbs	16,800 lbs
38-RSY-12	Yellow	12'	8,400 lbs	6,700 lbs	16,800 lbs
38-RSY-20	Yellow	20'	8,400 lbs	6,700 lbs	16,800 lbs
38-RSR-6	Red	6'	13,200 lbs	10,600 lbs	26,400 lbs
38-RSR-8	Red	8'	13,200 lbs	10,600 lbs	26,400 lbs
38-RSR-10	Red	10'	13,200 lbs	10,600 lbs	26,400 lbs
38-RSR-12	Red	12'	13,200 lbs	10,600 lbs	26,400 lbs
38-RSB-10	Blue	10'	21,200 lbs	17,000 lbs	42,400 lbs
38-RSB-12	Blue	12'	21,200 lbs	17,000 lbs	42,400 lbs
38-RSB-16	Blue	15'	21,200 lbs	17,000 lbs	42,400 lbs
38-RSB-20	Blue	20'	21,200 lbs	17,000 lbs	42,400 lbs

** AVAILABLE IN ANY LENGTH. LARGER SIZES AVAILABLE UPON REQUEST **

Warning: Never exceed Work Load Limit (WLL)

Used to gain a mechanical advantage over the load being moved. All of our Blocks feature bronze bushings with grease fittings. Easy opening side plates open without coming apart. Other sizes & styles available by special order.



Snatch Blocks with Latched Swivel Hook

Part #	Sheave Diameter	Work Load Limit	Fits Rope Size	Weight
6I-2T3	3"	2 Ton	5/16" to 3/8"	6 lbs
6I-3T3	3"	3 Ton	3/8" to 1/2"	6 lbs
6I-4T4	4.5"	4 Ton	3/8" to 1/2"	14 lbs
6I-8T6	6"	8 Ton	5/8" to 3/4"	27 lbs
6I-8T8	8"	8 Ton	5/8" to 3/4"	37 lbs
6I-15T8	8"	15 Ton	3/4" to 7/8"	57 lbs
6I-15T10	10"	15 Ton	3/4" to 7/8"	76 lbs



Snatch Blocks with Swivel Shackle

Part #	Sheave Diameter	Work Load Limit	Fits Rope Size	Weight
6I-SW2T	3"	2 Ton	5/16" to 3/8"	5 lbs
6I-SW4T	4.5"	4 Ton	3/8" to 1/2"	14 lbs
6I-SW8T	6"	8 Ton	5/8" to 3/4"	28 lbs



Snatch Blocks With Swivel Shackle & Chain

Part #	Sheave Diameter	Work Load Limit	Fits Rope Size	Chain Length	Weight
6I-2TSW30	3"	2 Ton	5/16" to 3/8"	30" 5/16" G70	9 lbs
6I-4TSW30	4.5"	4 Ton	3/8" to 1/2"	30" 3/8" G100	19 lbs
G711-30GL	CHAIN ONLY	4,700 lbs	Fits 6I-2TSW30	30" 5/16" G70	4 lbs
11-4T30	CHAIN ONLY	8,000 lbs	Fits 6I-4TSW30	30" 3/8" G100	6 lbs

6I-2TSW30

6I-4TSW30

ALL BLOCKS HAVE GREASE FITTINGS AND BRONZE BUSHED SHEAVES

Warning: Never exceed Work Load Limit (WLL)

Used to gain a mechanical advantage over the load being moved. All of our Blocks feature bronze bushings with grease fittings. Easy opening side plates open without coming apart. Other sizes & styles available by special order.



Snatch Blocks with Swivel Hooks				
Part #	Sheave Diameter	Work Load Limit	Fits Rope Size	Weight
6-1	3"	2 Ton	5/16" to 3/8"	5 lbs
6-2	4.5"	4 Ton	3/8" to 1/2"	15 lbs
6-3	6"	8 Ton	5/8" to 3/4"	27 lbs
6-4	8"	12 Ton	3/4" to 7/16"	53 lbs

ALL BLOCKS HAVE GREASE FITTINGS AND BRONZE BUSHED SHEAVES



Part #6-SP2
Side Puller 2000
(Flush MT)



Part #6-SP200
Sheave with axle



Part #6-SP100
Sheave with axle for JR



Part #6-SP101
Jr. Socket assembly



Part #6-SP201
Socket assembly 2000

All assemblies feature swaged eye with thimble. Available with standard or swivel hook.
All assemblies feature alloy hooks with latches.



Product numbers shown are for cables with alloy straight hooks only.

**** For cables with Swivel Hooks add "S" at the end of the part number ****

Example: 4-12PS50S 1/2" Plow Steel cable 50' long with swivel hook

SIZE AND LENGTH	PLOW STEEL	STEEL CORE	GALVANIZED
3/8" x 50'	4-38PS50	4-38SC50	4-38GC50
3/8" x 75'	4-38PS75	4-38SC75	4-38GC75
3/8" x 100'	4-38PS100	4-38SC100	4-38GC100
3/8" x 150'	4-38PS150	4-38SC150	4-38GC150
3/8" x 200'	4-38PS200		
7/16" x 50'	4-716PS50	4-716SC50	
7/16" x 75'	4-716PS75	4-716SC75	
7/16" x 100'	4-716PS100	4-716SC100	
7/16" x 150'	4-716PS150	4-716SC150	
7/16" x 200'	4-716PS200	4-716SC200	
1/2" x 50'	4-12PS50	4-12SC50	
1/2" x 75'	4-12PS75	4-12SC75	
1/2" x 100'	4-12PS100	4-12SC100	
1/2" x 150'	4-12PS150	4-12SC150	
1/2" x 200'	4-12PS200	4-12SC200	
9/16" x 50'	4-916PS50	4-916SC50	
9/16" x 75'	4-916PS75	4-916SC75	
9/16" x 100'	4-916PS100	4-916SC100	
9/16" x 150'	4-916PS150	4-916SC150	
9/16" x 200'	4-916PS200	4-916SC200	
5/8" x 50'	4-58PS50	4-58SC50	
5/8" x 75'	4-58PS75	4-58SC75	
5/8" x 100'	4-58PS100	4-58SC100	
5/8" x 150'	4-58PS150		
5/8" x 200'	4-58PS200		

3/4" Made to order - call with requirements

**** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION ****

Wire Rope Specifications

Updated: 10/12/11 to Reflect SAEJ959 Standards

<u>B/A WIRE TYPE</u>	<u>WORKING LOAD LIMIT</u>	<u>MINIMUM BREAK STRENGTH</u>
-----------------------------	--------------------------------------	--

All wire rope is 6x25 Extra Improved Plow Steel (EIPS) unless noted

3/8" PS Series Fiber Core	3,780 lbs	13,420 lbs
3/8" SC Series Steel Core	4,250 lbs	15,100 lbs
3/8" GC (7x19 Galvanized Aircraft Cable)	4,050 lbs	14,400 lbs
7/16" PS Series Fiber Core	5,120 lbs	18,200 lbs
7/16" SC Series Steel Core	5,740 lbs	20,400 lbs
1/2" PS Series Fiber Core	6,650 lbs	23,600 lbs
1/2" SC Series Steel Core	7,490 lbs	26,600 lbs
5/8" PS Series Fiber Core	10,360 lbs	36,800 lbs
5/8" SC Series Steel Core	11,600 lbs	41,200 lbs
9/16" PS Series Fiber Core	8,390 lbs	29,800 lbs
9/16" SC Series Steel Core	9,520 lbs	33,800 lbs
3/4" SC Series Steel Core (6x37 Class)	16,560 lbs	58,800 lbs

Warning: Never exceed Work Load Limit (WLL)

Tensioners & guides have field proven spring loaded design. They keep constant tension on winch cables. Welded steel construction and ioliled bushings



Part #17-1
9" Cable tensioner



Part #17-1A
6.5" Jerr Dan Cable tensioner



Part #17-2
11" Cable tensioner



Part #17-3
15" Cable Tensioner



Part #17-108
Spring with Locknut



17-110 17-111
Part #17-110
External Snap Ring



Part #17-911
11" Flat Tensioner

REPLACEMENT PARTS						
TENSIONER	LONG ROLL	SHORT ROLL	SHORT PIN	TOP LONG PIN	BOTTOM LONG PIN	MOUNTING BRAKET
17-1	17-101	17-100	17-103	17-104	17-105	17-2B
17-1A	17-101A	17-100	17-103	17-104A	17-105A	17-2A
17-1B	17-101A	17-100	17-103	17-104A	17-105A	17-2B
17-1L	17-101A	17-100	17-103			17-2B
17-2	17-102	17-100	17-103	17-106	17-107	17-2A
17-3		17-100	17-103			17-2B



Part #4-2TL
 Latch Kit for 3 Ton alloy hook



Part #4-3TL
 Latch Kit for 4.5 Ton alloy hook



Part #4-5TL
 Latch Kit for 7 Ton alloy hook



Part #4-38WRC
 3/8" Wire Rope Clip



Wedge Socket	
Size	Part #
3/8"	4-38WS
7/16"	4-716WS
1/2"	4-12WS

Wedge only	
Size	Part #
3/8"	4-38W
7/16"	4-716W
1/2"	4-12W
9/16"	4-916W



All B/A Straps are manufactured at our factory in Columbia, Md.



1 Ply Recovery Straps						
Part #	Body Width	Length	Work Load Limit			Eye Width
			Vertical	Choker	Basket	
9-2/16	2"	16'	3,200 lbs	2,400 lbs	6,400 lbs	2"
9-2/20		20'				
9-2/26		26'				
9-3/16	3"	16'	4,800 lbs	3,800 lbs	9,600 lbs	3"
9-3/20		20'				
9-3/26		26'				
9-4/16	4"	16'	6,400 lbs	4,800 lbs	12,800 lbs	2"
9-4/20		20'				
9-4/26		26'				
9-6/16	6"	16'	9,600 lbs	7,200 lbs	19,200 lbs	3"
9-6/20		20'				
9-6/26		26'				
9-6/30		30'				
9-8/16	8"	16'	12,800 lbs	9,600 lbs	25,600 lbs	4"
9-8/20		20'				
9-8/26		26'				
9-10/16	10"	16'	15,700 lbs	31,400 lbs	12,600 lbs	5"
9-10/20		20'				
9-10/26		26'				
9-12/16	12"	16'	19,200 lbs	14,400 lbs	38,400 lbs	6"
9-12/20		20'				
9-12/26		26'				

** AVAILABLE IN ANY LENGTH **

Warning: Never exceed Work Load Limit (WLL)

2 Ply Recovery Straps without Cordura Wrap						
Part #	Body Width	Length	Work Load Limit			Eye Width
			Vertical	Choker	Basket	
9-2P6/14	6"	14'	16,300 lbs	13,000 lbs	32,600 lbs	3"
9-2P6/16		16'				
9-2P6/20		20'				
9-2P6/26		26'				
9-2P6/30		30'				
9-2P8/14	8"	14'	19,200 lbs	15,400 lbs	38,400 lbs	4"
9-2P8/16		16'				
9-2P8/20		20'				
9-2P8/26		26'				
9-2P8/30		30'				
9-2P8/40	40'					
9-2P12/12	12"	16'	26,900 lbs	21,500 lbs	53,800 lbs	6"
9-2P12/14		14'				
9-2P12/16		16'				
9-2P12/20		20'				
9-2P12/26		26'				
9-2P12/30	30'					



2 Ply Recovery Straps with Cordura Wrap						
Part #	Body Width	Length	Work Load Limit			Eye Width
			Vertical	Choker	Basket	
9-DC6/14	6"	14'	16,300 lbs	13,000 lbs	32,600 lbs	3"
9-DC6/16		16'				
9-DC6/20		20'				
9-DC6/26		26'				
9-DC6/30		30'				
9-DC8/12	8"	12'	19,200 lbs	15,400 lbs	38,400 lbs	4"
9-DC8/14		14'				
9-DC8/16		16'				
9-DC8/20		20'				
9-DC8/26		26'				
9-DC8/30	30'					
9-DC10/12	10"	12'	22,000 lbs	17,600 lbs	44,000 lbs	5"
9-DC10/14		14'				
9-DC10/16		16'				
9-DC10/20		20'				
9-DC10/26		26'				
9-DC12/12	12"	12'	26,900 lbs	20,100 lbs	53,800 lbs	6"
9-DC12/14		14'				
9-DC12/16		16'				
9-DC12/20		20'				
9-DC12/26		26'				

** AVAILABLE IN ANY LENGTH **

Warning: Never exceed Work Load Limit (WLL)

Recovery Sling

Work Load Limit (W.L.L.)

1 Ply Webbing			
Web Size	Vertical	Basket	Choker
2"	3,200 lbs	6,400 lbs	2,500 lbs
3"	4,800 lbs	9,600 lbs	3,800 lbs
4"	6,400 lbs	12,800 lbs	5,000 lbs
6"	9,600 lbs	19,200 lbs	7,700 lbs
8"	12,800 lbs	25,600 lbs	10,200 lbs
10"	15,700 lbs	31,400 lbs	12,600 lbs
12"	19,200 lbs	38,400 lbs	15,400 lbs


2 Ply Webbing			
Web Size	Vertical	Basket	Choker
2"	6,400 lbs	12,800 lbs	5,100 lbs
3"	8,600 lbs	17,200 lbs	6,900 lbs
4"	11,500 lbs	23,000 lbs	9,200 lbs
6"	16,300 lbs	32,600 lbs	13,000 lbs
8"	19,200 lbs	38,400 lbs	15,400 lbs
10"	22,000 lbs	44,000 lbs	17,600 lbs
12"	26,900 lbs	53,800 lbs	21,500 lbs

** AVAILABLE IN ANY LENGTH **

Warning: Never exceed Work Load Limit (WLL)



Web Shackle		
Size	Part #	W.L.L.
2"	9-S2	8,050 lbs
3"	9-S3	13,050 lbs
4"	9-S4	10,800 lbs
6"	9-S6HD	23,850 lbs




Cover Pads	
Size	Part #
2"	9-2-PAD
3"	9-3-PAD
4"	9-4-PAD
6"	9-6-PAD
8"	9-8-PAD
12"	9-12-PAD




Anchor Shackle		
Size	Part #	W.L.L.
3/8"	11-38SPAS	1 Ton
1/2"	11-12SPAS	2 Tons
5/8"	11-58SPAS	3.25 Tons
3/4"	11-34SPAS	4.75 Tons
1"	11-1SPAS	8.5 Tons
1-1/8"	11-118SPAS	9.5 Tons
1.25"	11-125SPAS	12 Tons
1.5"	11-150SPAS	17 Tons

** Other sizes available upon request **



Steel Triangles		
Size	Part #	W.L.L.
2"	9-ST2	6,600 lbs
3"	9-ST3	8,400 lbs
4"	9-ST4	11,200 lbs
6"	9-ST6	16,800 lbs
8"	9-ST8	22,400 lbs
12"	9-ST12	32,000 lbs



Part # 11-SPKIT1
10 Shackle / 2 Oblong Kit
Kit includes:

Qty	Size	W.L.L.
2 ea	1"	8.5 Tons
6 ea	1.25"	12 Tons
2 ea	1.50"	17 Tons

B/A Products Auto Lockout tools are manufactured from durable stainless steel. Auto Lockout kits are in heavy vinyl carry cases, include a comprehensive, professionally written and illustrated lockout manual (150 + pages, updated annually), rubber tool savers (rubber grommets that slide on the tools to prevent them from falling into window opening), two double sided wedges and a clear heavy gauge plastic glass shield.

SEE FOLLOWING PAGE FOR PICTURES OF TOOLS.

19 TOOLS ARE AVAILABLE INDIVIDUALLY AND IN TWO KITS:

12-6-2010 Basic Kit

For those whose occupation requires possession and occasional use of an Auto Lockout Kit.

It includes the following tools and Lockout Manual in a Heavy Vinyl Pouch.

12-1A Sneaky Pete	12BA-12 Double L
12BA-4 Half-Glass	12BA-16 String Jim
12BA-6 Deep Reach	12BA-17 Double Sided Wedge (2)
12BA-7 Magic Wand	12BA-19 Glass Shield
12BA-8 Button Hooker	12BA-G Tool Savers
12BA-9 Over/Under	12-MAN Lockout Manual
12BA-11 Maxi-Glass	12BA-20S Heavy Vinyl Pouch












12-6A Basic Kit (without Lockout Manual)

12-1A Sneaky Pete	12BA-12 Double L
12BA-4 Half-Glass	12BA-16 String Jim
12BA-6 Deep Reach	12BA-17 Double Sided Wedge (2)
12BA-7 Magic Wand	12BA-19 Glass Shield
12BA-8 Button Hooker	12BA-G Tool Savers
12BA-9 Over/Under	12BA-11 Maxi-Glass
12BA-20S Heavy Vinyl Pouch	

12-8-2010 Deluxe Pro Kit


For those who use an Auto Lockout Kit on a daily basis. It includes the following tools and Lockout Manual in a Four Section Heavy Duty Carry Case with loop handles and outside pockets.

12-1A Sneaky Pete	12BA-12 Double L
12BA-2 Cranker	12BA-13 Camry Tool
12BA-3 Stiletto	12BA-14 Double Grabber
12BA-4 Half-Glass	12BA-16 String Jim
12BA-5 Mini-Glass	12BA-17 Double Sided Wedge (2)
12BA-6 Deep Reach	12BA-18 Flex Neck Flashlight
12BA-7 Magic Wand	12BA-19 Glass Shield
12BA-8 Button Hooker	12BA-G Tool Savers
12BA-9 Over/Under	12-MAN Lockout Manual
12BA-10 Porsche/Chrysler	12BA-20B 4 Section Carry Case
12BA-11 Maxi-Glass	

<p>B D</p>  <p>12-1A Sneaky Pete</p>	<p>D</p>  <p>12BA-2 Cranker</p>	<p>D</p>  <p>12BA-3 Stiletto</p>	<p>B D</p>  <p>12BA-4 Half Glass</p>
<p>D</p>  <p>12BA-5 Mini Glass</p>	<p>B D</p>  <p>12BA-6 Deep Reach</p>	<p>B D</p>  <p>12BA-7 Magic Wand</p>	<p>B D</p>  <p>12BA-8 Button Hooker</p>
<p>B D</p>  <p>12BA-9 Over/Under</p>	<p>D</p>  <p>12BA-10 Porsche/Chrysler</p>	<p>B D</p>  <p>12BA-11 Maxi-Glass</p>	<p>B D</p>  <p>12BA-12 Double L</p>
<p>D</p>  <p>12BA-13 Camry Tool</p>	<p>D</p>  <p>12BA-14 Double Grabber</p>	<p>B D</p>  <p>12BA-16 String Jim</p>	<p>B D</p>  <p>12BA-17 Double Sided Wedge</p>
<p>D</p>  <p>12BA-18 Flex Neck Flashlight</p>	<p>B D</p>  <p>12BA-19 Glass Shield</p>	<p>D</p>  <p>12BA-20B 4-Section Carry Case</p>	<p>B</p>  <p>12BA-20S Heavy Vinyl Pouch</p>
<p>B D</p>  <p>12BA-G Tool Savers (3)</p>	<p>B D</p>  <p>12-BA-MAN Lockout Manual</p>	<p>Tools marked B are included in 12-6-2010 Basic Kit.</p> <p>Tools marked D are included in 12-8-2010 Deluxe Pro Kit.</p> <p>** ALL TOOLS AVAILABLE SEPARATELY **</p>	



Part #12-275
Inflatable air Wedge



Part #12-270
Red Alert Door Tool



Part #12-900
2 pk Flex-Lite bulb



Part #12-W5
5.5" Plastic Window Wedge



Part #12-1
Door Unlocking tool

B/A manufactures tie-downs for most any need.
 ** Customs Tie-Downs made to order. Call with specifications. **



LEVER BINDER		
PART #	SIZE	W.L.L.
11-LLB-14	Fits 3/16" - 1/4" chain	2,200 lbs
11-LLB-5	Fits 5/16" - 3/8" chain	5,400 lbs
11-LLB-1	Fits 3/8" - 1/2" chain	9,200 lbs



RATCHET BINDER		
PART #	SIZE	W.L.L.
11-RTLB-14	Fits 3/16" - 1/4" chain	2,200 lbs
11-RTLB-4	Fits 3/8 chain	7,100 lbs
11-RTLB-3	Fits 5/16" - 3/8" chain	6,600 lbs
11-RTLB-1	Fits 3/8" - 1/2" chain	9,200 lbs
11-RTLB-2	Fits 1/2" - 5/8" chain	13,000 lbs



Part # 11-LLB-FH4
 Lever Load Binder with
 4" Flat Hook
 Fits 5/16" - 3/8" chain
 W.L.L. 5,400 lbs



Part # 11-RTLB-38T
 Ratchet Binder with T
 Handle
 W.L.L. 6,600 lbs



Part # 11-ULRB
 Under Reach Binder
 WLL: 6,600 lbs



Weld on D-Ring		
Size	Part #	WLL
1"	38-DR2	15,586 lbs
3/4"	38-DR34	9,120 lbs
5/8"	38-DR58	6,130 lbs



Part # 38-DR1
 Plated 1/2" Bolt on D-Ring
 WLL: 4,080 lbs



Part # B38-DR1/SC
 Self Colored 1/2" Bolt on
 D-Ring
 WLL: 4,080 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)



1" web Cam Strap with S hooks

Length	Part #
6'	TD1-C6S
10'	TD1-C10S
18'	TD1-C18S

WLL: 500 lbs



1" Web by 12' Long with double J hooks & D-Rings

Length	Part #
12'	TD1-R12DJ

WLL: 1,000 lbs



1" Web with ratchet & "S" hooks

Length	Part #
8'	TD1-R8S
12'	TD1-R12S
18'	TD1-R18S

WLL: 800 lbs



2" Webbing Tie-Down with Double J hooks

Length	Part #
15'	TD2-15DJ
20'	TD2-20DJ
27'	TD2-27DJ

WLL: 3,330 lbs



Cargo Tie-Down with Chains & Grab hooks			
Web Size	Length	Part #	WLL
2"	27'	TD2-27CG	3,330 lbs
2"	50'	TD2-50CG	3,330 lbs
3"	27'	TD3-27CG	5,000 lbs



Cargo Tie-Down with Flat hooks			
Web Size	Length	Part #	WLL
2"	15'	TD2-15FF	3,330 lbs
2"	20'	TD2-20FF	3,330 lbs
2"	27'	TD2-27FF	3,330 lbs
2"	30'	TD2-30FF	3,330 lbs
3"	27'	TD3-27FF	4,000 lbs
3"	30'	TD3-30FF	4,000 lbs
4"	27'	TD4-27FF	5,000 lbs
4"	30'	TD4-30FF	5,000 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

REPLACEMENT STRAPS

2" WEBBING

Web Size	TD Part #	WLL	Short Strap	WLL	Long Strap	WLL
2"	TD2-15DJ	3,330 lbs	TD2-27DJ-S	3,330 lbs	TD2-15DJ-L	3,330 lbs
2"	TD2-20DJ	3,330 lbs	TD2-27DJ-S	3,330 lbs	TD2-20DJ-L	3,330 lbs
2"	TD2-27DJ	3,330 lbs	TD2-27DJ-S	3,330 lbs	TD2-27DJ-L	3,330 lbs
2"	TD2-15FF	3,330 lbs	TD2-27FF-S	3,330 lbs	TD2-15FF-L	3,330 lbs
2"	TD2-20FF	3,330 lbs	TD2-27FF-S	3,330 lbs	TD2-20FF-L	3,330 lbs
2"	TD2-27FF	3,330 lbs	TD2-27FF-S	3,330 lbs	TD2-27FF-L	3,330 lbs
2"	TD2-27CG	3,330 lbs	TD2-CG-S	3,330 lbs	TD2-27CG-L	3,330 lbs
2"	TD2-50CG	3,330 lbs	TD2-CG-S	3,330 lbs	TD2-50CG-L	3,330 lbs
2"	TD2-15FS	3,330 lbs	TD2-FS-S	3,330 lbs	TD2-15FS-L	3,330 lbs
2"	TD2-20FS	3,330 lbs	TD2-FS-S	3,330 lbs	TD2-20FS-L	3,330 lbs
2"	TD2-27FS	3,330 lbs	TD2-FS-S	3,330 lbs	TD2-27FS-L	3,330 lbs

3" WEBBING

Web Size	TD Part #	WLL	Short Strap	WLL	Long Strap	WLL
3"	TD3-27CG	5,000 lbs	TD3-CG-S	5,000 lbs	TD3-27CG-L	5,000 lbs
3"	TD3-27FF	4,000 lbs	TD3-27FF-S	4,000 lbs	TD3-27FF-L	4,000 lbs

4" WEBBING

Web Size	TD Part #	WLL	Short Strap	WLL	Long Strap	WLL
4"	TD4-27FF	5,000 lbs	TD4-27FF-S	5,000 lbs	TD4-27F	5,000 lbs

** AVAILABLE IN ANY LENGTH AND HOOK COMBINATION **

Warning: Never exceed Work Load Limit (WLL)

DOLLY TIRES & ACCESSORIES



Part # 2-480X8T
480x 8 Tire only no Rim

Part # 2-480X8
480x8 Tire with Rim



Part # 2-570X8T
570x8 Tire only no Rim

Part # 2-570X8
570x8 Tire with Rim



Part # 5-1
6"x7" x12" Wheel
Chocks
Sold in Pairs



Part # 5-2
8"x8.5"x15" Wheel
Chocks
Sold in Pairs



Part # 40-123
1" Bearing kit



Part # 48-1
Set of 4 tire skates

Part # 48-100
Individual Tire Skates

SLING STRAPS



Part # 1-1
10" x 47" Sling straps
with 4 holes
Sold in pairs



Part # 1-2
6" x 35" Sling Straps
with 3 holes
Sold in pairs



Part # 1-4
8" x 42" Straps with 3
holes
Sold in pairs



Part # 1-100
Straps Protectors
8" x 42" Straps with 3
holes



21" Wireless Tow Light

Part# 25-TM21



17" Wireless Tow Light

Part# 25-TM2



48" Trimline w/ Sequential Turn

Part # 25-TL48



17" Wireless Tow Light w/
Side Markers

Part# 25-TM2ML



31" Trimline w/ Sequential Turn

Part# 25-TL31



36" Wireless 7 Way Truck Bar

Part# 25-TM36



17" Wireless Tow Light w/
Sequential Turns & Side Markers

Part# 25-SQTM2



48" Wireless 7 Way Truck Bar

Part# 25-TM48



17" Wireless Tow Light w/ Strobes

Part# 25-TM2S



Super 25 w/ Strobe & Straps

Part# 25-S25



Part # 28-2
54" Jet Wrecker Spec



Part # 35-5
LP 6000 Economy Light Bar



Part # 28-SJL6
6 Head Jetstrobe Light Bar



Part # 28-SJL10
10 Head Jetstrobe Light Bar



Part # P-AS847



Part # 35-6M-A
LP Magnetic Mini Beacon with



Part # 28-6H
Highlighter Bar 15.75" Long with



Part # P-550M
6.25" H x 6" D Halogen Rotator with
Magnetic Mount & Lighter Plug



Part # 28-98J
Jet Bulkhead / Gasket



Part # 24-1
Magnetic Tow Lights



Part # 24-1LED
LED Magnetic Tow Lights



Part # 28-605
Motor for 25RWLI



Part # 33-2
Chrome Decklight - 6"



Part # 33-4
6" Post Mounted Spotlight



Part # 33-9
5" Rubber Floodlight



Part # 35-602
MX Standard Rotator Module



Part # 35-603
MX Fast Rotator Module



Part # 795S
50 Watt Halogen Bulb




Part # 12258
55 Watt H1 Mini Halogen



Part # P-710
Multi-Pattern Programmable
Flasher

TOW LIGHTS ACCESSORIES



Part: # 24-3S
4 Way Socket



Part # 24-7S
7 Way socket



Part # 24-3P
4 Way male plug



Part # 24-7
7 Way male plug




Part # 24-6
60" Extension Cord for 24-4



Part # 24-5
30' Extension Cord



Part # 24-400
30' 4 Way extension cord with plug
and socket



Part # 24-10
Tow Light window bracket

B/A's Cycle Dolly supports motorcycles allowing them to be loaded using the rollback's winch. One person can easily & safely load & unloads a bike in minutes.



Part #21-5
Motorcycle Dolly



Part # 21-1
Motorcycle straps with
bag



Part # 21-2 Wheel Lift
Motorcycle Sling with
bag

REPLACEMENT PARTS

Part #	Description	Part #	Description
21-100	2" Motorcycle sling 56" long	21-505	30" Strap with ratchet and hardware
21-100-8'	2" Motorcycle sling 8' long	21-510	Wheel stop with hardware
21-2A	Motorcycle Tie Down without bag	21-512	Outrigger with wheel
21-2B	Motorcycle Tie Down	21-512A	Outrigger without wheel
21-300	Handlebar Tie Down	21-514	Main channel for 21-5
21-500	2 Pcs 6' Strap & Ratchet	21-520	Large wheel with hardware
21-501	2 Pcs 16' Strap & Ratchet	21-522	Small wheel with hardware

Throttle & PTO cables meet or exceed OEM specifications. We stock these items in a variety of lengths and can be cut for exact fit.
B/A Products maintain a wide variety of installation fittings.



VERNIER CABLES	
Part #	Length
13-4A	35' long
13-4	30' long
13-3	25' long
13-2	20' long
13-1	15' long
13-1A	6' long




Part #13-5
Throttle Stop



Part # 13-6
Cable clamp



Part # 13-6A
Bulkhead cable
clamp



Part # 13-6B
3 Piece side clamp



Part #13-7
Throttle chain kit



Part #13-10
Head assembly

Throttle & PTO cables meet or exceed OEM specifications. We stock these items in a variety of lengths and can be cut for exact fit.

B/A Products maintain a wide variety of installations fittings.



PTO CABLES	
Part #	Length
14-3	20' long
14-2	15' long
14-1	10' long
14-1A	6' long



Part #14-4L
PTO Knob 3/8-24 THD



Part #14-5
Throttle Stop



Part # 14-6
Cable clamp




Part # 14-6A
Bulkhead cable clamp



Part # 14-7A
3/8" Diameter bowden pin



Part # 14-7B
7/16" Diameter bowden pin



Part # 14-6B
3 Piece side clamp



Part # 8-1
Nylon Steering Wheel Lock with Over
Center Buckle & Flat hook



Part # 8-2
Shotgun Strong Wheel lock

Part # 8-2-CAP
Replacement red cap



Part # 8-31
Steering Wheel Lock with 2" Cam
Buckle & Double J hook



Part # 8-32
Steering Wheel Lock with 2" Cam
Buckle & Two Double J hooks



Part # 8-34CH
Steering Wheel Lock with 2" Cam
Buckle & Two Claw hooks



8-34CH

Variety of systems to fit any need and budget.
 25' & 30' long plug in cables.
 A full line of replacement parts available.



Part # 41-3
 Plug in Jump start with box.
 500 AMP



Part #41-3HD
 Heavy Duty Plug in Jump start.
 800 AMP



SMH Plug-in Kit

Part #	Length
41-7/25	25'
41-7/30	30'

Jumper Cable Replacement parts				
	41-3	41-3HD	41-7/25	41-7/30
Plug only	41-300	41-300HD	N/A	N/A
Clamps only	41-302	41-302	41-302	41-302
Side Term Adaptors	41-302A			
Cable End	41-3C			
Socket End	41-3S			
SMH Connector	N/A	N/A	41-700	41-700
SHM Plug Cover	N/A	N/A	41-700C	41-700C
Repl. Cable			41-705	41-706



Replacement Cable

Part #	Length
41-705	25'
41-706	30'



Part #41-300
 Replacement Plug



Part #41-302
 Replacement Clamps

PLUG IN JUMPER CABLES



Part # 41-700
SMH Gray Connector



Part # 41-700C
SMH Plug Cover




Part # 41-704
4' Harness for 41-7 series



Part # 41-3S
Socket end for 41-3

FORM HOLDERS & SAFETY



Part # 42-2
Redi-rite 8.5" x 12"



Part # 42-5
Redi-rite 5.66" x 9.5"



Part # 42-6
Trifold 8.5" x 12"



Part # 42-3
Snapak 5.66" x 9.5"




Part # 26-3
Safety Triangle Kit



Part # 26-10
First Aid Kit

Cam Locks

Plunger and Spring Design is easier and more reliable to use than the old style locking pins. Allows for one hand operation to open the assembly and put it into the automatic locking position. Pin will fully engage once the holes on your bar line up. Used on sling arms, stabilizer legs, wheel lift forks, and more.



Twist Lock Plunger Pins

Part#	Size	A	B	C
16-CL12	1/2"	1/2"	2.57"	.98"
16-CL58	5/8"	5/8"	2.989"	1.18"
16-CL34	3/4"	3/4"	2.989"	1.18"
16-CL1	1"	1"	3.66"	1.38"



FOLDING STEPS

Folding Steps

Stainless Steel Steps fold when not in use. Hardware included.

Part #19-1

Stainless Steel Steps

- Kit includes:
 Two (2) Stainless Steel Steps
 Four (4) Plated hex nut
 Four (4) Split lock washer
 Four (4) Plated flat washer





Reinforced Truck Tire Chains

TIRE SIZE					P/N STOCK No.	WT./PR. LBS.
9-14.5MH	P225/75R15	30X9.50-15	P225/70R16	225/75R16LT	18-2816	25
215/75R14LT	P235/75R15	6.50-16LT	P225/75R16	P225/75R16LT		
H78-15LT	215/75R15LT	8.00-16.5	205R16	P235/65R17		
7.00-15TR	245/70R15LT	215/80R16LT	255/65R16LT	215/70R17.5	18-2819	26
7.50-15LT	245/75R15LT	215/85R16LT	8.75-16LT	P235/50R18		
P275/60R15	7.00-16LT	235/75R16LT	8-17.5	P255/45R18		
235/75R15LT	8.75-16.5	245/70R16LT	8.50-17.5			
NR78-15	LR78-16	P245/75R16	215/75R17.5		18-2821	28
7.50-15TR	7.50-16LT	235/85R16LT				
275/60R15LT	9.50-16.5	7.00-17LT				
P245/65R15	P245/70R16	275/60R16LT	P245/70R17		18-2829	27
P245/70R15	P255/65R16	30X9.5-16LT	P255/55R17			
P255/70R15	P255/70R16	31X11.50-16	P255/60R17			
P265/70R15	P275/60R16	32X9-16LT	P275/60R17			
P265/75R15	235/70R16LT	32X10.00-16LT	275/60R17			
255/75R15LT	245/75R16LT	10-16.5LT	225/55R18			
29X9.50-15	255/70R16LT	P245/55R17	P255/55R18			
P235/70R16	265/50R16LT	P245/65R17	255/55R18			
8.25-15TR	255/85R16LT	245/70R19.5	275/55R20		18-2828	32
P275/70R16	275/70R18LT	225/70R19.5				
7.50-18	6.50-20	7.00-20			18-2833	43
9.00-15TR	9R17.5	7.50-20	225/70R22.55		18-2837	45
9.00-16LT	10R17.5	8-22.5	235/80R22.5			
10-15TR	8.25-20	245/75R22.5	255/80R22.5		18-2839	47
11R17.5	9-22.5	255/70R22.5	QR78-16			
265/70R19.5	9.00-20	10-22.5	265/75R22.5		18-2841	55
10.00-20	11-22.5	275/70R22.5	275/80R22.5		18-2845	60
295/75R22.5	285/75R24.5	275/80R24.5			18-2847	56
10.00-22	11-24.5				18-2849	59
11.00-15TR	11.00-20	12-22.5	12.5-22.5	295/80R22.5	18-2851	68
12.00-20	13/80R20	315/80R22.5	12-24.5		18-2855	71
13.00-20	14/80R20	365/80R20	12.00-24		18-2857	81
14.00-20	14.00R21	13.00-24			18-2871	80
14.00-24					18-2873	94