

**DEMAND**™

P R O D U C T S I N C



EIFS CATALOG



## TABLE OF CONTENTS

<b>Rasps</b> .....	Pages 4-7	<b>Chemicals</b> .....	Pages 48-53
<b>Hot Knives</b> .....	Pages 8-19	<b>Water Management</b> .....	Pages 54-59
<b>Fasteners</b> .....	Pages 20-25	<b>Saws &amp; Planers</b> .....	Pages 62-63
<b>Foam Cutting</b> .....	Pages 26-33	<b>Coatings</b> .....	Pages 64-65
<b>Foam Recycling</b> .....	Page 34-35	<b>Craft Hot Wire Cutters</b> .....	Pages 66-68
<b>Hand Tools</b> .....	Pages 36-45	<b>Index</b> .....	Page 69
<b>Mixers / Sprayers</b> .....	Pages 46-47 & 64		

### How to Order

Our products are available through distributors located throughout the world. If you cannot find a distributor in your area email [eifs@demandproducts.com](mailto:eifs@demandproducts.com) or call and we will assist you in finding one. Our operation hours are from 8:00 am to 5:00 pm Monday through Friday, EST. Our fax machines & email operate around the clock. FAX: 1.888.534.8383 E-MAIL: [info@demandproducts.com](mailto:info@demandproducts.com)

### Return Policy

No merchandise can be returned without an authorization number. We do not accept returns on chemicals or coatings and some electronics. Returns must be made within 15 days of invoice and must be in new condition. Materials returned must be shipped prepaid. Discontinued items and custom orders cannot be returned. Returns subject to minimum 15% restocking fee.

### Warranty

All of our products carry an unconditional 6 month guarantee. Demand Products must be notified within 48 hours of receipt of defective or damaged merchandise or shortages. Any equipment or tools that are disassembled without prior written consent from Demand Products will have the warranty voided. Defective products will either be replaced or repaired at no charge. Abused tools will be repaired and returned only if the customer consents to charges.

*Proper Operation and Maintenance.* Buyer must properly operate and maintain the product, including parts and accessories, in compliance with all operation and maintenance instructions, in normal use, and in good condition and repair.

*Authorization for modification.* Buyer must obtain written authorization from Demand Products before making any modification of any product, part or accessory.

### Please Note — Disclaimer

The products in this catalog are offered as options for the purchaser. Having no control over the use of the products in this catalog, we assume no liabilities connected with their use. Under no circumstances are we or the seller liable for any loss, damage or expense of any kind arising out of the use or inability to use our products. The product descriptions and/or photos described or shown may have changed since publication of this catalog and therefore information may be outdated.

**EIFS products in this catalog are sold through distributors or manufacturers only.**

All property rights are reserved. *Prices are subject to change without notice.*



Since 1983, Demand Products has supplied top quality tools to the EIFS, stucco, plastering, foam cutting, theming / theater, packaging and building industries. Products, Parts and Service are all parts of the puzzle that create the complete picture. Every piece is important. If just one falls out of place it has a ripple effect across the board. Demand Products continues to develop new and exciting tools and products to stay in front of the ever changing marketplace. That investment carries over to the exceptional staff we have in place as well. The end result is the most important piece of all — a happy customer. Call today to learn how we can serve you.

**FOAM  
SALES  
EIFS  
STUCCO  
FASTENERS  
HOT KNIFE  
PARTS  
SERVICE**



# ORIGINAL DURARASP™



DR814

DR614

DR414

DR214

## ORIGINAL DURARASP™ 12-Grit Tungsten Carbide Rasp

- Non-Gouging Rounded Corners
- Custom Crafted and Serial Numbered
- Lasts 100 Times Longer than Rasp Paper
- Ergonomic Handle



Heavy Brazed  
#12 Tungsten Grit



Item #	Description
DR214	2" x 14"
DR414	4" x 14"
DR614	6" x 14"
DR814	8" x 14"

# Tiger Claw™

## TIGER CLAW DURARASP™

For Rasping, Cutting & Shaving EPS Foam

All the Features of the DuraRasp™, Plus...



Rasping



Cut-Off Saw



Shaves High Spots

Item #	Description
TC414	The Tiger Claw™ 4" x 14"
TC614	The Tiger Claw™ 6" x 14"
TC814	The Tiger Claw™ 8" x 14"



TC814

TC614

TC414



# QUALITY



“I discovered the DuraRasp™ rasp after using rasping paper for years. I’m amazed by the quality of the long lasting grit on the tool. After using my first DuraRasp on hundreds of projects I finally replaced it. I kept the old one and can still use it in a pinch. It has more than paid for itself. You simply can’t beat the quality of an Original DuraRasp.”

Mike Potter  
EIFS Installer - 11 yrs.

## SMOOTHIE™ DURARASP™ 24-Grit Tungsten Carbide Rasp

- Ornamental Shapes & Base Coats
- Custom Crafted and Serial Numbered

Item #	Description
SM414	Smoothie™ 4" x 14"
SM614	Smoothie™ 6" x 14"



Heavy Brazed  
#24 Tungsten Grit



SM614

## The Industry Standard for Rasping EPS Outlasts Rasp Paper over 100 to 1



In ten months of testing by professional contractors, paper can't begin to compare with the dramatic performance of the DuraRasp! 12-grit proved to be only marginally better and 16-grit, but still no comparison to the DuraRasp.



DE614

## EDGER RASP™ DURARASP™ 2 Sided Tungsten Carbide Rasp

- Heavy #12 Tungsten Grit
- Ergonomic Handle

Item #	Description
DE614	Edger Rasp™ 6" x 14"





MADE IN  
THE USA



### Specifications

Dimensions: 7"W x 15"L  
Rasp Surface: 6" x 14"  
Hose Size: 1 1/2"

KITDVH

## DURAVAC™ RASP

### Vacuum Hand Rasp

- Lightweight: Weighs only 2 1/2 lbs
- Quickly Removes EPS Dust
- DuraRasp™ Plate Delivers Long Life
- Constructed with Lightweight Commercial Grade Aluminum
- Connects to Any Commercial Vacuum


Item #	Description
KITDVH	Hand Vacuum DuraRasp™
VRP614	Vacuum DuraRasp™ Replacement Plate, 6" x 14"

## ROKAMAT "CHAMELEON"

### EIFS Vacuum Sander

- Lightweight
- Counter Rotating Sanding Discs
- Two Part Assembly Improves Weight Distribution
- Continuous Speed Control

Item #	Description
KIT-EIFS	Rokamat Chameleon Sander
23200	(2) 24 Grit Replacement Discs



KIT-EIFS

## SHOP•VAC®

### Vacuum Back Pack

- Commercial 2 HP Two Stage Motor
- Lightweight 9 3/4 lbs
- 7 Quart Tank Capacity
- 5' Locking Hose Plus Wands
- 50' Power Cord



Item #	Description
BPVAC	Shop-Vac Back Pack Vacuum
BPVACPO1	Replacement Bags - 5 Pack



Rasp Not Included

## 48" DURARASP™

### Tungsten Carbide Rasp

- Custom Crafted
- Heavy Duty #12 Tungsten Grit
- Lasts 100 Times Longer Than Rasp Paper

Item #	Description
DR448PL	DuraRasp™ 48"
DR448S	Replacement Rasp Plate

**NEW**

Redesigned From  
The Bottom Up

MADE IN  
THE USA



DR448PL



CC15S

## FOAM SHAVING CURRY COMB

### A Demand Products Innovation

- Reversible Smooth or Sharp Point Pattern
- Grip-It Polypropylene Handle
- Shank Pin Allows Comb to Reverse Easily on Handle
- Finished Combs are Lacquer Dipped for Durable Finish

Item #	Description
CC15S	Foam Shaving Curry Comb

MADE IN  
THE USA



# RASP PAPER

## RASPING TOOLS

### Standard Hand Rasp

- High Quality Aluminum Plates
- 16 Grit Adhesive Paper



Item #	Description
AS414	Aluminum Standard Rasp, 4" x 14"
AS614	Aluminum Standard Rasp, 6" x 14"
AS814	Aluminum Standard Rasp, 8" x 14"



## BULK RASP PAPER

### Adhesive Rasp Paper

#### 12-Grit Rasp Paper

Item #	Description
ARP41412	Rasp Paper, 4" x 14"
KITARP41412	Rasp Paper, 12 Pack, 4" x 14"
ARP61412	Rasp Paper, 6" x 14"
KITARP61412	Rasp Paper, 12 Pack, 6" x 14"
ARP81412	Rasp Paper, 8" x 14"
KITARP81412	Rasp Paper, 12 Pack, 8" x 14"
ARP81812	Rasp Paper, 8" x 18"
KITARP81812	Rasp Paper, 12 Pack, 8" x 18"

#### 16-Grit Rasp Paper

Item #	Description
ARP414	Rasp Paper, 4" x 14"
KITARP414	Rasp Paper, 12 Pack, 4" x 14"
ARP614	Rasp Paper, 6" x 14"
KITARP614	Rasp Paper, 12 Pack, 6" x 14"
ARP814	Rasp Paper, 8" x 14"
KITARP814	Rasp Paper, 12 Pack, 8" x 14"
ARP818	Rasp Paper, 8" x 18"
KITARP818	Rasp Paper, 12 Pack, 8" x 18"

## BULK RASP PAPER

### Non-Adhesive Rasp Paper

#### 16-Grit Rasp Paper

Item #	Description
BRP250	Bulk Rasp Paper, 2" x 50 yds
BRP450	Bulk Rasp Paper, 4" x 50 yds
BRP650	Bulk Rasp Paper, 6" x 50 yds
BRP850	Bulk Rasp Paper, 8" x 50 yds

#### 12-Grit Rasp Paper

Item #	Description
BRP25012	Bulk Rasp Paper, 2" x 50 yds
BRP45012	Bulk Rasp Paper, 4" x 50 yds
BRP65012	Bulk Rasp Paper, 6" x 50 yds
BRP85012	Bulk Rasp Paper, 8" x 50 yds



BRP250      BRP450      BRP650      BRP850



KITAE818

## AIR EXPRESS™

### Uses Adhesive Rasp Paper

- Lightweight: Weighs only 5.3 lbs
- Air Fittings Not Included
- Requires 6 CFM @ 75 PSI

Item #	Description
KITAE818	Air Express™ 8" x 18"



## CARVE360™ Cordless Hot Knife

- 36 Volts / 190 Watts
- Lithium-Ion Battery Powered
- Full Charge in About an Hour
- Variable Heat Control
- Lightweight



### ADJUSTABLE HEAT DIAL

Item #	Description
HKT360	CARVE360™ Cordless Hot Knife
400CR	4" Stamped Blade
600CR	6" Stamped Blade
800	8" Stamped Blade
1000	10" Stamped Blade
HKT360P01	Lithium-Ion Battery
HKT360P02	Battery Charger
HKTCRP01	Blade Adapter



The Custom Blade Adapter makes it easy to use all of the Original Hot Knife™ post style blades.



HKT360

#### Quick Start Kit Includes:

CARVE360™, Two Lithium-Ion Batteries, Battery Charger, 4" & 6" Blades, Custom Blade Adapter, Wire Brush, Hex Tool and Carry Case

# INNOVATION



“The new CARVE360™ rocked my world!!! It has literally changed the way we sculpt and has taken us to a whole new level! The freedom and control it provides is beyond words. I highly recommend this product!”

Bruce Barry  
Wacky World Studios





# CARVE360™ KITS



## SCULPTOR'S KIT

### CARVE360™ HOT KNIFE WITH EXTRA LONG BLADES

GREAT FOR THEATER AND ARTISTS

- CARVE360™ Hot Knife
- 4", 6", 8" & 10" Hot Knife Blades
- 3 Feet NFWW Flat Wire
- Wire Crimping Tool
- Carry Case

Item #	Description
HKT360-A	CARVE360 Sculptor's Kit



## PRO EIFS KIT

### CARVE360™ FOAM CUTTER KIT WITH 6" GROOVE ADAPTER

EVERYTHING YOU NEED FOR EIFS

- CARVE360™ Hot Knife
- 6" Groove Adapter with Guide
- 4" & 6" Hot Knife Blades
- 3 Feet NFWW Flat Wire
- Crimping Pliers
- 6" EIFS DuraRasp™
- Heavy Duty Canvas Bag
- Carry Case



Item #	Description
KITPRO360	CARVE360 Foam Cutter Kit

## ICF & SIPS KIT

### CARVE360™ ICF & SIPS HOT KNIFE FOAM CUTTER TOOL KIT

ELECTRICAL BOXES & CONDUIT GROOVES

- CARVE360™ Hot Knife
- 4" & 6" Hot Knife Blades
- 6" Groove Adapter with Guide
- 2 Feet NFWW Flat Wire
- 3 ICF Cable Slot Cutters
- 3 ICF Single Electrical Box Cutters
- 3 ICF Double Electrical Box Cutters
- Heavy Duty Tajima Utility Knife
- Carry Case



Item #	Description
KITICF360	CARVE360 ICF & SIPS Tool Kit



## EIFS STARTER KIT

### CARVE360™ WITH 6" GROOVE ADAPTER

SUPER VALUE SAVES MONEY

- CARVE360™ Hot Knife
- 6" Groove Adapter with Guide
- 4" & 6" Hot Knife Blades
- 3 Feet NFWW Flat Wire
- Carry Case

Item #	Description
HKT360-CR6G	CARVE360 with Groove Adapter

## MASTER EIFS KIT

### CARVE360™ HOT KNIFE FOAM CARVING KIT

START WORKING RIGHT AWAY

- CARVE360™ Hot Knife
- 4", 6", 8" & 10" Hot Knife Blades
- Custom Blade Adapter
- 10 Original Hot Knife™ Blades with Stops
- Wire Brush and Hex Tool
- Carry Case

Item #	Description
KITHKK360	CARVE360 Foam Carving Kit



8" & 10" Hot Knife Blades are Available



# HOT KNIFE CR™

## HOT KNIFE™ CR CUTRITE™

Complete with Case

- 150 Watts
- Includes 4" & 6" Blades and Case
- Electronic Circuit Board Powered
- Variable Heat Control
- Lightweight
- Stamped Blades
- Spring Loaded Safety Trigger

Item #	Description
HKTCR	Hot Knife™ CR & Blade Adapter w/ 4" & 6" Blades
200CR	2" Blade
400CR	4" Blade
600CR	6" Blade
HDC220	220 Volt Converter
HKTCRP01	Blade Adapter

Heats Up To 12" of Wire

2", 4" & 6" Blades Available



HKTCR



Kit Includes:

Hot Knife™ CR CutRite™, 4" & 6" Blades, Custom Blade Adapter, Cleaning Brush and Case



ADJUSTABLE HEAT DIAL




All of these Custom Blades fit the Hot Knife™ CR CutRite™ using the Custom Blade Adapter.

See page 12 for details.

STOPS  
STOPL

Custom  
Blade  
Adapter



HKTCRP01

# ACCESSORIES



## HOT KNIFE™ CR PRO KIT

### Everything You Need

Kit Includes: Hot Knife, 4" & 6" Blades, 6" Groove Adapter, 3 Feet of NFWW Wire, Crimping Pliers, 6" DuraRasp™ and Canvas Bag

Item #	Description
KITPROCR	Hot Knife™ CR Pro Kit



## 1" & 6" GROOVE ADAPTER

### Grooves Up to 6" Wide

Item #	Description
CR1G	Hot Knife™ CR 1" Groove Plate
CR6G	Hot Knife™ CR 6" Groove Plate
NFWW	Flat Wire, per foot



## CR ANGLE GUIDE

### Cut Custom Angles

Item #	Description
CRANGLE	CR Angle Guide



## HOT KNIFE™ CR CUTRITE™ KIT

### Super Value Saves Money

Kit Includes: Hot Knife, 4" & 6" Blades, 6" Groove Adapter, 3 Feet of NFWW Wire and Case

Item #	Description
KITCR6G	Hot Knife™ Kit




## CRIMPING TOOL

### Precise Bends in NFWW Wire

- Quality Chrome Plated Precision
- 10' of NFWW Wire & Shaping Tool

Item #	Description
WCP	Wire Shaping Tool
KITWCP10	Shaping Tool Kit



## WIRE CUTTING TOOL

### Cuts NFWW Wire

Item #	Description
WCUT	Wire Cutting Tool

WCUT



# ORIGINAL HOT KNIFE™

## THE ORIGINAL HOT KNIFE™

From Demand Products

- 105 Watts
- Transformer Powered
- Lightweight - Only 1 Pound
- High Quality Blades with Post Mounts Not Stamped
- Spring Loaded Safety Trigger
- Blades Sold Separately




HKT450

Item #	Description
HKT	Hot Knife™ Tool, 105 Watts
HKT250	Hot Knife™ Tool, w/ 2.5" Blade
HKT300	Hot Knife™ Tool, w/ 3.0" Blade
HKT450	Hot Knife™ Tool, w/ 4.5" Blade
HKT550	Hot Knife™ Tool, w/ 5.5" Blade
HKTG75	Hot Knife™ w/ 3/4" Curved Blade
CASEH	Hot Knife™ Hard Case
CASEA	Hot Knife™ Aluminum Case
HKTT	Hot Knife™ Trade In
HKT20	Hot Knife™ Tool, 220 Volts*

Item #	Description
250	2.5" Straight Blade
300	3.0" Straight Blade
450	4.5" Straight Blade
550	5.5" Straight Blade
G50	1/2" Curve Blade
G75	3/4" Curve Blade
G100	1" Curve Blade
G75SP	3/4" Curve Blade w/ Lip
SPV	3/4" V Groove w/ Lip
SPSQ	3/4" Square Groove w/ Lip
STOPS	Short Ceramic Depth Stop
STOPL	Long Ceramic Depth Stop

\* INTERNATIONAL TOOL



Heats Up To 11" of Wire




GJA4G

## HOT KNIFE™ 4" ADAPTER

Vertical Adapter with Guide

- Vertically Positions the Hot Knife™
- Handles up to 4" Wide NFWW Blades

Item #	Description
GJA3G	Adapter
NFWW	Flat Wire, per foot



GJA3G

## HOT KNIFE™ 4" ADAPTER

Horizontal Adapter with Guide

- Horizontally Positions the Hot Knife™
- Handles up to 4" Wide NFWW Blades

Item #	Description
GJA4G	Adapter
NFWW	Flat Wire, per foot

# ACCESSORIES

## HOT KNIFE™ KIT 1 Master Kit

- Cuts Both Expanded and Extruded Foam
- Cuts Fast, Clean and Accurately
- Heats Up In Seconds
- Highest Quality Blades in the Industry
- Kit Includes: Hot Knife™, 250, 300, 450, 550, G50, G75, G75SP, SPV, G100, SPSQ Blades, Long Stop, Short Stop and Hard Case



Item #	Description
KITHKK	Master Hot Knife™ Kit
KITHKKA	Kit w/ Aluminum Case
KITHKK220	Hot Knife™ Kit, 220 Volts*

\* INTERNATIONAL TOOL

WCP



## SHAPING WIRE TOOL Precise Bends in Flat Wire

- Kit Includes Wire Crimper & 10" of NFWF Flat Wire
- Creates Clean, Crisp Corners

Item #	Description
WCP	Wire Shaping Tool
KITWCP10	Shaping Tool Kit



FWA10



## HOT KNIFE™ ADAPTER KIT Sculptor's Flat Wire Adapter

- Wire Adapter Posts
- Hot Knife™ Sold Separately
- 12" NFWF Wire

Item #	Description
FWA10	Adapter



Shape Your Blades For Sculpting Up To 10"

## HOT KNIFE™ KIT 2 Vertical Tool Buddy Adapter Kit

- Hot Knife™
- 2' NFWF Wire
- GJA3G Groove Jet™ Adapter
- 4 1/2" Blade
- Carry Case



Item #	Description
KITHKTB	Tool Buddy™ Vertical Kit
KITHKTBA	Kit w/ Aluminum Case
KITHKTB20	Hot Knife™ Kit, 220 Volts*

\* INTERNATIONAL TOOL

## HOT KNIFE™ KIT 3 Horizontal Tool Buddy Adapter Kit

- Hot Knife™
- 2' NFWF Wire
- 4 1/2" Blade
- GJA4G Groove Jet™ Adapter
- Carry Case

Item #	Description
KITHKTBA	Tool Buddy™ Horizontal Kit
KITHKTBA4	Kit w/ Aluminum Case
KITHKTBA204	Hot Knife™ Kit, 220 Volts*

\* INTERNATIONAL TOOL

CASEH



## HOT KNIFE™ CARRY CASE Hard Shell or Aluminum


Item #	Description
CASEH	Hot Knife™ Hard Case
CASEA	Hot Knife™ Aluminum Case

Tools Not Included

CASEA



# GROOVE JET™



KITGJ400  
with Guide

## GROOVE JET™ 400 HOT KNIFE

Aesthetic Groove Cutter

- Weighs Only 4 Lbs
- Handles up to 5" x 3" NFWW Blades
- Heats Up Fast
- Cuts Clean with One Pass
- Blade Positioned Up Front
- Available in 220 Volts

Item #	Description
KITGJ400	Groove Jet™ 400
NFWW	Flat Wire, per foot

**CUTS ALL THE WAY TO INSIDE CORNERS**

## GROOVE JET™ KIT

Most Popular Grooving Kit

- GJ400 Groove Jet™
- 10' NFWW Flat Wire
- Carry Case

Item #	Description
KITGJ4K	Groove Jet™ with Hard Shell Case
KITGJ4KA	Groove Jet™ with Aluminum Case



Aluminum Case

## GROOVE JET™ CASES

- Tools Not Included

Item #	Description
CASEA	Aluminum Case, 17" w x 5.5" h x 12" d
CASE	Plastic Case, 20" w x 9" h x 8" d



Plastic Hard Case



# BLADES & INSERTS

## GROOVE TOOL HANDLE & ACCESSORIES

Handle, Custom Blades, Custom Inserts & Blade Kit

HANDLE




GTH03

Item #	Description
GTH03	Groove Tool Handle
GJBCUSTOM	Custom Blade (Pkg of 3)
GTICUSTOM	Custom Insert (each)

\*CUSTOM SIZES AVAILABLE


BLADES



INSERTS



## SQUARE Groove Tool




Blades & Sled Kits

Hot Knife Blades

Nylon Sleds

Item#	Dimensions	Item#	Dimensions	Item#	Dimensions
KITS-103	1 X 3/4"	GBS-103	1 X 3/4"	GIS-103	1 X 3/4"
KITS-201	2 X 1"	GBS-201	2 X 1"	GIS-201	2 X 1"
KITS-203	2 X 3/4"	GBS-203	2 X 3/4"	GIS-203	2 X 3/4"

## ANGLED Groove Tool




Blades & Sled Kits

Hot Knife Blades

Nylon Sleds

Item#	Dimensions	Item#	Dimensions	Item#	Dimensions
KITA-102	1 X 1/2" X 1/2"	GBA-102	1 X 1/2" X 1/2"	GIA-102	1 X 1/2" X 1/2"
KITA-152	1 1/2" X 1/2" X 1"	GBA-152	1 1/2" X 1/2" X 1"	GIA-152	1 1/2" X 1/2" X 1"
KITA-201	2 X 1 X 1"	GBA-201	2 X 1 X 1"	GIA-201	2 X 1 X 1"

## BEVELED Groove Tool




Blades & Sled Kits

Hot Knife Blades

Nylon Sleds

Item#	Dimensions	Item#	Dimensions	Item#	Dimensions
KITB-154	1 1/2" X 3/4" X 1"	GBB-154	1 1/2" X 3/4" X 1"	GIB-154	1 1/2" X 3/4" X 1"
KITB-201	2 X 1 X 1 3/8"	GBB-201	2 X 1 X 1 3/8"	GIB-201	2 X 1 X 1 3/8"

## V SHAPE Groove Tool



Blades & Sled Kits

Hot Knife Blades

Nylon Sleds

Item#	Dimensions	Item#	Dimensions	Item#	Dimensions
KITV-175	1 X 3/4"	GBV-175	1 X 3/4"	GIV-175	1 X 3/4"
KITV-5050	1/2" X 1/2"	GBV-5050	1/2" X 1/2"	GIV-5050	1/2" X 1/2"
KITV-7575	3/4 X 3/4"	GBV-7575	3/4 X 3/4"	GIV-7575	3/4 X 3/4"

# HOT ROD™

HR



## HOT ROD™

### Super Duty 50 Amp EPS Panel Cutter

- Strongest In The Industry
- Cuts All Day Long Without Overheating
- Uses Heavy Gauge Round and Flat Wire As Well As Standard Hot Knife Blades
- Variable Heat Control — Heats Up Extremely Fast
- Remote HD Transformer with Extra Long 9' Cable
- Excellent for SIP's, ICF, EIFS or In-Plant Production Applications
- Heats NFWW Wire From 8" to 24"
- 110 Volts. Also Available in 220 Volts

800

600CR



HRP02



HRP10

### CORD AND HANDLE

#### Hot Rod™ Replacement Cord and Handle

Item #	Description
HRP02	Hot Rod™ Cord and Handle

### HOT ROD™ BLADE ADAPTER

Item #	Description
HRP10	Hot Rod™ Blade Adapter

Item #	Description
*HR	Hot Rod™ Only, 110 Volts (60 Hertz)
KITHRK	Hot Rod™ Kit Includes * Items Below
*250	2 1/2" Straight Blade
*300	3" Straight Blade
*450	4 1/2" Straight Blade
*550	5 1/2" Straight Blade
*600CR	6" Straight Blade (Open Mount)
*800	8" Straight Blade (Open Mount)
*1000	10" Straight Blade (Open Mount)
*G50	1/2" Curve Blade
*G75	3/4" Curve Blade
*G100	1" Curve Blade
*G75SP	3/4" Curve Blade with Lip
*SPV	3/4" V Blade with Lip
*SPSQ	3/4" Square Groove with Lip
*HRP10	Hot Rod™ Blade Adapter
*STOPS	Short Ceramic Stop
*STOPL	Long Ceramic Stop
HR220	Hot Rod™ Tool Only, 220 Volts (50 / 60 Hertz)
KITHRK220**	Hot Rod™ Kit, 220 Volts (50 / 60 Hertz)

\* INCLUDED IN KIT  
\*\* INTERNATIONAL TOOL

## HOT ROD™ BLADE ADAPTERS


### 3 Convenient Sizes with Guides

- Excellent for SIP's, ICF or EIFS
- Great for In-Plant Production Applications

Item #	Description
GJA3G	4" Groove Jet™ Adapter
GJA6G	6" Groove Jet™ Adapter
GJA10G	10" Groove Jet™ Adapter
HRP02	Cord and Handle
NFWW	Flat Ni-Chrome Wire - Per Foot



GJA3G Adapter  
4" Blade Width



GJA6G Adapter  
6" Blade Width



GJA10G Adapter  
10" Blade Width

## MESH MATE 4 EIFS MESH CUTTER


Portable EIFS Job Site Mesh Cutter

- Heavy Duty Mesh Cutter
- Includes 2 Top Cutting Arms
- Accepts All EIFS Mesh Up to 48"

Item #	Description
MM4	Mesh Mate 4



Portable Hooks for Scaffolding



MM4

## LEVERAGE PRY TOOLS

Medium Duty



Removes Lid Without Damage

## LEVERAGE PRY LIFTER TOOL

Medium Duty

- Lifts Lids Easily with Leverage
- Metal with Plastic Coated Handle
- Does Not Damage Seal


Item #	Description
LLB	11" Long

## LEVERAGE PRY BAR

Convenient Size

- Cuts, Seals, Lifts
- 16" Long

Item #	Description
LLH	16" Long



LLH

Heavy Duty

## LIGHT DUTY PLASTIC LID LIFTER

8 1/2" Long

Item #	Description
LL	8 1/2" Long



LL



# MAXX SOLDERING GUN

## MAXX SOLDERING GUN

2 In 1, MAXX 2 1/2" Foam Cutting Blade & Soldering Gun Hot Knife

- 100 Watts of Power for Diverse Applications
- 110 Volt Transformer Power Supply
- Heats Up Ready for Use in 6 Seconds
- Built-in Power Light Indicator
- Includes Soldering Gun, Tip, 2 1/2" Foam Cutter Blade, Cleaning Brush and Storage Case

Item #	Description
HKTMX	Maxx Soldering Gun
MXBT	Replacement Maxx Soldering Gun Tip
HKTMX250	* Maxx Soldering Kit



## 3 In 1 Soldering Gun, Fabric & Foam Cutter

- Includes: 2 1/2" Foam Blade & Fabric Blade, Soldering Tip, Cleaning Brush & Case
- 110 Volts / 100 Watts

Item #	Description
HKTMXF3	3 In 1 Soldering Gun

## 2 In 1 Soldering Gun, & Fabric Cutter

- Includes: Fabric Blade, Soldering Tip, Cleaning Brush & Case
- 110 Volts / 100 Watts

Item #	Description
HKTMXFC	2 In 1 Soldering Gun



## FABRIC CLOTH CUTTER HOT KNIFE

Fabric Cutter Hot Knife Cuts & Seals Sail Canvas, Cloth and Other Synthetic Fabrics

- 130 Watts
- Electronic Circuit Board Powered Cutter
- Variable Heat Control
- Post mounted Fabric Cutter Blade
- Spring-Loaded Safety Trigger

Hot Knife Fabric Cutter Includes Tool, R Blade, Guide, Cleaning Brush & Case

Item #	Description
HKTFC	Fabric Cutter Hot Knife, Blade, Guide Kit
FCBR	R Fabric Cutter Hot Knife Blade
HDC220	220 Volt Power Converter



## ZETZ 20™ Thermocutter

- Excellent for Cutting Rubber, Polyethylene & Polypropylene
- Electronic Circuit Board Powered
- Heats Up Quickly
- Variable Heat Control
- Off-On Finger Control
- 110 Volts. Also Available in 220 Volts
- Cuts Materials Up to 5" Thick

Item #	Description
ZTC20	Thermocutter
Z50	2" Blade (Pack of 6 Blades)
Z100	4" Blade (each)
Z200	8" Blade (each)

**Note:** Additional Blades Available



**ZTC20**  
Comes with  
One Z50 Blade




Cuts Carpet Clean and Fast!




Z50, 2" Blade  
Z100, 4" Blade  
Z200, 8" Blade

## ZETZ SPECIALTY BLADES



Rounded edge to glide along cutting surface. Heat seals the edges to prevent fraying of synthetic fibers and textiles.

**#Z06**  
0.6 mm Thick  
3 mm Cutting Edge




Wide blade back and reinforced cutting flange for stable cutting. High temperature blade is designed for heat sealing the cut edges.

**#Z40**  
0.6 mm Thick  
40 mm Cutting Edge



Long pointed blade flanges. Ground both sides for two-directional cuts. For cutting around templates. Also for deburring.

**#Z35**  
1.0 mm Thick  
35 mm Cutting Edge



Curved cutting edge and thick blades. High temp blade for long cuts under pressure. \*Z70 blade is for Zetz 24 only.

**#Z45**  
.8 mm Thick  
45 mm Cutting Edge

**#Z70**  
1.0 mm Thick  
70 mm Cutting Edge

## ZETZ 24™ Designed for Industrial Operations

- Excellent for Cutting Rubber, Polyethylene and Polypropylene
- Heats Up Quickly
- Variable Heat Control
- Remote HD Transformer with Long 9.5' Cable
- 110 Volts. Also Available in 220 Volts
- Cuts Materials Up to 5" Thick

Item #	Description
ZETZ24	Industrial Thermocutter
Z75	3" Blade (each)
Z120	4 3/4" Blade (each)

**Note:** Additional Blades Available






Available in Boxes of  
500 and 1000

## PBH™ WASHER

The Builder's Choice

- 2" Diameter
- Manufacturer Approved
- Cone Design Prevents Pops
- White - **No Color Bleed Thru**
- Finger Closures
- Eliminates Thermal Shorts
- Large Keyholes for Strong Mechanical Bond

Item #	Description	Qty Per Box
PBH	PBH Washer	1000
PBH500	PBH Washer	500



Fastener Patterns & Windload  
Specs on Pages 21 & 24



WOOD / LITE-METAL

20 to 26 GAUGE



## PBH with Wood/Lite-Metal Screw

PBH and Wood/Lite-Metal Screws, Assembled with Washer for Wood and Lite-Gauge Metal Application, 20- to 26-gauge

		Insulation Thickness		
WH1	1 5/8"	1"	1,000	16 lbs
WH2	2"	1 1/2"	1,000	18 lbs
WH3	2 1/2"	2"	1,000	20 lbs
WH4	3"	2 1/2"	1,000	22 lbs
WH6	4"	3 - 3 1/2"	1,000	39 lbs
WH7	5"	4 - 4 1/2"	1,000	47 lbs
WH8	6"	5 - 5 1/2"	1,000	56 lbs



STEEL 12 to 20 GAUGE



MASONRY - SOLID OR BRICK

## PBH Washer with Steel Screw

PBH and Steel Screws, Assembled with Washer for Heavy-Gauge Metal Application, 12- to 20-gauge

		Insulation Thickness		
SH1	1 5/8"	1"	1,000	17 lbs
SH2	2"	1 1/2"	1,000	19 lbs
SH3	2 5/8"	2"	1,000	21 lbs
SH4	3"	2 1/2"	1,000	24 lbs
SH5	4"	3" - 3 1/2"	1,000	36 lbs
SH6	5"	4" - 4 1/2"	1,000	48 lbs

## PBH with Tapcon™ Screw

PBH and Masonry Screws, Assembled with Washer for Concrete and Masonry Application

		Insulation Thickness		
MH1	1 3/4"	1"	1,000	20 lbs
MH2	2 1/4"	1 1/2"	1,000	24 lbs
MH3	2 3/4"	2"	1,000	26 lbs
MH4	3 1/4"	2 1/2"	1,000	28 lbs
MH5	4"	3"	1,000	32 lbs
MH6*	5"	4"	1,000	38 lbs



# DEPENDABLE

“In Japan, construction conditions are unique compared with other areas in the world. We need dependable products that perform as intended time after time. Third Party Independent testing has proven PBH Washers stand up to negative wind loading and pull-out in adverse conditions such as hurricanes and the typhoons we face. Knowing PBH washers have been approved by the major EIFS manufacturers gives us confidence we’re using the best product available.

I love the customer service we get too. When I place my order, I know I can depend on it arriving on time and in good condition. Demand knows how to deliver worldwide, handling language barriers and cultural differences with great respect.”

Yuzo T.  
Japanese Distributor

# WINDLOAD

## Windload Specs for PBH, DP300 & DP400 Washers

Testing was performed by Underwriters Laboratories per ASTM E330 and E331. Procedure B.



### PBH Washers

#### Fastener Pull-Through Results in Average Pounds Ultimate

Tapcon	Dec-King	S-12
401	410	427

#### Insulation Pull-Over Results in Aver. Pounds Ultimate (1 Lb Density EPS)

1"	1 1/2"	2"
85.6	93.6	108

The 2" diameter of **PBH Washers** increases windload resistance and has 25% more pullover value than 1 3/4" washers. Structural performance tests conducted with ASTM E-330. Average ultimate negative load was -97 PSF.

### DP300 Washers SPECIFICATIONS:

Diameter: 1 3/4"  
Material: Polypropylene  
Push Through @ 10° 256 lbs.  
Push Through @ 180° 177 lbs.  
Pull Over 50.8 lbs. @ 10°  
Pull Over 122.4 lbs. @ 180°



### DP400 Washers SPECIFICATIONS:

Diameter: 1 3/4"  
Material: Polypropylene  
Push Through @ 10° 256 lbs.  
Push Through @ 180° 177 lbs.  
Pull Over 50.8 lbs. @ 10°  
Pull Over 122.4 lbs. @ 180°

# WASHERS




## DP300 WASHER

All Purpose PM Washer

- Low Profile Design Seats Flush
- Key Holes Create Strong Mechanical Bond
- Large 1 3/4" Head Diameter
- Strong Polypropylene Material Provides Impact Resistance and Long Life
- Use for Lath and Plastic Lath Attachment



Item #	Qty Per Box	Box Weight
DP300	1000	6 Lbs



## DP300 WASHER

Pre-Assembled with Wood Screw

Item #	Size	Insulation Thickness	Qty Per Box	Box Weight
D3W1	1 5/8"	1"	1000	Approx. 14 Lbs
D3W2	2"	1 1/2"	1000	Approx. 16 Lbs
D3W3	2 1/2"	2"	1000	Approx. 18 Lbs



## DP400 WASHER

Time Saving Pre-Spot Stem

- Low Profile Design Seats Flush
- Key Holes Create Strong Mechanical Bond
- Large 1 3/4" Head Diameter
- Strong Polypropylene Material Provides Impact Resistance and Long Life



Item #	Qty Per Box	Box Weight
DP400	1000	6 Lbs

Fastener Patterns & Windload Specs on Pages 21 & 24

## DP300 AND DP400 Washers Secure Rigid Insulation to Multiple Substrates



Wire Lath



Wire Mesh



Fiber Mesh



Continuous Insulation

# WASHERS



## DP500 TAB WASHER

Great for Lath & Stucco

- G90 Chromium Plated
- Meets ASTM A653 Standard
- Pre-Spot Tabs
- 1 1/4" Diameter Plate
- Can be Screwed, Nailed or Shot
- Works Well with Multiple Substrates
- Covers Many Rigid Insulation Applications

Item #	Qty Per Box	Box Weight
DP500	1000	6 Lbs



## DP525 WASHER

Plaster Repair Washers

- Grip-Guard™ Galvalume Coated Steel
- Helps Stabilize and Re-Support Old Plaster
- 1 1/4" Diameter Plate
- .023 to .025 Gauge with 4 Keyholes
- Edges Taper Toward Work Area
- Tapered Edge Will Not Catch Trowel Edge



Item #	Qty Per Box	Box Weight
DP525	1000	6 Lbs
DP525-1	100	1 Lb

## FOAM TO FOAM FASTENERS

### EPS FOAM AUGER

Spiral Anchoring to EIFS

- For Downspouts, Lights, Fixtures, etc.
- High Strength Plastic Construction with Foam Washer
- 2 1/4" Deep x 1" Wide with 1/8" Washer
- No Thermal Bridging
- Can Be Installed with Drill

Item #	Qty Per Box	Box Weight
SD10	10	1 Lb



SD10



WT1

WT158

### WALL TAC™

Holds Trim & Joints

- Holds Trim to Foam
- Mechanically Attaches Control Joint to Substrate Foam Insulation
- Allows Control Joints to Move with Foam Insulation

Item #	Size	Qty Per Box	Box Weight
WT1	1"	1,000	3 Lbs
WT158	1 5/8"	1,000	5 Lbs



TAC75

TAC112

TAC134

### FOAM TACK FASTENER


Holds Foam to Foam

Item #	Description
TAC75	3/4" Trim to Foam Trim Tac (Pak of 250)
TAC112	1 1/2" Foam to Foam Insul Tac (Pak of 250)
TAC134	1 3/4" Foam to Foam Arrow Tac (Pak of 250)




# PLACEMENT & CI

**A**



Wood, Plywood, Metal Siding, Masonry and Concrete

**B**



Non-Structural Sheathing Such As OSB, Gypsum & Dens-Glass Gold


## Wind Load Capacity

(Average Ultimate PSF, Negative Pressure)

1 Lb EPS	Pattern A	Pattern B
1"	83	85
1 1/2"	105	104


These spacing patterns are general guidelines for mechanical installation of EPS to different substrates when used in conjunction with a typical EIFS system or similar systems. Construction projects vary and yours may be different from these fastener suggestions. Please consult your EIFS manufacturer when using Demand fasteners along with adhesives. For additional information call Demand Products Technical Services at 1-800-325-7540.

**C**



Structural Substrates Such As Wood Sheathing, Concrete, Masonry & Metal Siding


**D**




Structural Substrates Such As Wood Sheathing, Concrete, Masonry & Metal Siding


**C**

## Continuous Insulation



### CODE REQUIREMENT

 R-13 CAVITY BATT + R3.8 CI OR + R7.4 CI

 R-13 CAVITY BATT WITH NO CI


### US Department of Energy Mandate

US Department of Energy (DOE) mandated all affected states must update their commercial building code to meet or exceed American Society of Heating, Refrigeration, and Air Conditioning Engineers (ASHRAE) standard 90.1-2010

Look for Icon for Specialized CI Tools




## CI Mandate Effects 90% of New US Building Sites



# PREMIUM SCREWS

## WOOD - LITE METAL



## PREMIUM COATED SCREWS

### WOOD-LITE METAL - DEGRASHIELD™ COATED

For Use with Wood & Metal from 26 to 20 Gauge

### STEEL - DEGRASHIELD™ PROTECTION

For Use with Steel from 20 to 12 Gauge Studs

### MASONRY - DEGRASHIELD™ PROTECTION

For Use with Concrete Block, Poured Concrete or Masonry

Item #	Length	Qty Per Box
WS1	7 X 1 5/8"	1,000
WS2	8 X 2"	1,000
WS3	8 X 2 1/2"	1,000
WS4	8 X 3"	1,000
WS6	8 X 4"	1,000
WS7	10 X 5"	1,000
WS8	10 X 6"	1,000

Item #	Length	Qty Per Box
SS1	6 X 1 5/8"	1,000
SS2	6 X 2"	1,000
SS3	8 X 2 5/8"	1,000
SS4	8 X 3"	1,000
SS5	10 X 4"	1,000
SS6	10 X 5"	1,000
SS7	10 X 6"	1,000

Item #	Length	Qty Per Box
MS1	3/16 X 1 3/4"	1,000
MS2	3/16 X 2 1/4"	1,000
MS3	3/16 X 2 3/4"	1,000
MS4	3/16 X 3 1/4"	1,000
MS5	3/16 X 4"	1,000
MS6**	1/4 X 5"	1,000

\* Drill Bit Not Included

10 FREE MDB55 Drill Bits per box of 1,000 screws.

## SCREW PULLOUT PERFORMANCE DATA

WOOD-LITE METAL



Nominal Gauge	26	24	22	20
Pullout Strength	120	183	248	296

(1/4" Minimum Through Penetration)

STEEL



Nominal Gauge	18	16	14	12
Pullout Strength	471	679	847	1225

(1/4" Minimum Through Penetration)

CONCRETE

### Solid Concrete

Fastener Diameter	Depth of Embedment in Solid Material (Inches)			
	1"	1 1/4"	1 1/2"	1 3/4"
3/16"	341	581	863	1059

Test #CH3932/Pittsburgh Testing Laboratories

Coating: DegraShield™ for masonry / concrete fasteners only.

Corrosion Resistance:

Kestemich Results (Din 50018, 2.OL) • 30 cycles - 10% or less red rust.  
Salt Spray Results (ASTM B117) • 720 Hours - 10% or less red rust.



MASONRY

### Hollow Block

Fastener Diameter	Depth of Embedment in Solid Material (Inches)			
	1"	1 1/4"	1 1/2"	1 3/4"
3/16"	*209	*357	*468	*547

Test #CH3748/Pittsburgh Testing Laboratories

Coating: DegraShield™ for masonry / concrete fasteners only.

Corrosion Resistance:

Kestemich Results (Din 50018, 2.OL) • 30 cycles - 10% or less red rust.  
Salt Spray Results (ASTM B117) • 720 Hours - 10% or less red rust.



Coating: DegraShield™

Corrosion Resistance: Kestemich Results (Din 50018, 2.OL) • 20 cycles - 10% or less red rust. Salt Spray Results (ASTM B117) • 500 hours - 10% or less red rust for wood, lite-metal and steel fasteners.

\*Note 1: Masonry must be pre-drilled 1/2" deeper than fastener penetration.

\*Note 2: Hardness of masonry varies and the standard drill bit may not always drill the adequate hole. Consult Demand Products for assistance in proper drill bit diameter.

Please Note: The pullout values listed are the ultimate averages achieved under laboratory conditions. An appropriate safety margin factor should be applied to these values to achieve a design value.

Coating: DegraShield™ for masonry / concrete fasteners only.

Corrosion Resistance: Kestemich Results (Din 50018, 2.OL) • 30 cycles - 10% or less red rust.  
Salt Spray Results (ASTM B117) • 720 hours - 10% or less red rust.

# HOT WIRE MACHINES




**TOP SELLING  
MODEL**

## TW848 INDEPENDENT AXIS CNC FOAM CUTTER

Single Wire 8' with Lathe & Turntable

- Will Cut Tapered Fluted Columns
- Cuts Up to 8' Wide by 4' High
- Comes Complete with Lathe and Turntable
- Industrial Quality
- Heavy Duty Extruded Aluminum Construction
- Automatic Wire Tensioner
- 6 Independent Heavy Duty Stepper Motors
- Ball Bearing Drive Track System
- Accepts Vector Art .plt or CAD .dxf Files
- Operates on 110 Volts

TKTW848I Call for Turnkey Pricing\*



## C848 CNC FOAM CUTTER

Single Wire 8' with Turntable

- Cuts Up to 8' Wide by 4' High
- Industrial Quality
- Heavy Duty Extruded Aluminum Construction
- Independent Heavy Duty Stepper Motors
- Ball Bearing Drive Track System
- Built-in Turntable
- Accepts Vector Art .plt or CAD .dxf Files
- Operates on 110 Volts

TKC848 Call for Turnkey Pricing\*

### TURNKEY PRICING INCLUDES

- Machine
- TurnTable
- FoamShaper™ Software
- Controller -Remote Control
- CorelDraw® Software
- 19" LCD Flat Screen Monitor
- Windows® Software
- Shipping in Continental U.S.
- Installation & Training
- PC Computer
- Options Available



**WARRANTY**



All MegaPlot Machines  
Include a Five Year  
Manufacturer's Warranty



Columns • Pipe Insulation • Sign Letters • Graphics  
Store Props & Displays • Logos • Amusement Park Props  
Architectural Scale Models • Easy Coat Coatings

## MW848 CNC FOAM CUTTER

10 Wire 8' with Turntable

- Can Cut Using 1-10 Wires
- Cuts Up to 8' Wide by 4' High
- Comes Complete with Lathe and TurnTable
- Industrial Quality
- Heavy Duty Extruded Aluminum Construction
- Independent Heavy Duty Stepper Motors
- Ball Bearing Drive Track Systems
- Accepts Vector Art .plt or CAD .dxf Files
- Operates on 220 Volts, Single Phase

TKMW848 Call for Turnkey Pricing\*



Computer Stand  
Not Included




## ARCH/BASE CUTTER COMBO

Stand Alone Precision Arch Cutting

- Cuts Compound Curves and Negative for Precast Concrete
- Minimum Arch Internal Radius of 5" and External Radius of 10"

Item #	Description
CC70	Combo Cutter



CC70

## EASY COAT SILVER

Automatic Foam Coater With or Without Fiber Mesh

- Footprint: 57" x 62" of Floor Space
- HD Stainless Steel and Aluminum Construction
- Profiles from 2" to 36" Wide and 18" High
- Sprocket Feed Depth Controls
- 110 or 220 Volts
- One Year Warranty


ECOATER

Call for Turnkey Pricing\*



EC50G

### Maximum Cutting Sizes



## EASY COAT COATING

Designed for Shape Coating

50-60sq. ft. @ 1/4"

Item	Description
Easy Coat	50 Lbs Bag
Full Truck Load	16 Pallets (896 Bags)
1/2 Truck Load	8 Pallets (448 Bags)
1/4 Truck Load	4 Pallets (224 Bags)
	2 Pallets (112 Bags)

# SIDEWINDER™

## SIDEWINDER™ Ornamental 4' Shape Cutter

- Cuts Compound Miters, Angle Straight Cuts, Columns, and Decorative Moldings
- Uses Your Hardboard Template Patterns to Trace Shapes
- Variable Heat Control — Heats Up Extremely Fast
- 110 Volts, Also Available in 220 Volts
- 2' x 4' Block Table Capacity
- 33" x 62" Wide Table Size
- Weighs Just 125 Lbs
- Cuts 48" Wide EPS
- Lease to Buy Available



Item #	Description
KITSW	SideWinder™ Only
MAGNUM	Magnum Power Controller
KITSWM	SideWinder™ with Magnum
NW100	Ni-Chrome Wire, 100 Feet
NW500	Ni-Chrome Wire, 500 Feet



**NW100**

**NW500**

**Heats Ni-Chrome Wire 24" to 53"  
Hot Enough To Cut EPS Foam**

## VERTI-CUTT™ Hot Wire Foam Cutter

- Portable — Weighs only 60 Lbs
- Sets Up and Folds Down in Seconds
- For Vertical and Diagonal Cuts
- Cuts Corners and Cylinders
- Moisture Resistant Bakelite Table Top
- Built In Power Supply Mounts Under Table
- Continuously Adjustable Temperature
- Heats Wire in 10-15 Seconds

Item #	Description
VC20	Verti-Cutt™ with Power Supply
NW100	Ni-Chrome Wire, 100 Feet
NW500	Ni-Chrome Wire, 500 Feet



Built In Transformer



Diagonal Cuts



Bevel Cuts


## STYROSMITH™ 2-in-1 Hot Wire Foam Cutter and Ornamental Shaper

- Ornamental Shapes
- Vertical & Horizontal Straight Cuts
- Channels, Angles, Tapers, Compound Miters, Straight Cuts, Columns, Decorative Moldings, etc.
- 110 Volt
- 24" Block Table Capacity
- Auxiliary Table
- Weighs Just 225 Lbs
- Lease to Buy Available

Item #	Description
KITSS	StyroSmith™ Only
MAGNUM	Magnum Power Controller
KITSSM	StyroSmith™ with Magnum
NW100	Ni-Chrome Wire, 100 Feet
NW500	Ni-Chrome Wire, 500 Feet






KITSSM



## STYROCUT™ Our Best Machine!

- Use In-Plant or On Job Site
- Foot Pedal Control
- Designed by Engineers To Cut Straight, Channel, Angles and Tapers
- Portable — Weighs Just 117 Lbs
- Capable of Vertical and Horizontal Cuts
- Table Tilts and Locks 0° - 45°
- Cuts 15" Deep x 4' Wide
- Cutting Table is 60" Wide x 27" Deep



Item #	Description
KITSC	StyroCut™ Only
MAGNUM	Magnum Power Controller
KITSCM	StyroCut™ with Magnum
NW100	Ni-Chrome Wire, 100 Feet
NW500	Ni-Chrome Wire, 500 Feet



KITSCM



## FIELD CUT™

### Portable Hot Wire Cutting Station

- 13" Cutting Height, 54" Width
- Angle, Bevel and Compound Cuts
- 110 Volt
- Includes Variable Power Supply
- Durable Carry Case for Field Use
- Uses NW100 or NW500 Ni-Chrome Wire

Item #	Description
FC13	Field Cut™ with Power Supply



Multiple Adjustment Points Allow for a Variety of Angles and Cuts



Power Trigger

Built In Transformer

FC13



Foot Pedal



Angled Block Cuts



Beveled Cuts




Durable Carry Case

# BOW CUTTERS

## BOWCUTTER 48™

48" Free-Form Cutter w/ Depth Adjuster


- Available With or Without Magnum Power Supply
- Uses NW100 Wire



## BOWCUTTER 24™

24" Free-Form Cutter

- Available With or Without Magnum Power Supply
- Uses NW100 Wire



Item #	Description
BC48	48" Bow Cutter Only
MAGNUM	Magnum Power Controller
KITBC48M	48" Bow Cutter with Magnum
BC24	24" Bow Cutter Only
KITBC24M	24" Bow Cutter with Magnum
BC12C	12" Bow Cutter with Controller
NW100	Ni-Chrome Wire, 100 Feet
NW500	Ni-Chrome Wire, 500 Feet

## BOWCUTTER 12™

12" Free-Form Cutter

- Features Built In Power Supply
- Uses NW100 Wire
- Cordless



*BowCutter 12™ comes complete with power controller.*



## WALL SKINNER™

Shaves EPS High Spots

- Eliminates EPS Dust
- Reduces R rasping
- Levels Walls to Perfection



Item #	Description
WS48	48" Wall Skinner Only
MAGNUM	Magnum Power Controller
KITWS48M	48" Wall Skinner with Magnum
NW100	Ni-Chrome Wire, 100 Feet
NW500	Ni-Chrome Wire, 500 Feet

KITWS48M includes Magnum Controller

# CONTROLLER



## GEO 8' FOAM HOT WIRE KIT Free-Hand Cutting

- Hot Wire Handles
- Magnum Controller
- From 24" to 108"
- 100 Foot Roll of Ni-Chrome Wire
- Carrying Case

Item #	Description
KITGFHWH	Hot Wire Kit
NW100	Ni-Chrome Wire, 100 ft.



## SIP GROOVER SIP Panel Groove Tool

- Weighs Only 2 Lbs
- Long HD Cord
- Heavy Commercial Construction
- Adjustable Depth Guide

Item #	Description
SIPG114	1 1/4" SIP Groove Tool
SIPG312	3 1/2" SIP Groove Tool
SIPG412	4 1/2" SIP Groove Tool
SIPG512	5 1/2" SIP Groove Tool
SIPG714	7 1/4" SIP Groove Tool
SIPG914	9 1/4" SIP Groove Tool
SIPG1114	11 1/4" SIP Groove Tool
CASE	SIP Groover Case

NOTE: Custom Sizes Available



SIP Groover is designed to work with EPS foam only. Do not use with Polyurethane.



## ROPE CUTTER II Cuts and Fuses Nylon, Dacron, Polypropylene Line & Rope

- Warms Up in 30 Seconds
- 110-Volt
- Free Standing or Table Mount

Item #	Description
RCUT2	Rope Cutter II 2 1/4"
RCUTP01	2 1/4" Replacement Blades

## HDC 220 POWER CONVERTER

- Step-Up and Step-Down Transformer
- Converts 110V to 220V and 220V to 110V

Item #	Description
HDC220	220 Volt Converter





# MAGNUM™ CONTROLLERS

## Light Gauge Wire Only



Heats Ni-Chrome Wire 24" to 53"  
Hot Enough To Cut EPS Foam



## MAGNUM™ CONTROLLERS AND WIRE

- Uses Light Gauge Wire Only
- Designed to Heat Appropriate Length of Wire to Cut EPS Foam

Item #	Description
MAGNUM	2' - 8' Magnum Power Controller
NW100	Ni-Chrome Wire, 100' (.02265)
NW500	Ni-Chrome Wire, 500' (.02265)

- Call For Information Regarding More Powerful Units

## HOT WIRE KIT

### Do-It-Yourself Kit

- Everything You Need to Build Your Own 2, 4' or 8' Hot Wire Machine
- Magnum Controller
- Gator Cord
- 2 Insulators
- Spring
- 100' Roll of Wire



Item #	Description
KITHW	2' - 8' Hot Wire Kit
ULP200	4' Wide Gator Cord Only
ULP400	8' Wide Gator Cord Only
ULP01	Insulator
SCP00	Spring

Kit includes Magnum Controller, Gator Cord, 2 Insulators, Spring and 100' Roll of Wire

KITHW10 (10') and KITHW17 (17') Also Available - Please Call




## APC CONTROLLER

### Use with Shape Wire

- Uses Heavy Gauge Wire Only
- Heats 1-3' of NFWF or NWRW11 / 16 Wire


Item #	Description
APC	Auxiliary Power Controller



## SHAPING WIRE

### Ni-Chrome Wires

Item #	Description
NWRW16	Round Ni-Chrome Wire, per foot (.0625)
NWRW11	Round Ni-Chrome Wire, per foot (.125)
NFWF	Flat Ni-Chrome Wire, per foot



## HOT WIRE HANDLES

### Free-Hand Cutting

Item #	Description
HWH	Hot Wire Holders (Set of 2)
MAGNUM	2' - 8' Magnum Power Controller
NW100	Ni-Chrome Wire, 100' (.02265)
KITHWH4	HWH & 2' - 8' Magnum w/ NW100 Wire
HWPHP1	HWH Spring, each

- Call For Information Regarding More Powerful Units

# FOAM RECYCLING

**Waste is Reduced by Grinding and Then Melting Foam Into a Recyclable Block That is Reduced Up To 90% By Volume**

- Greatly Reduces Foam Volume for Recycling
- Densifies Three Types of Foam — Polystyrene, Polyethylene and Polypropylene
- Produces Revenue by Creating a Marketable Product for Recycling



Turn Your Waste Into A Profitable Revenue Stream



## **DPFB285 & DPFB585** Foam Grinder and Densifier

- Grinder, Storage Hopper & Densifier in One
- Process Up To 700 Lbs Loose Foam Per Hour\*



## **DPFD35** Foam Densifier

- Up To 90% Reduction of Foam Waste Size
- Heavy Duty Motors with Solid Steel Construction
- Densifiers Have Passed Rigorous Air Quality and Health Environment Safety Tests
- One Year Warranty with a Loaner Program Available if Your Machine is Out of Service
- Process Up To 800 Lbs Loose Foam Per Hour\*



## **DPFD12** Foam Densifier

- Same Great Benefits as the FD35
- Process Up To 150 Lbs Loose Foam Per Hour\*



## **DPFD15 & DPFD25** Foam Densifier

- Same Great Benefits as the FD35
- Process Up To 275 Lbs Loose Foam Per Hour\*

\* Volumes will vary based on foam type, density and rate of feed.



## ReCyk™

### EPS Hot Wire Waste Cuber

- Gravity Fed into 18" x 18" Hot Wire Grid
- 3/4" Grid Openings Cut Foam
- 25" x 25" x 5' Footprint
- Weights 125 Lbs
- Portable: Moves Around Easily
- Recycle Twice to Get 3/4" Cubes

Item #	Description
RFS	Recyk™ Foam Saver
RFSB	Recyk™ Bags 36" x 58", 100 Count*
	* Bags May Not Be Clear



Hot Wire - 3/4" Cubes



DPFD2000



Compact foam logs can be sold on the open market to manufacturers.

## FG180

### EPS Foam Waste Grinder

- Standard 110 Volt
- Manual Feed Opening is 18.3" x 13.2"
- Volume Reduction Ratio: Up To 3:1
- Gravity Feed Into Plastic Bag
- Low Noise and Low Dust
- Small Footprint with High Efficiency
- Safe and Easy to Operate

Item #	Description
FG180	Foam Grinder 180



Ground EPS Foam

## DPFD2000 SERIES COMPACTOR

### Grinder & Compactor in One

- Compacts Expanded Polystyrene
- Processes up to 200 Lbs Per Hour of Loose Foam Depending on Type of EPS and Model\*
- 220 Volt
- One Year Warranty

Item #	Description
DPFD2000	Foam Compactor
DPFD3000	Foam Compactor



# TROWELS

## DURAFLEX GS TROWEL

PermaShape® Golden Stainless Steel  
by Marshalltown™

- PermaShape® Guarantees Trowel Will Maintain Original Flat Shape
- Golden Stainless Steel



Item #	Description
T512PS	5" X 12"
T513PS	5" X 13"
T514PS	5" X 14"
T516PS	5" X 16"



## PERMASHAPE GOLDEN STAINLESS TROWEL

by Marshalltown™

- Dura-Soft™ Handle
- Golden Stainless Steel

Item #	Description
T512DS	5" X 12"
T513DS	5" X 13"
T514DS	5" X 14"
T516DS	5" X 16"



## GOLDEN STAINLESS STEEL TROWEL

by Marshalltown™

- Wood Camel Handle
- Golden Stainless Steel

Item #	Description
T512M	5" X 12"
T513M	5" X 13"
T514M	5" X 14"
T516M	5" X 16"

## STAINLESS POOL TROWEL

by Marshalltown™

Item #	Description
TP516	4 1/2" X 16"



## HAND-MADE INOX VENETIAN PLASTERING TROWEL

- Soft Handle
- Rounded Corners
- INOX Stainless Steel

Item #	Description
VPT49	3.9" X 9.5"



\* Additional Sizes Available

## VENETIAN PLASTERING TROWEL

- Soft Handle
- Rounded Corners
- Stainless Steel



Item #	Description
VPT37	3" X 8"








# DARBIES & TROWELS

## NOTCHED STAINLESS STEEL TROWELS

- Dura-Soft™ Handle
- Accurately Notched to EIFS Manufacturer's Specifications
- 7 Shapes to Choose From
- Highest Quality Stainless Steel

Item #	Description
TRNT2	Rounded, 1/4" x 1/4" x 1 1/2"
TRNT3	Rounded, 3/8" x 1/2" x 1 1/2"
TRNT4	Rounded, 1/2" x 1/2" x 2"
TRNT5	Rounded, 3/16" x 3/8" x 1 3/4"
TRNT9	Rounded, 5/8" x 5/8" x 1"
TRNT10	Rounded, 5/16" x 5/16" x 3/4"
TRNT11*	Square, 3/8" x 3/8" x 3/8"

Dimensions are: Width x Depth x Spread  
\* Carbon Steel



## "h" Darbies

Smoothly Levels Hard Coat Over Long, Straight Areas



Item #	Description
AD4	4' Aluminum Darby
AD6	6' Aluminum Darby
AD8	8' Aluminum Darby

Item #	Description
MD4	4' Magnesium Darby
MD6	6' Magnesium Darby
MD8	8' Magnesium Darby

## RUB BRICK

Great for Hardened Stucco

Item #	Description
RB631	Rub Brick 6" x 3" x 1"



## STUB NAILS & HAMMER

Stucco Stub Nails & Magnetic Hammer

- 3/8" & 1/2" Stub Nails for Stucco Lath
- Hammer has Steel Shank, Rubber Handle and Magnetic Tip

Item #	Description
SN38	3/8" Stub Nails (50 Lbs Box)
SN12	1/2" Stub Nails (50 Lbs Box)
MAGHAM	Magnetic Stub Nail Hammer
MAGHAMP02	2 1/4" Magnetic Hammer Tip

MAGHAMP02



MAGHAM

# FLOATS

## PRIVATE LABEL PROGRAM

Special Chemical Resistant Labels Outlast Printed and Stamped Style Labels.

Available in 24 Colors



1" x 3" Custom Label  
Minimum Order of 120 Floats  
Mix & Match Any Style



### F600 ABS FLOAT

- Solid-Grip Comfort Textured Handle
- 5" x 12"
- ABS Plate

Item #	Description
F600	ABS Float

### F400 ROUNDED EDGE FLOAT

Item #	Description
F400	Rounded Edge



- America's Favorite
- Tapered Coned Handle
- Rounded Corners
- 5" x 11"



### F300 ROUNDED NEOPRENE FLOAT

Item #	Description
F300	Neoprene Float

- 4" x 12"
- Neoprene Plate

### F950 ROUNDED EUROPEAN FLOAT

Item #	Description
F950	European Float

- 5 1/2" x 11"
- ABS Plate



### F400R NKI FLOAT

Item #	Description
F400R	NKI Float

- 5" x 11"
- ABS Plate



### F650 NKI FLOAT

Item #	Description
F650	NKI PVC Soft Grip

- 5 1/2" x 11"
- PVC Plate



### F850 Italian Finish Float

Item #	Description
F850	Italian Float

- 2 1/2" x 11"
- PVC Plastic Plate



### F800 Italian Finish Float

Item #	Description
F800	Italian Float

- 5" x 11"
- PVC Plastic Plate





## STUCCO SPONGE FLOAT

3/4" and 1" Thickness

- Ideal for Bringing Aggregate to the Surface
- The Most Popular for All Stucco Applications
- 12" x 5" with Wood Handle

### Floats

Item #	Description
F125	3/4" Fine Pad
F130	1" Fine Pad
F135	1" Course Pad

### Replacement Pads

Item #	Description
GPAD6	3/4" Fine Pad, 6 Pack
GPAD61	1" Fine Pad, 6 Pack
GPAD6C	1" Course Pad 6 Pack



## F150 WHITE SPONGE FLOAT

1" Soft Texture

- Retains Water and Provides a Smoother Finish
- 5" x 12" with Wood Handle

Item #	Description
F150	White Sponge Float
WPAD6	Replacement Pads 6 Pack



## F250 TEXTURE FLOAT

Texture Pattern Face

- 5 1/2" x 11"

Item #	Description
F250	Texture Float




## FT511 COMPOSITE FLOAT / TROWEL

by Marshalltown

- Comfortable Contour Wood Handle
- Composite Plate
- 5" x 11"

Item #	Description
FT511	Float / Trowel



Riveted Plate

## F500 RIB FLOAT

Stiffer Than Normal

- 5 1/2" x 11 3/4"
- Ribs Make Plate a Little Stiffer Than Normal

Item #	Description
F500	Rib Float



# EDGERS

## STAINLESS OUTSIDE CORNER EDGERS

5 Sizes of Detailed Corner Edgers

- Leaves a Professional Clean Edge

Item #	Description
T609	1/2" Stainless OUTSIDE Corner Edge
T610	3/4" Stainless OUTSIDE Corner Edge
T611	1" Stainless OUTSIDE Corner Edge
T612	1 1/2" Stainless OUTSIDE Corner Edge
T613	2" Stainless OUTSIDE Corner Edge
KITOCCE	OUTSIDE Corner Edger Kit (All 5)



## STAINLESS INSIDE CORNER EDGERS

5 Sizes of Detailed Corner Edgers

- Leaves a Professional Clean Edge

Item #	Description
T599	1/2" Stainless INSIDE Corner Edge
T600	3/4" Stainless INSIDE Corner Edge
T601	1" Stainless INSIDE Corner Edge
T602	1 1/2" Stainless INSIDE Corner Edge
T603	2" Stainless INSIDE Corner Edge
KITICE	INSIDE Corner Edger Kit (All 5)



## STUCCO SCRATCH-COAT RAKES

Your Choice of Two Handles

- High Quality Tension Steel

Item #	Description
SRAKE	Stucco Rake - Sculpted Handle
SRAKESG	Stucco Rake - Soft-Grip Handle



## MARGIN TROWELS

### Wood Handles

Item #	Description
T515	Margin Trowel, 1 1/2" x 5"
T520	Margin Trowel, 2" x 5"
T530	Margin Trowel, 2" x 6"
T535	Margin Trowel, 2" x 8"
KITMT	All 4 Sizes in Kit



## STAINLESS MARGIN TROWELS

### 3 Sizes

- Clean Sharp Edges
- Stainless Steel Construction

Item #	Description
TS1	Stainless Margin Trowel, 1 1/2" x 3 3/8"
TS2	Stainless Margin Trowel, 2" x 4"
TS3	Stainless Margin Trowel, 1 1/2" x 7"
KITTS	All 3 Sizes in Kit



## STAINLESS DETAIL TROWELS

### 2 Sizes — Pointed & Rounded

- The Perfect Pair to Buy
- Stainless Steel Construction

Item #	Description
TPD1	Stainless Pointed Detail Trowel
TRD2	Stainless Rounded Detail Trowel





# SCOOPS

## BALTIC SCOOP

Scoop Trowel Tool

- Eliminates the Hawk
- Scoops More Than a Trowel Full Every Time
- Bucket Hanging Clip for Easy Storage
- Galvanized Steel Construction

Item #	Description
TBSH7	Baltic Scoop



CONTRACTOR'S CHOICE

## SUPER SCOOP

EIFS Contractors Most Requested Scoop

- Unique Design Scoops the Bucket Clean
- One Scoop Full Fills Your Hawk Perfectly
- Break Resistant Aluminum Construction
- Long Handle Saves Your Back

Item #	Description
BS10	Super Scoop



## THE SCOOP

Plastic Scoop

- One Scoop Fills Your Hawk
- Easy to Clean

Item #	Description
SCOOP	The Scoop

## BUCKET DREDGER

Plastic Dredger Scoop

- One Scoop Fills Your Hawk
- Easy to Clean

Item #	Description
BDRE	Bucket Dredger



## BUCKET TROWEL

European Standard

- High Quality Stainless Tapered Scoop
- Goose Neck Handle Design Stores Easily on the Rim
- Flat Surface Wipes Clean

Item #	Description
T700	Bucket Trowel

## ALUMINUM HAWKS

Wood or Soft Grip Handle

Item #	Description
TAH8S	Aluminum Hawk, 8" x 8" ALUMINUM: <b>SOFT HANDLE</b>
TAH8	Aluminum Hawk, 8" x 8" ALUMINUM: <b>WOOD HANDLE</b>
TAH132S	Aluminum Hawk, 13 1/2" x 13 1/2" ALUMINUM: <b>SOFT HANDLE</b>
TAH13	Aluminum Hawk, 13" x 13" ALUMINUM: <b>WOOD HANDLE</b>
TAH132	Aluminum Hawk, 13 1/2" x 13 1/2" ALUMINUM: <b>WOOD HANDLE</b>
TAH14	Aluminum Hawk, 14" x 14" ALUMINUM: <b>WOOD HANDLE</b>



SOFT GRIP HANDLE



WOOD HANDLE

## MAGNESIUM HAWKS

Wood or Soft Grip Handle

Item #	Description
TMH13S	Magnesium Hawk, 13" x 13" MAGNESIUM: <b>SOFT HANDLE</b>
TMH14S	Magnesium Hawk, 14" x 14" MAGNESIUM: <b>SOFT HANDLE</b>
TMH13	Magnesium Hawk, 13" x 13" MAGNESIUM: <b>WOOD HANDLE</b>
TMH14	Magnesium Hawk, 14" x 14" MAGNESIUM: <b>WOOD HANDLE</b>



## CONTROL FIBERS

Prevents Stucco Cracks

- Great for EIFS and Hardcoat Stucco

Item #	Description
CF1	Control Fiber Pkg. 3.5 oz.
KITCF1	Control Fiber Case (150 Pkgs.)
CF50	Control Fiber 50 Lb Bulk Box

Additional quantities available upon request.

## COMPOSITE HAWK

Unique Design Especially for EIFS

- Designed Especially for EIFS
- Won't Warp or React to Caustic Materials
- Dura-Soft™ Handle
- Sponge Collar to Prevent Calluses
- Made of a Unique Composite Material
- 12" x 12" Platform

Item #	Description
TCH12	Composite Hawk



## BRUSHES

Quality Brush Products

Item #	Description
B302	Acid Brush with 8" Handle
B403	Tampico Brush with 20" Handle
TB	6" Tampico Bucket Brush (Plastic)
TBR	6" Tampico Bucket Brush (Wood)

# KNIVES & BLADES

## SOFT GRIP KNIVES

Professional Quality  
3/4" or 1" Blades

**Tajima**  
Since 1909



LC1



LC34

Item #	Description
LC34	3/4" Soft Grip
LC1	1" Soft Grip

## TAJIMA™ KNIVES

Economy Breakaways

- Available in 3/4" & 1"
- Great Quality for Demanding Craftsman
- Comfortable Colorful Handles



T2



T10



T50



LCB50-RB

Item #	Description
T2	Heavy-Duty Knife, 3/4"
T10	10-Pack Blades, fits T2, L2 & LC34
T50	50-Pack Blades, fits T2, L2 & LC34
LCB50-RB	Razar Blades 10 pk. fits T2, L2 & LC34
D1	Xtra-Heavy-Duty Knife, 1"
D10	10-Pack Blades, fits D1, H1 & LC1
D20	20-Pack Blades, fits D1, H1 & LC1



D1



D10



D20

# KNIVES & BLADES

## OLFA™ KNIVES

### Breakaways

- Best Breakaway Knives You Can Buy!
- 2 Sizes : 3/4" & 1"
- Distinctive Color Aids Visibility

Item #	Description
L2	Olfa™ 3/4" Heavy Duty Knife
L5	Olfa™ 5-Pack Blades, fits L2 & L2HS
LB	Olfa™ 50-Pack Blades, fits L2 & L2HS
H1	Olfa™ 1" Xtra-Heavy-Duty Knife
HP	Olfa™ 5-Pack Blades, fits H1 & H1HS
HB	Olfa™ 20-Pack Blades, fits H1 & H1HS



## SOFT GRIP KNIVES

Professional Quality  
3/4" or 1" Blades

Item #	Description
L2HS	3/4" Soft Grip
H1HS	1" Soft Grip



## INSUL-KNIFE

### Multi- Purpose Foam Insulation

- Cut Foam insulation board with precision and no mess
- Cut fiberglass insulation with ease
- Trim expanded foam insulation around windows and doors
- Cut pipe insulation, sponge foam, and much more

Item #	Description
INSULKNIFE	Insul-Knife



Includes Sheath  
for Safe Storage



# MIXERS



## TRIMIXX™ Commercial Duty, 3-Position Production Mixer

- Designed for Mixing and Blending Industrial Coatings
- Powered by Three 3/4 Horsepower Motors with a 5:1 Ratio Transmission
- Emergency Stop Button for Each Motor
- Carriage Can be Positioned at Any Height
- 345 RPM, 110 Volts at 30 Amps
- Safety Foot Switch
- Comes Complete with Roller Conveyor
- Quick-Disconnect Chucks
- Counter Balance Carriage
- Three M819 Mixing Paddles
- Bucket Locking Mechanism
- Super Heavy Duty Ball Bearing Motors
- Heavy Duty Production Roller Conveyor

Item #	Description
TMIXX	TriMixx™ Mixer



## DEWALT™ ELECTRIC MIXER

- 1/2" Spade Handle
- 0-550 RPM
- 7.5 Lbs
- 9 Amps, 120 Volt



Item #	Description
M7564	Electric Mixer

## MIXX-ALL 401 Variable Speed Super Duty EIFS / Stucco Mixer


- 3/4 Horse Power Electric Motor
- Variable Speed, 0-660 RPM
- 110 VAC (90 VDC)
- 3/4" Chuck
- Stainless Steel Mixing Paddle
- Counter Balanced for Smooth Operation

Item #	Description
MX401	Mixx-All Mixer

## MIXING PADDLES Professional Quality Mixing Paddles

- Designed for Mixing and Blending Industrial Coatings
- No Plastic Coatings to Flake Off In Material
- Heavy Duty Construction

Item #	Description
M713	Paddle, 8 1/2" x 5" x 30" (Aluminum)
M540	Eggbeater Mixer, 5" x 30" (Plated Steel)
M819	Quick Mix, 8 1/2" x 5" x 36" (Steel)
M630	Twister Mixer, 7 1/2" x 30" (Stainless Steel)
M636	Twister Mixer, 7 1/2" x 36" (Stainless Steel)
M525	Speedy Mixer, 6 1/4" x 30" (Galvanized)



Made of Top Quality Materials



## STUCCO SPRAY HOPPER GUN

4 hole model

- Hopper made from stainless steel material
- Lifetime anti-rust guarantee
- Slide out 4 hole spray tip plate
- 4 removable stainless steel air jet nozzles
- Swivel between handle and hopper for easy install

**Air compressor information:** We recommend to use 12 CFM @ 100 PSI gas power air compressor or electric with 30 gallons or larger air tank.

Item #	Description
HG5	Stucco Hopper Spray



## SPLATTER STUCCO MACHINE

2 Quart Capacity

- Used to Apply Color Coat, Acoustic and Drywall Mud
- Lightweight and Durable
- Can Match Most Surfaces
- 2 Quart Capacity

Item #	Description
SSM2	Stucco Machine



## HOPPER GUN

2 Gallon Capacity

Sprays: Mill Mixes, Acoustics, Drywall Mud, Glitter, Waterproofing, EIFS and More.

Item #	Description
HG1	Superior Hopper Gun w/ 3 Tip, 2 gal.
KITLMT468	4,6,8 mm Spray Tips & Brass Collar

## PUMP SPRAYERS



## BIG MAX 15™

15 Gallon Rotor Stator Pump Sprayer

- Comes with 50 Foot of Hose & Wand
- Sprays Up to 150 Feet • Weighs Only 190 Pounds
- 110 Volt Operation • Manual & Remote Operation
- Variable 0-2 GPM • HD Steel Construction
- Perfect for Spraying EIFS Finish Coat

Item #	Description
BMAX15	15 Gallon



## BIG MAX 60™

60 Gallon Rotor Stator Pump Sprayer

- Sprays Up to 200 Feet • Manual & Remote Operation
- Weighs 675 Pounds • 13 HP Honda Engine
- Variable 0-10 GPM • HD Steel Construction
- Ideal for EIFS Base & Finish Coat and Hard Coat Stucco

Item #	Description
BMAX60	60 Gallon

# PRO-LOK™





## PRO-LOK™ Foam to Foam Adhesive

- High Bonding Strength
- Low Expansion
- Bonds to Most Building Materials
- Seals Gaps to 3"
- High Insulating Value
- Easy To Use

Item #	Description
PLOK	PRO-LOK™ Adhesive, 25.57 oz
KITPLOK	Case of 12 with FGUN2

**FREE FGUN2** with the Purchase of a Case of Pro-Lok



**NEW**  
From  
Demand Products



## PRO-KLEAN™ Adhesive Gun Cleaner

- Cleans Applicator Gun
- Removes Uncured PU Foam
- Pleasant Fragrance
- Acetone Based Cleaner
- 2 Year Shelf Life

Item #	Description
PKLEAN	PRO-KLEAN™ Cleaner, 13.4 oz
KITPKLEAN	Case of 12

## PRO-LOK™ KITS



### PRO-LOK™ 42 STARTER KIT

- 2 Cans of 25.57 oz. PRO-LOK
- 1 Pro Dispensing Gun FGUN2
- 1 Can of PRO-KLEAN Cleaner

Item #	Description
PLOKSK	PL Starter Kit



### PRO-LOK™ 42 JUNIOR KIT

- 6 Cans of 25.57 oz. PRO-LOK
- 1 Pro Dispensing Gun FGUN2
- 1 Can of PRO-KLEAN Cleaner

Item #	Description
PLOKJK	PL Junior Kit



### PRO-LOK™ 42 MASTER KIT

- 12 Cans of 25.57 oz. PRO-LOK
- 1 Pro Dispensing Gun FGUN2
- 2 Can of PRO-KLEAN Cleaner

Item #	Description
PLOKMK	PL Master Kit

# ADHESIVES

## FOAM-LOK™ ADHESIVE

### EPS Anchor-In-a-Can

- Adheres EPS to EPS
- Fast Setup Time — 5 Minutes\*
- Spray Cans Material is Clear Colored
- Does Not Degrade the EPS
- Excellent for — Construction, Signs, Theater, Arts & Crafts, Packaging, Florists & 100's more

Item #	Description
FLAS	Foam Lok™ Adhesive Spray 17.25 oz
KITFLAS	Foam Lok™ Adhesive, per case of 12



## BRUSHABLE Foam-Lok™ Adhesive

Just Pour Into a Container and Brush On.  
Same Properties as Foam-Lok™ Spray.

Item #	Description
FLA6B	Foam Lok™ Adhesive 5 Gal. Brushable



Tilt-Up Walls



Shapes



Theater



Signs



## FOAM-LOK™ ADHESIVE

### Self Contained Pressurized Systems

- Solvent Based
- Green Tinted
- Coverage: Approx. 3,500 Sq. Ft. per Container
- Does Not Degrade EPS Foam
- Fast Setup Time 5 Minutes\*

Item #	Description
FLA30	30 Gallon Tank, Solvent Based
FLGN	Spray Gun Nozzle
FLAH	Spray Gun Air Hose



FLGN



FLAH

**Solvent Based**



\* Foam-Lok™ will perform as intended – your results could differ if you do not follow the directions. Also atmospheric conditions, temperature, and thickness of application may vary the results. We suggest a trial test with each application to determine acceptable results.

**Chemicals are Prohibited on all International and Domestic Air Shipments.**





## GREAT STUFF® PRO

Wall and Floor Adhesive

- Performs as a Foam Adhesive
- One Can is Equal to 16 Quart Tubes of Adhesive
- Cures Initially in 10 Minutes
- Reduces Squeaks
- Polyurethane Based
- 600 Lineal Feet at 1/2" Bead

Item #	Description
GSTUFF3	Single 26.5 oz Can
KITGSTUFF3	Case of 12 w/Gun

\* Free FGUN2 with the purchase of a case of Great Stuff Pro.



## GREAT STUFF® PRO

Gaps, Cracks & Fireblock

- Bonds to Most Building Materials
- Seals Gaps to 3"
- Fireblock Sealant
- Orange Color-Coded Foam for Easy Job Site Inspection
- Airtight Foam Water Resistant
- Low Pressure Formulation
- Controlled Dispensing

Item #	Description
GSTUFF2	20 oz Case of 12 w/Gun

## MID-RANGE GUN

Item #	Description
ENER14	Mid-Range Gun





## ECONOMY GUN

Item #	Description
FGUN2	Economy Gun



## WEATHERPROOFING



## SEALING

## ENERFOAM™ CLEANER

Item #	Description
ENER10	12 oz EnerFoam Cleaner
KITENER10	12 oz Cleaner (case of 12)



**Chemicals are Prohibited on all International and Domestic Air Shipments.**



**\*FREE FGUN2**  
with the Purchase  
of a Case of  
EnerFoam42 or  
EnerFoam25

## ENERFOAM™ 42 Filler and Adhesive-In-One

- Performs as a Foam Adhesive and a Filler
- Bonds Quickly to Almost Anything
- One Can is Equal to 40 Quart Tubes of Adhesive
- Cures Initially in 10 Minutes
- Polyurethane Based
- 950 Lineal Feet at 1/2" Bead



## ENERFOAM™ 25 Filler & Adhesive-In-One

- Same as Enerfoam™42 Except Smaller Container
- Cures Initially in 10 Minutes
- Polyurethane Based
- 712 Lineal Feet at 1/2" Bead
- Controlled Dispensing



## ENERFOAM™ 24 Filler & Adhesive-In-One

- No Gun Required
- Straw Dispenser
- Same as Enerfoam™42 Except Smaller Container
- Cures Initially in 10 Minutes
- Polyurethane Based
- 712 Lineal Feet at 1/2" Bead

Item #	Description
ENER42	30 oz. EnerFoam Can
KITENER42	30 oz. EnerFoam Cans (cs of 12) wGun*
ENER25	24 oz. EnerFoam Can
KITENER25	24 oz. EnerFoam Cans (cs of 12) wGun*
ENER24	24 oz. Straw EnerFoam Can
KITENER24	24 oz. Cans (cs of 12)

## ENERFOAM™ KITS



### ENERFOAM™ 42 STARTER KIT

- 2 Cans of 30 oz. Enerfoam 42
- 1 Pro Dispensing Gun FGUN2
- 1 Can of Enerfoam Cleaner

Item #	Description
ENER42SK	42 Starter Kit



### ENERFOAM™ 42 JUNIOR KIT

- 6 Cans of 30 oz. Enerfoam 42
- 1 Pro Dispensing Gun FGUN2
- 1 Can of Enerfoam Cleaner

Item #	Description
ENER42JK	42 Junior Kit



### ENERFOAM™ 42 MASTER KIT

- 12 Cans of 30 oz. Enerfoam 42
- 1 Pro Dispensing Gun FGUN2
- 2 Cans of Enerfoam Cleaner

Item #	Description
ENER42MK	42 Master Kit

# CLEANERS



## OFF-BASE™

Powerful EIFS Cleaner

- Removes Hardened Synthetic Stucco
- Cleans and Removes Stucco From Tools
- Removes Stucco From Concrete, Brick, Glass & Wood
- Not for Use on Painted or Anodized Finishes

Item #	Description
OBS	Off-Base Spray, 13 oz.
KITOB5	Off-Base Spray, per case of 12
OB1	Off-Base, 1 gallon



## FINISH-UP™

Gentle EIFS Cleaner

- Cleans and Removes Stucco From Tools
- Removes Stucco From Concrete, Brick, Glass & Wood
- Does Not Damage Painted or Anodized Finishes

Item #	Description
FUS	Finish-Up Spray, 14 oz.
KITFUS	Finish-Up Spray, per case of 12
FU1	Finish-Up, 1 gallon



## EFFLORESCENCE REMOVER

Removes Efflorescence From Brick, Stone, Concrete & Block

- Contains Hydrochloric Acid
- Etches Concrete, Removes Efflorescence Bleeding and Dissolves Scale & Corrosion

Item #	Description
ER1	Efflorescence Remover



## CONCRETE & STUCCO KILLER

Acid Alternative Concrete Dissolver

- No Sulfuric, Muriatic, Hydrochloric or Phosphoric Acid
- Cleans and Removes Concrete From Hand Tools, Siding, Wooden Decks, Pumps, Molds, Forms, Mixers and More
- Removes Cured Cement, Concrete, Mortar, Grout & Stucco
- Water Soluble

Item #	Description
CSK5	Concrete & Stucco Killer™, 5 gal.

### A WORD ABOUT CHEMICALS

Chemicals react differently on various materials. We suggest you follow the instructions carefully. We also recommend that you select a small inconspicuous area to test the chemicals and confirm the results for satisfaction before applying them to the job. Chemicals cannot be returned.

**Chemicals are Prohibited on all International and Domestic Air Shipments.**

# CLEANERS



## ENVIRO KLEAN®

EIFS Clean 'N Prep

- Restores Original Appearance of EIFS
- Removes Mud, Algae, Grease, Oil & More
- Non-caustic, Non-acidic Phosphate- and Solvent-free Cleaner

Item #	Description
WD1	Wash Down / 1 gal.
WD5	Wash Down / 5 gal.



## ASPHALT & TAR REMOVER

Heavy Duty Cleaner for Masonry and Concrete

- Removes Asphalt, Tar (roofer's stain), Grease, Hydraulic Oil, Motor Oil

Item #	Description
TR1	Tar Rid / 1 gal.
TR5	Tar Rid / 5 gal.

## DEFACER ERASER®

Multi-Surface Graffiti Remover

- Allows Quick Removal of Tough Graffiti Stains From Porous and Dense Surfaces
- Suitable for Masonry, Wood, Metal and Most Painted and Synthetic Surfaces
- Does Not Darken or Alter Natural Color
- Allows same-day re-protection



Item #	Description
GWPE	G Wipe Defacer Eraser® 5 gal.



# GRAFFITI CONTROL



## BLOK-GUARD & GRAFFITI CONTROL II

Sure Klean®

- **Water** Based Graffiti & Water Repellent for Porous Masonry
- Dries Clear, Does Not Alter Surface
- Can Be Sprayed, Brushed or Rolled On
- For Interior or Exterior Use

Item #	Description
BG5	Blok-Guard

WATER BASED



## BLOK-GUARD & GRAFFITI CONTROL

Sure Klean®

- **Solvent** Based Graffiti & Water Repellent for Porous Masonry
- Dries Clear, Does Not Alter Surface
- Can Be Sprayed, Brushed or Rolled On
- For Exterior Use

Item #	Description
BGS5	Blok-Guard / Solvent Based

SOLVENT BASED



# TAPES

**60  
DAY  
TAPE**



LMR2

## RED STUCCO TAPE

60-Day Red Tape

- UV Protectors Insure Long Exposure Life
- Aggressive Adhesive Sticks to Almost All Surfaces
- Leaves No Residue if Removed Within 60 Days

Item #	Description
LMR2	2" x 60 yds. (per roll)
KITLMR2	2" x 60 yds. (case of 24)



DT307


## SILVER DUCT TAPE

Duct Tape

- Good for Porous Concrete and Rough Surfaces
- Good General Utility Tape

Item #	Description
DT307	2" x 60 yds. (per roll)
KITDT307	2" x 60 yds. (case of 24)

# PROTECTIVE FILM



BT12

BT24

BT36

## BLUE WINDOW FILM

Self 60-Day Blue Protective Film

- Protects Glass and Metal Window Frames
- Leaves No Residue
- Removes Easily

Item #	Description
BT12	Blue Tac Tape, 12" x 600'
BT24	Blue Tac Tape, 24" x 600'
BT36	Blue Tac Tape, 36" x 600'

Other Sizes Available Upon Request

# BARRIER WRAP



## VORTEC™ PROTECTIVE BARRIER WRAP

For Residential and Commercial Projects

- Beats (or meets) Tyvek® On Every Test
- 365 Day UV Exposure Rating
- Non-Directional Drain Channels
- Can Be Installed In Any Direction

Item #	Description
V5200	Vortec Drainage Mat, 5' x 200'



Non-directional dimple pattern means Vortec™ can be installed in any direction, reducing install time and virtually eliminating product waste.

## EIFS WINDOW/DOOR TAPE

Secondary Weather Barrier  
Tape with Fiber Weave Back



- Recommended for Use with a House Wrap
- 30 Mil Thick Composite Membrane: 4" or 9" x 100' per roll
- Prevents Splash-Back
- Self Adhesive
- Should be Used Around Windows, Doors, or Any Structural Opening
- Use Before Applying EIFS or Stucco



Fiber Weave


Item #	Description
KITETAP4	4" Wide Window / Door Tape - Case of 12
KITETAP9	9" Wide Window / Door Tape - Case of 4

6" & 12" Also Available



### WRAP BEFORE WINDOW

Install tape across the sill and jams. Overlap at least 2" horizontally and 6" vertically. Overlap House house wrap.



### WRAP AFTER WINDOW

After window installation, tape the top of the window, then fold house wrap over the tape and tape the flap at it's outer edges.



## SECONDARY WEATHER BARRIER




## WATERBLOCK™ WEATHER BARRIER

Secondary Weather Barrier  
with Vinyl Backer

- Flexible Flashing Membrane
- 25 Mil Thick Composite Membrane
- Use Around Windows, Doors, or Any Structural Opening
- Tape Sheathing Joints
- Self Sealing
- Self Adhesive



Typical Corner Guard Installation



Item #	Description
KITBWB4	4" Wide WaterBlock Weather Barrier Case of 9*
KITBWB6	6" Wide WaterBlock Weather Barrier Case of 6*
KITBWB9	9" Wide WaterBlock Weather Barrier Case of 4*
BWBCG	Corner Guard Flashing, each

\* Each Roll Is 75 Feet Long


# BACKER ROD




SR78

SR58

SR38



Sof Rod™ in expansion joints and similar applications



Sof Rod™ for Glazing

## BACKER ROD

### Joint Sealer

- Designed for Sealing EIFS Joints
- Resistance to Moisture and Freeze-Cycle Problems
- Conforms to Irregular Joints
- Non-absorbing Closed Cell Skin
- Dispenses Easily from Box to Joint



Convenient Handy-Pak Box



Item #	Description
SR14	Backer Rod Handy Pack, 1/4" x 2,500'
SR38	Backer Rod Handy Pack, 3/8" x 1,400'
SR12	Backer Rod Handy Pack, 1/2" x 800'
SR58	Backer Rod Handy Pack, 5/8" x 550'
SR78	Backer Rod Handy Pack, 7/8" x 330'
SR1	Backer Rod Handy Pack, 1" x 550'

\* Other Sizes Also Available - Please Call

## TRIANGULAR BACKER ROD

### Joint Sealer

- Designed for Sealing EIFS Joints
- Conforms to Irregular Joints
- Non-absorbing Closed Cell Skin
- Adhesive Surface Holds Material in Place
- Resistance to Moisture and Freeze-Cycle Problems



TBR14


Item #	Description
TBR14	1,800 Feet Roll

## BACKER ROD INSTALLER KIT

### Installs Backer Rod Quickly

- Comes with 4 Size Wheels for Level Surfaces
- Comes with 4 Size Wheels for Uneven Surfaces
- Sets Perfect Depth Every Time
- Spade Handle for Smoothing Sealant

Item #	Description
QRT100	Quick Rod Installer



Both Tools Included in Kit

Uneven Surface Tool

Level Surface Tool

QRT100

## DOW CAULK

### Contractors Weatherproofing Sealant

One-part, moisture cure that provides durable, flexible, watertight joints & offers outstanding unprimed adhesion

#### SINGLE TUBE

Item #	Description
CWSAW	Antique White
CWSBL	Black
CWSBRZ	Bronze
CWSGRY	Gray
CWSL	Limestone
CWSSS	Sandstone
CWSW	White

#### CASE OF 12

Item #	Description
CWSAW-12	Antique White
CWSBL-12	Black
CWSBRZ-12	Bronze
CWSGRY-12	Gray
CWSL-12	Limestone
CWSSS-12	Sandstone
CWSW-12	White



10 oz



## UNIVERSAL KICKOUT FLASHING

Eliminates Field-Fabrication Errors

- Saves Time & Money
- Eliminates Field Fabrication Errors
- Cures Galvanic Concerns
- Flexible for Retrofits
- Installs in Just Seconds
- Handles all Temperature Extremes
- Custom Molded Fabrication
- Cuts easily with Scissors
- Contractor's Choice since 1998
- 6"x6"x12"



Item #	Description
UKOL	Gray Universal Kickout Left
UKOR	Gray Universal Kickout Right
UKOLW	White Universal Kickout Left
UKORW	White Universal Kickout Right
UKOLB	Brown Universal Kickout Left
UKORB	Brown Universal Kickout Right
UKOLT	Tan Universal Kickout Left
UKORT	Tan Universal Kickout Right



Flexible for Retrofits



Cuts Easily with Scissors



## DELMHORST™ MOISTURE METER

Digital Probe Tester

- Reads Moisture Content from 6-40%
- Averages Up to 50 Accumulated Readings
- Audible Set Point Sounds When Preset Percentage is Reached
- Comes with 3 1/4" Probes

Item #	Description
BD2100	Digital Moisture Meter
BD2P00	Standard Probe 3 1/4", each
BD2P04	Long Probes 6", Pkg. of 4
POKER	Hole Punch for BD2100



Typical WaterAlley Application



Enlarged View Of WaterAlley Drainage Mat

## WATER ALLEY 516™ Drainage Wall Mat

WaterAlley 516 for EIFS

- Geotextile Fabric Bond to One Side
- 5/16" Core, 7mm Thick
- 58" x 37 = 180 Square Feet Per Roll

## SUPER CAULKER

Fast and Efficient

- Hassle-Free Reload
- Auto Flow Stop
- Extra Long 10 1/2" Opening
- Steel Welded Frame
- Rotating Barrel Maintains Nozzle-to-Surface Contact Angle
- Twin Trust Plates
- Rugged Aluminum Handle



Item #	Description
CG100	Super Caulker

## WATER ALLEY 716™ Drainage Wall Mat

WaterAlley 716 for Stucco & Stone Veneer

- Geotextile Fabric Bond to Two Sides
- 7/16" Core, 11mm Thick
- Code Compliant Weather Resistant Barrier
- 58" x 37 = 180 Square Feet Per Roll




# DRAINAGE



## STARTER TRAC® with Drip Edge

- 3" wide Nailing Flange
- 1/2" to 4" Depth Available
- Face Flange is 1 1/4"


Item #	Description	Quantity
PCSTDE1	1" x 10'	25 per box



## SOFFIT VENT Continuous Vent

- 2 5/8" to 4" Vented Area Available
- 3/8" to 1 1/2" Ground Available

Item #	Description	Quantity
PC548-1	Soffit Vent	10 per box




## SILL SCREED Colored Foundation

- Now Available in Three Colors
- 1/2" to 1 1/4" Ground Available
- 2 1/2" or 3 1/2" Nailing Flange Available

Item #	Description	Quantity
PC632	1" x 10'	25 per box

○ WHITE    ● TAN    ● GRAY



## DRIP EDGE Windows/Doors

- Sloped Front Edge Sheds Water
- 2" Wide Nailing Flange
- 3/4" to 4" Depth Available

Item #	Description	Quantity
PCSB15	1 1/2" x 10'	60 per box

○ WHITE    ● TAN    ● GRAY

**PLASTIC PC**  
COMPONENTS inc.

## FIXED-FLASHING STYLE LOW PROFILE RECESSED ELECTRICAL BOX

- Clear Smoked Weatherproof Cover
- Superb Moisture Control
- One Piece Molded Design
- Fixed Flashing for 1/2" EIFS & Stucco Systems
- Disposable Mud Cover for Stucco and Painting
- Complete with Duplex and GFI Plates

Item #	Description
PCDRIBOX	Clear, Fixed Flange in Box
PCDRIBOXW	White, Fixed Flange in Box




Free Mud Cover For  
Stucco & Painting

Wide Self Flashed  
Nailing Flange



Eliminates The Need  
For Separate Flashing

**NEW**




## UNIVERSAL STARTER TRACK

with Drain Holes

- One Size Fits All Starter Track For EIFS Construction
- Eliminates the Need to Inventory Multiple Sizes
- 1/16" Finish Thickness
- 1" - 6" Insulation Thickness
- 2 7/8" Back Flange
- Perforated Flange

Item #	Description	Quantity
VCUNI-TRACK	10'	40 per box




## EIFS STARTER STRIP

with Drip Edge

- No Weep Holes
- No Drip Leg
- 5/8" Perforated Face Flange
- 1 3/4" Back Flange

Item #	Description
VCCBS	Starter Strip




## ARCHMAKER™

Casing Bead

- Easily Conforms to Most Arches and Curves
- 1 3/4" Perforated Flange
- 1/4" to 1" Ground

Item #	Description
VC66	ArchMaker™



## CONTROL JOINT

for Stucco & Plaster

- Relieves Stress and Controls Cracking in Large Areas
- 4" Perforated Face Flange
- 3/8" to 1" Ground

Item #	Description
VC1538	Control Joint




## SOFFIT VENT

for Soffit Board

- One-piece Design
- Can Be Combined with Starter Strip / Casing Bead
- 3/8" Ground
- 1" to 6" Wide Vent

Item #	Description
VCV	Soffit Vent



# ACCESS DOORS

## UNIVERSAL ACCESS DOOR

- #1 Selling Door
- Flush for All Surfaces
- Rounded Corners – Safe & Aesthetic
- Continuous, Concealed Hinge
- Available in Steel or Stainless Steel

Item #	Description
UF5000	Universal Access Door



**#1 Selling Door**

## PLASTIC ACCESS DOOR

- Flush for All Surfaces
- High Impact Styrene Plastic with U.V. Stabilizers
- Hinged Door Panel with Removable Feature
- High Quality at Economic Pricing

Item #	Description
PA3000	Plastic Access Door



## FIRE RATED WALL DOOR

- Fire Rated Door for Walls
- 1 1/2 hr. U.L. "B" Label
- Concealed Hinge
- Available with Galvanized Steel Drywall Bead Flange
- Available in Steel or Stainless Steel
- Standard with Self Latching Bolt

Item #	Description
FB5060	Fire Rated Access Door



Fire Rated

## CEILING & WALL DOOR

- Warnock Herfsey Int., 3 hr. Rated for Ceilings
- Door Panel is Insulated and Gasketed Upswing
- Coil Spring to Control Closing of Door Panel
- "L" Handle - Operable from Inside

Item #	Description
FW5050	Ceiling Access Door



Fire Rated

## RECESSED GFRG DOOR FOR PLASTER & DRYWALL

- For Plaster and Drywall Ceilings
- Tapered Edge for Joint Tape
- Lightweight
- Blends into Surrounding Finish

Item #	Description
GFRG	Acoustical Tile Door Panel



## RECESSED STUCCO & PLASTER DOOR

- Door Panel Recessed 5/8" and Lined with Self-furring Galvanized Lath
- Expansion Casing Bead with 3" Wide Galvanized Lath, Recessed 3/4" to Receive Plaster
- Concealed, Pivot Hinge

Item #	Description
AP5010	Recessed Stucco Door Panel



**Call for Additional Sizes and Configurations**

# TOOL KITS



## HEAD START PRO KIT

**KITHS**

**Includes:** Economy Canvas Bag, HD Lid Lifter; 13" Aluminum Hawk, Bucket Trowel, 5" x 13" Marshalltown Trowel, 1 1/2" x 5", 2" x 5" and 2" x 6" Margin Trowels, 1" & 2" Inside Corner Edgers, 1" & 2" Outside Corner Edgers, Quality Pro Float, Off-Base Spray, Aluminum Standard Rasp, Foam-Lok Adhesive, 6" Cleaning Brush, 2" Long Mask Red Tape, HD Knife and 10-Pack of Blades.

Item #	Description
KITHS	Head Start Pro Kit



## PRO KIT

**KITICF2**

**Includes:** Commercial Duty Hot Knife™, 450 Blade, 4" Hot Knife Adapter, 2' NFWF Flat Wire, Cable Slot Cutter (3-Pak), Single Electrical Box Cutter (3-Pak), Double Slot Cutter (3-Pak), HD Canvas Bag, 3/4" Cutting Knife.

Item #	Description
KITICF2	ICF Kit



**KITPVNT**

## DECORATIVE TOOL KIT

- 18 pc Tool Kit for Venetian Plaster, Marmoino, lime and Other Decorative Finishes
- Aluminum Case with Two Dividers
- Special Steel Welded Tools with Wooden or Sintesi Rubber Handles and Two B-Wires

**Includes:** 3 Finishing Trowels, 2 Plastering Trowels, 4 Venetian Plaster Spatula Set, 2 Putty Knives, 1 Filling Scraper, 1 Tempered Steel Scraper, 2 Ultra-Flexible Scrapers, 2 Filling Trowels

Item #	Description
KITPVNT	Decorative Tool Kit

## CUSTOM KITS AVAILABLE

**We Can Custom Assemble a Kit For You**

## CANVAS BAG

- Hinged Metal Frame Top
- Leather Straps and Handle
- 24" Wide x 12" High



**CB24**


Item #	Description
CB24	Heavy Duty Canvas Bag



# SOFT SAWS

## SOFT POLYURETHANE SAW

Pneumatic Hand Held Saw



- Designed for Soft Urethane 1/2 Pound Insulation
- Ultra Sharp Blade Cuts Quickly
- Free Speed of 3,000 RPMs
- Requires 8 CFM @ 93 PSI
- Weighs Just 7 Pounds
- Blade Length Past Tool - 23"
- Powered by IngersollRand® Straight Line Sander
- 1 1/4" Blade Travel

Item #	Description
PUSAW36	Polyurethane Saw - Includes Blade
PUBLADE36	Replacement Blade
PUBLADE36DE	Double-Edge Replacement Blade

Air Hose and Connections Not Included

## SOFT SPRAY-FOAM SAW

Electric Hand Held Saw

- Designed for Soft Urethane 1/2 Pound Insulation!
- Ultra Sharp Blade Cuts Quickly
- Free Speed of 3,000 RPMs
- Weighs Just 10 Pounds
- Blade Length Past Tool - 29"
- 1 1/4" Blade Travel

Item #	Description
PUSAWE	Polyurethane Saw - Includes Blade
PUBLADE29	Replacement Blade



## CROC™ CUT RESISTANT GLOVES

12 per box

Item #	Description
GLOVE-CR-12	Croc™ Gloves



## POLYURETHANE SAWS

11" & 29" Hand Saws  
For 1/2 Pound Soft Foam



Ultra-Sharp Serrated Blade like the Pneumatic Saw Above

Item #	Description
PUSAW11	Polyurethane Hand Saw
PUSAW29	Polyurethane Hand Saw

# POLY PLANERS




## HARD POLYURETHANE PLANER

### Pneumatic Hand Held Saw

- Virtually Unbreakable Steel Blade
- Available in 16" and 24" Models
- Requires 23 CFM @ 87-90 PSI
- 16" Model Weighs Just 12.5 Pounds
- Designed to Cut Hard 2 Pound Foam
- Rugged Air Motor and Dual Safety Switches
- 24" Model Weighs 14.5 lbs.

Item #	Description
PUP16	16" Poly-Plane
PUP24	24" Poly-Plane



## LIL' SUCKER™

### Scarfer / Planer Vacuum

- Powerful 2HP, 110 Volt electric Motor
- Scarfs, Vacuums and Bags in One Easy Motion
- Saves Time and Energy

Includes: Scarfer Head, Vacuum & Cart, 50' - 3/4" Hose, 100' - 1/2" Hose, 50' - 3/8" Hose, 50' - 3 1/2" Vac Hose, Air Filter/Regulator, ISO Foam Knife, Shorty Foam Knife, Wall Scraper, Curry Comb

Item #	Description
G-POLYPLANEVAC	Planer Vacuum



## 2 Models Available

## 1/2 THRU 10+ POUND FOAM FOR OPEN CELL OR CLOSED CELL

- Specialized Cutters for 1/2 lb -10+ lb Foam
- Heavy-Duty Commercial Quality
- 16" Model Weighs Just 13.2 Pounds
- 24" Model Weighs 17.5 Pounds
- Replacement Brushes and Blades Available
- Rugged Air Motor and Electric Motor
- Fafnir Ball Bearings on Cutter Shafts
- Air Motors Require 23 CFM @ 125 PSI



Item #	Description
PUP216A*	16" Poly-Plane 2™ Air
PUP224A	24" Poly-Plane 2™ Air

Item #	Description
PUP216AC	16" Poly-Plane 2™ Air Carbide
PUP224AC	24" Poly-Plane 2™ Air Carbide

# POLY SPRAY™

## POLY-SPRAY 1™ SYSTEM

Polyurea Spray Hardcoat



PSG



- Environmentally Safe
- Contains no VOC's
- Coating is Paintable
- Color is Neutral
- Dries in 7 Minutes at 70°
- May be Painted After 7 Minutes
- Six 750 ml Cartridges will Cover 127 Sq Ft. at 30 mils
- 100% Solids, Two-component Aromatic Polyurethane
- Smooth Finish

Item #	Description
PS75	Cartridge, Each
KITPS75	Cartridge, Case of 6 (Quantity Break at 4,8,12 & 36 Cases)
PSG	Spray Gun
PSMT	Static Mixer w/ Atomizing Tip
Static Mixer w/ Air Atomizing Tip Comes w/ Each Cartridge	



Photo courtesy of  
Hardcoat LTD, Cory Porterfield



PSMT



PS75

**Compressor Requirements:** Standard 5 hp compressor, with a 20 gallon tank capable of 10 to 12 CFM. For optimum performance, the supply pressure must be greater than 100 P.S.I. and less than 145 P.S.I. Protective clothing, eye and breathing devices should be worn.



## 2-PART HAND-APPLIED HARD SHELL COATINGS

### URESHELL™

#### 2-Part Urethane

UreShell is a marvelous hard coat 2-part urethane-based coating. 20-25 minute working time allows for rolling or brushing. Applications cover both interior and exterior surfaces. It leaves a hard glossy smooth shell finish. It works great on props, backdrops, signs, molds, etc. 1 gallon covers approximately 320 sq. feet at 5 mil thickness. Dries to a tan color and can be finish coated with most paints and synthetic stucco.



Item #	Description
US1	UreShell, 1 Gallon
KITUS1	UreShell, 4 Gallon Kit

### LIQUID ROCK™

#### 2-Part Epoxy

Liquid Rock is a 2-part epoxy based coating that can be applied on interior and exterior surfaces. It has extraordinary flow characteristics. It leaves a hard glossy smooth shell finish. It works well on props and backdrops when a hard finish is preferred. It can be brushed or rolled. Average working time is 20-25 minutes. 1 gallon covers approximately 320 sq. feet at 5 mil thickness. Dries off-white and can be painted.



Item #	Description
LR1	Liquid Rock, 1 Gallon
KITLR1	Liquid Rock, 4 Gallon Kit

## SPECIALTY COATINGS CEMENT TEXTURE

### ELASTA-SHIELD™

#### Smooth Vinyl-Acrylic Protective Skin

Dries clear. Water soluble flexible shield protects EPS foam for general handling. Will act as an adhesive for applying fabrics if they are applied while Elasta-Shield is wet. Can be brushed, rolled or sprayed. Covers 320 sq. ft. at 5 mils.



Item #	Description
ESC	Elasta-Shield 1 Gallon
KITESC	Elasta-Shield 4 Gallon



#### Cementitious Stucco Finish

Add Water and Mix. Cementitious coating. Combination of Portland Cement, Polymers & Sand. For either interior or exterior surfaces. Developed for EPS foam. Dries Gray. Use trowel or spray. Covers 90-100 sq. ft. at 1/8" to 3/16".



Item #	Description
TM50	Theater Magic

### STONEWALL™

#### Stucco-Like Acrylic Finish

Water-based, elastomeric coating. Allows definition to show. For either interior or exterior surfaces. Works well over EPS foam and other surfaces. Dries white. Can be brushed, rolled or sprayed. Covers 320 sq. ft. at 5 mils.



Item #	Description
SWC	Stonewall Foam 1 Gallon
SWC5	Stonewall Foam 5 Gallon



#### Calculating Square Footage of Coatings per Gallon

1 mil thickness of liquid will theoretically cover 1604 sq. ft.  
5 mils thickness of liquid will theoretically cover 320 sq. ft.



# CRAFTERS




**HD** FOAM CRAFT CUTTER™

## HEAT-DIAL CRAFT-CUTTER™

Variable Heat Craft-Cutter

Item #	Description
CRAFTHD	HD Craft Cutter

CRAFTHD



## CRAFTERS PRECISION HOT KNIFE

Rod Style Knife

- Continuous Duty Cycle
- 1/8" Diameter Stainless Steel Tube
- Versatile Sled Guide Accessory

Item #	Description
HKTPR6	6" Knife with Sled
HKTPR9	9" Knife with Sled
HKTPR69	6" & 9" Knives with Sled



HKTPR9

HKTPR6


VIEW VIDEO ONLINE

## HAND WIRE™

Hand-Held Hot Wire Foam Cutter

- Uses Two "C" Batteries

Item #	Description
HCB	Battery Hand Cutter



HCB

## TIPPI CRAFT HOT KNIFE FOAM CUTTER

Ideal For Adding Intricate Detail & Depth To Projects

- Lightweight and Agile
- Uses Standard 110 volt - Power Transformer Included
- LED Indicates Operation

Item #	Description
TIPPI	Tippi Hot Knife



TIPPI



## STYRO-CUTTER

### Craft Foam Cutter

- Includes Two Replacement Wires
- Uses Two "D" Batteries (Not Included)

Item #	Description
FC601	Craft Foam Cutter



FC1800

## PT-CUT12

### Hand-Held Hot Wire Foam Cutter

- Variable Heat Control
- Heats Up In Less Than 5 Seconds
- Includes Five Shapeable Cutting Wires

Item #	Description
PT-CUT12	110 Volt Hand Cutter with Power Supply



## FUN FOAM SAW

### Craft Foam Cutter

- Includes Two Different Serrated Blades
- Blades Store Inside Handle

Item #	Description
FC1800	Fun Foam Saw

## STYRO-CUTTER PLUS

### Craft Foam Cutter

- Cuts Foam Up To 4" Thick
- Heats Up In Less Than 30 Seconds

Item #	Description
FC601P	Craft Foam Cutter



FC601P




## EPS / XPS CRAFT FOAM

### For Home or School Project Use

- Call For Sizes and Pricing

# CRAFTERS



## PRECISION MODEL MAKER™

24.5" x 10.4" Table

- Built-In Power Supply
- Variable Heat Settings
- 15" Wire Height
- 3.3" - 8.2" Wire Height
- Weighs 17.6 Pounds
- Comes Complete with Angle Guide
- Pipe Support
- Protractor & Roll of Wire
- Horizontal Straight Guide
- 2 Rollers
- Foot Switch

Item #	Description
HCM3S	Precision Model Maker

## HOBBY TABLE

12" x 22" Table

- Built-In Power Supply with 3 Heat Settings
- 8" Wire Height
- 12" x 22" Cutting Table

Item #	Description
HCM2S	Hobby Table



## MIGHTY MIGHT™

10" x 15" Table

- Built-In Power Supply
- Variable Heat Settings
- 6 3/4" Wire Height

Item #	Description
HCM2SP	Mighty Might

## THERMOCUT 115 HOT WIRE CUTTER

For Architectural Models, Prototypes, Model Railroads, Planes & Boat Items

- 15 11/32" x 11" Cutting Table
- Grid and Protractor Assists Division & Cutting
- Overarm Has 13 3/4" Throat and 5 1/2" Height
- 98 ft Spool of Wire Included
- Wire Heats to Maximum in Less Than 1 Second
- LED Indicates Operation and Hot Wire
- Allows Miter Cutting



Item #	Description
PT-CUT115	Thermocut 115

<b>ACCESS DOORS</b> .....	60	<b>CAULK</b>		<b>FOAM</b>	
<b>ADHESIVES</b>		All Colors.....	56	XPS/EPS.....	67
Brushable .....	49	Caulk Gun.....	57	<b>FOAM FASTENERS</b>	
Enerfoam .....	51	<b>CLEANERS</b>		Foam Tack .....	23
FoamLok.....	49	Blok-Guard/Graffiti .....	53	Spiral Toggle.....	23
FoamLok tank .....	49	ConcreteCleaner.....	52	Wall Tacs.....	23
GSTUFF 2 + 3 .....	50	Efflorescence Remover.....	52	<b>FOAM GUN</b>	
ProLok (NEW).....	48	Finish Up.....	52	FGUN2 .....	50
<b>ADHESIVE CLEANERS</b>		Off Base .....	52	<b>HAWKS</b>	
Enerfoam Cleaner.....	50	Tar-Rid .....	53	Aluminum .....	43
Pro-Klean (NEW) .....	48	WashDown .....	53	Composite.....	43
<b>BACKER ROD</b>		<b>COATINGS</b>		Magnesium .....	43
All Sizes .....	56	50lb Easy Coat .....	27	<b>HOT WIRE ACCESSORIES</b>	
Installer .....	56	Elastashield.....	65	1" CR Groove Adaptor .....	11
<b>BLADES - Curved &amp; Grooved</b>		Liquid Rock .....	65	6" CR Groove Adaptor .....	11
G50-G100 (curved).....	12, 16	Stonewall .....	65	Adaptors - vertical / horizontal	12, 16
SPV, SPSQ (grooved)....	12, 16	Theatre Magic.....	65	Custom Wire Adaptor .....	10
<b>BLADES - Straight</b>		Ureshell.....	65	Crangle.....	11
2".....	10	<b>COMPUTERIZED HOT WIRE</b>		Flat Wire Adaptor .....	13
2 1/2" .....	12, 16	Cutlas Turnkey .....	26-27	Stops, Short/Long .....	10, 12
3".....	12, 16	Megaplot Turnkey .....	26-27	Wire Crimping/Cutting....	11, 13
4" .....	8, 10	<b>CONTROL FIBERS</b> .....	43	<b>HOT WIRE MACHINES</b>	
4 1/2".....	12, 16	<b>CRAFT CUTTERS</b>		FieldCut (NEW).....	30
5 1/2".....	12, 16	Styro Cutter .....	67	Sidewinder .....	28
6".....	8, 10, 16	Styro Cutter Plus.....	67	Styrocut.....	29
8".....	8	Heat Dial Craftcutter .....	66	Verti-Cutt.....	28
Fabric Cutter Blade.....	18	Hobby Tables .....	68	Wall Skinner .....	31
Zetz Blades.....	19	Hand Wire.....	66	<b>HOT WIRE TOOLS</b>	
<b>BLADES/INSERTS (GROOVEJET)</b>		Precision Hot Knife .....	66	Carve360 .....	8
Blades (pre-shaped) .....	15	ThermoCut .....	67-68	Carve360 Kits.....	9
Groove Tool Handle .....	15	Tippi .....	66	CutRite .....	10
Inserts (pre-shaped) .....	15	<b>DARBIES</b>		CutRite Kits.....	11
<b>BOW CUTTERS</b>		Aluminum .....	37	Fabric Cutter.....	18
12" Cordless Bow .....	31	Magnesium .....	37	Geo Foam Kit .....	32
24" Bow Cutter .....	31	<b>FLOATS</b>		GrooveJet + Kits .....	14
48" Bow Cutter .....	31	EIFS Floats .....	38	Hot Knife.....	12
<b>BRUSHES</b> .....	43	White/Private Label.....	38	Hot Knife Kits .....	13
<b>CASE/BAG</b>		<b>FLOATS (SPONGE)</b>		Hot Rod.....	16
Canvas Bag .....	61	Fine/Course .....	39	Hot Wire Handles .....	33
GrooveJet Case .....	14	Textured .....	39	Hot Wire Kit.....	33
Hot Knife Case .....	13, 14			Zetz Thermal Cutter .....	19



# INDEX

## KNIVES

Insulknife. . . . .	45
Olfa . . . . .	45
Tajima . . . . .	44

## LID LIFTERS . . . . . 17

## MAGNETIC HAMMER

Hammer + Tips . . . . .	37
Stub Nails . . . . .	37

## MESHMATE

MeshMate #4 (NEW) . . . . .	17
-----------------------------	----

## MIXERS

Mixers . . . . .	46
Paddles . . . . .	46

## MOISTURE CONTROL

3 1/4 Probegreen . . . . .	57
Digital Moisture Meter . . . . .	57
Kickouts . . . . .	57
Vortec Barrier Wrap (NEW) . . . . .	54
Water Alley . . . . .	57

## POLY PLANERS

Hand Held Poly Saw . . . . .	62
Poly Planer Blades . . . . .	62
Poly Planers . . . . .	63
Polyurethane Saws . . . . .	62
Spray Foam Planer Scarfer . . . . .	63

## POWER CONTROLLERS

220 Volt Transformer . . . . .	32
APC . . . . .	33
Magnum . . . . .	29, 33

## RASPS

Adhesive Rasp Paper . . . . .	7
Air Rasp . . . . .	7
Bulk Rasp Paper . . . . .	7
DuraRasp Edger . . . . .	5
DuraRasps . . . . .	4
Duravac Shop-Vac Rasp . . . . .	6
Curry Comb . . . . .	6
Rokamat Rasp (NEW) . . . . .	6
Smoothie Rasp . . . . .	5
Standard Rasps . . . . .	7
Tiger Claw Rasps . . . . .	4

## RECYCLING

Badger . . . . .	34-35
Compactors . . . . .	35
Recyk . . . . .	35

## ROPE CUTTER

Cutter, Replacement Blade . . . . .	32
-------------------------------------	----

## SAFETY

Gloves . . . . .	62
------------------	----

## SCOOPS . . . . . 42

## SIP GROOVERS . . . . . 32

## SOLDERING GUNS

Soldering Gun/Kits . . . . .	18
------------------------------	----

## SPRAYERS

Hopper Guns . . . . .	47
PolySprayer . . . . .	64
Rotor Strator 15, 60 G. . . . .	47

## STARTER TRAC

Plastic Component . . . . .	58
-----------------------------	----

## STARTER TRACK

Universal Starter (NEW) . . . . .	59
Vinyl Corp . . . . .	59

## STUCCO SUPPLIES

Rake . . . . .	40
Rub Brick . . . . .	37

## TAPE

Blue Tac Tape . . . . .	54
Window/Door Tape . . . . .	55
Duct Tape . . . . .	54
Red 60 day tape . . . . .	54
Waterblock Barrier Tape . . . . .	55

## TROWELS

Bucket Trowel . . . . .	42
Composite . . . . .	39
Detail (pointed/rounded) . . . . .	41
Inside Corner Edger . . . . .	40
Italian PVC . . . . .	38
Margin Trowel (NEW) . . . . .	41
Margin Trowel (Marshalltown) . . . . .	41
Notched . . . . .	37
Outside Corner Edger . . . . .	40
Permashape . . . . .	36
Pool . . . . .	36
Venetian . . . . .	36

## WASHERS

DP300 . . . . .	22
DP400 . . . . .	22
DP500 . . . . .	23
PBH . . . . .	20

## WASHERS (COLLATED- PBH)

Masonry . . . . .	20
Steel . . . . .	20
Wood/Light Metal . . . . .	20

## WIRE

Cutter . . . . .	11
Flat Wire . . . . .	12, 14
Flat Wire Adaptor . . . . .	13
Round Wire . . . . .	33

# ORDER FORM

**TOLL FREE FAX 1.888.534.8383 • sales@demandproducts.com**

**1 DISTRIBUTOR BILL TO:**

Company Name \_\_\_\_\_  
Attention \_\_\_\_\_  
Street Address \_\_\_\_\_  
Address 2 \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_

**2 CONTRACTOR SHIP TO:**

Company Name \_\_\_\_\_  
Attention \_\_\_\_\_  
Delivery Address \_\_\_\_\_  
We cannot ship to a P.O. Box.  
Address 2 \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_

**3 PURCHASE ORDER NUMBER:**

\_\_\_\_\_

**4 METHOD OF SHIPMENT:**

Ground     Next Day     Second Day     Third Day

**5 ORDER:**

	ITEM NO.	QTY	DESCRIPTION	UNIT PRICE	TOTAL
1.					
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
12.					

**Thank You For Your Order!**



1055 Nine North Drive, Alpharetta, Georgia 30004, USA  
770.772.7448 1.800.325.7540 Toll Free Fax: 1.888.534.8383

# DEMAND<sup>TM</sup>

PRODUCTS INC.

1055 Nine North Drive • Alpharetta, GA 30004 USA

**YOUR ORDER IS ON THE WAY!**

98% of our products ship the same day you place your order.



[www.demandproducts.com](http://www.demandproducts.com) • 800-325-7540 USA & Canada