

Cavotec Micro-control AS

User Manual for STD-302N-R 458MHz

Document number MAN-08-001

Revision	1	2	3	4	5
Date	2008.07.16	2008.07.25			
Written by	SA	SA			
Checked by	MO	MO			
Approved by	MO	MO			

File name G:\08\MAN\MAN-08-001 User Manual for STD-302N-R 458MHz
--

Revision history

Rev.	Changes
1	First revision
2	Added RF exposure warning statement

MAN-08-001 Rev. 1

1. Introduction

This manual is intended as a guide to assist the user of STD-302N-R 458MHz to implement it according to FCC part 15.

2. General information

2.1 STD-302N-R 458MHz

The STD-302N-R 458MHz must be implemented according to its Operation Guide, OG_STD-302N-R-458M.pdf, found on Circuit Design homepage. It may also be found on this link: http://www.cdt21.com/parts/files/Operation_Guide/OG_STD-302N-R-458M.pdf

2.2 FCC statements

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications to the equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The antenna used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter