

iNTENSE!

PERFORMANCE YOU WON'T BELIEVE AT A PRICE YOU CAN'T IGNORE



S P E C I F I C A T I O N S

	MODEL 118S	MODEL 125	MODEL 252
Description:	18" Passive Subwoofer	15" 2-Way Full Range	Dual 15" 2-Way Full Range
Frequency Response (± 3dB)	38 Hz - 500 Hz	50 Hz - 20 kHz	45 Hz - 20 kHz
Peak Power Capacity	1000 watts	600 watts	1000 watts
Continuous Power Capacity	500 watts	300 watts	600 watts
Input Connectors	1/4" Phone, Neutrick	1/4" Phone, Neutrick	1/4" Phone, Neutrick
Voice Coil Size	3"	2.5"	2.5"
Sensitivity (1w/1m)	98 dB	98 dB	100 dB
Nominal Impedance	8 Ohms	8 Ohms	4 Ohms
Dimensions (H x W x D)	23" x 17.5" x 23"	32" x 18" x 19"	49" x 18" x 19"
Net Weight	86 lbs. (39 kg.)	62 lbs. (28kg.)	87 lbs. (39kg.)



U.S.A.
Cerwin-Vega!, Inc.
3000 SW 42nd St.
Hollywood, FL 33312

Phone: 1.954.316.1500 • Fax: 1.954.316.1590 • Email: info@cerwin-vega.com

Europe
Stanton Europe
382 Avenue de la Couronne
1050 Brussels, Belgium

Phone: +49.40.20970.335 • Fax: +49.40.20970.336 • Email: info@cerwin-vega.com

Cerwin-Vega! is a division of The Stanton Group

Designed and engineered by Cerwin-Vega! in Chatsworth CA.

LITP00005-REVB



Is anyone building the speaker that DJS, BANDS AND MUSICIANS

are truly asking for?

Can a loudspeaker actually heighten your sense of creativity and accomplishment? Can your thirst for high performance sound – and your need for outstanding value – ever find a home together? Will your next speakers have a real titanium compression driver and the enormous advantages of a real plywood enclosure? With one glimpse, will they remind you of something extremely familiar and, at the same time, something you've never seen before? Will your next speakers look, sound and *feel* as good a year from now as they do the day you buy them? Can all of these things ever find their way into just one line of speakers?

They have in **CERWIN-VEGA'S INTENSE.**

SURE, THEY'LL PLAY REALLY LOUD, BUT INTENSE ALSO HAS THE CLEANEST SOUND OF ANY SPEAKERS IN THEIR CLASS

The Intense Series loudspeakers deliver performance you demand at a price you don't expect. The model 152 and 252 enclosures, paired with the 118S cast frame subwoofer, are tailor-made for gigging musicians, mobile DJs, and other portable sound reinforcement applications. The Intense Series loudspeakers re-define value driven performance.



Cast Aluminum Frame For Strength And Durability

The Model 118S features an 18-inch transducer with a cast aluminum frame designed to support the system's huge magnet structure / voice coil architecture, plus the high power handling requirements typically encountered in live sound reinforcement applications. This frame creates a more reliable, robust subwoofer system designed to withstand abuse.

Built For The Road

Designed to withstand the rigors of the road, all enclosures feature heavily braced, 18mm, plywood construction; abrasion-resistant, low pilling black carpet and VegaGrip™ handles for easy transport. Bottom line... the Intense Series loudspeakers sound great, look great, and are designed to stay that way.

34mm HF Compression Driver

The 34mm titanium High Frequency compression drivers found in the Intense Series 152 and 252 benefit from an optimized dome geometry and phase plug design that combine to eliminate phase distortion. Coupled with the HighRoad horn's carefully crafted throat contour, the result is controlled directivity [more accurately focused sound] and smooth response.

A Big, Clean Horn When You Need It!

With its 34mm titanium High Frequency compression driver, our HighRoad horn features a larger diaphragm than the competition. You get higher SPL with lower distortion, and since the crossover in the 152/252 runs at lower frequencies, you'll hear improved off-axis response and increased mid-range vocal intelligibility.


INTENSE!

- STUNNING DESIGN
- 34mm TITANIUM COMPRESSION DRIVER LOADED INTO A PROPRIETARY 1 INCH THROAT
- EXCLUSIVE 90° X 70° HighRoad WAVEGUIDE
- EXCLUSIVE VEGA GRIP™ HANDLES
- DURABLE 16 GAUGE STEEL GRILLES
- RUGGED 18mm, 11-PLY TRAPEZOIDAL SHAPED PLYWOOD ENCLOSURES
- LEGENDARY CERWIN-VEGA SOUND
- PROPRIETARY WOOFERS w / 2.5 INCH HIGH TEMPERATURE VOICECOILS
- RUGGED 18 GAUGE METAL INPUT PLATES WITH NEUTRIK™ SPEAKON CONNECTORS
- 127dB (152) to 132dB (118S) MAXIMUM OUTPUT LEVELS
- DEFEND™ CIRCUIT PROTECTS THE HF COMPRESSION DRIVER FROM EXCESSIVE POWER
- DURABLE 35mm CAST ALUMINUM POLE MOUNTS



Intense 152 2-Way over Intense 118S Subwoofer

While the thrill of performing with your Intense speakers is why you'll buy them, their reliability and customer support is why you'll like living with them, too.



Take To The Stage With A New Level of **INTENSITY...**

Model 152

The 152 is an 8-ohm, 2-way passive bass reflex design featuring our HighRoad horn and a single 15-inch woofer with a 2.5-inch high temperature voice coil. Rated at 600 watts peak power capacity with a frequency response of 50Hz to 20kHz, the 152 is ideally suited as a stand-alone sound reinforcement solution or you can augment it with the 118S subwoofer.

Model 252

Featuring Cerwin-Vega's HighRoad horn and two 15-inch woofers with 2.5-inch high temperature voice coils, the 252 is an 4-ohm, 2-way passive bass reflex design. Providing the flexibility to be used stand-alone, arrayed, or in conjunction with the 118S subwoofer, the 252 is rated at 1000 watts peak power capacity with a frequency response of 45Hz to 20kHz.

Model 118S

The 118S subwoofer features a single 18-inch transducer with a cast aluminum frame that is designed for added strength and reliability. This exceptional subwoofer employs a 3-inch voice coil for sustained high power handling capability—the largest in its class! With a frequency response of 38Hz to 500Hz, the 118S is rated at 1000 watts peak power capacity and can provide ample low-end fullness for a wide variety of sound reinforcement applications.



Model 152

Model 252

Model 118S