



Excellence in Compliance Testing

Certification Exhibit

**FCC ID: YWZ-HBCLB
IC: 3356F-HBCLB**

**FCC Rule Part: 15.247
IC Radio Standards Specification: RSS-210**

ACS Project Number: 13-0211

**Manufacturer: Alpha - High Theft Solutions
Model: HBCLOK**

Manual

Causes of 3 Alarm Technology

- The Hummingbird CableLok will alarm if the Lanyard is cut.
- The Hummingbird CableLok will alarm if in the detection field of the EAS system.

Facts about the Hummingbird Hummingbird CableLok:

- Unit houses Hummingbird module and locking mechanism
- Long life lithium battery. Battery life depends on the number and duration of alarms
- The sound emitted is 95+ decibels
- To stop the Hummingbird CableLok from alarming, follow instructions for removing the Lanyard.

Protecting (Arming) Merchandise with the Hummingbird CableLok:

1. Loop the Lanyard around a non-removable portion of the merchandise.
(Figure 2)
2. To engage the lock, insert the Locking Clip of the Lanyard completely into the Opening of the Housing until you hear a faint click. (Figure 2)
(Clip is non-directional and can be inserted either way into Housing.)
NOTE: Unit will play a confirmation tune and flash red. Unit is now armed and the LED Light will continue to flash approximately once every five seconds.
3. Merchandise is now secure and ready for display.

Removing (Disarming) the Hummingbird CableLok from Merchandise:

1. Align the Ears of the Manager's Key with the Indents on the Hummingbird CableLok. (Figure 3)
NOTE: The Manager's Key Ears can be placed on either side of the Hummingbird CableLok.
2. Gently push in on the Lanyard until you hear a faint click. Now pull the Lanyard out from the Housing. (Figure 3)
3. Remove the Manager's Key.
NOTE: Store Hummingbird CableLok in the open position for ease of application and to prevent unnecessary battery drain. (Figure 4)
Product should be stored 3 feet (1 meter) from Deactivation Units.
4. Product is now ready for sale.

For FCC information and compliance, please refer to page 2.



Manager's Key



CAUTION: Do not place credit cards, ATM cards or magnetic media of any kind near the Manger's Key as this could erase the magnetic strip.

FIG 2




FIG 3




FIG 4



General Statements (For all devices):

Warning: Changes or modifications to this device not expressly approved by Alpha could void the user's authority to operate the equipment.

FCC Information and Compliance

RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment may operate in direct contact with the body of the user under normal operating conditions. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

For Class A Devices:

"NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense."

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.