

## **A. FEDERAL COMMUNICATIONS COMMISSION (FCC) STATEMENT**

This equipment has been tested and found to comply with the limits for a Class B digital device, Pursuant to Part 15 the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

## **INFORMATION FOR OPTICAL POINTING DEVICES ONLY :**

User-observable light is 15 microwatts in normal operation.

This product has been tested to comply with international Standard IEC 60825-1:(1993), incid. Amd.2(2001). This product uses LEDs that are inherently Class 1.

Class 1 LED Product

## **B. PRODUCT SPECIFICATION**

### 1. SYSTEM AND INTERFACE

**Receiver Interface:** USB interface designed to be fully compatible with Microsoft Windows 98, ME, 2000, XP system.

### 2. FREQUENCY BAND :

**Mouse** – 27.045 MHz

### 3. FREQUENCY MODULATION : FSK MODE

### 5. POWER RATING :

**Mouse:** 1.5 V , 50 mA (MAX)\_

**Receiver (Dongle):** 5 V , 100mA (MAX) for USB

### 6. BATTERY:

**Mouse:** 1 piece of AA Batteries

### 7. BATTERY LIFE TIME :

**Mouse:** 60 hours reference (operating mode)

### 8. OPERATION DISTANCE

**Mouse:** 2 feet without signal disturbance and no direction limit.

### 9. MOUSE DETECTION METHOD

**Mouse:** Mechanical tracking method

### 10. MOUSE RESOLUTION: 800 DPI

### 11. OPERATING TEMPERATURE : 0° C~ 40° C.

### 12 STORAGE TEMPERATURE : -10° C ~ 60° C.

## **C. HARDWARE INSTALLATION**

1. Plug the receiver (Dongle) connector into an USB port.

2. SYSTEM will take around 10 sec to find your mouse automatically.

(PS : If your OS is Windows® 98, please follow the screen instruction to complete your mouse installation)

3. Please keep your receiver (Dongle) from the other electrical devices about 8 inches. The other electrical devices may influence your receiver (Dongle) sensitivity.

4. Put one battery into your mouse battery chamber.

#### **D. Setting ID on keyboard and mouse**

- (1) There is one LED on the top of receiver (Dongle). The LED will be blinking during the ID setting or data received. The LED will be always ON.
- (2) Push the connection button on the top of receiver (Dongle). The indicator on the top of receiver (Dongle) will be blinking.
- (3) Hold down the button on the bottom of mouse until 3 seconds. The ID will be changed after the button released