

## INSTALLATION INSTRUCTION FOR CEILING FAN REMOTE CONTROLLER

### IMPORTANT POINTS:

1. Please read this instruction, and save it for further use.
2. Before installation, **TURN OFF THE POWER TO YOUR CEILING FAN** (at the main switch box or fuse box).
3. Please note that all wiring appliances should be installed by a qualified electrician.
4. This unit is to be used in a **AC120V 60Hz** supply only.
5. Do not install in damp locations or immerse in water. (For indoor use only.)
6. Do not pull on or cut leads shorter.
7. Do not drop or bump the unit.
8. **PLEASE NOTE:** The battery will weaken with age and should be replaced before leaking takes place as this will damage the transmitter.


### OPERATION INSTRUCTIONS:

1. Two methods are provided to control fan and light operation: (a) control by pull chain switch or (b) control by remote controller.
2. (a) Use pull chain switch to control the fan and light operation:  
Before using pull chain switch, set Fan Speed to "HIGH" and light to "ON" position on the remote controller.
3. (b) Use remote controller to control the fan and light operation:
  - 3.1 Before using remote controller, pull chain switch, set Fan Speed to "HIGH" and Light to "ON" position.
  - 3.2 Your remote controller is ready for use after battery installation.
4. Once the remote controller is missing or damaged and pull chain switch can not perform its function, do the following:
  - (a) Turn off the master supply at the circuit breaker or fuse box.
  - (b) Remove the receiver and connect the wires according to the fan installation instruction. Then, the pull chain switch can be used.


### FUNCTIONS OF TRANSMITTER:

When you would like to operate ceiling fan by remote controller, you should hold the transmitter pointing to I.R. Sensor.

- HI: Turn on ceiling fan at high speed.  
 MED: Turn on ceiling fan at medium speed.  
 LOW: Turn on ceiling fan at low speed.  
 OFF: Turn off the ceiling fan.
- LIGHT:  
 (1) ON/OFF- Press and release immediately to turn on/off the light.  
 (2) DIMMER- Press and hold to dim or brighten lights.





**HOLDER FOR  
TRANSMITTER**  
(If desired, install onto  
the wall with screws.)



**INSTALLATION INSTRUCTIONS:**


**CAUTION: INCORRECT WIRE CONNECTION WOULD DAMAGE THIS RECEIVER.**

1. Ceiling fan must be set at HIGH speed and light kit (If any) at ON position by pulling the "Pull Switch" after installation.
2. For fans that are not drop rod styles (i.e. Flush Mount Styles) the appropriate conversion kit should be used. The fan should be installed and hanging from the ceiling.
3. Make the wiring connection as shown in Fig. 1. Ensure that DIP switches on the receiver and transmitter are set to the same positions.
4. Once the connection has been made, the receiver inserts into the drop rod hanging bracket. The canopy comes up to cover the receiver and bracket.



**CODE SWITCH:**

1. Codes are set by pushing dip switches up or down. It is imperative that the code used for both transmitter and receiver is exactly the same, otherwise remote controller will not work. Please note the code switch will enable you to operate a second remote controller independently. For example, if you have two ceiling fans with 2 remote control units, set 2 different codes for each set of transmitter/receivers. This means you can operate each ceiling fan independently.
2. Your remote control is ready for use after battery installation.



**FEDERAL COMMUNICATIONS COMMISSION  
INTERFERENCE STATEMENT**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**CAUTION:****To assure continued FCC compliance:**

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment.

**FCC Label Compliance Statement:**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.