

Ice-O-Matic®

Ice. Pure and Simple™

Domestic Suggested List Price Schedule Commercial Ice Machines and Accessories



Food Service



Hospitality



Food Retail

see page 4 for our
ENERGY STAR rated
machines

Effective Date: February 1, 2009



11100 E. 45th. Avenue
Denver, CO 80239

Phone: 1. 866. PURE. ICE
Fax: 303. 371. 6296
www.iceomatic.com

Sizing Your Ice-O-Matic Ice Maker

- Does the existing ice maker meet peak usage during the hottest part of the year?
- What are the various locations or stations in the establishment that will need ice? Will they be serviced from one or multiple ice makers?
- Planning for future growth? If not, consider building in 20% additional capacity on new installations.

Foodservice	Approximate Ice Usage Per Day
Restaurant	1.5 lbs per person
Cocktail	3 lbs per person/seat
Salad Bar	40 lbs per cubic foot
Quick Service	5 oz. per 7- to 10-oz. drink 8 oz. per 12- to 16-oz. drink 12 oz. per 18- to 24-oz. drink
Lodging	Approximate Ice Usage Per Day
Guest Ice	5 lbs per room
Restaurant	1.5 lbs per person
Cocktail	3 lbs per person/seat
Catering	1 lb. per person
Healthcare	Approximate Ice Usage Per Day
Patient Ice	10 lbs per bed
Cafeteria	1 lb. per person
Convenience Store	Approximate Ice Usage Per Day
Beverage	6 oz. per 12-oz. drink 10 oz. per 20-oz. drink 16 oz. per 32-oz. drink
Cold Plate	50% more ice usage per day
Package Ice	Weight per bag x number of bags sold per day

Ice-O-Matic Installation Considerations

Allow enough space for:

- The ice maker, bin and water filter
- Air flow

Note: If the ice maker is limited on space, consider a Top Air Discharge unit

Utilities:

- What are the voltage characteristics of the electrical outlet that will be used for this ice maker?
- Is there a floor drain?
- Water source with water shut-off?
- Are the utilities in close proximity to the ice maker location?







Remote installation:

- Is there an outdoor condenser location above the ice maker?
- Easy roof access and penetration?
- Maximum precharged tubing line run considerations?

Note: Ice-O-Matic includes a free sea salt corrosion protectant on cuber remote condensers

Ask about:

- The 7 year warranty on the evaporator if an Ice-O-Matic water filter is purchased with an Ice-O-Matic Cube ice maker and replaced every 6 months (U.S. & Canada only)
- Warranty program
- Preventive maintenance programs

All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs
22" Wide x 23" Tall		ICE0320A	\$4030	334	249	Air	115/60/1	150
		ICE0320W	\$4030	349	308	Water	115/60/1	160
		ICE0520A★	\$4320	520	370	Air	115/60/1	165
		ICE0520W	\$4320	527	442	Water	115/60/1	175
30" Wide x 20" Tall		ICE0250A*	\$3815	336	253	Air	115/60/1	150
		ICE0250W	\$3815	333	275	Water	115/60/1	150
		ICE0400A**	\$4310	505	368	Air	115/60/1	165
		ICE0400W	\$4310	496	407	Water	115/60/1	165
		ICE0406A*	\$4430	529	358	Air	208-230/60/1	165
		ICE0406W	\$4430	523	439	Water	208-230/60/1	165
		ICE0500A*	\$4550	600	458	Air	115/60/1	170
		ICE0500W	\$4550	596	513	Water	115/60/1	170
		ICE0500R**	\$4445	567	455	Remote	115/60/1	170
		ICE0606A*	\$5245	652	506	Air	208-230/60/1	175
		ICE0606W	\$5245	619	576	Water	208-230/60/1	175
		ICE0606R***	\$5140	605	502	Remote	208-230/60/1	170
30" Wide x 26" Tall		ICE0806A	\$6715	897	666	Air	208-230/60/1	220
		ICE0806W	\$6715	898	784	Water	208-230/60/1	210
		ICE0806R***	\$6605	913	768	Remote	208-230/60/1	220
		ICE1006A	\$7635	997	780	Air	208-230/60/1	230
		ICE1006W	\$7635	960	856	Water	208-230/60/1	225
		ICE1006R**	\$7530	982	843	Remote	208-230/60/1	235
		ICE1007A	\$7795	930	754	Air	208-230/60/3	230
		ICE1007W	\$7795	935	836	Water	208-230/60/3	230
		ICE1007R***	\$7690	910	781	Air	208-230/60/3	230
		ICE1406A***	\$8640	1469	1136	Air	208-230/60/1	310
48" Wide x 26" Tall		ICE1406W	\$8640	1386	1239	Water	208-230/60/1	280
		ICE1406R**	\$8530	1391	1150	Remote	208-230/60/1	300
		ICE1407A★	\$8795	1458	1131	Air	208-230/60/3	310
		ICE1407W	\$8795	1425	1279	Water	208-230/60/3	280
		ICE1407R**	\$8685	1393	1195	Remote	208-230/60/3	300
30" Wide x 22" Tall		ICE1506R*** (ICE1506 comes with bin thermostat kit)	\$8765	1,432	1215	Remote	208-230/1	300
48" Wide x 26" Tall		ICE1806W	\$11095	1832	1628	Water	208-230/60/1	310
		ICE1806R**	\$10990	1617	1461	Remote	208-230/60/1	335
		ICE1807W	\$11255	1779	1603	Water	208-230/60/3	310
		ICE1807R**	\$11145	1592	1444	Remote	208-230/60/3	335
		ICE2106W	\$13770	1856	1692	Water	208-230/60/1	310
		ICE2106R**	\$13665	1737	1561	Remote	208-230/60/1	340
		ICE2107W	\$13925	1814	1650	Water	208-230/60/3	310
		ICE2107R**	\$13820	1636	1525	Remote	208-230/60/3	340

*Available with top air discharge.

** Remote condensers and line sets are required for remote-cooled ice makers. See Remote Condensers on page 7.

★ ENERGY STAR qualified machine. Please see our website www.iceomatic.com for the latest list of ENERGY STAR qualified machines and available rebates

ICE Series™ Accessories




	List Price
KCDS484ICE†	Stacking Kit for models ICE1406 - ICE2106 \$1090
KSF	Prison Kit applicable for all Ice-O-Matic \$205

† For use with water- and remote-cooled units only. Stacking kits are not available for 22 or 30" ICE Series™ Cube Ice Makers

Note: Please specify Half (H) or Full (F) Cube when ordering (see page 4 for details).



Cube Ice Makers with Built-In Storage Bin

All dimensions in inches	Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	ARI Bin Storage lbs	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
15" Wide x 34" Tall 	ICEU070A	\$3160	84	66	27	Air	115/60/1	88
24" Wide x 39" Tall 	ICEU150A ★	\$3445	174	112	73	Air	115/60/1	160
	ICEU150W	\$3445	174	144	73	Water	115/60/1	160
	ICEU220A ★	\$3755	238	175	74	Air	115/60/1	160
	ICEU220W	\$3755	251	193	74	Water	115/60/1	160
	ICEU226A	\$4010	241	168	74	Air	208-230/60/1	160
	ICEU226W	\$4010	232	192	74	Water	208-230/60/1	160
30" Wide x 39" Tall 	ICEU300A ★	\$4395	309	228	112	Air	115/60/1	206
	ICEU300W	\$4395	356	296	112	Water	115/60/1	203

★ ENERGY STAR qualified machine.

Please see our website www.iceomatic.com for the latest list of ENERGY STAR qualified machines and available rebates

NEW KCUC12

Caster kit for ICEU150 or ICEU220. (2" wheel, 2 1/2" total height)

List Price

\$200

Cube Ice Makers

ICE • 070 6 F • A • 1 • XX

- Specific Designation
- Design Revision Level
- Condenser Type: A = Air, W = Water, R = Remote, T = Air/Top Air Discharge
- Cube Size: F = Full Cube, H = Half Cube
- Unit electrical characteristics: 0, 6, 7 (see voltage)
- Basic Family Size: 025, 040, 050, 060, etc.
- Model ICE = Modular Cuber Model Series, ICEU = Undercounter Cuber



ENERGY STAR Rated Ice Makers






ENERGY STAR Rated Ice Makers

No.	Model Name	Harvest Rate (Capacity)	Energy Use	Water Use	No.	Model Name	Harvest Rate (Capacity)	Energy Use	Water Use
1	ICEU150HA	112	11.8	34	13	ICE0606HR*	502	6.28	24.9
2	ICEU150FA	112	11.8	34	14	ICE0606FR*	502	6.28	24.9
3	ICEU220HA	175	8.80	30.3	15	ICE0806HR**	768	5.34	21.5
4	ICEU220FA	175	8.80	30.3	16	ICE0806FR**	768	5.34	21.5
5	ICEU300HA	228	8.60	32.9	17	ICE1007HR**	781	5.20	21.9
6	ICEU300FA	228	8.60	32.9	18	ICE1007FR**	781	5.20	21.9
7	ICE0400HA	368	6.10	24.4	19	ICE1406HA	1136	5.06	20.5
8	ICE0400FA	368	6.10	24.4	20	ICE1406FA	1136	5.06	20.5
9	ICE0400HT	357	6.30	25	21	ICE1407HA	1131	5.04	19.6
10	ICE0400FT	357	6.30	25	22	ICE1407FA	1131	5.04	19.6
11	ICE0520HA	370	5.90	23.1	23	ICE1506HR†	1216	4.63	19.5
12	ICE0520FA	370	5.90	23.1	24	ICE1506FR†	1216	4.63	19.5

Please see our website www.iceomatic.com for the latest list of ENERGY STAR qualified machines and available rebates.

*In use with condensing unit 1061. **In use with condensing unit 2061. †In use with condensing unit 2661.

All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
21" Wide × 27" Tall		GEM0650A	\$7065	700	520	Air	115/60/1	205
		GEM0650W	\$7065	745	605	Water	115/60/1	220
		GEM0650R*	\$7300	615	560	Remote	115/60/1	220
		GEM0956A	\$8945	1080	780	Air	208-230/60/1	290
		GEM0956W	\$8945	1110	925	Water	208-230/60/1	290
		GEM0956R*	\$9275	920	830	Remote	208-230/60/1	290
30" Wide × 27" Tall		GEM1256A	\$11955	1120	945	Air	208-230/60/1	285
		GEM1256W	\$11955	1345	1110	Water	208-230/60/1	255
		GEM1256R*	\$11845	1110	1005	Remote	208-230/60/1	270
42" Wide × 27" Tall		GEM1856A	\$17390	2180	1830	Air	208-230/60/1	425

*Note: See page 7 for Remote Condenser options.

Pearl Ice™ Makers - Dispenser Application Chart

Dispenser Model	GEM0650	GEM0956	GEM1256	GEM1856
Ice-O-Matic IOD150	KBT15022 + KGEMDIV	KBT15022 + KGEMDIV	N/A	N/A
Ice-O-Matic IOD200 or IOD250	KBT25022 + KGEMDIV + KGEBIOD	KBT25022 + KGEMDIV + KGEMBIOD	KBT25030 + KGEMDIV + KGEMBIOD	N/A
Cornelius ED or DF150	KBT15022 + R629088514 (Cornelius)	KBT15022 + R629088514 (Cornelius)	N/A	N/A
Cornelius ED or DF200	KBT25022 + KGEM200	KBT25022 + KGEM200	KBT25030 + KGEM200	N/A
Cornelius ED or DF250	KBT25022 + KGEM250	KBT25022 + KGEM250	KBT25030 + KGEM250	N/A

Pearl Ice™ Makers Accessories (required per the following configurations)

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs
KBT19	Bin kit for 22" ICE and GEM Series on a 30" Bin	\$290	22
KBT22	Bin Kit for (2) GEM0650 or (2) GEM0956 on a 48" Bin	\$440	33
KBT23	Bin Kit for GEM0650, GEM0950, and GEM1256 on 48" Bin	\$440	33
KBT24	Bin Kit for (1) GEM0650 or GEM0956 on a 22" Bin	\$120	10
KBT26	Bin Kit for (1) GEM1856 on a 48" Bin	\$215	8
KBT15022*	Adapter and bin level kit for 22" cubers and GEM only ice makers on IOD150	\$420	12
KBT25030*	Adapter and bin level kit for 30" cubers and GEM only ice makers on IOD200, 250	\$420	13
KBT25022*	Adapter and bin level kit for 22" cubers and GEM only ice makers on IOD200, 250	\$420	28
KGEMDIV*	Field installed Gem ice diverter kit for all IOD (ED and DF) dispensers	\$100	1
KGEMBIOD*	GEM Ice-level kit for all IOD dispensers with GEM ice maker	\$130	2
KGEM200*	Kit, Ice Slide, Ice Level Control & KGEMDIV for Cornelius ED or DF 200	\$385	5
KGEM250*	Kit, Ice Slide, Ice Level Control & KGEMDIV for Cornelius ED or DF 250	\$385	5




Pearl ICE™ Makers

GEM • 095 • 6 • A

- A=Air Cooled, W=Water Cooled, R=Remote Condenser
- Voltage
- Ice production Approximately 950 lbs.
- Modular Pearl Ice





Flake Ice Makers with Built-In Storage Bin

All dimensions in inches	Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Voltage Characteristics	Approx. Shipping Weight-lbs
 32" Wide x 41" Tall	EF250A32S	\$6335	400	319	115/60/1	240
	EF450A32S	\$6510	472	360	115/60/1	250
 38" Wide x 41" Tall	EF250A38S	\$6790	401	319	115/60/1	250
	EF450A38S	\$7035	472	360	115/60/1	260
	EF800A38S	\$8265	772	616	115/60/1	290
 48" Wide x 41" Tall	EF450A48S	\$7705	472	360	115/60/1	300
	EF800A48S	\$9110	772	616	115/60/1	325


Note: All condensing units are AIR cooled.

Flake Ice Makers Modular

All dimensions in inches	Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
 16" Wide x 32" Tall	EMF450AS	\$5355	488	372	Air	115/60/1	175
	EMF450WS	\$5355	552	472	Water	115/60/1	175
	EMF800AS	\$6795	780	632	Air	115/60/1	205
	EMF800WS	\$6795	852	756	Water	115/60/1	205
	EMF1106AS	\$8575	1092	816	Air	208-230/60/1	225
	EMF1106WS	\$8575	1140	1008	Water	208-230/60/1	225
	EMF1106RS*	\$8455	1152	912	Remote	208-230/60/1	225
 48" Wide x 26" Tall	EMF2306AS	\$17235	2252	1808	Air	208-230/60/1	370
	EMF2306WS	\$17235	2624	2224	Water	208-230/60/1	370
	EMF2306RS*	\$17115	2376	1828	Remote	208-230/60/1	370

*Note: Remote condensers and line sets are required for remote-cooled ice makers. See Remote Condensers on page 7.

Flake Ice Makers Chassis



All dimensions in inches	Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
 Chassis Only	EF450A	\$5965	472	360	Air	115/60/1	160
	EF800A	\$6930	772	616	Air	115/60/1	160

Flake Ice Makers

EF • 800A • 38 • S — Cabinet Finish: S = Stainless Steel
 — Cabinet Size: 32, 38 or 48
 — Condenser Type: A = Air, W = Water, R = Remote
 — Unit electrical characteristics: 0, 6, ...
 — Basic Family Size: (e.g.) 25, 45, 80, etc.
 — Model: EF = Self-Contained Flake Ice Maker, EMF = Modular Flake Ice Maker



Remote Condensers



All dimensions in inches		Model Number	List Price (\$)	Description	Dimensions WxD.H inches	Condenser Voltage	Approx. Shipping Weight-lbs
For Cube & Flake Ice Makers		VRC1001B	\$1385	Remote Condenser for ICE0500	29½ x 29¾ x 39	115/60/1	122
		VRC1061B	\$1385	Remote Condenser for ICE0606, EMF1106	29½ x 29¾ x 39	208-230/60/1	124
		VRC2061B	\$1385	Remote Condenser for ICE0806, ICE1006, ICE1007, EMF1007, EMF2306	29½ x 29¾ x 39	208-230/60/1	124
		VRC2661B	\$1400	Remote Condenser for ICE1406, ICE1407, ICE1506	29½ x 29¾ x 39	208-230/60/1	126
		VRC5061B	\$1995	Remote Condenser for ICE1806, ICE1807, ICE2106, ICE2107	29½ x 29¾ x 39	208-230/60/1	145
For Pearl™ Ice Makers		GRC1001	\$1155	Remote Condenser for GEM0650	45 x 22½ x 29½	115/60/1	122
		GRC1061	\$1390	Remote Condenser for GEM0956	45 x 22½ x 29½	208-230/60/1	124
		GRC2061	\$1390	Remote Condenser for GEM1256	45 x 22½ x 29½	208-230/60/1	124

Precharged Tubing Kits

Model Number	List Price (\$)	Description	Approx. Shipping Weight lbs (kg)
RT325 404	\$325	25 ft. Precharged Tubing Kit for units using R-404A refrigerant	13
RT340 404	\$410	40 ft. Precharged Tubing Kit for units using R-404A refrigerant	18
RT345 404	\$420	45 ft. Precharged Tubing Kit for units using R-404A refrigerant	19
RT360 404	\$495	60 ft. Precharged Tubing Kit for units using R-404A refrigerant	26
RT375 404	\$620	75 ft. Precharged Tubing Kit for units using R-404A refrigerant	33

Remote Condensers	VRC	
	GRC • 26 6 • 1	Indicates Single Circuit Condenser
		Unit Electrical Characteristics: 0 or 6
		Size: Condenser Family Size.
		Model: Remote Condenser

Storage Bins

All dimensions in inches		Model Number	List Price (\$)	Application Bin Storage lbs	ARI Bin Storage lbs	Bin Dimensions WxDxH inches	Approx. Shipping Weight-lbs
Bins		B25PP	\$1175	242	190	30 x 31 x 28	74
		B40PS	\$1415	344	270	30 x 31 x 37½	120
		B42PS	\$1505	351	275	22 x 31 x 50	128
		B55PS	\$1650	510	400	30 x 31 x 50	148
		B100PS	\$2300	854	670	48 x 31 x 50	191
		B120SP†	\$4610	1142	896	48 x 34 x 54	304
		B120SS†	\$5675	1142	896	48 x 34 x 54	304
		B150SP†	\$5300	1447	1135	60 x 34 x 54	338
		B150SS†	\$6530	1447	1135	60 x 34 x 54	338
		B170SP†	\$5685	1807	1417	60 x 34 x 66	390
		B170SS†	\$6865	1807	1417	60 x 34 x 66	390
For All Ice Makers		CRT125	\$1155	94	74	24 x 24 x 34	90

†Bin Top is included free of charge for each Flake or Cube Ice Maker if B120, 150 or 170 bin, Bin Top and ice maker accompanying the bin are ordered together and on the same order. An order that does not indicate a specific ice maker for each B120, 150 or 170 bin, and orders that consist of individual Bin Tops, are subject to List Pricing.

Bin Tops For combining wider bins with smaller models

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs
KBT5	Bin Kit for (1) 30" ICE Series™ Cuber on a 48" Bin	\$400	30
KBT7	Bin Kit for (1) 16" Flaker on a 48" Bin	\$400	32
KBT8	Bin Kit for (1) 16" Flaker on a 30" Bin	\$390	20
KBT9	Bin Kit for (2) 16" Flakers on a 48" Bin	\$465	31
KBT14	Bin Kit for (1) 16" Flaker on a 22" Bin	\$255	15
KBT19	Bin kit for 22" ICE and GEM Series on a 30" Bin	\$290	22
KBT22	Bin Kit for (2) GEM0650 or (2) GEM0956 on a 48" Bin	\$440	33
KBT23	Bin Kit for (1) GEM0650, GEM0950, or GEM1256 on 48" Bin	\$440	33
KBT24	Bin Kit for (1) GEM0650 or GEM0956 on a 22" Bin	\$120	10
KBT26	Bin Kit for (1) GEM1856 on a 48" Bin	\$215	8
KBT41*	Bin Kit for (1) 16" Flaker on 48" Bin	\$875	30
KBT42*	Bin Kit for (2) 16" Flaker on 48" Bin	\$875	30
KBT61*	Bin Kit for (1) 16" Flaker on 60" Bin	\$875	30
KBT62*	Bin Kit for (2) 16" Flaker on 60" Bin	\$875	30

*Note: KBT41, 42, 61 and 62 Bin Tops are available at no extra charge if included on a B120, B150 or B170 Order.

Bins	B • 55 • PS	
	PS/SP/S = Stainless Steel/Galvanized Exterior, SS = All Stainless Steel Exterior, PP = Plastic Exterior	
	Approx. Size: 55= 550 lbs. capacity	
	Model B = Bin	



Kits for combining wider bins with smaller models

60Hz	Model No. Capacity Width	B25 255 lbs 30 in.	B40 365 lbs 30 in.	B42 374 lbs 22 in.	B55 556 lbs 30 in.	B100 927 lbs 48 in.	B120 1193 lbs 48 in.	B150 1499 lbs 60 in.	B170 1866 lbs 60 in.
■	EMF450	KBT 8	KBT 8	KBT 14	KBT 8	KBT 7	KBT 41**	KBT 61**	KBT 61**
■	EMF450 (2)	N/A	N/A	N/A	N/A	KBT 9	KBT 42**	KBT 62**	KBT 62**
■	EMF800	KBT 8	KBT 8	KBT 14	KBT 8	KBT 7	KBT 41**	KBT 61**	KBT 61**
■	EMF800 (2)	N/A	N/A	N/A	N/A	KBT 9	KBT 42**	KBT 62**	KBT 62**
■	EMF1106	KBT 8	KBT 8	KBT 14	KBT 8	KBT 7	KBT 41**	KBT 61**	KBT 61**
■	EMF1106 (2)	N/A	N/A	N/A	N/A	KBT 9	KBT 42**	KBT 62**	KBT 62**
■	EMF2306	N/A	N/A	N/A	N/A	●	●	●	●
■	GEM0650	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	GEM0650 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	GEM0956	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	GEM0956 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	GEM1256	●	●	N/A	●	KBT23	N/A	N/A	N/A
■	GEM1856	N/A	N/A	N/A	N/A	KBT26	KBT26	N/A	N/A
■	ICE0250	●	●	N/A	●	KBT 5	✦	●	●
■	ICE0320	KBT 19	KBT 19	●	KBT 19	N/A	N/A	N/A	N/A
■	ICE0400	●	●	N/A	●	KBT 5	✦	✦	✦
■	ICE0406	●	●	N/A	●	KBT 5	✦	✦	✦
■	ICE0500	●	●	N/A	●	KBT 5	✦	✦	✦
■	ICE0520	KBT 19	KBT 19	●	KBT 19	N/A	N/A	N/A	N/A
■	ICE0606	●	●	N/A	●	KBT 5	✦	✦	✦
■	ICE0806	●	●	N/A	●	KBT 5	✦	✦	✦
■	ICE1006	●	●	N/A	●	KBT 5	✦	✦	✦
■	ICE1406	N/A	N/A	N/A	N/A	●	●	●	●
■	ICE1506	N/A	N/A	N/A	●	N/A	N/A	N/A	N/A
■	ICE1806	N/A	N/A	N/A	N/A	●	●	●	●
■	ICE2106	N/A	N/A	N/A	N/A	●	●	●	●

● Kit not required
✦ Filler Kit Required

** KBT41, 42, 61 and 62 Bin Tops are available at no extra charge if included on a B120, B150 or B170 order.



Note: 30" wide cubers combined with a B120, B150 or B170 must be specified when ordering.

All dimensions in inches		Model Number	List Price (\$)	Dispenser Operated by	Dimensions WxDxH-inches	ARI Bin Storage lbs	Voltage Characteristics	Approx. Shipping Weight-lbs
22 1/4" Wide x 35 5/8" Tall		IOD150	\$4415	Cup Activated	22 1/4 x 30 11/16 x 35 5/8	150	115/60/1	139
		IOD200	\$5285	Cup Activated	30 1/4 x 30 11/16 x 35 5/8	200	115/60/1	190
30 1/4" Wide x 35 5/8" Tall		IOD250	\$6345	Cup Activated	30 1/4 x 30 11/16 x 39 5/8	250	115/60/1	195

Accessories: Ice Dispensers

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs
KBT15022	Adapter and bin level kit for 22" cubers and nugget ice makers on IOD150	\$420	12
KBT25030	Adapter and bin level kit for 30" cubers and nugget ice makers on IOD200, 250	\$420	13
KBT25022	Adapter and bin level kit for 22" cubers and nugget ice makers on IOD200, 250	\$420	28
KGEMDIV	Field installed Gem ice diverter kit for all IOD (ED and DF) dispensers	\$100	1
KGEMBIOD	GEM Ice-level kit for all IOD dispensers with GEM ice maker	\$130	2
KWGFID	Water glass filler kit for IOD150, 200, 250 (Field installed only)	\$290	2



All dimensions in inches		Model Number	List Price (\$)	Dispenser Operated by	Dimensions WxDxH inches	ARI Bin Storage-lbs	Voltage Characteristics	Approx. Shipping Weight-lbs
22" Wide		CD40022	\$4540	Push	22 x 33 1/2 x 53 1/4	120	115/60/1	200
		CD40030	\$5340	Push	30 x 33 1/2 x 53 1/4	180	115/60/1	230
30 1/4" Wide		CD40130	\$5875	Push / Water	30 x 33 1/2 x 53 1/4	180	115/60/1	230
		CD40230	\$5955	Coin / Token	30 x 33 1/2 x 53 1/4	180	115/60/1	230




Accessories: Hotel Dispensers

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs (kg)
TKNS	500 tokens for use with CD40230	\$195	7

Model CD40030, 40130, 40230 Dispensers accept only 30" wide Ice Series™ Cube Ice Makers (excluding the ICE1506)
Model CD40022 Dispensers accept only 22" wide Ice Series™ Cube Ice Makers

Note #1: CD40022 and CD40030 Series units do not require an Adapter and Bin Level Kit
Note #2: Water dispensers and coin / token mechanisms cannot be field installed on the CD40130 or CD40230 Series Dispensers
Note #3: CD40130 and CD40230 Series Dispensers cannot have a water dispenser and coin / token mechanism on the same machine
Note #4: The CD40230 accepts 1 US Quarter or token only. Multiple coin / token mechanism can be special-ordered and field-installed at additional cost. Contact Ice-O-Matic for more details.
Note #5: No adaptor for 22" wide machine on 30" dispensers.



All dimensions in inches		Model Number	List Price (\$)	Description	Flow Rate Max gpm	Pressure Max. psi	Max Operating Temp F°	Micro Rating	Approx Shipping Weight-lbs
Single Filter	 IFQ1 15"H x 6"W X 4"D	IFQ1*	\$310	Single filter	1.5	125	100	1	4
Dual Filter	 IFQ2 16"H x 10"W X 6"D	IFQ2*	\$755	Dual filter	3.0	125	100	1	8
Inline Filter	 IFI4C, IFI8C 11" x 2.5"	IFI4C*	\$115	Single Inline Cartridge ¼" Compression	1.0	100	100	10	2
		IFI8C*	\$115	Single Inline Cartridge ¾" Compression	1.0	100	100	10	2

Optional water pressure gauges included with IFQ1 and IFQ2 filtration Systems

IOM Replacement Cartridges

Model Number	List Price (\$)	Description
IOMQ	\$115	Single quick-twist replacement cartridge for IFQ1 or IFQ2

Filter Cartridge Features:

- Inhibit the formation of scale
- Remove dirt and sediment
- Reduce chlorine and taste & odor

Ice-O-Matic recommends the use of water filtration with all ice making products. .

Filter System Sizing Chart

Ice-O-Matic Cube Ice Maker	Ice-O-Matic Flake Ice Maker	Ice-O-Matic Pearl Ice Maker	Recommended Ice-O-Matic Water Filter
ICEU070, 150, 220, 226, 300, ICE0250, 0320, 0400, ICE0406, 0500, 0520, 0606	EMF450, EF250, EF450		IFQ1 (Single Manifold cartridge Filter System) IFI4C or IFI8C (Single inline Filter System)
ICE0806	EMF800, EF800	GEM0650, 0956	IFQ1 (Single Manifold cartridge Filter System)
ICE1006, 1406, 1506, ICE 1806, 2106	EMF1106, EMF2306	GEM1256, GEM1856	IFQ2 (Dual Manifold cartridge Filter System)

Water Filtration Systems

IFI • 4 • C — Fitting Type: C = Compression
 — Fitting Size: 4 = 1/4", 8 = 3/8"
 — Filter Type: IFI = Ice-O-Matic Filter, INLINE TYPE

IFQ • 1 — Number of Cartridges: 1 = Single, 2 = Dual
 — Filter Type: IFQ = Ice-O-Matic Filtration System, IFQ Series

***7 year evaporator warranty!** (see page 11 for details)

General Information

Terms and Conditions

- Suggested list prices are F.O.B. Denver, Colorado.
- This price list is effective February 1, 2009 and supersedes all previous price schedules.
- Specifications and prices are subject to change without notice.
- ARI certification is based on 90 degrees air and 70 degrees water.
- All height dimensions of bins and ice makers with built-in storage include the height of the legs or caster where applicable.
- Domestic purchase of 50-cycle equipment will include a 6% up-charge.

Ice Maker Warranty

Every Ice-O-Matic Ice Maker is backed by a warranty that provides both parts and labor coverage.

Cube Ice Makers – ICE Series

- Three years Parts and Labor.
- Five years Parts coverage on the evaporator and the compressor.
- Seven years Parts and Labor on the evaporator when you purchase an Ice-O-Matic water filter with your cube ice maker and replace the filter every 6 months (available in the U.S.A. and Canada only).

Flake Ice Makers – Model Numbers EF and EMF

- Two years Parts and Labor.
- Five years Parts coverage on the compressor.

Pearl Ice® Makers – Models GEM

- Three years Parts and Labor.
- Five years Parts coverage on the compressor.
- Please see the warranty statement for details.

Dispensers – CD and IOD

- Model IOD has a 2-year parts warranty and a 1-year labor warranty.
- CD Series Hotel Dispensers have a 3-year parts and labor warranty.

Water Filtration System Extended Warranty Program

- Buy a new Ice-O-Matic IFQ Series Water Filtration System with a new ICE Series™ Cube Ice Maker, replace the filter cartridge every 6 months, and Ice-O-Matic will extend the limited cuber evaporator warranty to 7 years parts and labor.
- New ice maker and filter must be installed at the same time.
- Must send in both the ice maker and water filter registration cards within 10 days of installation. Registration card must include the filter serial number(s).
- Must send in additional registration card for each new replacement cartridge installed (replacement cartridges have individual serial numbers). This must be done every 180 days (6 months) or less.
- Program is available with all IFQ1, IFQ2, IFI4, and IFI8 filter systems.
- Replacement cartridge must be an Ice-O-Matic replacement cartridge IOMQ or IOMWFRC (See sizing chart for cartridge requirements).
- Available in the USA and Canada only.

About Ice-O-Matic

Located in Denver, Colorado, Ice-O-Matic manufactures a wide range of commercial ice making products including cube ice makers, flaked ice makers, storage bins, dispensers and water filters. Since 1952, we have been developing new technologies and programs, such as the introduction of AgION® Antimicrobial Compound in our ICE Series cube ice makers and our extended warranty water filter program, which have resulted in the creation of products that are more efficient for business and safer for the environment.

Ice with a Clear Conscience



Plant-a-Tree Program

As part of our commitment to the global environment, Ice-O-Matic is devoted to sustainability in every aspect of our business. To ultimately offset the carbon footprint of our factory in Denver, we not only use recycled materials in our packaging and manufacturing, but also recycle our industrial and office waste products. More important, we plant a tree for every ice machine we sell to contribute to the reforestation of key regions throughout the world. Our goal is to plant 150,000 trees through our Global Sustainability program. In just a couple of months, we will plant enough trees to offset the entire carbon footprint of our factory, and by the end of our program, we will have planted enough trees to absorb the CO₂ emissions from more than 15 factories like Ice-O-Matic each year. Trees reduce topsoil erosion, prevent harmful land pollutants from getting into our waterways, and replace air pollutants with fresh, clean oxygen.

Now, you can do your part to help the environment when you buy an Ice-O-Matic ice machine.



ENERGY STAR®

Many Ice-O-Matic models have earned an EPA ENERGY STAR® rating. This distinction is recognized by a growing number of states, municipalities, and energy companies in the form of incentives and rebates. To find out if you are eligible for tax credits, visit www.energystar.gov.



Pure Ice Program

1. 7-year Warranty—Utilize Ice-O-Matic water filters and change them every 6 months, and the evaporator warranty is extended to 7 years—the only 7-year warranty in the industry.
2. Filter/Cleaning Reminders—Receive free reminders via mail every 6 months for filter changes to ensure that the warranty is valid.
3. AgION® Antimicrobial Compound—A-naturally-occurring antimicrobial compound is used in materials for greater food safety. AgION—Nature's antimicrobial.



Made In America

Ice-O-Matic ICE Series cubers (except ICEU070), Pearl Ice machines, flake ice machines, and bins are made in the U.S.A.

Ice. Pure and Simple™