




10.1" Tablet



User Manual

Table of Contents

About This Guide	2
Introducing the 10.1" Tablet	2
Important Notices	3
Copyright Information	3
Safety and Warning Information	4
Package Contents	5

About This Guide

Thank you for purchasing an Outcome Health product. We recommend reading this user guide in its entirety in order to maximize the performance and service life of this product. This product is intended for commercial use and should be installed by authorized personnel only.

Introducing the 10.1" Tablet

The 10.1" Tablet are interactive digital displays designed to be used in consumer environments, and includes the following features:

- Dual-core Cortex-A72 ,Quad core Cortex-A53
- 1280 x 800 WXGA resolution
- Android 7.1 operating system
- 10-point touch capacitive screen
- 802.11 b/g/n/ac WiFi
- Bluetooth
- Battery 7400 mAh
- Storage temperate : -10°C - 60°C
- Operating temperature : 0°C - 40°C
- USB- C port
- 2 speakers
- Headphone jack
- Stereo speakers

If required, please ask for detailed specifications.

Important Notices

Copyright Information

Copyright © 2017 Outcome Health. All rights reserved.



All intellectual property rights in this publication are owned by Outcome Health and protected by applicable copyright laws and international treaty provisions. Outcome Health retains all rights not expressly granted. No part of this publication may be reproduced in any form whatsoever or used to make any derivative work without prior written approval by Outcome Health.

Outcome Health reserves the right to revise this publication, and/or make improvements or changes in the product(s) and/or the program(s) described in this documentation at any time without prior notice. The information in this document is provided in good faith, but without any representation or warranty whatsoever, whether it is accurate, or complete or otherwise, and on express understanding that Outcome Health shall have no liability whatsoever to other parties in any way arising from or relating to the information or its use.

All other trademarks are the property of their respective owners. Other company and brand products and service names are trademarks or registered trademarks of their respective holders.

This device complies with regulations.

Model number: P-TAB-201-ELC-03
Trade name: Outcome Health
FCC ID: 2A16X-PIRTE001 Input: DC $\overline{\text{---}}$ 5V 2.5A
IC: 21722-PIRTE001



Made in China


WARNING !

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
1. this device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.




AC ADAPTER
MASS POWER
MODEL: MS1103B50V0
INPUT: 110V-240V, 50/60Hz, 0.6A
OUTPUT: 5.0V = 2.5A




MADE IN CHINA XXY


Rechargeable Li-ion polymer Battery

Model Name: PL2969140*2P 11CP3/69/140-2
Capacity: 3.7V \approx 7400mAh 27.39Wh
Max Voltage: 4.2V
Store between 0°C-60°C 32°F-140°F
Please refer user manual or follow local ordinance and/or regulations for disposal
Manufacturer:
DONGGUAN JIN LU BATTERY TECHNOLOGY CO., LTD.
Production date:




Ref: JL201710000001

CAUTION:

1. Do not disassemble or repair this battery.
2. Do not squeeze, thrust, short-circuit the battery nor put into water or fire.
3. Do not expose the battery in an ambient temperature of greater than 60 degree.
4. Always use a charger specifically designed for PL2969140*2P to charge.

Warning!

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil est conforme à Industrie Canada exempts de licence standard RSS (s).

Le fonctionnement est soumis aux deux conditions suivantes:

- (1) ce dispositif ne peut pas provoquer d'interférences et
- (2) cet appareil doit accepter toute interférence, y compris les interférences qui peuvent causer un mauvais fonctionnement de l'appareil.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

Radiation Exposure Statement:

The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment.

Shielded USB cable must be used to comply with the FCC Class B limit.

Safety and Warning Information

WARNING!

- ⚠ Main Supply: This equipment is designed to operate from a 100-240 Volt, 50/60Hz AC power supply. The use of other power sources may damage this equipment. Check that the voltage marked on the rating plate located at the rear of the power adaptor states 100-240V. The manufacturer will NOT accept responsibility or damage or injury caused by connecting to the wrong voltage.

WARNING!

- ⚠ Main Adaptor: The supplied power adaptor is compatible with a standard main socket. If the power adaptor or lead gets damaged, it must be replaced by a qualified service agent with an approved adaptor of the same type and rating.

WARNING!

- ⚠ Dangerous voltage constituting a risk of electric shock is present inside this equipment.

WARNINGS!

- ⚠ The main plug shall be the main disconnect device and shall remain operable at all times.
 - Do not push objects into holes and ventilation slots.
 - Do not expose this product to moisture or place any objects filled with liquids on or near the product.
 - Do not place a naked flame source, such as lighted candles, on or near this product.
 - Do not store or operate the device in environments where the temperature is above 50 degrees Celsius or below -10 degrees Celsius.
 - Do not intentionally hit the device or place heavy or sharp objects on the device.
 - Only use accessories specified by the manufacturer.
 - Keep the device away from benzene, diluents, and other chemicals.
 - Do not attempt to repair this product yourself. Always use a qualified service agent to perform adjustments or repairs.


This device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). The SAR limit adopted by the USA is 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported to the FCC for this device type complies with this limit. The highest SAR value reported to the FCC for this device type when properly worn on the body is 0.236 W/kg.

This device is restricted to indoor use due to its operation in the 5.15 to 5.25GHz frequency range.

Les dispositifs fonctionnant dans la bande 5.15-5.25GHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux.

Package Contents

The package contains the following items:



Tablet
(10.1" Shown)




Power Adapter


(MASS POWER, 5V~2.5A,
NBS18C050250VU)

10.1" Tablet


Bottom View



Right View



Front View



No.	Description
1	Pogo pin port
2	USB-C port
3	Micro SD card slot
4	Volume Button
5	Microphone
6	3.5mm audio jack
7	Power button
8	Speaker



For additional assistance, visit <https://www.outcomehealth.com/contact/>