ContextMedia Health

13.3" Tablet



User Manual

Table of Contents

| About This Guide | 2 |
|--|---|
| Introducing the Wallboard 13.3" Tablet | 2 |
| Important Notices | 3 |
| Copyright Information | 3 |
| Safety and Warning Information | 4 |
| Package Contents | 5 |

About This Guide

Thank you for purchasing an ContextMedia Healthy product. We recommend reading this user guide in its entirety in order to maximize the performance and service life of this product. This product is intended for commercial use and should be installed by authorized personnel only.

Introducing the Wallboard 13.3" Tablet

The Wallboard 13.3" Tabletare interactive digital displays designed to be used in commercial environments, and includes the following features:

- Quad core processor
- 1920 x 1080 full HD resolution
- Android 4.4 operating system
- 10-point touch capacitive screen
- 802.11b/g/n/ac WiFi
- Bluetooth
- VESA wall mounting option
- USB ports
- 2 speakers
- Headphone jack

If required, please ask for detailed specifications.

Important Notices

Copyright Information

Copyright © 2016 ContextMedia Healthy. All rights reserved.

All intellectual property rights in this publication are owned by ContextMedia Healthy and protected by applicable copyright laws and international treaty provisions. ContextMedia Healthy retains all rights not expressly granted. No part of this publication may bereproduced in any form whatsoever or used to make any derivative work without prior written approval by ContextMedia Healthy.

ContextMedia Healthy reserves the right to revise this publication, and/or make improvements or changes in the product(s) and/or the program(s) described in this documentation at any time without prior notice. The information in this document is provided in good faith, but without any representation or warranty whatsoever, whether it is accurate, or complete or otherwise, and on express understanding that ContextMedia Healthy shall have no liability whatsoever to other parties in any way arising from or relating to the information or its use.

All other trademarks are the property of their respective owners. Other company and brand products and service names are trademarks or registered trademarks of their respective holders.

This device complies with CE and FCC regulations.



Safety and Warning Information

NOTE

(E This mark is applied to indicate that the equipment conforms to European safety and electro-magnetic compatibility standards.

WARNING!



↑ Main Supply: This equipment is designed to operate from a 100-240 Volt, 50/60Hz AC power supply. The use of other power sources may damage this equipment. Check that the voltage marked on the rating plate located at the rear of the power adaptor states 100-240V. The manufacturer will NOT accept responsibility or damage or injury caused by connecting to the wrong voltage.

WARNING!



↑ Main Adaptor: The supplied power adaptor is compatible with a standard main socket. If the power adaptor or lead gets damaged, it must be replaced by a qualified service agent with an approved adaptor of the same type and rating.

WARNING!



▲ Dangerous voltage constituting a risk of electric shock is present inside this equipment.

WARNINGS!



↑ The main plug shall be the main disconnect device and shall remain operable at all

Do not push objects into holes and ventilation slots.

Do not expose this product to moisture or place any objects filled with liquids on or near the product.

Do not place a naked flame source, such as lighted candles, on or near this product.

Do not store or operate the device in environments where the temperature is above 40 degrees celsius or below -10 degrees celsius.

Do not intentionally hit the device or place heavy or sharp objects on the device.

Only use accessories specified by the manufacturer.

Keep the device away from benzene, diluents, and other chemicals.

Do not attempt to repair this product yourself. Always use a qualified service agent to perform adjustments or repairs.

Package Contents

The package contains the following items:



Wallboard Tablet (13.3" Shown)



Power Adapter

Adapter


INPUT: 100-240V-50/60Hz 0.6A

OUTPUT: 5.0V === 2.5A




Wallboard 13.3" Tablet Exterior Components

Bottom View



Rear View



| No. | Description |
|-----|--|
| 1 | micro SD card slot |
| 2 | USB Host port 5V 400mA |
| 3 | USB OTG port 5V 400mA |
| 4 | DC in power supply port |
| 5 | Volume control |
| 6 | 3.5mm audio jack |
| | The unit is not allowed the user to walk around while in use |
| 7 | Power/Back button (5 sec. press for power) |
| 8 | VESA 100mm x 100mm mounting bracket screw holes |
| | We suggest that adpot the M4 x 7.7mm screw fixing device |

ContextMedia Health