

INSTRUCTIONS

JV8026 Remote Control (2.4GHz)



Install 2 pcs of 1.5V AAA non rechargeable batteries in the correct polarity (remote control batteries are not included).

JV9032 Vehicle



Install 3 pcs of 1.5V AA non rechargeable batteries in the correct polarity (vehicle batteries are not included).

2.4GHz Automatical Code Description

- 1. Install the battery in the remote control and under the vehicle, turn on the power switch under the vehicle, and then press the power supply of the remote controlOn/off, the indicator light of the remote control flashes slowly, starting to enter the code state if the remote control indicatesThe light flashes and goes out to indicate the successful pairing.
- 2. Each remote control can only be matched with one vehicle's main control code, after each code is successfully matchedThe bottom controllers don't interfere with each other until they do.
- 3. The corresponding vehicle bottom master control code and the remote control are still not found after about 1 minuteSleep will be entered, the indicator will be off, press any button except the power switchYou can re-enter the cross-code state.
- 4. Turn off the power of the two before recoding with the other remote control or the main control under the car.

Battery Usage Notices

- Use 2 pcs of 1.5V AAA non-rechargeable batteries for the remote controller.
- Use 3 pcs of 1.5V AA non-rechargeable batteries for the toy.
- Ilnsert/change batteries as per the correct polarity.
- Non-rechargeable batteries are not rechargeable.
- Do not mix old and new batteries, nor mix different types of batteries.
- Take out the exhausted batteries from the toy.
- The toy is not to be connected to more than recommended number of power supplies.
- The toy is not intended for children under 3 years old.
- Regularly check the wire, shell and other components for any damage. Stop using when the
- damage is founded, the supply terminals are not to be short-circuited.
- Unscrew the battery cover with the screwdriver, and insert the batteries as per the correct polarity.
- Do not mix alkaline batteries, standard (carbon-zinc) or rechargeable batteries.

403ARJV90320002

Frequency bands: 2402MHz to 2480MHz Maximum output power:<5dBm

Manufacturer: Doubleeagle Industry (China) Limited. Address: Xingda Industrial Park, Chenghai

District, Shantou City, Guangdong Province, China.

Importer: Toy Planet

Address: Parque Empresarial Tactica

C/Velluters, 37 46980 Paterna

CHOKING HAZARD-small parts, not for children under 3 years.

Specifications colors and contents may vary from illustrations.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- --Reorient or relocate the receiving antenna.
- --Increase the separation between the equipment and receiver.
- --Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- --Consult the dealer or an experienced radio/TV technician for help.

MODIFICATION: Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the device.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.