K1900G+G01UF Manual

Thank you for choosing this 2.4G wireless keyboard, please read the manual of installations and specification.

Specification

K1900G+G01UF wireless keyboard

- · 2.4G wireless, strong anti-interference, effective distance 10 M.
- · 18 sets multi-media hot keys, convenient for Internet
- · Hair-line drawing, metal feeling.
- New chocolate keycaps, soft touch feeling.
- · Fashionable outlook, super slim design, best choice for LCD monitor.
- Ergonomics designed wide palm rest, can reduce the tiredness for long time working

G01UF receiver

- 2.4G Mini receiver
- 1. Favorites 2. refresh 3. home page 4. up page 5. down page 6. mail 7. search
- 8 play/pause 9 stop 10 up 11 next 12 volume down13 volume up
- 14、mute 15、my computer 16、calculator 17、sleep 18、multimedia start

Instruction of the battery

- It takes 2*AAA (7#)batteries for the wireless keyboard
- Please take out the batteries if you do not use the wireless products for long time, and keep them in a cool and dry place
- Please do not use the battery if leaking, discoloration, distortion or other abnormity happens.

Battery installation to the keyboard

- 1. Press the button on the keyboard, the battery buckle will eject out
- 2. Put 2 AAA (7#) batteries in correct direction
- 3. Cover the buckle

Connection of the receiver

Connecting the receiver to the PC by the USB port

Building up connection between the mouse or the keyboard and receive

If there is radio disturbance from other wireless keyboard or mouse

Somebody try to build up the connection, but failed

Building up connection between the keyboard and receiver

Pull out the receiver from the USB port at first, and press the "CONNECT" button at the bottom of the keyboard, the indicator on the keyboard will flash at this time. Connect the receiver to the USB port within 15 seconds, when the USB receiver is detected, the indicator will turn off, and can be used. If not, please try again.

Working Environment

The receiver should be far away from the monitor, outside disc driver or other electronic products.

The radio signal can penetrate lignin, glass and other the non-metallic objects, realizing 360 degree free transmit, however, it can not penetrate the metal materials. So please not put the mouse, keyboard and the receiver onto the metallic tabletop.

Please be sure there is no big metal between the mouse (keyboard) and receiver, otherwise the connection will be affected.

Optical mouse is suitable for operating media wooden, paper or cloth, but not for the ratent, such as glass and smooth rubber. A mouse pad is needed in such environment.

The standardized receiving distance we offered is under certain radio disturbance environment, the normal environment are better, the actual receiving distance is higher than standardized, but if mix-machine, motor, electric drill and other strong electronic equipments operating nearby, which may lead to slowly receiving or other abnormity.

Debugging tips

Check the receiver again, and make sure it is connected to the USB port.

Check the battery direction should be correct.

Re-establish the mouse (or keyboard) and the receiver communication channel.

Reduce the distance of the receiver and the mouse (or keyboard)

Change a pair of new battery

Put the "on-off" button to "On"

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Caution!

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user authority to operate the equipment.