Invacare eForms

For additional information, visit www.invacare.com/eForms

Customer Service: 800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282



Invacare eForms offer new functionality!

www.invacare.com

Invacare is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fill out a form electronically, print and fax the form, save and email* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions.

*Saving and emailing the eForms is available with Acrobat Professional software

If you are using Adobe Reader

- View and download all forms
- Save blank versions of the forms to your desktop
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service

Please note: The 'Email' button at the end of the form will not work with Adobe Reader. The 'Email' button will only work while using Adobe Acrobat Professional.

If you are using Adobe Acrobat Professional

- View and download all forms
- Save blank AND completed versions of the forms to maintain electronic records
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service
- **Email** completed forms to Customer Service by using the 'Email' button at the end of the form.

For information on downloading Adobe Reader for free, or puchasing Adobe Acrobat Professional, please visit www.adobe.com.

Price List and Order Form

www.invacare.com

Customer Service: 800-333-6900 Fax: 800-678-4682 To order literature: 800-828-6282



TRANSACTION TYPE:

		Order	Quote				
Date	Account #		P.0	O.#			
Company Name				Pho	ne #		_
Address		City	State	Zip	Code	Country	
Contact Name		Comments					
		Specia	al Note				
HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when ubmitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.							

POWERED SEATING BASE

3GAR-CG	Arrow for Formula CG with MK6iTM \$9,775.00 The Arrow base comes standard with GB TrueTrack motors for a top speed of 7 mph.	K0884
3GRX-CG	Ranger X for Formula CG with MK6iTM \$8,000.00 The Ranger X base comes standard with heavy duty 4-pole motors and top speed of 5 mph.	K0862
◯ 3GTQ-MCG	Torque SP for Formula CG with MK6i $^{\rm TM}$ \$7,700.00 The Torque SP base come standard with performance 4-pole motors and a top speed of 6 1/2 mph.	K0884
3GTQ3-MCG	Torque 3 for Formula CG with $MK6i^{\text{TM}}$ $\$6,275.00$ The Torque 3 comes standard with 4-pole motors and a top speed of 5.8 mph.	K0861

Group 4 - K0884 Basic Package				
3GAR-CG Arrow for Formula CG wit	h MK6i			
300 lbs. Weight Capacity				
1431-3 14" x 3" Tires with Foam Filled Inserts	No Charge			
TrueTrack Gearless Brushless GBTM Motors	Standard			
1228-3 8" x 2 1/4" Semi Pneumatic Casters	Standard			
Flip Back Adjustable Height Arm	Standard			
MK6TT TrueTrack Controller	Standard			
70NHD 70° Swingaway Footrests	Standard			
8 Amp Off Board Battery Charger	Standard			
1515 Push Button Style Seat Positioning Strap	Standard			
Seat Option	#0.505.00			
CGTR Tilt/Recline (E1007)	\$9,595.00			

Group 4 - K0886 Basic Package				
3GAR-CG Arrow for Formula CG with	MK6i			
400 lbs. Weight Capacity				
1431-3 14" x 3" Tires with Foam Filled Inserts	No Charge			
TrueTrack Gearless Brushless GB TM Motors	Standard			
1228-3 8" x 2 1/4" Semi Pneumatic Casters	Standard			
Flip Back Adjustable Height Arm	Standard			
MK6TT TrueTrack Controller	Standard			
70NHD 70° Swingaway Footrests	Standard			
8 Amp Off Board Battery Charger	Standard			
1515 Push Button Style Seat Positioning Strap	Standard			
Seat Option				
CGTR Tilt/Recline (E1007)	\$9,595.00			

Group 3 - K0862 Basic Packag	ge	
3GRX-CG RX for Formula CG with MK6i		
400 lbs. Weight Capacity		
1431-3 14" x 3" Tires with Foam Filled Inserts	No Charge	
Heavy Duty 4-Pole Motors	Standard	
1228-3 8" x 2 1/4" Semi Pneumatic Casters	Standard	
Flip Back Adjustable Height Arm	Standard	
MK690ACC Controller with Actuator Control	Standard	
70NHD 70° Swingaway Footrests	Standard	
8 Amp Off Board Battery Charger	Standard	
1515 Push Button Style Seat Positioning Strap	Standard	
Seat Option		
CGTR Tilt/Recline (E1007)	\$9.595.00	
Group 4 - K0884 Basic Packag	ge	
3GTQ-MCG Torque SP for Formula CG	with MK6i	
300 lbs. Weight Capacity		
1431-3 14" X 3" Tires with Foam Filled Inserts	No Charge	
Performance 4-Pole Motors	Standard	
1228-3 8" X 2 1/4" Semi Pneumatic Casters	Standard	
Flip Back Adjustable Height Arm	Standard	
MK690ACC Controller with Actuator Control	Standard	
70NHD 70° Swingaway Footrests	Standard	
8 Amp Off Board Battery Charger	Standard	
1515 Push Button Style Seat Positioning Strap	Standard	
Seat Option		
CGTR Tilt/Recline (E1007)	\$9,595.00	

Group 3 - K0861 Basic Package					
3GTQ3-MCG Torque 3 for Formula CG v	with MK6i				
300 lbs. Weight Capacity					
1431-3 14" x 3" Tires with Foam Filled Inserts	No Charge				
4 Pole Motors	Standard				
1228-3 8" x 2 1/4" Semi Pneumatic Casters	Standard				
Flip Back Adjustable Height Arm	Standard				
MK690ACC Controller with Actuator Control	Standard				
70NHD 70° Swingaway Footrests	Standard				
8 Amp Off Board Battery Charger	Standard				
1515 Push Button Style Seat Positioning Strap	Standard				
Seat Option CGTR Tilt/ Recline (E1007)	\$9,595.00				

OMIT SE	AT FRAME	CASTER	OPTIONS	○ Clear
OSF	Omit Set Frame for Base Only Less \$600.00	<u>1259</u>	6" x 2" Semi-Pneumatic Casters	No Charge
TDANSDO	ORT TIE DOWN	1228-3	8" x 2 1/4" Semi-Pneu Casters Lt	Grey Standard
_		1251-3	8" x 2" Pneumatic Casters	
TRBKTS	S Wheelchair Transport Brackets	1220-3	9" x 2 3/4" Pneumatic Casters	No Charge
	with vent tray.	01465.0	Not available with short base. Not available with short base.	
		1465-3	9" x 2 3/4" Foam Filled Casters Not available with short base. Not avail	
	TRANSPORT TIE-DOWN*		SUSPENSION ections are not available with 9" casters.	Clear
	ncludes four factory installed wheelchair transport brackets.	9213-6	Shock Fork For 6" Casters	\$119.00 E1016
transport bra	has not been crash-tested in accordance with WC19. Use these ackets only to secure an unoccupied wheelchair during transport.	9213-8	Shock Fork For 8" Casters Not available with short base. Not available	
	date, the Department of Transportation has not approved any ystems for transportation of a user while in a wheelchair, in a	WHEEL	OPTION	
_	hicle of any type. It is Invacare's position that users of	1430-3	14" x 3" Pneumatic Tires	Standard
	s should be transferred into appropriate seating in vehicles	1431-3	14" x 3" Tires with Foam Filled I	_
the auto inc	rtation and use be made of the restraints made available by dustry. Invacare cannot and does not recommend any transportation systems.	1440	14" x 4" Pneumatic Tires 14"x 4" wheels increase the overall w not include Storm Series design whee (TRUTK) TrueTrack package.	idth of the base by 2 1/2". Does
is not field	t Tie Down option is not retrofittable to existing models and serviceable.	<u> </u>	14" x 4" Tires with Foam Filled In 14" x 4" wheels increase the overall with not include Storm Series design whee (TRUTK) TrueTrack package.	idth of the base by 2 1/2". Does
	IGHT LIMIT Clear	FREE W	HEEL HUB	
Arrow		Will add 3/4" o	overall width. Not available with True Tra	ck. Does not include Storm
◯ U300	User Weight <300 lbs		wheel or fender.	4427 00
O U400	User Weight <400 lbs	FHUB	Free Wheel Hub	
	Comes Standard with Heavy Duty Monroe® Spring Suspension.		FRAME FINIS	SH
Ranger X		CONTEN	IPORARY	
U400	User Weight <400 lbs	○ 24P	Wet Black	No Charge
	Comes Standard with Heavy Duty Monroe® Spring Suspension.	60P	Silver Metallic	•
	7 / Torque 3	○ 105P	Midnight Blue	· ·
O U300	User Weight <300 lbs	○ 115P	Black Prism	
	With 300 lbs. Weight Capacity, Maximum Range of Tilt is 55 Degrees.	~		C
DRIVETY	YPE OPTION Clear	тоо но	Γ	
○ TRUTK	10		Sunny Yellow	No Charge
	TrueTrack includes Gearless Brushless GB Motors and Monroe® Spring Shock Suspension. Must upgrade to MK6TT Controller. Must	○ 61P	Electric Red	_
	upgrade to an Expandable Controller System. Not compatible with	◯ 119P	Bubblegum Pink	
	SPJ+ joystick. Available option on Ranger X, Torque SP and Torque 3. Standard on Arrow. When selecting TrueTrack motors for Torque	120P	Grape Madness	No Charge
_	3 the top speed of the chair increases to 7 MPH and therefore no longer performs to the Group 3 specifications.	WAY CO	OL	
O PERF	Performance 4 Pole Motor	○ 62P	Electric Blue	No Charge
	PERF Standard on Torque SP. Top speed of up to 6 1/2 MPH. Not A Y V A Y A Y	◯ 127P	Grasshopper Green	No Charge
VENT TR	A Y air reduces chair weight capacity by approximately 50 lbs.	◯116P	Sunkissed Orange	No Charge
Not available w		◯ 117P	Tangerine Red	
☐ VENT	Articulating Vent Tray \$1,750.00 E1030	◯ 29P	White Snow	No Charge
FRAME T	TYPE		colors 71P Silver Vein, 104P Electric Teal, and 125P Emerald Green can be order thr	
○ SFS	Short Base	C-07010903132		- ,
OIEC	Long Rasa No Charge			

SEAT

SYSTEM T	~ ГҮРЕ		
CGTR	Tilt/Recline w/Mechanical Shear Reduction . \$9	595.00 I	E1007
ACTUATO		,575.00 1	21007
_			
\sim	Conventional Actuators		
SMIACIS	Smart Actuators	S (Smart	0.00
SEAT SEI			
○ CNB	Conventional Back No	_	E2620
○ CTB	Contoura [™] Seating	\$625.00	E2621
	OMCU Omit Contoura Seat Cushion Less		F2<20
○ CTBMSF	H Contoura [™] with mesh upholstery	\$635.00	E2620 E2621
	OMCU Omit Contoura Seat Cushion Less	\$ \$20.00	
ADUSTAI	BLE SEAT WIDTH RANGE	○ Cl	ear
1620W	16" to 20" Seat Width Range (Adjustable)	No Cha	ırge
C 2022W	20" to 22" Seat Width Range (Adjustable)	No Cha	ırge
SEAT WI	DTH SETTING	C Cle	ear
○ W16	16" Seat Width	. No Cha	rge
	17" Seat Width (Not available with Contoura)	. No Cha	rge
○ W18	18" Seat Width		_
○ W19	19" Seat Width (Not available withContoura)		_
◯ W20	20" Seat Width		_
○ W21	21" Seat Width (Not available with Contoura)		_
○ W22	22" Seat Width		-
○ W23	23" Seat Width (Not available with Contoura) Only available with 400 lbs. package.	. No Cha	rge
○ W24	24" Seat Width	. No Chai	rge
ADJUSTA	ABLE SEAT DEPTH RANGE	O CI	ear
∩ 1619D	16" to 19" Seat Depth Range (Adjustable)	No Cha	roe
1922D	19" to 22" Seat Depth Range (Adjustable)		_
SEAT DE	PTH SETTING	O C	lear
O D16	16" Seat Depth	No Cha	arge
OD17	17" Seat Depth	No Cha	arge
O D18	18" Seat Depth	No Cha	arge
O D19	19" Seat Depth		-
O D20	20" Seat Depth		_
OD21	21" Seat Depth		_
() D22	22" Seat Depth	No Cha	arge
	-FLOOR HEIGHT in options the listed seat-to-floor heights have a tolerance of	f +/5"	
CLOW	18.50" at 0° Not available with Transport Tie Down option.	No Cha	ırge
○ MED	19.50" at 0°		
TALL	20.50" at 0°		
			-

SEAT TILT

Indicates static tilt of seat, impacts seat-to-floor height. Every 5 degrees raises the seat-to-floor height.					
○0SA	0°	Stand	lard		
◯ 5SA	5°	No Cha	arge		
CONVEN	TIONAL BACK HEIGHT	○ Cl	lear		
◯ TSBH20	Back Height 20"	No Cha	ırge		
◯ TSBH21	Back Height 21"	No Cha	ırge		
☐ TSBH22	Back Height 22"	No Cha	ırge		
◯ TSBH23	Back Height 23"	No Cha	ırge		
─ TSBH24	Back Height 24"	No Cha	ırge		
◯TSBH25	Back Height 25"	No Ch	arge		
◯TSBH26	Back Height 26"	No Ch	arge		
CONTOU	RA BACK HEIGHT	○ CI	ear		
◯ TSBH25	Back Height 25"	No Cha	arge		
◯ TSBH28	Back Height 28"	No Ch	arge		
ADJUSTA	ABLE ARM TYPE (EACH)				
Right Arm		O C	lear		
RA19FR	Full Length Adj. Hgt. Right	No Cha	arge		
○ RA29FR	Desk Length Adj. Hgt. Right	No Cha	ırge		
Left Arm		O CI	ear		
○ RA19FL	Full Length Adj. Hgt. Left	No Cha	ırge		
○ RA29FL	Desk Length Adj. Hgt. Left	No Cha	rge		
SEAT PO	SITIONING STRAPS				
	Airline Buckle Seat Positioning Strap	\$50	0.00		
1515	Push Button Style Seat Positioning Strap	Stand	lard		
CHEST PO	OSITIONING STRAPS	○ CI	lear		
7311BK	Airline Buckle Chest Positioning Strap	\$100.00	E0960		
9515	Push Button Style Chest Positioning Strap	\$100.00	E0960		
○ 7321BK	Hook & Loop Chest Positioning Strap	\$100.00	E0960		

			Short Frame (ame (12-16" or 16-19" Seat Depth)		Long Frame (19-22" Seat Depth		eat Depth)
			Low	Medium	Tall	Low	Medium	Tall
Powered	Tilt, Tilt/	0 Degree						
Seating	Recline	Seat Angle	18.5	19.5	20.5	18.75	19.75	20.75
		5 Degree						
		Seat Angle	20.75	21.75	22.75	21.25	22.25	23.25

POSITIONING ACCESSORIES

HEADREST TYPE (OPTIONAL) Hardware is packaged with equipment and cannot be ordered separately separ	Clear
TAR127700 Curved Headrest	
\sim	
TAR27700HW Removable & Adjustable Hardware TAR128000 Two-Step Headrest	
TAR128000 Two-Step Headrest	
,	
T0022400 Large Headrest	
T0022600 Small Headrest	
T0022600HW Removable & Adjustable Hardware	
STEALTH HEADRESTS Hardware is packaged with equipment and cannot be ordered separations of the separation of the separa	Clear cately.
CP175 14" Multi Axis Headrest	\$225.00 Е0955
CP175HW Removable & Adjustable Hardware	\$225.00 Е1028
CP275 10" Multi Axis Headrest	\$225.00 Е0955
CP275HW Removable & Adjustable Hardware	\$225.00 Е1028
CP180 14" TWB Headrest	
CP180HW Removable & Adjustable Hardware	\$225.00 Е1028
CP280 10" TWB Headrest	\$225.00 до во
CP280HW Removable & Adjustable Hardware	\$225.00 Е1028
OTTO BOCK TM ARM PADS (PAIR)	Clear
Not complete with quadlink retractable joystick mount. If selecting Bock hand pad, a large, medium, or small forearm pad must be sele	
OB20400 One Piece Channel Armpads	\$230.00 E2209
OB20500 Large Forearm Pads	
OB20600 Medium Forearm Pads	\$235.00
OB20700 Small Forearm Pads	\$104.00
OTTO BOCK HAND PADS (PAIR)	Clear
Not compatible with quadlink retractable joystick mount. If selecting hand pad, a large, medium, or small forearm pad must be selected.	
OB23000 Large Flat Hand Pads	\$100.00
OB23300 Medium Flat Hand Pads	\$100.00
LATERALS (Pair)	
CONVENTIONAL BACK	Clear
For use with channel canes only. Hardware is packaged with equipment of the channel canes only.	nent and
cannot be ordered separately. TMSLM Swingaway Laterals Medium	\$210.00 50056
TMSLMH Swingaway Laterals Medium TMSLMHW Removable and Adjustable Hardware	
TMSLL Swingaway Laterals Large	
TMSLLHW Removable and Adjustable Hardware	
CONTOURA SEATING	
When using Stealth laterals the arm will not swing past the lateral su Will need to remove arm for transfer. For use with Contoura seating Hardware is packaged with equipment and cannot be ordered separ.	only.
CSLM Swingaway Contoura Lat. Med	\$210.00 E0956
CSLMHW Removable and Adjustable Hardware	\$210.00 Е1028
CSLL Swingaway Contoura Lat. Lg	\$210.00 Е0956
CSLLHW Removable and Adjustable Hardware	\$210.00 _{E1028}

STEALTH LATERALS (Pair)

CONVENT	IONAL BACK	\circ	lear
	inel canes only. Hardware is packaged with equipment a	nd	
cannot be ordered		20.00	
	Adj. Swing Channel Lat. Med		
_	HW Removable and Adjustable Hardware \$3		
	Adj. Swing Channel Lat. Lg\$3		
TPRI	LHW Removable and Adjustable Hardware \$3	320.00	E1028
CONTOUR		\circ	lear
Will need to remo	th laterals the arm will not swing past the lateral support ve arm for transfer. For use with Contoura seating only. aged with equipment and cannot be ordered separately.		
TWB-CPR	Adj. Swing Contoura Lat. Med\$	320.00	E0956
CPR	HW Removable & Adjustable Hardware \$	320.00	E1028
TWB-CPRL	Adj. Swing Contoura Lat. Lg\$	320.00	E0956
CPRI	LHW Removable & Adjustable Hardware \$3	320.00	E1028
ADDUCTO Hardware is pack	aged with equipment and cannot be ordered separately.	\circ	
O ADD	Adductors Small	200.00	E0956
ADI	DHW Hardware for ADD\$4	400.00	E1028
ADDL	Adductors Large\$	200.00	E0956
ADI	DHWL Hardware for ADDL\$	400.00	E1028
	ELECTRONICS		
MK6i CON	TROLLERS	\circ	lear
Ranger X / '	Torque SP / Torque 3		
MK690ACC	90 AMP Controller with Actuator Contol St.	andard	
○ MK690	90AMP Controller	Charge	
○ MK6TT	TrueTrack Controller No	Charge	
	G-Trac Module\$ G-Track provides Improved Tracking Capabilities and Enhanced Traction. Does not require Special Motors. No available with SPJ+ joysticks or MK6TT.		K0108
Arrow			
MK6TT	TrueTrack Controller	Stan	dard

ELECTRONICS Continued

EXPANDA	BLE CONTROLLER SYSTEM Clear	JOYSTICI	K MOUNTING HARDWARE	
○ PWH	Harness req. for Expandable Electronics \$350.00 E2313 Required to interface joystick or MK6i display with expandable controllers.	QLAM6	Quad Link Retract. Joystick Mnt CMPJ+ Includes ARM250 standard. Stealth Height Adjustable Joystick Mour	
○ CMPJM6U	MPJ+ Multiple Drive Joystick with Color Display \$750.00 E2377	LEFT	Left Handed Mounted Joystick	
_			RIM Hardware For 1500	
(ASLKD I MO	MK6 Display Only (No Driver Control) \$750.00 E2377 Display only, No Driver Control. Allows choice from order form.		Complete Bib Assembly (Tash/1558)	
∩ MCD	Mini Color Display		Gatlin Midline for CMPJ+	
~	No port for remote On/Off switch. Stereo port only.	GAT1812	2 Gatlin Midline for 1812	\$600.00 E1028
		RCM	Rear Cane Mount for Compact Joystick	\$395.00
	FOR YOUR ASL DRIVE SYSTEM NEEDS	ELECTRO	NIC ACCESSORIES	
A CI	PLEASE REFER TO THE . SINGLE INVOICE PRICE LIST FORM # 02-097.	1813M6	MK6i Programmer with Pro Memory Car	·d \$475.00
ASL	Z SINGLE IN VOICE PRICE LIST FORM # 02-097.	1813SD	Pro Memory Card (USB ready)	
		1560	"T" Handle Flexible Joystick Ext	
ALTERNATI	VE PROPORTIONAL CONTROL SYSTEMS Clear	1561	Straight Handle flexible Joystick Ext	\$77.00 E2323
◯ 1500M6	Prop RIM Head Control with MK6i Display \$2,875.00 E2327	A24VPS	24V MK6i/Auxiliary Power Source	\$200.00
	Clear	_	Auxiliary Module for outputs 1 & 2	
C	SMHD Small Headrest No Charge	=	6 Auxiliary Module for outputs 3 & 4	
	LGHD Large Headrest	2PB	Dual Push Button	equiring two xpandable
	ΓIVE DIGITAL CONTROL SYSTEMS ○ Clear	□2SW	Dual Toggle	
○ SNPM6	ther a Multiple Drive Joystick or MK6 Display. Sip-N-Puff Digital Interface Box		Option to replace Mono Port "Y" Cable when re switch functions of the mode switch port on ex controller systems. Not compatible with SPJ+	equiring two xpandable
◯ 5020M6	Mini Tash Joystick and Digital Interface Box \$1,750.00 E2321	PBMT	Push Button Mounting Kit	
SIP-N-PUF	r kit	MPY	Monoport "Y" Cable for CMPJ+ or Disp	lay \$15.00
_	Therafin® Sip-N-Puff Breath Tube Kit\$380.00 E2326	RFM	Wireless (RF) Mouse Only Module	cy Mouse Dongle
ADDITION	IAL CONTROL CHOICES		clicks. Not compatible with SPJ+.	
1558M6	Compact Joystick - Less Std Mount	∐IR	Infrared Module with Wireless RF Mouse Cont Capable of operating up to six remote Infra-Ret Also allows wireless (RF) Mouse operation thro	d controlled devices.
	Requires SNPM6 Sip-N-Puff Interface Box.		control. Compatible with RFM module for cont mice from one chair. Includes two button stere	
PACM6	Prop Attendant Control with quick release mount \$850.00		loop mount) for mouse clicks. Not compatible	
1552M	Digital Attendant Control\$850.00			
	Requires SNPM6 Sip-N-Puff Interface Box.	POWEREI	D SEATING ACCESSORIES	Clear
		SANODE	One Actuator Operation thru Driver Cntrl Required for Tilt Operation through Driver Cont Actuator Systems Only. Not available with SPJ-not come with Egg switch.	trol - Single
		◯ 4WSB	Four Way Switch Box	No Charge
				Clear
		○ FW	T 4 Way Toggle	No Charge
		○ QPI	3 4 Push Buttons	No Charge
		◯ S4WSB	Multiple Actuator Interface Box	
				○ Clear



○ FWT

QPB

SystemsFor systems with two or more actuators, NOT operating through

driver control, choose 4WSB with either 4-way toggle or 4-push button.

4 Way Toggle No Charge



For systems with 2 or more actuators OPERATING THROUGH DRIVER CONTROL, choose S4WSB.

Uses 4-way toggle or 4-push button as attendant control.

ELECTRONICS Continued

ASL OPTIONAL ACCESSORIES ASL304A Light Wobble Switch\$180.00 Must add MK6 Auxiliary Power Source. Must add MK6 Auxiliary Power Source. ASL504M6 Remote Emergency Stop Switch\$1,185.00 ASL611 Adjustable Switch Mounting Bracket \$252.00 **MISCELLANEOUS BATTERY BOXES** Clear 22 NF Battery Boxes No Charge Group 24 Battery Boxes No Charge Option on Torque SP (Standard on Arrow). Must select TRBKTS. **BATTERIES** Clear Batteries will be installed by Invacare Corporation at no additional charge Chair will be shipped complete with batteries. ○ 22NFBATTERY 22 NF Battery (On Chair) \$300.00 E2361 Not available with Arrow, GB, Ranger X, or TrueTrack systems or chair with TRBKTS. 24BATTERY 24 Gel Battery (On Chair) \$410.00 E2363 **BATTERY CHARGER OPTION** Clear LESTR Lester 8 AMP Battery Charger \$320.00 E2367 L8900 Omit Battery Charger Less \$80.00 MISCELLANEOUS ACCESSORIES 1303 9205-3 Standard with Arrow or TrueTrack Systems. Not available on 3GRX-CG. 9205H-3 Suspension Shocks (Heavy Duty) \$400.00 E1018 Not available with Arrow, GB, Ranger X, or TrueTrac systems or chair with TRBKTS. FDR Fender \$320.00 Not available with Arrow, GB, Ranger X, or TrueTrac systems or chair with TRBKTS. EXTP Extended Anti-Tippers\$250.00

FRONT RIGGINGS

FRUNT RIGGINGS								
CENTER PIVOT STYLE (ASB) (PAIR) Clear								
70NF	60HD 60° Swingaway Footrests 13 1/2" - 17 1/2" No Charge 70NHD 70° Swingaway Footrests 13 1/4" - 17" Standard 70STAPER 70° Tapered Footrests 13" - 17" No Charge Not available with 19" or 20" wide and 9" casters. Standard with impact guards on the footrests.							
AT55		vating Legrestsual elevating legrest.				\$255.00 Е0990		
PIN ST	YLE (P	SB) (PA	AIR)			(Clear	
PW93 Swi		ngaway Footrests 13 1/2" - 19"				No Cha	. No Charge	
P904.	P904A Swingaway Elev. Legrests 16" - 19 3/4" \$255.00 E0990 Not available with 19" or 20" wide and 9" casters. Standard with impact guards on the footrests.							
O PAL4	PAL4A Smartleg Art. Legrests 17 1/4" - 21 1/2" \$320.00 K0053 Not available with 19" or 20" wide and 9" casters. Standard with impact guards on the footrests.							
POWER	ELEVA	TING LI	EGREST	S - ART	ICULAT	ING		
ELRPW Power ELR with Articulation								
FOOTI	FOOTPLATE OPTIONS (PAIR) Clear							
 ☐ 1651 Flip-Up Composite Footplates					rge			
_					-			
1337 Calf Strap								
1600		l loops wi						
LPT2		ger Pivot						
ALP:	Γ Lon	ger Pivot	And Slide	Tube		\$84	.00	
ALP	ALPT4 Longer Pivot And Slide Tube 4" \$84.00							
		(Contoura	Seat Size	S			
	D16	D17	D18	D19	D20	D21	D22	
W16	X	X	X	X	X	*	*	
W18	X	X	X	X	X	*	*	
W20	X	X	X	X	X	X	X	
W22	*	*	X	X	X	X	X	
W24	*	*	X	X	X	X	X	
*Availab	le with Ol	MCU optio	on only.					
Back Heights 25" or 28"								

Conventional Seat Sizes		
Seat Widths	16" - 24"	
Seat Depths	16" - 22"	
Back Heights	20" - 26"	

Battery	y Boxes
	Standard Battery Tray*
Arrow	Group 24
Ranger X	Group 24
Torque SP/Torque 3	22 NF; Group 24 (Optional)
*Sealed Gel Cell Batteries Recommended	

Memory Card - BASIC

- Standard with ALL Expandable Control Systems (CMPJ+, PSR+, PSF
- +, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

Memory Card - PROFESSIONAL

- · Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file storage / retrieval
- · Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

After Market Backrests

The following companies also have hardware to make their backrests work with our new canes:

- AEL planar seating system
- Freedom Designs® planar seating system
- Canyon planar seating system

Seating and Positioning

For your seating needs, please refer to the following rehab seating and positioning products: Price List Form No. 07-027

Batteries (not included)

22NF batteries with terminal configuration (positive on the left and negative on the right) MUST be used. 22NF batteries that have the reverse terminal configuration MUST not be used. Terminals MUST have a cross hole for proper battery connection.

GP24 batteries with terminal configuration (negative on the left and positive on the right) MUST be used. GP24 batteries that have the reverse terminal configuration MUST not be used. Terminals MUST have a cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations MUST be followed otherwise injury and damage may occur.

Tech Tips

Operating Powered Seating through the Driver's Control. All chairs require adding or replacing one component to allow actuator operation through the driver control.

SPJ+ with PSS:

Replace joystick with SPJ+ with ACC (Actuator Control) - E2310.

Single Actuator Systems with CMPJ+, PSR+, PSF+ MK6i Display: Add a SANODE (Single Actuator Node) to the system - E2310.

Multiple Actuator Systems:

Replace the standard 4 Way Switch box with a S4WSB (Multiple Actuator Interface Box) - E2311.

Formula CG Tilt/Recline Features and Specifications

- Weight capacity of 300 lbs. or 400 lbs. (with heavy-duty motors).
- Recline range of 170°.
- Mechanical Shear reduction of 3".
- Conventional or Contoura style seating.
- Adjustable seat frame with Conventional style.
- Seat-To-Floor height of 17 3/4" at 0° tilt.

Comments

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.



Invacare Corporation

USA

One Invacare Way Elyria, OH USA 44035-4190 800-333-6900 www.invacare.com

©2013 Invacare Corporation All rights reserved. Trademarks are identified by the symbols $^{\text{TM}}$ and \circledast . All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Specifications and prices are subject to change without notification.