

ASSE STANDARD 1010-2004

Water Hammer Arresters

AH-U CO, LTD.

Revision: 2004
Model: KJ-500K
Size: 1/2 inch
Issued: 05/23/2000
Amended: 09/09/2004

Revision: 2004
Model: KJS-500K
Size: 1/2 inch
Issued: 05/23/2000
Amended: 09/09/2004

Revision: 2004
Model: KJ-1/2PEX-VERT
Size: 1/2 inch Type AA
Issued: 10/22/2008

Revision: 2004
Model: KJ-2*STUB
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-500MMM
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-COMP
Size: 1/4 inch , 1/2 inch, 3/8 inch,
5/8 inch - Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-COMP*MIP
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

AH-U CO, LTD (continued)

Revision: 2004
Model: KJ-COMP*SWEAT
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-Laundry
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-LAV
Size: 3/8 ", 5/8 inch - Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-PEX
Size: 1/2 inch Type AA, 3/8" Type
AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-PVC
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJS
Size: 1/2 inch Type AA, 3/4 inch
Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-STUB
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

AH-U CO, LTD (continued)

Revision: 2004
Model: KJ-TEE
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-TUB
Size: 1/2 inch Type AA
Issued: 03/18/2002
Amended: 09/09/2004

Revision: 2004
Model: KJ-500MM
Size: 1/2 inch
Issued: 07/17/2000

Revision: 2004
Model: KJ-1250K
Size: 1-1/4 inch
Issued: 08/04/2003

Revision: 2004
Model: KJ-1500K
Size: 1-1/2 inch
Issued: 08/04/2003

Revision: 2004
Model: KJ-2000K
Size: 2 inch
Issued: 08/04/2003

Revision: 2004
Model: KJS-1250K
Size: 1-1/4 inch
Issued: 08/04/2003

Revision: 2004
Model: KJS-1500K
Size: 1-1/2 inch
Issued: 08/04/2003



ASSE STANDARD 1010-2004

Water Hammer Arresters

AH-U CO, LTD (continued)

Revision: 2004
Model: KJS-2000K
Size: 2 inch
Issued: 08/04/2003

Revision: 2004
Model: KJ-1000K
Size: 1 inch
Issued: 04/09/2004

Revision: 2004
Model: KJ-750K
Size: 3/4 inch
Issued: 04/09/2004

Revision: 2004
Model: KJS-1000K
Size: 1 inch
Issued: 04/09/2004

Revision: 2004
Model: KJS-750K
Size: 3/4 inch
Issued: 04/09/2004

Amtrol

Revision: 2004
Model: Mini Trol Model 500
Size: 1/2 inch
Issued: 11/09/1989
Amended: 12/30/2005

A-One Tech

Revision: 2004
Model: WHA Sweat - size of orifice
in connector 0.3555 inches
Size: (A) 1/2" NPT, (AA) 1/2" NPT
Issued: 05/07/2008

Ayrlett Company

Revision: 2004
Model: A-MPT-8
Size: Type AA w/ 1/2" NPT
Connection
Issued: 04/09/2008

Revision: 2004
Model: DW-A-4
Size: Type AA w/ 1/4" O.D. Comp.
Tee
Issued: 04/09/2008

Revision: 2004
Model: AA-45 CPVC - Size of
Orifice in connector 3.835 inches
Size: AA w/ 1/2" NPT
Issued: 06/05/2008

Ban Chang Hardware Co., Ltd.

Revision: 2004
Model: AHY 781
Size: 1/2 inch-AA
Issued: 09/17/2003

Cash Acme/Reliance Worldwide Corp.

Revision: 2004
Model: CC-1000
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CC-1250
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CC-1500
Size: A
Issued: 07/20/2004

Cash Acme/Reliance Worldwide Corp. (continued)

Revision: 2004
Model: CC-2000
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CC-500
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CC-750
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CM-500CPT
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CM-500DW
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CM-500-FPF
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CM-500L
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CM-500LS
Size: 1/20Dx3/8MIP
Issued: 07/20/2004



ASSE STANDARD 1010-2004

Water Hammer Arresters

Cash Acme/Reliance Worldwide Corp. (continued)

Revision: 2004
Model: CM-500SWA
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CM-500TH
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CM-500TS
Size: 1/20Dx3/8MIP
Issued: 07/20/2004

Revision: 2004
Model: CWA-1000
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CWA-1250
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CWA-1500
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CWA-2000
Size: A
Issued: 07/20/2004

Revision: 2004
Model: CWA-500
Size: A
Issued: 07/20/2004

Cash Acme/Reliance Worldwide Corp. (continued)

Revision: 2004
Model: CWA-750
Size: A
Issued: 07/20/2004

Dae Hung Precision Co., Ltd.

Revision: 2004
Model: DW-102 A
Size: 1/2 inch (Type A)
Issued: 09/04/2003

Revision: 2004
Model: DH866 Series (Includes:
DH86600 w/ 3/4" Female Swivel
Nut; DH86601 w/ 1/2" Male
Sweat; DH86602 w/ 1/2" MIP;
DH86603 w/ 3/4" Male Sweat;
DH86604 w/ 1/2" FCPVC; DH86605
w/ 5/8" OD Compression; DH86606
w/ 1/4" Comp. T; DH86607 w/ 3/8"
Comp. T; DH86608 w/ 5/8"
Comp.T; DH86609 w/ 3/8" Reverse
Nut T; DH86610 w/ 5/8" Reverse
Nut T; DH86612 w/ 3/8" Pex Barb
T; DH86613 w/ 1/2" Pex Barb T;
DH86621 w/ 1/2" Pex Barb;
DH86624 w/ 1/2" MCPVC;
DH86627 w/ 1/2" Wirsbo Tee)
Issued: 08/14/2007
Amended: 02/17/2009,
03/03/2009

Revision: 2004
Model: CJR-500
Size: AA
Issued: 02/28/2002

HD Supply, Inc. (BRIGADE™)

Revision: 2004
Model: 8842 Series/8843 Series
(Includes: 88420 & 88421 w/ 3/4"
Hose Thread Outlet and 1/2" Sweat
Inlet; 88422 & 88423 w/ 3/4" Hose
Thread Outlet and 1/2" PEX Inlet;
88424 & 88425 w/ 3/4" Hose
Thread Outlet and 1/2" CPVC Inlet;
88426 & 88427 w/ 3/4" Hose
Thread Outlet and 1/2" Wirsbo
Inlet; 88428 w/ 1/4" Compression
Outlet and 1/2" Sweat Inlet; 88429
w/ 1/4" Compression Outlet and
1/2" PEX Inlet; 88430 w/ 1/4"
Compression Outlet and 1/2" CPVC
Inlet; 88431 w/ 1/4" Compression
Outlet and 1/2" Wirsbo Inlet) -
Type AA
Issued: 01/12/2009

Revision: 2004
Model: 8843 Series (Includes:
88432 w/ 1/4" Compression Outlet
and 1/2" Sweat Inlet; 88433 w/ 1/4"
Compression Outlet and 1/2" PEX
Inlet; 88434 w/ 1/4" Compression
Outlet and 1/2" CPVC Inlet; 88435
w/ 1/4" Compression Outlet and 1/2"
Wirsbo Inlet) - Type AA
Issued: 09/10/2009



ASSE STANDARD 1010-2004

Water Hammer Arresters

HD Supply, Inc. (BRIGADE™) (continued)

Revision: 2004

Model: Brigade Arrester Series
(Includes: BR11047- Brigade 5/8" x
5/8" Comp T; BR11048-Brigade
1/4" x 1/4" Comp. T; BR11049-
Brigade 1/2" PEX Barb T;
BR11050-Brigade 1/2" MIP;
BR11051-Brigade 1/2" Sweat;
BR11052-Brigade 3/4" x 3/4"
Washing Machine; BR11053-
Brigade 1/2" Female CPVC;
BR11054-Brigade 1/2" Male CPVC)
Issued: 03/03/2009

Ho Sing Enterprises Co., Ltd.

Revision: 2004

Model: Rear Load Series - Chrome-
Plated & Unplated, 1/4-T Includes:
HS88331, HS88331RB, HS88332,
HS88332RB (w/ 3/4" Hose Thread
Outlet & 1/2" Solder Inlet);
HS88333, HS88333RB, HS88334,
HS88334RB (w/ 3/4" Hose Thread
Outlet & 1/2" CPVC Inlet);
HS88336, HS88336RB, HS88337,
HS88337RB (w/ 3/4" Hose Thread
Outlet & 1/2" PEX Inlet); HS88338,
HS88338RB, HS88339,
HS88339RB (w/ 3/4" Hose Thread
Outlet & 1/2" Wirsbo Inlet);
HS88351, HS88351RB, HS88352,
HS88352RB (w/ 3/4" Hose Thread
Outlet & 3/8" PEX Inlet); HS88354,
HS88354RB, HS88355,
HS88355RB (w/ 3/4" Hose Thread
Outlet & 1/2" Kitec Inlet); HS88341,
HS88341RB (w/ 1/4" Compression
Outlet &
1/2" Solder Inlet); - (continued in
next column)

HS88342, HS88342RB (w/ 1/4"
Compression Outlet & 1/2" CPVC
Inlet); HS88343, HS88343RB (w/
1/4" Compression Outlet & 1/2"
PEX Inlet); HS88344, HS88344RB
(w/ 1/4" Compression Outlet & 1/2"
Wirsbo Inlet); HS88353,
HS88353RB (w/ 1/4" Compression
Outlet & 3/8" PEX Inlet); HS88356,
HS88356RB (w/ 1/4" Compression
Outlet & 1/2" Kitec Inlet) – Type
AA
Issued: 06/06/2007

Revision: 2004

Model: 97 Series - Unplated, 1/4-
Turn Valves Includes: 97-2S-1-W
(w/ 1/4" Compression Outlet & 1/2"
Wirsbo Inlet); 97-4-1-W (w/ 1/4"
Compression Outlet & 1/2" NPSM /
1/2" Solder (Copper) Inlet); 97-8-1-
W (w/ 1/4" Compression Outlet &
1/2" PEX Inlet); 97-9-1-W (w/ 1/4"
Compression Outlet & 1/2" CPVC
Inlet); 97-HS-1-W (w/ 1/4"
Compression Outlet & 3/8" PEX
Inlet) - Type AA
Issued: 08/10/2009

Revision: 2004

Model: SH-5523-A
Size: 1/2 inch NPT
Issued: 05/08/2002

Revision: 2004

Model: SH-55251-A - overall height
of 3 - 7/8"
Size: w/ 1/2" NPTconnection
Issued: 05/06/2003
Amended: 12/11/2006

Ho Sing Enterprises Co., Ltd. (continued)

Revision: 2004

Model: SH5525-A overall height of
3 5/8"
Size: w/ 1/2" NPT connection
Issued: 05/06/2003
Amended: 12/11/2006

Revision: 2004

Model: 1 BSPT-HS15R w/ 1" - 11
BSPT Connection – Type C
Issued: 06/30/2005

Revision: 2004

Model: 1 NPT- HS15N w/ 1" - 11-
1/2 NPT Connection – Type C
Issued: 06/30/2005

Revision: 2004

Model: 1 NPTF-HS15F w/ 1" - 11-
1/2 NPTF Connection – Type C
Issued: 06/30/2005

Revision: 2004

Model: 1/2 BSPT-HS15R w/ 1/2"-
14 BSPT Connection – Type A
Issued: 06/30/2005

Revision: 2004

Model: 1/2 NPTF-HS15F w/ 1/2 -
14 NPTF Connection – Type A
Issued: 06/30/2005

Revision: 2004

Model: 1/2 NPT-HS15N w/ 1/2" -
14 NPT Connection – Type A
Issued: 06/30/2005

ASSE STANDARD 1010-2004

Water Hammer Arresters

Ho Sing Enterprises Co., Ltd. (continued)

Revision: 2004

Model: 1-1/2 BSPT-HS15R w/ 1-1/2" - 11 BSPT Connection – Type E
Issued: 06/30/2005

Revision: 2004

Model: 1-1/2 NPTF-HS15F w/ 1-1/2" - 11-1/2 NPTF Connection – Type E
Issued: 06/30/2005

Revision: 2004

Model: 1-1/2 NPT-HS15N w/ 1-1/2" - 11-1/2 NPT Connection – Type E
Issued: 06/30/2005

Revision: 2004

Model: 1-1/4 BSPT-HS15R w/ 1-1/4" - 11 BSPT Connection – Type D
Issued: 06/30/2005

Revision: 2004

Model: 1-1/4 NPTF-HS15F w/ 1-1/4" - 11-1/2 NPTF Connection – Type D
Issued: 06/30/2005

Revision: 2004

Model: 1-1/4 NPT-HS15N w/ 1-1/4" - 11-1/2 NPT Connection – Type D
Issued: 06/30/2005

Revision: 2004

Model: 2 BSPT-HS15R w/ 2" - 11 BSPT Connection – Type F
Issued: 06/30/2005

Ho Sing Enterprises Co., Ltd. (continued)

Revision: 2004

Model: 2 NPTF-HS15F w/ 2" - 11-1/2 NPTF Connection – Type F
Issued: 06/30/2005

Revision: 2004

Model: 2 NPT-HS15N w/ 2" - 11-1/2 NPT Connection – Type F
Issued: 06/30/2005

Revision: 2004

Model: 3/4 BSPT-HS15R w/ 3/4" - 14 BSPT Connection – Type B
Issued: 06/30/2005

Revision: 2004

Model: 3/4 NPTF-HS15F w/ 3/4" - 14 NPTF Connection – Type B
Issued: 06/30/2005

Revision: 2004

Model: 3/4 NPT-HS15N w/ 3/4" - 14 NPT Connection – Type B
Issued: 06/30/2005

Revision: 2004

Model: HS-100CS 5/8" - 18 UNF Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-389 1/2" MIP Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-390 1/2" CPVC Male Connection – Type AA
Issued: 06/30/2005

Ho Sing Enterprises Co., Ltd. (continued)

Revision: 2004

Model: HS-391 1/2" Male Sweat Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-392 w/ 3/4" Male Sweat Connection - Type B
Issued: 06/30/2005

Revision: 2004

Model: HS-393 3/8" PEX Tee Fitting Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-394 1/2" PEX Tee Fitting Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-395 1/4" O.D. Compression Tee Fitting Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-396 3/8" O.D. Compression Tee Fitting Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-397 5/8" O.D. Compression Connection – Type AA
Issued: 06/30/2005

Revision: 2004

Model: HS-398 5/8" O.D. Compression Tee Fitting Connection – Type AA
Issued: 06/30/2005

ASSE STANDARD 1010-2004

Water Hammer Arresters

Ho Sing Enterprises Co., Ltd. (continued)

Revision: 2004

Model: HS-399 FHT Swivel x 3/4"

MHT Connection— Type AA

Issued: 06/30/2005

Revision: 2004

Model: HS-399-1 3/4" MHT x FHT

Swivel Connection— Type AA

Issued: 08/06/2008

Revision: 2004

Model: HS-400 3/8" O.D. FEM

COMP x 3/8" O.D. COMP

Connection — Type AA

Issued: 06/30/2005

Revision: 2004

Model: HS-401 w/ 5/8" O.D. FEM

COMP x 5/8" O.D. COMP

Connection — Type AA

Issued: 07/27/2009

Revision: 2004

Model: HS-500 1/2" Female Socket

CPVC Connection — Type AA

Issued: 02/23/2009

Revision: 2004

Model: HS-FNWSWA1000 w/ 1"

Male Sweat Connection — Type C

Issued: 06/30/2005

Amended: 04/23/2008

Ho Sing Enterprises Co., Ltd. (continued)

Revision: 2004

Model: HS-FNWSWA1250 w/ 1-

1/4" Male Sweat Connection —

Type D

Issued: 06/30/2005

Amended: 04/23/2008

Revision: 2004

Model: HS-FNWSWA500 w/ 1/2"

Male Sweat Connection — Type A

Issued: 06/30/2005

Amended: 04/23/2008

Revision: 2004

Model: HS-FNWSWA750 w/ 3/4"

Male Sweat Connection — Type B

Issued: 06/30/2005

Amended: 04/23/2008

Revision: 2004

Model: 96 Series - Unplated, One

Piece, 1/4-Turn Valves - Includes:

96-2S-1-W (w/ 1/4" Compression

Outlet & 1/2" Wirsbo Inlet); 96-4-1-

W (w/ 1/4" Compression Outlet &

1/2" NPSM / 1/2" Solder (Copper)

Inlet); 96-8-1-W (w/ 1/4"

Compression Outlet & 1/2" PEX

Inlet); 96-9-1-W (w/ 1/4"

Compression Outlet & 1/2" CPVC

Inlet); 96-HS-1-W (w/ 1/4"

Compression Outlet & 3/8" PEX

Inlet) -Type AA

Issued: 12/22/2009

IPS Corporation

Revision: 2004

Model: 88337, 88337RB, 88336,

88336RB, 88334, 88334RB,

88333, 88333RB, 88339,

88339RB, 88338, 88338RB,

88332, 88332RB, 88331, 88331RB

1/4-Turn, Chrome-Plated and

Unplated Valves w/ 3/4" Hose

Thread Outlet & 1/2" PEX, 1/2"

CPVC, 1/2" Wirsbo or 1/2" Solder

Inlets

Issued: 06/06/2007

Revision: 2004

Model: 88343, 88343RB, 88342,

88342RB, 88344, 88344RB,

88341, 88341RB 11/4-Turn,

Chrome-Plated and Unplated

Valves w/ 1/4" Outlet & 1/2" PEX,

1/2" CPVC, 1/2" Wirsbo or 1/2"

Solder Inlets

Issued: 06/06/2007

Revision: 2004

Model: 8835/36 Series - Type AA

(Includes: 88351 & 88352 w/ 3/4"

Hose Thread Outlet & 1/2" Sweat

Inlet; 88353 & 88354 w/ 3/4" Hose

Thread Outlet & 1/2" PEX Inlet;

88356 & 88357 w/ 3/4" Hose

Thread Outlet & 1/2" CPVC Inlet;

88358 & 88359 w/ 3/4" Hose

Thread Outlet & 1/2" Wirsbo Inlet;

88361 w/ 1/4" Compression Outlet

& 1/2" Sweat Inlet; 88362 w/ 1/4"

Compression Outlet & 1/2" PEX

Inlet; 88363 w/ 1/4" Compression

Outlet & 1/2" CPVC Inlet; 88364 w/

1/4" Compression Outlet & 1/2"

Wirsbo Inlet)Size:

Issued: 10/20/2008

ASSE STANDARD 1010-2004

Water Hammer Arresters

IPS Corporation (continued)

Revision: 2004

Model: 8836 Series - Type AA

(Includes: 88366 w/ 1/4"

Compression Outlet and 1/2" Sweat

Inlet; 88367 w/ 1/4" Compression

Outlet and 1/2" PEX Inlet; 88368 w/

1/4" Compression Outlet and 1/2"

CPVC Inlet; 88369 w/ 1/4"

Compression Outlet and 1/2" Wirsbo

Inlet)

Issued: 10/20/2008

09/10/2009

Jay R. Smith Mfg. Co.

Revision: 2004

Model: 5201-AA & 5201-AA-SC

Threaded & Sweat connections

Size: 1/2 inch

Issued: 01/30/2004

Revision: 2004

Model: 5205-A & 5205-A-SC

Threaded & Sweat connections

Size: 1/2 inch

Issued: 01/30/2004

Revision: 2004

Model: 5210-B & 5210-B-SC

Threaded & Sweat connections

Issued: 01/30/2004

Revision: 2004

Model: 5220-C & 5220-C-SC

Threaded & Sweat connections

Issued: 01/30/2004

Revision: 2004

Model: 5230-D & 5230-D-SC

Threaded & Sweat connections

Issued: 01/30/2004

Jay R. Smith Mfg. Co. (continued)

Revision: 2004

Model: 5240-E & 5240-E-SC

Threaded & Sweat connections

Issued: 01/30/2004

Revision: 2004

Model: 5250-F & 5250-F-SC

Threaded & Sweat connections

Issued: 01/30/2004

John L. Schultz Ltd.

Revision: 2004

Model: 3255-002 (MIP), 3255-142

(OD Female Compression x OD

Compression), 3255-132 (OD

Compression Tee), 3255-032 (PEX

Tee), 3255-052 (PEX)

Size: 3/8"

Issued: 06/08/2009

Revision: 2004

Model: 3255-003 (MIP), 3255-503

(Male Sweat), 3255-513 (Male

Sweat), 3255-603 (Fem. Sweat),

3255-613 (CPVC), 3255-623 (CPVC

Fem.), 3255-153 (OD Tube Slip

Joint Tee), 3255-133 (OD

Compression Tee), 3255-033 (PEX

Tee), 3255-053 (PEX)

Size: 1/2"

Issued: 06/08/2009

John L. Schultz Ltd. (continued)

Revision: 2004

Model: 3255-004 (MIP), 3255-014

(MIP- Chrome Plated), 3255-504

(Male Sweat), 3255-514 (Male

Sweat), 3255-604 (Fem. Sweat),

3255-054 (PEX), 3255-044 (Fem.

Swivel Hose x Male Hose Thread -

Angle), 3255-064 (Fem. Swivel

Hose x Male Hose Thread -

Straight)

Size: 3/4"

Issued: 06/08/2009

Revision: 2004

Model: 3255-015 (UNS), 3255-154

(OD Compression), 3255-144 (OD

Fem. Compression x OD

Compression), 3255-134 (OD

Compression Tee

Size: 5/8"

Issued: 06/08/2009

Revision: 2004

Model: 3255-131 (OD Compression

Tee)

Size: 1/4"

Issued: 06/08/2009

JRS Products

Revision: 2004

Model: 520-T-A & 520-SC-A

Issued: 12/02/2004

Revision: 2004

Model: 520-T-AA & 520-SC-AA

Issued: 12/02/2004

Revision: 2004

Model: 520-T-B & 520-SC-B

Issued: 12/02/2004

Revision: 2004

Model: 520-T-C & 520-SC-C

Issued: 12/02/2004

ASSE STANDARD 1010-2004

Water Hammer Arresters

JRS Products (continued)

Revision: 2004

Model: 520-T-D & 520-SC-D

Issued: 12/02/2004

Revision: 2004

Model: 520-T-E & 520-SC-E

Issued: 12/02/2004

Revision: 2004

Model: 520-T-F & 520-SC-F

Issued: 12/02/2004

Korea Seal Technologies

Revision: 2004

Model: WHB-A

Size: Type A - 3/4" NPT connections

Issued: 04/28/2008

Revision: 2004

Model: WHB-B

Size: Type B - 1" NPT

Issued: 04/28/2008

Revision: 2004

Model: WHB-C

Size: Type C - 1" NPT

Issued: 07/20/2009

Revision: 2004

Model: WHB-D

Size: Type D - 1" NPT

Issued: 07/20/2009

Revision: 2004

Model: WHB-E

Size: Type E - 1" NPT

Issued: 07/20/2009

Revision: 2004

Model: WHB-F

Size: Type F - 1" NPT

Issued: 07/20/2009

Light-Wave Industrial Corp.

Revision: 2004

Model: LW8835/36 Series

(Includes: LW-88351 & LW-88352 w/ 3/4" Hose Thread Outlet & 1/2"

Sweat Inlet; LW-88353 & LW-

88354 w/ 3/4" Hose Thread Outlet & 1/2" PEX Inlet; LW-88356 & LW-

88357 w/ 3/4" Hose Thread Outlet & 1/2" CPVC Inlet; LW-88358 &

LW-88359 w/ 3/4" Hose Thread

Outlet & 1/2" Wirsbo Inlet, LW-

88361 w/ 1/4" Compression Outlet

& 1/2" Sweat Inlet; LW-88362 w/

1/4" Compression Outlet & 1/2"

PEX Inlet; LW-88363 w/ 1/4"

Compression Outlet & 1/2" CPVC

Inlet; LW-88364 w/ 1/4"

Compression Outlet & 1/2" Wirsbo Inlet) - Type AA

Issued: 10/13/2008

Amended: 12/02/2008

Revision: 2004

Model: LW8836 Series (Includes:

LW-88366 w/ 1/4" Compression

Outlet & 1/2" Sweat Inlet; LW-

88367 w/ 1/4" Compression Outlet

& 1/2" PEX Inlet; LW-88368 w/

1/4" Compression Outlet & 1/2"

CPVC Inlet; LW-88369 w/ 1/4"

Compression Outlet & 1/2" Wirsbo

Inlet) - Type AA

Issued: 09/10/2009

Lyncar Products, Ltd.

Revision: 2004

Model: 8030001 - 1/2" MIP

Size: 1/2" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030002 - 1/2" Male Sweat

Size: 1/2" Type AA

Issued: 10/01/2008

Lyncar Products, Ltd. (continued)

Revision: 2004

Model: 8030003 - 3/4" Male Sweat

Size: 1/2" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030004 - 1/2" CPVC

Size: 1/2" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030005 - 5/8" OD

Compression

Size: 1/2" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030006 - 3/8" PEX TEE

Size: 1/2" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030007 - 1/2" PEX TEE

Size: 1/2" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030008 - 1/4" OD

Compression Tee

Size: 1/4" Type AA

Issued: 10/01/2008

Revision: 2004

Model: 8030009 - 3/8" OD

Compression Tee

Size: 1/4" Type AA

Issued: 10/01/2008



ASSE STANDARD 1010-2004

Water Hammer Arresters

Lyncar Products, Ltd. (continued)

Revision: 2004
Model: 8030010 - 1/2" OD
Compression Tee
Size: 1/4" Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030011 - 5/8" OD
Compression Tee
Size: 1/4" Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030012 - 3/4" Male NH x
Female Swivel NH
Size: 1/4" Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030013 1/2" OD Tube Slip
Joint Tee
Size: 1/4" Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030014 0 3/8" OD FEM
COMP x 3/8" OD COMP
Size: 1/4" Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030015 - 3/8" PEX
Size: Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030016 - 1/2" PEX
Size: Type AA
Issued: 10/01/2008

Lyncar Products, Ltd. (continued)

Revision: 2004
Model: 8030017 - 3/4" PEX
Size: Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030018 - 1/2" Female
Sweat
Size: Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030019 - 3/4" Female
Sweat
Size: Type AA
Issued: 10/01/2008

Revision: 2004
Model: 8030020 - 5/8" OD Female
Compression x 5/8" OD Com
Size: Type AA
Issued: 10/01/2008

MIFAB, Inc.

Revision: 2004
Model: CL
Size: 1 inch, 1/2 inch, 1-1/2 inch,
1-1/4 inch, 2 inch,
Issued: 12/09/2004

Revision: 2004
Model: CL-Laundry
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-1/2PEX-VERT
Size: 1/2 inch
Issued: 12/09/2004

MIFAB, Inc. (continued)

Revision: 2004
Model: CL-2*STUB
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-COMP
Size: 1/2 inch, 1/4 inch, 3/8 inch,
5/8 inch
Issued: 12/09/2004


Revision: 2004
Model: CL-COMP*MIP
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-COMP*SWEAT
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-LAV
Size: 3/8 inch, 5/8 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-PEX
Size: 1/2 inch, 3/8 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-PVC
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CLS 
Size: 1 inch, 1/2 inch, 1-1/2 inch,
1-1/4 inch, 2 inch,
Issued: 12/09/2004

ASSE STANDARD 1010-2004

Water Hammer Arresters

MIFAB, Inc. (continued)

Revision: 2004
Model: CL-STUB
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-TEE
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-TUB
Size: 1/2 inch
Issued: 12/09/2004

Revision: 2004
Model: CL-A/MWH-A
Size: 1/2 inch NPT
Issued: 07/29/2003

Revision: 2004
Model: CL-AA/MWH-AA
Size: 1/2 inch NPT
Issued: 07/29/2003

Revision: 2004
Model: CL-B/MWH-B
Size: 3/4" NPT
Issued: 07/29/2003

Revision: 2004
Model: CL-C/MWH-C
Size: 3/4" NPT
Issued: 07/29/2003

Oatey Company

Revision: 2004
Model: 90 Series - Unplated, 1/4-Turn Valves, White Handle Includes: 906185 w/ 1/4" Compression Outlet & 1/2"
Issued: 08/12/2009

Revision: 2004
Model: 90 Series
Size: Size AA
Issued: 05/27/2003

Revision: 2004
Model: 38600
Size: 3/4" Hose Swivel
Issued: 05/23/2006

Revision: 2004
Model: 38601
Size: 1/2" M NPT
Issued: 05/23/2006

Revision: 2004
Model: 39177
Size: 1/2" MIP
Issued: 10/28/2009

Revision: 2004
Model: 90 Series - Unplated, One-Piece, 1/4-Turn Valves, White Handle Includes: 9002303 w/ 1/4" Compression Outlet & 1/2" F-1960 Inlet, 9002263 w/ 1/4" Compression Outlet & 1/2" NPSM / 1/2" Solder (Copper) Inlet, 9002283 w/ 1/4" Compression Outlet & 1/2" F-1807 Inlet, 9002273 w/ 1/4" Compression Outlet & 1/2" CPVC Inlet, 9002293 w/ 1/4" Compression Outlet & 3/8" F-1807 Inlet - Type AA
Issued: 12/28/2009

Precision Plumbing Products

Revision: 2004
Model: SC-1000-C, SC-1000-304, SC-1000-316 threaded connections
Issued: 05/11/2000
Amended: 10/28/2009

Revision: 2004
Model: SC-1250, SC-1250-304, SC-1250-316 threaded connections
Size: D
Issued: 05/11/2000
Amended: 10/28/2009

Revision: 2004
Model: SC-1500-E, SC-1500-304, SC-1500-316 threaded connections
Issued: 05/11/2000
Amended: 10/28/2009

Revision: 2004
Model: SC-2000-F, SC-2000-304, SC-2000-316 threaded connections
Issued: 05/11/2000
Amended: 10/28/2009

Revision: 2004
Model: SC-500-A, SC-500-304, SC-500-316 threaded connections
Issued: 05/11/2000
Amended: 07/14/2005, 10/28/2009

Revision: 2004
Model: SC-750-B, SC-750-304, SC-750-316 threaded connections
Issued: 05/11/2000
Amended: 07/14/2005, 10/28/2009

ASSE STANDARD 1010-2004

Water Hammer Arresters

Precision Plumbing Products (continued)

Revision: 2004
Model: SWA-1000-C sweat
connections
Issued: 05/11/2000

Revision: 2004
Model: SWA-1250-D sweat
connections
Issued: 05/11/2000

Revision: 2004
Model: SWA-1500-E sweat
connections
Issued: 05/11/2000

Revision: 2004
Model: SWA-2000-F sweat
connections
Issued: 05/11/2000

Revision: 2004
Model: SWA-500-A sweat
connections
Issued: 05/11/2000

Revision: 2004
Model: SWA-750-B sweat
connections
Issued: 05/11/2000

Revision: 2004
Model: WHA-500L
Issued: 05/11/2000

Revision: 2004
Model: MM-5001 CPT-AA w/ 1/2"
compression tee
Issued: 10/14/1998

Revision: 2004
Model: MM-5002 CPT-AA w/ 5/8"
compression tee
Issued: 10/14/1998

Precision Plumbing Products (continued)

Revision: 2004
Model: MM-5003 CPT-AA w/ 3/8"
compression tee
Issued: 10/14/1998

Revision: 2004
Model: MM-5004 CPT-AA w/ 1/4"
compression tee
Issued: 10/14/1998

Revision: 2004
Model: MM-500ASCP-AA
Size: 5/8" compression angle stop
Issued: 10/14/1998
Amended: 01/12/2009

Revision: 2004
Model: MM-500ASTH-AA
Size: 1/2" threaded (FMIP)
threaded angle stop
Issued: 10/14/1998
Amended: 01/12/2009

Revision: 2004
Model: MM-500CT-AA
Size: 1/2" compression x 3/8" NPT
Issued: 10/14/1998
Amended: 01/12/2009

Revision: 2004
Model: MM-500-FPF (CPVC)-AA
Size: 1/2" female connection
Issued: 10/14/1998

Revision: 2004
Model: MM-500L-AA
Size: 3/4" male x female swivel
hose
Issued: 10/14/1998

Precision Plumbing Products (continued)

Revision: 2004
Model: MM-500LS-AA
Size: 1/2" sweat x 5/8"
compression
Issued: 10/14/1998

Revision: 2004
Model: MM-500-MPF (CPVC)-AA
Size: 1/2" male connection
Issued: 10/14/1998

Revision: 2004
Model: MM-500PEX-AA
Size: 1/2" PEX barb fitting
Issued: 10/14/1998

Revision: 2004
Model: MM-500ST-AA
Size: 1/2" sweat x 1/2" sweat
Issued: 10/14/1998
Amended: 01/12/2009

Revision: 2004
Model: MM-500SWA-AA
Size: 1/2" sweat
Issued: 10/14/1998

Revision: 2004
Model: MM-500-TH-AA
Size: 1/2" threaded
Issued: 10/14/1998
Amended: 07/14/2005

Revision: 2004
Model: MM-500TS-AA
Size: 1/2" sweat x 1/2" MIP
Issued: 10/14/1998

Revision: 2004
Model: MM500TSSO- 1/2"
tub/shower stub out
Issued: 11/30/2009

ASSE STANDARD 1010-2004

Water Hammer Arresters

Precision Plumbing Products (continued)

Revision: 2004

Model: MM500TSS02- 5/8"
tub/shower stub out 2/outlet
Issued: 11/30/2009

Revision: 2004

Model: MM5001FCT- 3/8" female
comp. T
Issued: 11/30/2009

Revision: 2004

Model: MM5002FCT- 5/8" female
comp. T
Issued: 11/30/2009

PT Ever Age Valves Metals

Revision: 2004

Model: HM Series Includes: HM 2P
(1/2" PEX X 1/2" PEX), HM 14(1/4"
OD COMP X 1/4" OD COMP), HM
38 (3/8" OD COMP X 3/8" OD
COMP), HM 76 (7/16" OD COMP X
7/16" OD COMP), HM 12 (1/2" OD
COMP X 1/2" OD COMP), HM 53
(5/8" OD COMP X 3/8" OD COMP),
HM 58 (5/8" OD COM X 5/8" OD
COMP), HM 38L (3/8" OD COMP X
3/8" OD REVERSE NUT), HM 53L
(5/8" OD COMP X 3/8" OD
REVERSE NUT), HM 58L (5/8"
OD COMP X 5/8" OD REVERSE
NUT); HM 23 (1/2" MIP X 3/8" OD
COMP), HM 25 (1/2" MIP X 5/8"
OD COMP), HM 22 (1/2" MIP X
1/2" OD COMP); HM 12C (1/2"
FCxC 1/2" FCxC), HM 2C5 (1/2"
FCxC X 5/8" OD COMP), HM 2C3
(1/2" FCxC X 3/8" OD COMP), HM
2C2 (1/2" FCxC X 1/2" OD COMP),
HM 2 (1/2" MIP), HM 3 (3/4" MIP),
HM 1CM (1/4" OD COMP), HM
3CM (3/8" OD COMP), *(continued in
next column)*

HM 5CM (5/8" OD COMP), HM 2C
(1/2" MCxC), HM 3C (3/4" MCxC),
HM 2PX (1/2" PEX), HM 3PX (3/4"
PEX), HM 2CPVC (1/2" CPVC),
HMH 3 (3/4" FHT X 3/4" FHT)
Issued: 01/04/2008

Sioux Chief Mfg. Co. Inc.

Revision: 2004

Model: 652 With options of: A
(MIP), AS (Sweat), AC (CPVC)
Size: 1/2 inch
Issued: 06/01/2000
Amended: 05/26/2009

Revision: 2004

Model: 653 With options of: B
(MIP), BS (Sweat), BC (CPVC)
Size: 3/4 inch
Issued: 06/01/2000
Amended: 05/26/2009

Revision: 2004

Model: 654 With options of: C
(MIP), CS (Sweat), CC (CPVC)
Size: 1 inch
Issued: 06/01/2000
Amended: 05/26/2009

Revision: 2004

Model: 655 With options of: D
(MIP), DS (Sweat)
Size: 1 inch
Issued: 06/01/2000
Amended: 05/26/2009

Revision: 2004

Model: 656 With options of: E
(MIP), ES (Sweat)
Size: 1 inch
Issued: 06/01/2000
Amended: 05/26/2009

Sioux Chief Mfg. Co. Inc (continued)

Revision: 2004

Model: 657 With options of: F
(MIP), FS (Sweat)
Size: 1 inch
Issued: 06/01/2000
Amended: 05/26/2009

Revision: 2004

Model: 660-2 straight adapter
connection only
Size: AA
Issued: 02/28/2003
Amended: 09/04/2008

Revision: 2004

Model: 660-H
Size: 3/4" MHT x 3/4" FHT
Issued: 02/28/2003
Amended: 09/04/2008

Revision: 2004

Model: 660-LV, 660-T, 660-TC1,
660-TX1, 660-TC0, 660-TX2,
Size: 1/4" male thread
Issued: 02/28/2003
Amended: 09/04/2008

Revision: 2004

Model: 660SB
Size: 1/2" Sweat - Type AA
Issued: 02/28/2003
Amended: 09/04/2008,
04/07/2009

Revision: 2004

Model: 660-T22 Type T[®]
Size: 1/2" sweat
Issued: 02/28/2003
Amended: 09/04/2008

ASSE STANDARD 1010-2004

Water Hammer Arresters

Sioux Chief Mfg. Co. Inc (continued)

Revision: 2004
Model: 660-V2B
Size: 1/2" CPVC
Issued: 02/28/2003
Amended: 09/04/2008

TAHO Valves

Revision: 2004
Model: 300-02T, 300-02TE, 300-02TN - 1/4"OD Compression Tee; 300-03T, 300-03TE, 300-03TN - 3/8"OD Compression Tee; 300-04T, 300-04TE, 300-04TN - 1/2"OD Compression Tee; - 300-05T, 300-05TE, 300-05TN - 5/8"OD Compression Tee; 300-06SH, 300-06SHE, 300-06SHN - 3/4"Male N11x Female Swivel NH; 300-04JT, 300-04JTE, 300-04JTN - 1/2"OD Tube Slip Joint Tee; 300-03FT, 300-03FTE, 300-03FTN - 3/8"OD FEM COMPx3/8"OD COMP, 300-06SHW, 300-06SHWE, 300-06SHWN 3/4" FSHT x MHT (straight)
Size: 1/4 inch -Type AA
Issued: 09/29/2004
Amended: 10/26/2009

Revision: 2004
Model: 300-03P, 300-03PE, 300-03PN - 3/8" PEX - Type AA
Issued: 10/10/2005
Amended: 10/26/2009

Revision: 2004
Model: 300-04A- 1/2" NPT
Issued: 02/12/2009

TAHO Valves (continued)

Revision: 2004
Model: 300-04C, 300-04CE, 300-04CN - 1/2" Female Sweat - Type AA
Issued: 10/10/2005
Amended: 10/26/2009

Revision: 2004
Model: 300-04M, 300-04ME, 300-04MN - 1/2" MIP; 300-04MC, 300-04MCE, 300-04MCN - 1/2" Male Sweat; 300-06MC, 300-06MCE, 300-06MCN - 3/4" Male Sweat; - 300-04V, 300-04VE, 300-04VN - 1/2" CPVC; 300-05, 300-05E, 300-05N - 5/8" OD Compression; 300-03PT, 300-03PTE, 300-03PTN - 3/8" PEX TEE; 300-04PT, 300-04PTE, 300-04PTN - 1/2" PEX TEE; 300-03M, 300-03ME, 300-03MN - 3/8" MIP; 300-06M, 300-06ME, 300-06MN - 3/4" MIP; 300-06MR, 300-06MRE, 300-06MRN - 3/4" MIP Chrome; 300-04VF, 200-04VFE, 300-04VFN - 1/2" CPVC Fem; 300-04-1, 300-04-1E, 300-04-1N - 5/8" UNS; 300-04MCW, 300-04MCWE, 300-04MCWN 1/2" Male Sweat (longer tube); 300-06 MCW, 300-06MCWE, 300-06MCWN - 3/4" Male Sweat (longer tube)
Size: 1/2 inch- Type AA
Issued: 09/29/2004
Amended: 12/09/2008, 10/26/2009

TAHO Valves (continued)

Revision: 2004
Model: 300-04P, 300-04PE, 300-04PN - 1/2" PEX - Type AA
Issued: 10/10/2005
Amended: 10/26/2009

Revision: 2004
Model: 300-05FT, 300-05FTE, 300-05FTN - 5/8" OD Female Compression x 5/8" OD Comp Tee - Type AA
Issued: 10/10/2005
Amended: 10/26/2009

Revision: 2004
Model: 300-06B - 3/4" NPT
Issued: 02/12/2009

Revision: 2004
Model: 0-06C, 300-06CE, 300-06CN - 3/4" Female Sweat - Type AA
Issued: 10/10/2005
Amended: 10/26/2009

Revision: 2004
Model: 300-06P, 300-06PE, 300-06PN - 3/4" PEX - Type AA
Issued: 10/10/2005
Amended: 10/26/2009

Revision: 2004
Model: 300-10C - 1" NPT
Issued: 02/12/2009

Revision: 2004
Model: 300-12D - 1 1/4" NPT
Issued: 02/12/2009

Revision: 2004
Model: 300-14E - 1 1/2" NPT
Issued: 09/29/2004
02/12/2009

ASSE STANDARD 1010-2004

Water Hammer Arresters

TAHO Valves (continued)

Revision: 2004
Model: 300-20F - 2" NPT
Issued: 02/12/2009

Tai Sung Co., Ltd.

Revision: 2004
Model: 980-AA
Size: 1/2 inch sweat x 1/2 inch
screwed
Issued: 09/19/2002

Revision: 2004
Model: A MIP Type
Size: 1/2 inch
Issued: 09/19/2002

Revision: 2004
Model: AA MIP Short
Size: 1/2 inch
Issued: 09/19/2002

Revision: 2004
Model: AA MIP Type
Size: 1/2 inch
Issued: 09/19/2002

Watts Regulator Co

Revision: 2004
Model: 05 Series & LF-05 Series
(05-C, 05-H, 05-H-M1)
Size: 1/2 inch, 3/4 inch, 3/8 inch,
5/8 inch
Issued: 09/03/1999
Amended: 04/14/2009

Revision: 2004
Model: 05-S & LF-05-S Type AA
Size: 1/2 inch
Issued: 05/07/2001
Amended: 12/16/2002,
04/13/2009

Watts Regulator Co (continued)

Revision: 2004
Model: Series 15 & LF-Series 15
Size: 1 inch, 1/2 inch, 1-1/2 inch,
1-1/4 inch, 2 inch,
Issued: 03/08/1985
Amended: 08/01/1993,
08/15/2006, 04/14/2009

Revision: 2004
Model: 05-CPVC & LF-05-CPVC
Male CPVC
Size: 1/2"
Issued: 03/14/2006
Amended: 03/20/2007

Revision: 2004
Model: 05-C-T & LF-05C-T Comp
Tee
Size: 3/8"
Issued: 03/14/2006
Amended: 03/20/2007

Revision: 2004
Model: 05-C-T & LF-05-C-T (W05-
IM) OD Comp Tee
Size: 1/4"
Issued: 03/14/2006
Amended: 03/20/2007

Revision: 2004
Model: 05-CxT & LF-05CxT (W05-
10S) Fem Comp x OD Comp Tee
Size: 5/8"
Issued: 03/14/2006
Amended: 03/20/2007

Revision: 2004
Model: 05-CxT & LF-05-CxT (W05-
6S) Fem Comp x OD Comp Tee
Size: 3/8"
Issued: 03/14/2006
Amended: 03/20/2007

Watts Regulator Co (continued)

Revision: 2004
Model: 05-PEX-T & LF-05-PEX-T
PEX Tee
Size: 1/2", 3/8"
Issued: 03/14/2006
Amended: 03/20/2007

Revision: 2004
Model: 05-S & LF-05-S Male
Sweat
Size: 3/4"
Issued: 03/14/2006
Amended: 03/20/2007

Revision: 2004
Model: 05 (MIP), 05-BSPP
(MIP[BSPF]), 05-S (Male Sweat),
05-CPVC (CPVC), 05-PEX-T (PEX
Tee), 05-QC (Male Sweat)
Size: 1/2"
Issued: 06/08/2009

Revision: 2004
Model: 05 (MIP), 05-PEX-T (PEX
Tee), 05-C-T (OD Compression
Tee), 05-CXT (OD Fem.
Compression x OD Compression),
W05-06S (OD Fem. Compression x
OD Compression)
Size: 3/8"
Issued: 06/08/2009

Revision: 2004
Model: 05-C (OD Compression),
05-CXT (OD Fem. Compression x
OD Compression), W05-10S - OD
Fem. Compression x OD
Compression)
Size: 5/8"
Issued: 06/08/2009

ASSE STANDARD 1010-2004

Water Hammer Arresters

Watts Regulator Co (continued)

Revision: 2004

Model: 05-C-T & W05-1M (OD
Compression Tee)

Size: 1/4"

Issued: 06/08/2009

Revision: 2004

Model: 05H (Female Swivel Hose
Thread x Male Hose Thread -
Straight), 05H-M1 (Female Swivel
Hose Thread x Male Hose Thread -
Angle), 05A-CH (MIP), 05-S (Male
Sweat), 05-QC (Male Sweat)

Size: 3/4"

Issued: 06/08/2009

Wilkins, Division of Zurn

Revision: 2004

Model: Z1705, WH2950,
WH2950XL, 1250, 1250XL Size: B
- 3/4 inch NPT, Size: C - 3/4 inch
NPT

Issued: 04/22/2004

Amended: 11/10/2009

Revision: 2004

Model: 12500AA-2XT (Z1705AA-
2XT, WH2950AA-2XT)

Size: 3/8" PEX TEE

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-1PT (Z1705AA-
1PT, WH2950AA-1PT)

Size: 1/4" OD COMP TEE

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-2FPT (Z1705AA-
2FPT, WH2950AA-2FPT)

Size: 3/8" OD F comp x 3/8" OD
Comp

Issued: 10/12/2004

Wilkins, Division of Zurn (continued)

Revision: 2004

Model: 1250AA-2PT (Z1705AA-
2PT, WH2950AA-2PT)

Size: 3/8" OD COMP TEE

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-3 (Z1705AA -3,
WH2950AA-3)

Size: 1/2" M NPT

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-3C (Z1705AA-3C,
WH2950AA-3C)

Size: 1/2" M SWEAT

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-3PT (Z1705AA-
3PT, WH2950AA-3PT)

Size: 1/2" OD COMP TEE

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-3ST (Z1705AA-
3ST, WH2950AA-3ST)

Size: 1/2" OD Tube Slip Joint Tee

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-3V (Z1705AA-3V,
WH2950AA-3V)

Size: 1/2" CPVC

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-3XT (Z1705AA-
3XT, WH2950AA-3XT)

Size: 1/2" PEX TEE

Issued: 10/12/2004

Wilkins, Division of Zurn (continued)

Revision: 2004

Model: 1250AA-4P (Z1705AA-4P,
WH2950AA-4P)

Size: 5/8" OD COMP

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-4PT (Z1705AA-
4PT, WH2950AA-4PT)

Size: 5/8" OD COMP TEE

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-5C (Z1705AA-5C,
WH2950AA-5C)

Size: 3/4" M SWEAT

Issued: 10/12/2004

Revision: 2004

Model: 1250AA-5H (Z1705AA-5H,
WH2950AA-5H)

Size: 3/4" Hose Swivel

Issued: 10/12/2004

Revision: 2004

Model: 1250, 1250XL-
Size: A

Issued: 10/23/1998

Amended: 11/10/2009

Revision: 2004

Model: WH2950, WH2950XL
Size: A

Issued: 10/23/1998

Amended: 11/10/2009

Revision: 2004

Model: Z1705

Size: A

Issued: 10/23/1998



ASSE STANDARD 1010-2004

Water Hammer Arresters

Wilkins, Division of Zurn (continued)

Revision: 2004
Model: Z1705, WH2950 & 1250-D
Issued: 10/22/2002

Revision: 2004
Model: Z1705, WH2950 & 1250-E
Issued: 10/22/2002

Revision: 2004
Model: Z1705, WH2950 & 1250-F
Issued: 10/22/2002

Wolseley PLC

Revision: 2004
Model: FNWSC1000 Brand Name:
FNW™ w/ 1" - 11-1/2 NPTF
Connection – Type C
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSC500 Brand Name:
FNW™ w/ 1/2" - 14 NPTF
Connection – Type A
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSC1250 Brand Name:
FNW™ w/ 1-1/4" - 11-1/2 NPTF
Connection – Type D
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSC1500 Brand Name:
FNW™ w/ 1-1/2" - 11-1/2 NPTF
Connection – Type E
Issued: 09/13/2005
Amended: 04/28/2008

Wolseley PLC (continued)

Revision: 2004
Model: FNWSC2000 Brand Name:
FNW™ w/ 2" - 11-1/2 NPTF
Connection - Type F
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSC750 Brand Name:
FNW™ w/ 3/4" - 14 NPTF
Connection – Type B
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSWA1000 (Cylinder
Cap Style) Brand Name: FNW™
w/ 1" Male Sweat Connection –
Type C
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSWA1250 (Cylinder
Cap Style) Brand Name: FNW™
w/ 1-1/4" Male Sweat Connection
– Type D
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSWA500 (Cylinder
Cap Style) Brand Name: FNW™
w/ 1/2" Male Sweat Connection –
Type A
Issued: 09/13/2005
Amended: 04/28/2008

Revision: 2004
Model: FNWSWA750 (Cylinder
Cap Style) Brand Name: FNW™
w/ 3/4" Male Sweat Connection –
Type B
Issued: 09/13/2005
Amended: 04/28/2008

Wolseley PLC (continued)

Revision: 2004
Model: PF660TRB Brand Name:
PROFLO® w/ 5/8" O.D. FEM
COMP. x 5/8" O.D. COMP.
Connection – Type AA
Issued: 08/10/2009

Revision: 2004
Model: PF660TRBC Brand Name:
PROFLO® w/ 3/8" O.D. FEM
COMP. X 3/8" O.D. COMP.
Connection – Type AA
Issued: 03/11/2009

Revision: 2004
Model: PFMM5002CPT Brand
Name: PROFLO® w/ 5/8" O.D.
Compression Tee Fitting
Connection – Type AA
Issued: 09/13/2005

Revision: 2004
Model: PFMM5003CPT Brand
Name: PROFLO® w/ 3/8" O.D.
FEM COMP. x 3/8" O.D. COMP.
Connection – Type Aa
Issued: 09/13/2005

Revision: 2004
Model: PFMM500FFPF w/ 1/2"
Female Socket CPVC Connection –
Type AA
Issued: 03/11/2009

Revision: 2004
Model: PFMM500FPF Brand
Name: PROFLO® w/ 1/2" CPVC
Male Connection – Type AA
Issued: 09/13/2005

ASSE STANDARD 1010-2004

Water Hammer Arresters

Wolseley PLC (continued)

Revision: 2004

Model: PFMM500L Brand Name:

PROFLO® w/ FHT Swivel X MHT

Connection - Type AA

Issued: 09/13/2005

Revision: 2004

Model: PFMM500PEX Brand

Name: PROFLO® w/ 1/2" PEX Tee

Fitting Connection – Type AA

Issued: 09/13/2005

Revision: 2004

Model: PFMM500SWA Brand

Name: PROFLO® w/ 1/2" Male

Sweat Connection – Type AA

Issued: 09/13/2005

Revision: 2004

Model: PFMM500TH Brand Name:

PROFLO® w/ 1/2" MIP Connection

– Type AA

Issued: 09/13/2005

Zurn Industries, Inc.

Revision: 2004

Model: Z1700-400 Type D

Size: 1" NPT

Issued: 05/26/2009

Revision: 2004

Model: Z1700-500 Type E

Size: 1" NPT

Issued: 05/26/2009

