



PRODUCT CATALOG  
**BEAR COUNTRY 2008**

**Bear**  
ARCHERY



## BEAR COUNTRY WHERE IS IT?

For you it might be that place you remember when you shot your first Bear® bow as a kid. It's last Saturday morning in the treestand...or that long weekend last fall. It's a place, for sure – though each of us has a different range, woods or mountainside in our minds. It's also good friends, for sure. It's teaching your family about hunting...or recalling what you learned from your dad or fellow hunters. It's your first kill, and your next, and that cold afternoon when you tracked and finally took that whitetail. Bear Country – wherever you find it – lingers in your thoughts.

We're proud to be a part of one of hunting's finest traditions – the art of bowhunting. And we're proud of the legendary contribution made by Fred Bear and Bear Archery to hunting. *It's about the hunt...your hunt.*



**The Primos Team:**

Putting all the features we wanted in a hunting bow is not easily done. With the expertise of the Bear® Team, we were able to create what we think is the perfect hunting bow.

Just shoot The TRUTH® 2 and see for yourself.






**Bill Jordan:**

"Without a doubt our new Realtree® All-Purpose and All-Purpose Green are the best camo patterns I've ever seen. The two most important elements in any camo are color and the pattern itself. The AP™ pattern does not 'go dark.' It has the ability to work in low and harsh light. It simply works everywhere."



# THE HUNT

THE NEW BEAR® BOWS ARE ALREADY IN ACTION...  
SEE TEAM PRIMOS® MEMBERS HERE WITH THE TRUTH® 2.



WHERE IS YOUR BEAR COUNTRY?

VISIT [WWW.BEARARCHERYPRODUCTS.COM](http://WWW.BEARARCHERYPRODUCTS.COM)  
SHOW US YOUR BEAR COUNTRY

# CONTENTS

## MESSAGE FROM JIM ALLSHOUSE – PRESIDENT, BEAR® ARCHERY

**Welcome to Bear Country!** First of all, thank you to the dealers who share our commitment to bringing the finest hunting equipment to hunters around the world! The dealers make it possible for all of us to continue pursuing our passion.

And thank you to the hunters who support both Bear® Archery and the dealers. Some of you are new to Bear Archery. Others of you have been with our legendary company for years. Whatever the case, please know that you can contact me personally with any comment or question you may have about our company and product (be it positive, negative, or otherwise). More importantly, Bear Archery welcomes your feedback as we work daily to provide you the best in products and service.

2008 is a very special year for Bear. In our opinion, Bear Archery and Team Primos® did it again. The all new Truth® 2 is the result of our second year of collaboration with Team Primos. The result: a bow so dynamic in all areas of performance, delivered at such a value, it will change everything. And as Will Primos says, **“you have to get your hands on one to know how smooth this bow is.”** I must say we’re proud of The TRUTH 2, but we didn’t stop there. Wait until you see the developments from The TRUTH 2 that made their way through the entire product line for 2008. The enhancements and innovation you will see are made possible by adding key staff members to our team and investing capital within our company, such as we did this year. With this being said, I think you’ll have to get your hands on ALL of the new bows to truly believe where we have come to in 2008!

I am also very proud to report that the Fred Bear Sportsman’s Club (developed in the community-minded spirit of Fred himself) raised enough money again this past year to provide several thousands of meals for hungry families in need around the country.

So, please review our new catalog to see where a journey through **“Bear Country”** can take you this year and beyond. And please don’t forget to visit our website for more information about our product line, plus other related topics that you might find useful. Enjoy your time in the field with Bear Archery products. **And, as always, good shooting!**




Evansville, Indiana



Gainesville, Florida

Jim Allshouse  
President  
Bear® Archery



## COMPOUND BOWS

PAGES 6–19



## TRADITIONAL BOWS AND ACCESSORIES

PAGES 20–29



## YOUTH BOWS AND BOW SETS

PAGES 30–32



## BEAR GEAR

PAGE 33



# WE SET OUT TO CHANGE A FEW THINGS. WE ADVANCED EVERYTHING.

**Bear engineers are often asked,**  
 “What’s the one new characteristic of the Bear® line in 2008?”  
**Their answer:**  
 “No single characteristic defines this year’s increased performance. It’s a total system advancement...beginning with The TRUTH® 2.”

**THE OBJECTIVE:**  
 An even smoother, quieter bow – beginning with draw cycle and through release – yet without a compromise in speed.

**THE RESULT:**  
 A bow design so inherently smooth and quiet that few, if any, additional vibration dampeners will be desired. A bow so energy-packed that it reaches speeds of 318 fps (IBO). And, along the way, a sturdy and more efficient bow system was developed, transmitting more energy to the arrow and delivering more consistent accuracy – shot after shot.

## THE DETAILS OF ‘HOW’:

The dramatic advances mentioned below are found on The TRUTH® 2. The process of developing the new TRUTH 2 system created benefits across the entire Bear® compound bow line in 2008.



• TRUTH® 2

TRUTH®

**MINIMIZED RISER REFLEX.** The less the riser reflex, the more forgiving and accurate the shot. Plus, the smaller overall profile improves maneuverability in the field or treestand.

**THE PERIMETER-WEIGHTED MODULAR SINGLE CAM.** The powerful single cam proves it is an engine for speed when The TRUTH 2 reaches 318 fps. Yet, the cam’s shape sets the stage for a smooth draw – including an asymmetric power track that reduces friction and increases cable life. Further, the cam quietly rotates during draw and release on a sealed, stainless steel ball bearing. Likewise, the idler wheel pivots on stainless steel sealed ball bearings. Smooth is built in to every part of The Truth 2. And this cam has 1” modular increments and 1/2” post increments, including a large segment of the draw length range that does not require a bow press.



**FLARE QUAD LIMBS.** Ultra-short, flared limbs flex well beyond parallel. Bear perfected the limb design through FEA (finite element analysis) to evenly distribute stress during draw and release. Even stress distribution in a short, lighter limb creates these advantages. 1) “SMOOTH” is the natural result of lighter limbs accelerating and decelerating during release. 2) Beyond parallel limb position creates a short, vertical travel where opposing limb movements cancel each other, rather than a forward thrust of conventional limbs. 3) Even stress distribution allows for a more efficient transfer of energy to the arrow; maximizing the reduction of vibration or noise.



**AXLE-MOUNTED WEIGHTED DAMPENERS.** Four dampeners are positioned optimally at the far end of the limbs where energy release occurs – for the optimal absorption of vibration.

**DUAL, ARC STRING SUPPRESSORS** are integrated into the riser. These dual string suppressors were designed and optimized using high-speed photography to counter the greatest amount of string vibration.

**MACHINED ALUMINUM PIVOTING LIMB CUPS** are built with a side-locking tang on The TRUTH 2 to create a rigid, “zero tolerance” fit – increasing sturdiness and consistency while reducing vibration. Pivoting limb cups maintain a tight limb-to-cup-to-riser fit, regardless of draw weight adjustment. And rubber isolation boots mean that the limb never touches the limb cup (avoiding any direct transference of vibration from limb to riser).

**ONE-PIECE, SLIM SYNTHETIC GRIP** reduces vibration, minimizes hand torque and provides the warmest feel in cold weather.

**A customized bonus:**  
**WINNER’S CHOICE® STRINGS** – recognized as the technology leader in the industry – are standard on The TRUTH 2 and are pre-conditioned for non-stretch performance from the very first shot.



**AND A BEAR ESSENTIAL – FOR DURABILITY AND SPEED**  
 Bear limbs continue to be made with **PATENTED** compression-molding technology – continuous, long fibers that deliver the most energy-packed and durable limbs in the industry.

**BRACE HEIGHT.** The TRUTH 2 is designed with a brace height of 7”. Shots are forgiving yet benefit from maximum stored energy to the limbs during draw. Maximum stored energy – combined with an even and efficient transfer of energy – equals speed.

# THE TRUTH<sup>®</sup> 2

GET YOUR HANDS ON ONE...

"No single characteristic defines this bow's performance. The TRUTH<sup>®</sup> 2 is a total system advancement," say the engineers at Bear. "You won't know how good this bow feels for yourself until you get your hands on one," says Will Primos of Primos<sup>®</sup> Hunting Calls. It's the second generation of Bear Archery's



legendary collaboration with Team Primos. It's a total advance of the system. We set out to change a few things. After months of focus and collaboration, we changed everything. The result: The TRUTH 2 raises the bar again for performance that is well above price.



Will Primos and Team Primos are seen here during a meeting with Bear Archery as both groups evaluate the progress of the 2nd generation TRUTH 2 prototype.

## SPECIFICATIONS

Length (Axle to Axle) 33in.	Peak Draw Weight 60lbs./70lbs.	Draw Length Range 24in. to 30in.	Speed (IBO) 314-318 fps	Brace Height 7in.	Let-Off 80%	Mass Weight 3.9lbs.
--------------------------------	-----------------------------------	-------------------------------------	----------------------------	----------------------	----------------	------------------------

Limbs Compression Molded Flare Quad Limbs	Riser Machined 6061-T6 Aircraft Aluminum	Cable Guard Straight Carbon Rod with Teflon <sup>®</sup> Slide	Grip One-Piece Synthetic Grip	Eccentrics Perimeter Weighted Modular Single Cam	String/Cable Winner's Choice <sup>®</sup> WINNER'S CHOICE CUSTOM BOWSTRINGS	Camo REALTREE <b>apig</b> HD
--	---	---	----------------------------------	---	--	---------------------------------

**MACHINED ALUMINUM PIVOTING LIMB CUPS.** The laser engraved limb cups utilize a side-locking tang and limb isolation boot to achieve a "zero-tolerance" limb-to-cup-to-riser fit to further reduce limb vibration and increase accuracy.

**DUAL STAINLESS STEEL SEALED BALL BEARINGS** in the idler wheel.



**AXLE-MOUNTED WEIGHTED DAMPENERS** are positioned optimally at the far end of the limbs for maximum vibration absorption.

**MINIMUM RISER REFLEX** delivers a more forgiving and accurate shot and sets the design platform for many of The TRUTH 2 advancements.



**FLARE QUAD LIMBS.** These beyond-parallel limbs are the smoothest limbs found on a bow today (see page 6 for details). Yet, Bear compression-molded technology means these short limbs are among the most durable and energy-packed limbs found anywhere.



**THE PERIMETER-WEIGHTED MODULAR SINGLE CAM.** It's the engine of The TRUTH 2 speed (achieving 318 fps IBO). It's SMOOTH (rotates on a sealed, stainless steel ball bearing and includes an asymmetric power track to reduce friction and increase cable life).

**STAINLESS STEEL STABILIZER BUSHING**

**DUAL ARC STRING SUPPRESSORS.** Designed and optimized using high-speed photography to counter the greatest amount of string vibration.

### THE TRUTH 2 ITEM NUMBERS

Bow Only	
A81028006R - RH 28/60	A81028006L - LH 28/60
A81029006R - RH 29/60	A81029006L - LH 29/60
A81030006R - RH 30/60	A81030006L - LH 30/60
A81028007R - RH 28/70	A81028007L - LH 28/70
A81029007R - RH 29/70	A81029007L - LH 29/70
A81030007R - RH 30/70	A81030007L - LH 30/70

# DONE DEAL

SMOOTH, POWERFUL ENOUGH TO BE ONE OF THE WORLD'S MOST INTRIGUING WEAPONS.

It's a DONE DEAL for speed, power and feel. Outside of The TRUTH® 2, this 2008 Bear® bow benefits the most from the collaboration of the Bear® and Primos® engineering and hunting teams. The DONE DEAL is feature-packed and is sure to become known as one of the world's most intriguing archery weapons. Take a look at bow speed (311 fps IBO) for instance. Or shoot one to truly understand how smooth it is. Yet this bow is developed in the finest tradition of Bear Archery – with the goal of delivering performance that far exceeds price. It's about the hunt...your hunt.

## SPECIFICATIONS


Length (Axle to Axle) 32.25in.	Peak Draw Weight 60lbs./70lbs.	Draw Length Range 24in. to 30in.	Speed (IBO) 307-311 fps	Brace Height 7.25in.	Let-Off 80%	Mass Weight 3.8lbs.
Limbs Compression Molded Flare Quad Limbs	Riser Machined 6061-T6 Aircraft Aluminum	Grip One-Piece Synthetic Grip	Eccentrics Perimeter Weighted Modular Single Cam	String/Cable Tech Twist	Camo REALTREE APG HD	APPROVED BY Team PRIMOS

**MACHINED ALUMINUM PIVOTING LIMB CUPS** achieve a "zero-tolerance" limb-to-cup-to-riser fit regardless of draw weight adjustment – greatly reducing limb vibration. Rubber isolation boots mean that the limb never touches the limb cup (avoiding any direct transference of vibration from limb to riser).

**DUAL STAINLESS STEEL SEALED BALL BEARINGS** in the idler wheel.

**MINIMUM RISER REFLEX** is characteristic of the Bear line in 2008. It sets the stage for many DONE DEAL advancements, including a more forgiving, accurate shot and greater maneuverability in the field or treestand.

**DUAL ARC STRING SUPPRESSORS.** Designed and optimized using high-speed photography to counter the greatest amount of string vibration.



**FLARE QUAD LIMBS.** These beyond-parallel limbs are the smoothest limbs found on a bow today (see page 6 for details). Yet, Bear compression-molded technology means these short limbs are among the most durable and energy-packed limbs found anywhere.



**THE PERIMETER-WEIGHTED MODULAR SINGLE CAM.** It's the engine of the DONE DEAL speed (achieving 311 fps IBO). It's SMOOTH (rotates on a sealed, stainless steel ball bearing and includes an asymmetric power track to reduce friction and increase cable life).

## DONE DEAL ITEM NUMBERS

Bow Only	
A82028006R – RH 28/60	A82028006L – LH 28/60
A82029006R – RH 29/60	A82029006L – LH 29/60
A82030006R – RH 30/60	A82030006L – LH 30/60
A82028007R – RH 28/70	A82028007L – LH 28/70
A82029007R – RH 29/70	A82029007L – LH 29/70
A82030007R – RH 30/70	A82030007L – LH 30/70

# GAME OVER


THIS FORGIVING BOW BRINGS MORE PERFORMANCE PER INVESTMENT THAN ANY WE'VE EVER BUILT.

It's GAME OVER when you are looking for one of the most forgiving bows in the 2008 Bear® compound bow line. And the game is over when you try to compare this bow – feature for feature – to any comparably priced bow on the market. Many of the performance enhancements developed for The TRUTH® 2 and DONE DEAL make their way into this bow – including the unique Bear Flare Quad Limbs and integrated string suppressor. Because it's from Bear, you know it's performance above price. The GAME OVER, however, takes this concept to a new level.

## SPECIFICATIONS

Length (Axle to Axle) 33in.	Peak Draw Weight 50lbs./60lbs./70lbs.	Draw Length Range 25in. to 31in.	Speed (IBO) 301–305 fps	Brace Height 7.875in.	Let-Off 80%	Mass Weight 3.9lbs.
--------------------------------	--	-------------------------------------	----------------------------	--------------------------	----------------	------------------------

Limbs Compression Molded Flare Quad Limbs	Riser Machined 6061-T6 Aircraft Aluminum	Grip One-Piece Synthetic Grip	Eccentrics Perimeter Weighted Modular Single Cam	String/Cable Tech Twist	Camo REALTREE apg HD
--	---	----------------------------------	---	----------------------------	-------------------------



**ALUMINUM PIVOTING LIMB CUPS** achieve a "zero-tolerance" limb-to-cup-to-riser fit regardless of draw weight adjustment – greatly reducing limb vibration. Rubber isolation boots mean that the limb never touches the limb cup (avoiding any direct transference of vibration from limb to riser).

**DUAL STAINLESS STEEL SEALED BALL BEARINGS** in the idler wheel.

**MINIMUM RISER REFLEX** is characteristic of the Bear line in 2008. It delivers a more forgiving and accurate shot and sets the design platform for many of the advancements found on the GAME OVER.



**THE PERIMETER-WEIGHTED MODULAR SINGLE CAM.** It's the engine of the GAME OVER speed (achieving 305 fps IBO). It's SMOOTH (rotates on a sealed, stainless steel ball bearing and includes an asymmetric power track to reduce friction and increase cable life).



**FLARE QUAD LIMBS.** These beyond-parallel limbs are the smoothest limbs found on a bow today (see page 6 for details). Yet, Bear compression-molded technology means these short limbs are among the most durable and energy-packed limbs found anywhere.

**SINGLE ARC STRING SUPPRESSOR** is integrated into the riser and greatly counters string vibration.

**ALSO AVAILABLE**  
**RTS**  
READY-TO-SHOOT



- RTS ACCESSORIES INCLUDE:**
- Whisker Biscuit™ Drop Tine QS Camo
  - Trophy Ridge® Camo Shockstop Stabilizer with Wrist Strap
  - Self-Aligning Peep Sight
  - Trophy Ridge Six-Shooter Quiver
  - Trophy Ridge Fire Fly Sight
  - Nock Loop

Simply set your draw length and peep height, then sight in. You're ready to shoot!

### GAME OVER ITEM NUMBERS

Bow Only	
A83026005R – RH 26/50	A83026005L – LH 26/50
A83028006R – RH 28/60	A83028006L – LH 28/60
A83029006R – RH 29/60	A83029006L – LH 29/60
A83030006R – RH 30/60	A83030006L – LH 30/60
A83028007R – RH 28/70	A83028007L – LH 28/70
A83029007R – RH 29/70	A83029007L – LH 29/70
A83030007R – RH 30/70	A83030007L – LH 30/70

### GAME OVER RTS ITEM NUMBERS

RTS	
A83526005R – RH 26/50	A83526005L – LH 26/50
A83528006R – RH 28/60	A83528006L – LH 28/60
A83529006R – RH 29/60	A83529006L – LH 29/60
A83530006R – RH 30/60	A83530006L – LH 30/60
A83528007R – RH 28/70	A83528007L – LH 28/70
A83529007R – RH 29/70	A83529007L – LH 29/60
A83530007R – RH 30/70	A83530007L – LH 30/70




# LIGHTS OUT

A FORGIVING, MANEUVERABLE, SHORT AXLE-TO-AXLE PERFORMER. EVERY BIT A BEAR® BOW.

LIGHTS OUT is the most maneuverable bow in the line – with the shortest axle-to-axle measurement and lightest weight among Bear® 2008 compound bows. Yet, because of the easy-shooting 8.75" brace height, this bow still retains a high degree of forgiveness. And this bow is every bit a Bear bow – benefitting from the development efforts used to create The TRUTH® 2 and the DONE DEAL. Genuine Bear bow features, like PATENTED compression-molded limbs and a powerful modular cam allow this bow to achieve speeds of 300 fps IBO. Try one, you will be surprised at the level of performance in this modestly priced piece of shooting equipment.

## SPECIFICATIONS

Length (Axle to Axle) 30in.	Peak Draw Weight 50lbs./60lbs./70lbs.	Draw Length Range 25in. to 31in.	Speed (IBO) 296–300 fps	Brace Height 8.75in.	Let-Off 80%	Mass Weight 3.7lbs.
Limbs Compression Molded Flare Quad Limbs	Riser Machined 6061-T6 Aircraft Aluminum	Grip Two-Piece Grip	Eccentrics Perimeter Weighted Modular Single Cam	String/Cable Tech Twist	Camo REALTREE apig HD	APPROVED BY PRIMOS



**ALUMINUM PIVOTING LIMB CUPS** achieve a "zero-tolerance" limb-to-cup-to-riser fit regardless of draw weight adjustment – greatly reducing limb vibration. Rubber isolation boots mean that the limb never touches the limb cup (avoiding any direct transference of vibration from limb to riser).

**DUAL STAINLESS STEEL SEALED BALL BEARINGS** in the idler wheel.

**MINIMUM RISER REFLEX** is characteristic of the Bear line in 2008. It delivers a more forgiving and accurate shot and sets the design platform for many of the advancements found on the LIGHTS OUT.




**THE PERIMETER-WEIGHTED MODULAR SINGLE CAM.** It's the engine of the LIGHTS OUT speed (achieving 300 fps IBO). It's SMOOTH (rotates on a sealed, stainless steel ball bearing and includes an asymmetric power track to reduce friction and increase cable life).

**SINGLE STRING SUPPRESSOR** greatly counters string vibration.



**FLARE QUAD LIMBS.** These beyond-parallel limbs are the smoothest limbs found on a bow today (see page 6 for details). Yet, Bear compression-molded technology means these short limbs are among the most durable and energy-packed limbs found anywhere.

## ALSO AVAILABLE



- RTS ACCESSORIES INCLUDE:**
- Whisker Biscuit™ Original QS
  - Trophy Ridge® Shockstop Stabilizer with Wrist Strap
  - Wheel Peep
  - Trophy Ridge Six-Shooter Quiver
  - Trophy Ridge Hawk Eye Sight
  - Nock Loop

Simply set your draw length and peep height, then sight in. You're ready to shoot!

### LIGHTS OUT ITEM NUMBERS

Bow Only	
A84026005R – RH 26/50	A84026005L – LH 26/50
A84028006R – RH 28/60	A84028006L – LH 28/60
A84029006R – RH 29/60	A84029006L – LH 29/60
A84030006R – RH 30/60	A84030006L – LH 30/60
A84028007R – RH 28/70	A84028007L – LH 28/70
A84029007R – RH 29/70	A84029007L – LH 29/70
A84030007R – RH 30/70	A84030007L – LH 30/70

### LIGHTS OUT RTS ITEM NUMBERS

RTS	
A84526005R – RH 26/50	A84526005L – LH 26/50
A84528006R – RH 28/60	A84528006L – LH 28/60
A84529006R – RH 29/60	A84529006L – LH 29/60
A84530006R – RH 30/60	A84530006L – LH 30/60
A84528007R – RH 28/70	A84528007L – LH 28/70
A84529007R – RH 29/70	A84529007L – LH 29/60
A84530007R – RH 30/70	A84530007L – LH 30/70

# SHOWDOWN

A FIELD-PROVEN CAM AND BEAR® ESSENTIALS MAKE THIS A SOLID PERFORMER.

Built on the popular success of Bear's "Element" bow design, SHOWDOWN brings performance and feel that rival bows costing much more. A field-proven cam system helps this amazingly priced bow reach speeds of 290 fps IBO. And, because this is a Bear® bow, the SHOWDOWN uses PATENTED compression-molded limb technology to deliver the most energy-packed and durable limbs in the industry. The parallel limb configuration with pivoting limb cups allow this bow to take its place in the smooth-shooting Bear 2008 line-up. This is a high-performing value that would make Fred Bear proud.

## SPECIFICATIONS

Length (Axle to Axle) 31.75in.	Peak Draw Weight 60lbs./70lbs.	Draw Length Range 25in. to 31in.	Speed (IBO) 286-290 fps	Brace Height 8.75in.	Let-Off 80%	Mass Weight 3.8lbs.
-----------------------------------	-----------------------------------	-------------------------------------	----------------------------	-------------------------	----------------	------------------------

Limbs  
Compression  
Molded  
Quad Limbs

Riser  
Machined  
6061-T6  
Aircraft  
Aluminum


Grip  
Two-Piece  
Grip

Eccentrics  
Single Cam  
System

String/Cable  
Tech Twist

Camo  
REALTREE  
apig  
HD

APPROVED BY  
Team  
PRIMOS



**ALUMINUM PIVOTING LIMB CUPS** achieve "zero-tolerance" limb-to-cup-to-riser fit regardless of draw weight adjustment – greatly reducing limb vibration. Rubber isolation boots mean that the limb never touches the limb cup (avoiding any direct transference of vibration from limb to riser).

**MINIMUM RISER REFLEX** is characteristic of the Bear line in 2008. Less reflex allows a more forgiving and accurate shot.




**FIELD-PROVEN SINGLE CAM SHOOTING SYSTEM.** This field-proven cam system is the main source of speed for the SHOWDOWN. In addition, this smooth cam allows 1" draw length adjustments from 25"-31", and 1/2" post adjustments.



**BEAR PATENTED COMPRESSION-MOLDED QUAD LIMBS.** Industry-leading technology uses continuous long fibers to create the most energy-packed, reliable limbs in the industry.

## ALSO AVAILABLE



- RTS ACCESSORIES INCLUDE:**
- Whisker Biscuit™ Original QS
  - Stabilizer with Wrist Strap
  - Wheel Peep
  - Trophy Ridge® Six-Shooter Quiver
  - Trophy Ridge Hawk Eye Sight
  - Nock Loop

Simply set your draw length and peep height, then sight in. You're ready to shoot!

### SHOWDOWN ITEM NUMBERS

- Bow Only**  
 A85028026R – RH 28/60  
 A85029027R – RH 29/70  
 A85028026L – LH 28/60  
 A85029027L – LH 29/70

### SHOWDOWN RTS ITEM NUMBERS

- RTS**  
 A85528026R – RH 28/60  
 A85529027R – RH 29/70  
 A85528026L – LH 28/60  
 A85529027L – LH 29/70

SPECIFICATIONS		Length (Axle to Axle) 32in.	Peak Draw Weight 40lbs./50lbs.	Draw Length Range 13in. to 27in.	Speed 283-287 fps*	Brace Height 5.5in.	Let-Off 70%	Mass Weight 2.9 lbs.	* Speed rating attained at 27in., 50lbs. with a 250 grain arrow.
Limbs Compression Molded Flat Limbs	Riser Machined 6061-T6 Aircraft Aluminum	Grip Elasto-Polymer Vibration Dampening	Eccentrics Rotating Modular Cam System with Multi-Draw	String/Cable TechTwist	Camo REALTREE apg HD	Limb Pockets Pivoting Limb Pockets	Pre-Assembled Accessories Listed Below	APPROVED BY PRIMOS	

# ODYSSEY II

GENUINE PERFORMANCE

The ODYSSEY II is an intermediate bow that is designed for 15 draw length positions for years of use.

## EASILY MODIFIED, BROAD DRAW RANGE.

You might say this bow has all the features of "Dad's bow." A machined aluminum riser, compression-molded limbs and machined aluminum pivoting limb cups give the intermediate Odyssey II genuine performance – yet in a lower draw weight set-up. In addition, the draw length can be adjusted without the use of a bow press. This bow can be enjoyed and modified easily as the archer develops.

DRAW LENGTH	50 LB PK WT POUNDAGE	40 LB PK WT POUNDAGE
27in.	50	40
26in.	48	38.5
25in.	46	37
24in.	44	35.5
23in.	42	34
22in.	40	32.5
21in.	38	31
20in.	36	29.5
19in.	34	28
18in.	32	26.5
17in.	30	25
16in.	28	23.5
15in.	26	22
14in.	24	20.5
13in.	22	19

**NO BOWPRESS REQUIRED**



### ROTATING MODULAR CAM SYSTEM

This industry-leading cam has 15 draw length positions, more than any other system.

### PRE-ASSEMBLED ACCESSORIES INCLUDE




3-Pin Fiber Optic Sight with Metal Pins



Whisker Biscuit Arrow Rest\*



Two-Piece Camouflage Quiver



3 Carbon Arrows

#### ODYSSEY II (BOW ONLY) ITEM NUMBERS

AFR9018640 – RH 13-27/40 AFR9019640 – LH 13-27/40  
AFR9018650 – RH 13-27/50 AFR9019650 – LH 13-27/50

#### ODYSSEY II (WITH ACC.) ITEM NUMBERS

AFR9012640 – RH 13-27/40 AFR9013640 – LH 13-27/40  
AFR9012650 – RH 13-27/50 AFR9013650 – LH 13-27/50

SPECIFICATIONS		Length (Axle to Axle) 32in.	Peak Draw Weight 29lbs.	Draw Length Range 13in. to 27in.	Speed 283-287 fps*	Brace Height 5.5in.	Let-Off 70%	Mass Weight 2.9 lbs.	* Speed rating projected at 27in., 50lbs. with a 250 grain arrow.
Limbs Compression Molded Flat Limbs	Riser Machined 6061-T6 Aircraft Aluminum	Grip Elasto-Polymer Vibration Dampening	Eccentrics Rotating Modular Cam System with Multi-Draw	String/Cable TechTwist	Color Black Powder Coat	Limb Pockets Pivoting Limb Pockets	Pre-Assembled Accessories Listed Below	APPROVED BY PRIMOS	

# PIONEER II

GENUINE PERFORMANCE EARLY

The PIONEER II is a beginner's bow that is built to create good technique and sound habits in the young archer. The Pioneer II is designed for 15 draw length positions for years of use.

## TRUE BEAR® FEEL. EASILY ADJUSTABLE.

To give a genuine bow feel, The Pioneer II utilizes true Bear® characteristics, including a machined aluminum riser, compression-molded limbs and machined aluminum pivoting limb cups. Yet the Pioneer II is set up for a beginner's draw weight of 15-29 lbs, and can be modified easily over a broad range without a bowpress.

DRAW LENGTH	29 LB PK WT POUNDAGE
27in.	29
26in.	28
25in.	27
24in.	26
23in.	25
22in.	24
21in.	23
20in.	22
19in.	21
18in.	20
17in.	19
16in.	18
15in.	17
14in.	16
13in.	15


**NO BOWPRESS REQUIRED**




### ROTATING MODULAR CAM SYSTEM

This industry-leading cam has 15 draw length positions, more than any other system.

### PRE-ASSEMBLED ACCESSORIES INCLUDE




3-Pin Fiber Optic Sight with Metal Pins



Whisker Biscuit Arrow Rest\*



Two-Piece Quiver



3 Safetyglass™ Arrows

#### PIONEER II (BOW ONLY) ITEM NUMBERS

AFR9018229 – RH 13-27/29 AFR9019229 – LH 13-27/29

#### PIONEER II (WITH ACC.) ITEM NUMBERS

AFR9014229 – RH 13-27/29 AFR9015220 – LH 13-27/29

# TRADITIONAL BOWS

HAND-CRAFTED LEGENDARY PERFORMANCE

Often rated a top buyer's choice for quality and bowyer craftsmanship, the traditional line-up from Bear® Archery continues to satisfy those recurve and longbow enthusiasts looking for a time-tested quality hunter. These are the same handcrafted bows that Fred Bear designed and tested all over the world, including a legendary TakeDown. Special edition bows also include the Montana Long Bow Supreme, Super Kodiak Supreme, and the Kodiak Magnum Supreme. Exotic Rosewoods and Zebra woods have been used to create stunning bows that are both superior in the field and almost certainly to become tomorrow's collectables.



## SUPREME SERIES

### TAKEDOWN SUPREME

Fred Bear's original TakeDown is believed to be the finest traditional bow ever built by Bear® Archery. Exotic Rosewoods, and Zebra woods have been utilized to create a special edition bow. This 60in. hunter comes complete with a crowned shelf, Bear Hair Rest, inlaid compass and characteristic latches that make this distinctive recurve so legendary.

#### TAKEDOWN SUPREME B RISER

AFT2096145 - RH 45    AFT2096155 - RH 55    AFT2096250 - LH 50  
AFT2096150 - RH 50    AFT2096160 - RH 60    AFT2096255 - LH 55



A favorite accessory of Fred's, the TakeDown Supreme comes equipped with the classic inlaid compass.



Handcrafted out of exotic Rosewoods, and Zebra woods, this TakeDown Supreme is as distinctive as it is functional.

# TRADITIONAL BOWS

**SUPREME SERIES**

HAND-CRAFTED LEGENDARY PERFORMANCE



## KODIAK MAGNUM SUPREME

Sleek and sexy describes this distinctive 52in. recurve that is as beautiful as it is functional. As a hunting recurve, this bow has few equals. Exotic Zebra wood core limbs and tips are overlaid with clear fiberglass. This rich look continues through the solid Rosewood and Zebra wood riser, with decorative shims. Its beauty extends into its performance as Fred Bear's timeless design allows you to reach full draw and release arrows smoothly without the uncomfortable stacking of many longer recurves. Accented by the original, Bear-designed brass medallion, the bow includes FastFlight string.

AFT2030445 – RH 45  
 AFT2030450 – RH 50  
 AFT2030455 – RH 55  
 AFT2030460 – RH 60  
 AFT2030550 – LH 50  
 AFT2030555 – LH 55

## SUPER KODIAK SUPREME

This classically designed 60in. hunter is enhanced by its exotic wood construction. The solid Rosewood and Zebra wood riser with decorative shims flows into the Zebra wood core limbs and tips, reinforced by fiberglass overlay. If the exotic look belies the functionality of this recurve, then be reassured by the original, Bear-designed brass medallion. FastFlight string included.

AFT2020445 – RH 45  
 AFT2020450 – RH 50  
 AFT2020455 – RH 55  
 AFT2020460 – RH 60  
 AFT2020550 – LH 50  
 AFT2020555 – LH 55

## MONTANA LONGBOW SUPREME

Exotic woods highlight this handsome and great shooting 64in. longbow. From its Zebra wood core limbs to the solid Rosewood and Zebra wood riser with decorative shims, this beauty stands out from the crowd. Fiberglass overlaid tips reinforce the longbow's exotic wood laminates. Includes soft leather grip, FastFlight string and original, Bear-designed brass medallion.

AFT2040445 – RH 45  
 AFT2040450 – RH 50  
 AFT2040455 – RH 55  
 AFT2040460 – RH 60  
 AFT2040550 – LH 50  
 AFT2040555 – LH 55

# TRADITIONAL BOWS

ELITE SERIES

HAND-CRAFTED LEGENDARY PERFORMANCE



## CHEYENNE

Admire a Cheyenne for the perfect sweep of multiple fiberglass laminates and its hard-rock maple core. With its radiused grip, smoothly crowned arrow shelf and FastFlight string, the 55in. Cheyenne launches your arrows without a kick and without stacking the draw. Take time, but not too much time. These beautiful bows are going fast.

AFT2032145 – RH 45  
AFT2032150 – RH 50  
AFT2032155 – RH 55  
AFT2032160 – RH 60  
AFT2032245 – LH 45  
AFT2032250 – LH 50  
AFT2032255 – LH 55

## KODIAK MAGNUM

Magnum indeed! Named for the rugged island and monster bear that Fred shot on the ground at just 10 yards, the 52in. Kodiak Magnum will live up to its billing...and then some! Expect a quick launch for your arrow and minimum after-shock from this beautifully designed recurve.

AFT2030145 – RH 45  
AFT2030150 – RH 50  
AFT2030155 – RH 55  
AFT2030160 – RH 60  
AFT2030165 – RH 65  
AFT2030255 – LH 55

BYRON FERGUSON  
SIGNATURE

## ROYAL SAFARI

We brag that the 66in. Royal Safari is the pinnacle of the bowyer's art. But this longbow doesn't belong in a museum. The Royal Safari is a shooter and a hunter. Byron says his design is "superbly stable." He ought to know. When he puts his hand around its leather grip, he shoots aspirins out of the air. Bet you can't do that...yet!

AFT2038150 – RH 50  
AFT2038155 – RH 55  
AFT2038160 – RH 60  
AFT2038165 – RH 65  
AFT2038250 – LH 50  
AFT2038255 – LH 55  
AFT2038260 – LH 60

# TRADITIONAL BOWS

ELITE SERIES

HAND-CRAFTED LEGENDARY PERFORMANCE

BYRON FERGUSON  
SIGNATURE

## PATRIOT

Byron Ferguson's reflex/deflex design gives the 64in. Patriot exceptional longbow speed with just the right amount of velvety "thunk" in the shooter's hand when an arrow is released. It weighs less than a pound-and-a-half and Byron inspects and signs each bow in gold on the face of the black laminated fiberglass limb.

AFT2036145 - RH 45  
AFT2036150 - RH 50  
AFT2036155 - RH 55  
AFT2036160 - RH 60  
AFT2036165 - RH 65  
AFT2036250 - LH 50  
AFT2036255 - LH 55

## MONTANA LONGBOW

Our 64in. Montana Longbow is quick and smooth. Its graceful limbs are faced and backed with black fiberglass overlays. The limb tips are reinforced for a strong draw. The arrow shelf is crowned and cut on center. FastFlight strings and a soft leather grip are standard.

AFT2040145 - RH 45  
AFT2040150 - RH 50  
AFT2040155 - RH 55  
AFT2040160 - RH 60  
AFT2040250 - LH 50  
AFT2040255 - LH 55

## SUPER KODIAK

This magnificent 60in. recurve features a crowned, cut-past-center arrow shelf with Bear Hair mat and leather side plate. Matched gray and brown hardwood laminates give the Super Kodiak one terribly sweet look. But don't let its looks fool you. Fred used this recurve to take tigers, lions, Cape buffalo and polar bears. Now with FastFlight string!

AFT2020145 - RH 45  
AFT2020150 - RH 50  
AFT2020155 - RH 55  
AFT2020160 - RH 60  
AFT2020165 - RH 65  
AFT2020170 - RH 70  
AFT2020250 - LH 50  
AFT2020255 - LH 55  
AFT2020260 - LH 60  
AFT2020265 - LH 65

## TAKEDOWN

Fred believed his TakeDown was the finest laminated bow he ever built, his ultimate recurve. He could put it together and launch accurate arrows in 60 seconds. So can you. Available in two handle lengths, the classic "A" handle bow measures 56in.; the "B" handle bow is four inches longer. A crowned shelf, Bear Hair rest, inlaid compass and characteristic latches make this beautiful recurve distinctive and functional.

### TAKEDOWN A RISER

AFT2075145 - RH 45  
AFT2075150 - RH 50  
AFT2075155 - RH 55  
AFT2075160 - RH 60  
AFT2075165 - RH 65  
AFT2075245 - LH 45  
AFT2075250 - LH 50  
AFT2075255 - LH 55  
AFT2075260 - LH 60  
AFT2075265 - LH 65

### TAKEDOWN LIMBS

AFT2079145 - 45#  
AFT2079150 - 50#  
AFT2079155 - 55#  
AFT2079160 - 60#  
AFT2079165 - 65#

### TAKEDOWN B RISER

AFT2074145 - RH 45  
AFT2074150 - RH 50  
AFT2074155 - RH 55  
AFT2074160 - RH 60  
AFT2074165 - RH 65  
AFT2074245 - LH 45  
AFT2074250 - LH 50  
AFT2074255 - LH 55  
AFT2074260 - LH 60

# TRADITIONAL BOWS

## HUNTER SERIES

HAND-CRAFTED LEGENDARY PERFORMANCE

### SUPERMAG 48

Don't let the slender black fiberglass limbs on the 48in. SuperMag fool you. In the right hands, this bow is a killer. Like Fred's, the hard-rock maple handle is crowned in the center and covered with soft Bear Hair for excellent arrow flight. The SuperMag's fiberglass limb tip reinforcements let you get the most out of the FastFlight string.

AFT2034145 – RH 45  
 AFT2034150 – RH 50  
 AFT2034155 – RH 55  
 AFT2034160 – RH 60  
 AFT2034245 – LH 45  
 AFT2034250 – LH 50  
 AFT2034255 – LH 55

### GRIZZLY

Hunter Series recurves are finished in satin gloss to protect the bow and provide a shield to minimize dampness and abrasion. A dependable Dacron® string makes the 58in. Grizzly a tough, economical "working man's bow." The classic Grizzly design has not changed in 50 years. Includes cut-past-center shelf covered in Bear Hair.

AFT2086145 – RH 45  
 AFT2086150 – RH 50  
 AFT2086155 – RH 55  
 AFT2086160 – RH 60  
 AFT2086245 – LH 45  
 AFT2086250 – LH 50  
 AFT2086255 – LH 55

### KODIAK CUB

The 48in. Kodiak Cub is patiently handcrafted from select hardwood laminates and then surfaced with black fiberglass for supple strength. Its only purpose is to build the confidence of youngsters and short-draw shooters who are learning archery fundamentals the right way. The Cub is hand sanded and finished in satin with a Dacron® bowstring.

AFT2088110 – RH 10# 24in.  
 AFT2088120 – RH 20# 24in.  
 AFT2088130 – RH 30# 24in.  
 AFT2088210 – LH 10# 24in.  
 AFT2088220 – LH 20# 24in.  
 AFT2088230 – LH 30# 24in.

# TRADITIONAL ACCESSORIES



**SHOOTING GLOVE**  
 Medium – ATSGM Large – ATSGL



**LONGBOW STRINGER**  
 ATBSL



**RECURVE STRINGER**  
 ATBSR




**LEATHER ARM GUARD**  
 ATAG3



**TRADITIONAL QUIVER**  
 RH – ATBQR2 LH – ATBQL2



**BRUSH BUTTONS**  
 ATBB



**TRADITIONAL HAIR REST**  
 AS3572000



**SHOOT AROUND**  
 RH – AS6831100 LH – AS6831200



**BEAR WEATHER**  
 RH – AS3545100 LH – AS3545200



**NOCK PLIERS**  
 AS7729000



**STRING NOCKS**  
 Small (5 Pack) – AS7733005  
 Large (5 Pack) – AS7734005



**RECURVE BOW QUIVER**  
 AS3193007



**LONGBOW CASE**  
 AS7777700




**RECURVE BOW CASE**  
 AS7778700



# YOUTH BOW SETS



America's #1 brand in youth and institutional archery, Bear® Archery has, for 80 years, introduced more people to the sport of archery than any other company. By designing equipment to specifically fit the needs of youth and intermediate shooters, Bear Archery makes certain that young shooters have the best chance to develop their skills in the archery traditions.



## 1ST SHOT BOW SET

A4175

- 36in. Recurve Bow
- Draw Length: 14 – 16in.
- Draw Weight: 8 – 12lbs.
- Durable Fiberglass Construction
- For Right or Left Hand Shooters

### Set Includes:

- 2 Safetyglass™ Arrows
- Belt Quiver, Finger Tab



## GOLDEN COMANCHE BOW SET

A4180

- 36in. Recurve Bow
- Draw Length: 13 – 17in.
- Draw Weight: 9 – 16lbs.
- Durable Fiberglass Constructed Limbs
- Composite Handle with Center Shot Design
- Large Sight Window
- For Right-Hand Shooters

### Set Includes:

- 2 Safetyglass™ Arrows
- Belt Quiver
- Finger Tab, Arrow Rest and Pin Sight




## LIL' APACHE BOW SET

A4165

- 40in. Recurve Bow
- Draw Length: 16 – 18in.
- Draw Weight: 8 – 12lbs.
- For Right or Left Hand Shooters
- Target Printed on Package

### Set Includes:

- 2 Safetyglass™ Arrows
- Side Belt Quiver




## TURBO FIRE BOW SET

A4115

- Draw Length: 21 – 23in.
- Draw Weight: 8 – 12lbs.
- 29.5in. Axle to Axle
- 30% Let-Off
- For Right or Left Hand Shooters

### Set Includes:

- 2 Safetyglass™ Arrows
- Armguard



## EXPLORER BOW SET

A4190

- Draw Length: 19 – 22in.
- Draw Weight: 9 – 13lbs.
- Durable Glassflex® Limbs
- Composite Handle with Center Shot Design
- Large Sight Window
- For Right-Hand Shooters

### Set Includes:

- 2 Safetyglass™ Arrows
- Belt Quiver
- Pin Sight and Arrow Rest



## LIL' INDIAN BOW SET

A4125

- 50in. Recurve Bow
- Draw Length: 18 – 20in.
- Draw Weight: 18 – 22lbs.
- For Right or Left Hand Shooters
- Target Printed on Package

### Set Includes:

- 2 Safetyglass™ Arrows
- Side Belt Quiver
- Finger Tab



## CHEROKEE BOW SET

A4025

- 60in. Recurve Bow
- Draw Length: 20 – 22in.
- Draw Weight: 25 – 30lbs.
- For Right or Left Hand Shooters

### Set Includes:

- 2 Safetyglass™ arrows
- Side Belt Quiver
- Target, Finger Tab, Armguard



## SHARP SHOOTER BOW SET

A4260

- 30in. Axle to Axle
- Draw Length: 19 – 22in.
- Draw Weight: 10 – 15lbs.
- Composite Reflex Handle and High-Density Nylon Wheels
- Durable Composite Limbs
- For Right-Hand Shooters

### Set Includes:

- 2 Safetyglass™ Arrows
- Belt Quiver, Arrow Rest



## BRAVE BOW SET

AFY3308122 – Hardwoods HD  
AFY3011122 – Black

- Draw Length: 20in./22in.
- Draw Weight: 17 – 22lbs.
- Composite Wheel – 65% Let-Off
- 30in. Axle to Axle
- Composite Limbs
- Composite Riser
- Brace Height: 7in.
- Mass Weight: 1lb. 12oz.
- Grip: Right-Hand Only, Integral
- Camo/Color: Black, Hardwoods HD

### Set Includes:

- 2 Safetyglass™ Arrows
- 2 pc. Quiver
- Sight and Arrow Rest



## WARRIOR BOW SET

AFY3334340 – Hardwoods HD  
AFY3056340 – Black

- Draw Length: 23in./24in./25in. Optional Modules Allow Draw Length Adjustments of 23in. to 28in.
- Draw Weight: Approx. 30lbs.
- Rapid Wheel – 80% Let-Off
- String: 48.5in.
- Axle to Axle: 33in.
- Composite Limbs
- Composite Riser
- Brace Height: 7.625in.
- Mass Weight: 2lbs. 3oz.
- Grip: Right-Hand Only, Integral
- Camo/Color: Black, Hardwoods HD

### Set Includes:

- 2 Safetyglass™ Arrows
- Sight and Quiver – Camo Model Only

# YOUTH BOWS



## LIL' SENTRY BOW

- A22
- 40in. Recurve Bow
  - Draw Length: 16 – 18in.
  - Draw Weight: 8 – 12lbs.
  - Glassflex® Beginner's Bow with Recurve Limbs and Molded Poly Handle
  - For Right or Left Hand Shooters

## SENTRY BOW

- A34
- 50in. Recurve Bow
  - Draw Length: 18 – 20in.
  - Draw Weight: 20 – 25lbs.
  - Glassflex® Bow with Recurve Limbs and Molded Poly Handle
  - For Right or Left Hand Shooters

## TITAN BOW

- A25
- 60in. Recurve Bow
  - Draw Length: 20 – 22in.
  - Draw Weight: 25 – 30lbs.
  - Glassflex® Target Bow with Wide-Working Recurve Limbs with Full Taper, Full-Sized Molded Poly Handle with Checkered Grip
  - For Right or Left Hand Shooters

## SCOUT BOW

- A20
- 60in. Bow
  - Draw Length: 21 – 23in.
  - Draw Weight: 30 – 35lbs.
  - Glassflex® Target Bow with Wide-Working Recurve Limbs, Custom Molded Handle with Full Sight Window and Built-In Sight Lines
  - For Right or Left Hand Shooters

## SPIRIT JR. BOW

- A214
- Draw Length: 21 – 23in.
  - Draw Weight: 8 – 12lbs.
  - Compound Bow with Solid Fiberglass Construction and Continuous Cable Design
  - For Right-Hand Shooters

## SPIRIT BOW

- A216
- Draw Length: 25 – 27in.
  - Draw Weight: 22 – 26lbs.
  - Compound Bow with Solid Fiberglass Construction and Continuous Cable Design
  - For Right or Left Hand Shooters

## LIL' BRAVE BOW

- AFY3050614
- Draw Length: 16 – 24in.
  - Draw Weight: 13 – 28lbs.
  - String Length: 45in.
  - Composite Limbs
  - Composite Riser
  - Brace Height: 6.25in.
  - Mass Weight: 1lb. 9oz.
  - Grip: Right-Hand Only, Integral
  - Camo/Color: Black
  - Includes 2 Safetyglass™ Arrows



**TOY CROSSBOW**  
AR0014




**TOY BLOWGUN**  
AR0016



**SUCTION DARTS**  
AR0039

# BEAR GEAR



**BEAR CAMO LOGO HAT (APG)**  
A1000RT



**BEAR FRAYED LOGO HAT (OLIVE)**  
A1000FR



**BEAR LOGO T-SHIRT**  
A2000S – S  
A2000M – M  
A2000L – L  
A2000XL – XL  
A2000XXL – XXL




**BEAR LOGO APG CAMO T-SHIRT**  
A2000APGS – S  
A2000APGM – M  
A2000APGL – L  
A2000APGXL – XL  
A2000APGXXL – XXL



**BEAR LOGO COPPER T-SHIRT**  
A2000CS – S  
A2000CM – M  
A2000CL – L  
A2000CXL – XL  
A2000CXXL – XXL



**BEAR 6FT. BANNER**  
A1000B



**BEAR WINDOW DECAL**  
A1000WD  
11.75" W. x 11" H.  
A1000TD  
5" W. x 5" H.



**I REMEMBER PAPA BEAR**  
AB901



**HUNT WITH FRED BEAR**  
AB900



**THE ADVENTURES OF FRED BEAR**  
AS7826000



**FRED BEAR - THE BIOGRAPHY OF AN OUTDOORSMAN**  
AS7835000



**TRAILING A BEAR**  
AS7837000

## BEAR VIDEO THEATER (DVD)

- |   |   |
|---|---|
| Kodiak Country ..... ADVD800  | Good Earth ..... ADVD808                            |
| Oldest Game ..... ADVD801   | Kaibab Bucks and Grubstake Bowhunt ..... ADVD809    |
| Restless Spirit ..... ADVD802   | Bowfishing Fun and St. Vincent Island ..... ADVD810 |
| Mozambique Game Trails and Bowhunter's Safari ..... ADVD803           | Land of the Tiger ..... ADVD811                     |
| Big Three: Grizzly, Mule Deer, and Polar Bear ..... ADVD804           | Backcountry Bow Hunt ..... ADVD812                  |
| Badlands Bucks, Arrow for a Grizzly and Rural Route One ..... ADVD805 | Year of the Buffalo ..... ADVD813                   |
| Trophy Elk and North to Adventure ..... ADVD806                       | Prairie Pronghorn and Bwana Bowman ..... ADVD814    |
| Fins, Feathers, and Fur ..... ADVD807                                 | History of Bow and Arrow ..... ADVD815              |
|   | History of Bear Archery ..... ADVD816               |





---

FOR MORE INFORMATION ABOUT BEAR® ARCHERY  
VISIT US AT [BEARARCHERYPRODUCTS.COM](http://BEARARCHERYPRODUCTS.COM)

---

©2007 Bear® Archery, Inc. | Bear® Archery 817 Maxwell Ave. Evansville, IN 47711

Licensed under one or more of the following U.S. Patents: 5,141,689 / 5,365,650 / 5,368,006 / 5,495,843 / 5,501,208 / 5,791,322 / 5,809,982 / 5,890,480 / 6,024,076 / 6,443,139 / 6,588,411 / RE38,096 / 5,896,849 / 6,718,964 / 6,725,851 / 6,978,775 and other Patents Pending.