



TRUTH 2

P/N 2L-7133-00

2008

Model Number

A81028006R RH 28" 60 LB.
 A81029006R RH 29" 60 LB.
 A81030006R RH 30" 60 LB.
 A81028007R RH 28" 70 LB.
 A81029007R RH 29" 70 LB.
 A81030007R RH 30" 70 LB.

Model Number

A81028006L LH 28" 60 LB.
 A81029006L LH 29" 60 LB.
 A81030006L LH 30" 60 LB.
 A81028007L LH 28" 70 LB.
 A81029007L LH 29" 70 LB.
 A81030007L LH 30" 70 LB.

Bow Speed

IBO fps: 314-318

Cam system

Weighted single cam 80% let-off

Axle to Axle

33.00"

Brace Height

7.00"

String/Cable Length

94 1/16" / 35 1/8"

Mass Weight

3.9 lbs.

AMO Draw Length

28", 29", 30"

Optional modules allow draw length adjustment from 24" to 30"

| Draw Length | ITEM# | DESCRIPTION | QTY. | Draw Length | ITEM# | DESCRIPTION | QTY. |
|-------------|------------|-------------|------|-------------|------------|-------------|------|
| 30" | 2C-6498-01 | RH MOD#10 | 1 | 30" | 2C-6505-01 | LH MOD#10 | 1 |
| 29" | 2C-6499-01 | RH MOD #9 | 1 | 29" | 2C-6506-01 | LH MOD #9 | 1 |
| 28" | 2C-6500-01 | RH MOD #8 | 1 | 28" | 2C-6507-01 | LH MOD #8 | 1 |
| 27" | 2C-6501-01 | RH MOD #7 | 1 | 27" | 2C-6508-01 | LH MOD #7 | 1 |
| 26" | 2C-6502-01 | RH MOD #6 | 1 | 26" | 2C-6509-01 | LH MOD #6 | 1 |
| 25" | 2C-6503-01 | RH MOD #5 | 1 | 25" | 2C-6510-01 | LH MOD #5 | 1 |
| 24" | 2C-6504-01 | RH MOD #4 | 1 | 24" | 2C-6511-01 | LH MOD #4 | 1 |

DRAW LENGTH LISTED ABOVE IS SPECIFIC TO THIS BOW

Read owner's manual in full, bow requires specific types of bow presses for maintenance



1: IDLER ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------|------|
| 2M-6470-00 | 08 IDLER AXLE THIMBLE | 2 |
| 2S-9049-00 | TRUTH IDLER AXLE | 1 |
| 7B-1558A46 | .180 AXLE SPACER | 2 |
| 7B-6411-00 | IDLER WHEEL BEARING | 2 |
| 4A-7260-00 | IDLER WHEEL | 1 |

2: TOP & BOTTOM AXLE DAMPENERS

| ITEM NO. | DESCRIPTION | QTY. |
|------------|----------------|------|
| 4A-7548-00 | AXLE DAMPENERS | 4 |

3: QUAD LIMB SET

| ITEM NO. | DESCRIPTION | QTY. |
|------------|----------------------|------|
| 6M-6487-43 | APG TRUTH QUAD 60 LB | SET |
| 6M-6488-43 | APG TRUTH QUAD 70 LB | SET |

4: BUSS CABLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------------|------|
| 2F-6432-00 | WINNER'S CHOICE CABLE 35 1/8" | 1 |

5: UPPER/LOWER STRING SUPPRESSOR

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------------|------|
| 2S-9057-02 | SUPPRESSOR MOUNT ROD | 2 |
| 2M-6469-00 | STRING DAMPNER | 2 |
| 1B-6876-00 | 10-24 X 1/2 SCKT HD CAP SCREW | 2 |
| 1B-6877-00 | 10-24 X 3/4 SCKT HD CAP SCREW | 2 |

6: LIMB POCKET ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------|------|
| 2C-6490-01 | GREEN-M10.5 QUAD LIMB CUP | 2 |
| 2M-6458-00 | 08 LIMB ISOLATION BOOT | 2 |
| 2M-6464-00 | POCKET PLUG | 4 |
| 2M-6460-00 | 08 POCKET HALF ROUND | 2 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 6 |
| 4A-7550-00 | 3/8-16X2-1/4 LIMB BOLT ASSY | 2 |
| 1B-6883-00 | 3/8-16 X 2 1/4 FHCS | 2 |

7: BOW HANDLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------|------|
| 2C-6528-02 | APG TRUTH II HANDLE RH | 1 |
| 2C-6529-02 | APG TRUTH II HANDLE LH | 1 |
| 7B-6408-00 | HEX STAINLESS STEEL BUSHING | 1 |
| 4L-7920-00 | BEAR GEL LABEL | 2 |
| 4L-7921-00 | BEAR RISER LABEL | 1 |

8: CABLE GUARD ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------|------|
| 6M-6492-00 | 6-1/2" CARBON ROD | 1 |
| 2M-6384-00 | WHITE-TEFLON CABLE SLIDE | 1 |
| 1B-1551A93 | 10-24 SCKT HEAD SET SCREW | 1 |

9: BOW GRIP

| ITEM NO. | DESCRIPTION | QTY. |
|------------|------------------------|------|
| 2M-6459-00 | 08 BEAR RUBBER GRIP RH | 1 |
| 2M-6466-00 | 08 BEAR RUBBER GRIP LH | 1 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 2 |

10: BOW STRING

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------------|------|
| 2F-6431-00 | WINNER'S CHOICE STRING 94 1/16" | 1 |

11: SINGLE CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|---------------|--------------------------------|------|
| 1B-6879-00 | 6-32 X 5/16 SCKT HD CAP SCREWS | 3 |
| 2S-9050-00 | TRUTH CAM AXLE | 1 |
| 7B-0164A36 | RETAINER CLIP | 2 |
| 4A-7544-00 | MODULAR CAM ASSEMBLY RH | 1 |
| 4A-7545-00 | MODULAR CAM ASSEMBLY LH | 1 |
| 7B-1558A44 | .060 CAM SPACER | 3 |
| 2B-0160A46-00 | .030 CAM SPACER | 1 |



Model Number

A82028006R RH 28" 60 LB.
 A82029006R RH 29" 60 LB.
 A82030006R RH 30" 60 LB.
 A82028007R RH 28" 70 LB.
 A82029007R RH 29" 70 LB.
 A82030007R RH 30" 70 LB.

Model Number

A82028006L LH 28" 60 LB.
 A82029006L LH 29" 60 LB.
 A82030006L LH 30" 60 LB.
 A82028007L LH 28" 70 LB.
 A82029007L LH 29" 70 LB.
 A82030007L LH 30" 70 LB.

Bow Speed

IBO fps: 307-311

Cam system

Weighted single cam 80% let-off

Axle to Axle

32.25"

Brace Height

7.25"

String/Cable Length

93 1/16" / 34 3/4"

Mass Weight

3.8 lbs.

AMO Draw Length

28", 29", 30"

Optional modules allow draw length adjustment from 24" to 30"

| Draw Length | ITEM# | DESCRIPTION | QTY. | Draw Length | ITEM# | DESCRIPTION | QTY. |
|-------------|------------|-------------|------|-------------|------------|-------------|------|
| 30" | 2C-6498-01 | RH MOD#10 | 1 | 30" | 2C-6505-01 | LH MOD#10 | 1 |
| 29" | 2C-6499-01 | RH MOD #9 | 1 | 29" | 2C-6506-01 | LH MOD #9 | 1 |
| 28" | 2C-6500-01 | RH MOD #8 | 1 | 28" | 2C-6507-01 | LH MOD #8 | 1 |
| 27" | 2C-6501-01 | RH MOD #7 | 1 | 27" | 2C-6508-01 | LH MOD #7 | 1 |
| 26" | 2C-6502-01 | RH MOD #6 | 1 | 26" | 2C-6509-01 | LH MOD #6 | 1 |
| 25" | 2C-6503-01 | RH MOD #5 | 1 | 25" | 2C-6510-01 | LH MOD #5 | 1 |
| 24" | 2C-6504-01 | RH MOD #4 | 1 | 24" | 2C-6511-01 | LH MOD #4 | 1 |


DRAW LENGTH LISTED ABOVE IS SPECIFIC TO THIS BOW

Read owner's manual in full, bow requires specific types of bow presses for maintenance

Done Deal

P/N 2L-7132-00

2008



1: IDLER ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------|------|
| 2M-6470-00 | 08 IDLER AXLE THIMBLE | 2 |
| 2S-9051-00 | 08 STD IDLER AXLE | 1 |
| 7B-1558A46 | .180 AXLE SPACER | 2 |
| 7B-6411-00 | IDLER WHEEL BEARING | 2 |
| 4A-7260-00 | IDLER WHEEL | 1 |

2. QUAD LIMB SET

| ITEM NO. | DESCRIPTION | QTY. |
|------------|--------------------------|------|
| 6M-6487-42 | APG DONE DEAL QUAD 60 LB | SET |
| 6M-6488-42 | APG DONE DEAL QUAD 70 LB | SET |

3: BUSS CABLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|--------------------|------|
| 2F-6430-00 | BUSS CABLE 34 3/4" | 1 |

4: UPPER/LOWER STRING SUPPRESSOR

| ITEM NO. | DESCRIPTION | QTY. |
|------------|----------------------------|------|
| 2S-9056-02 | SUPPRESSOR MOUNT ROD | 2 |
| 2M-6469-00 | STRING DAMPNER | 2 |
| 1B-6876-00 | 10-24X1/2 SCKTHD CAP SCREW | 2 |
| 1B-6877-00 | 10-24X3/4 SCKTHD CAP SCREW | 2 |

5: LIMB POCKET ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------|------|
| 2C-6490-01 | GREEN-M10.5 QUAD LIMB CUP | 2 |
| 2M-6458-00 | 08 LIMB ISOLATION BOOT | 2 |
| 2M-6464-00 | POCKET PLUG | 4 |
| 2M-6460-00 | 08 POCKET HALF ROUND | 2 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 6 |
| 4A-7550-00 | 3/8-16X2-1/4 LIMB BOLT ASSY | 2 |
| 1B-6883-00 | 3/8-16 X 2 1/4 FHCS | 2 |

6: BOW HANDLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2C-6526-02 | APG DONE DEAL HANDLE RH | 1 |
| 2C-6527-02 | APG DONE DEAL HANDLE LH | 1 |
| 4L-7920-00 | BEAR GEL LABEL | 2 |
| 4L-7921-00 | BEAR RISER LABEL | 1 |

7: CABLE GUARD ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------|------|
| 6M-6489-00 | 6-1/2" FIBERGLASS ROD | 1 |
| 2M-6384-00 | WHITE-TEFLON CABLE SLIDE | 1 |
| 2M-0160A34 | CABLE END CAP | 1 |
| 1B-1551A93 | 10-24 SCKT HEAD SET SCREW | 1 |

8: BOW GRIP

| ITEM NO. | DESCRIPTION | QTY. |
|------------|------------------------|------|
| 2M-6459-00 | 08 BEAR RUBBER GRIP RH | 1 |
| 2M-6466-00 | 08 BEAR RUBBER GRIP LH | 1 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 2 |

9: BOW STRING

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------|------|
| 2F-6429-00 | BOW STRING 93 1/16" | 1 |

10: SINGLE CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|---------------|----------------------------|------|
| 1B-6879-00 | 6-32X5/16 SCKTHD CAP SCREW | 3 |
| 2S-9052-00 | 08 STD CAM AXLE | 1 |
| 7B-0164A36 | RETAINER CLIP | 2 |
| 4A-7544-00 | MODULAR CAM ASSEMBLY RH | 1 |
| 4A-7545-00 | MODULAR CAM ASSEMBLY LH | 1 |
| 7B-1558A44 | .060 CAM SPACER | 3 |
| 2B-0160A46-00 | .030 CAM SPACER | 1 |



Model Number

A83026005R RH 26" 50 LB.
 A83028006R RH 28" 60 LB.
 A83029006R RH 29" 60 LB.
 A83030006R RH 30" 60 LB.
 A83028007R RH 28" 60 LB.
 A83029007R RH 29" 70 LB.
 A83030007R RH 30" 70 LB.

Model Number

A83026005L LH 26" 50 LB.
 A83028006L LH 28" 60 LB.
 A83029006L LH 29" 60 LB.
 A83030006L LH 30" 60 LB.
 A83028007L LH 28" 60 LB.
 A83029007L LH 29" 70 LB.
 A83030007L LH 30" 70 LB.

Bow Speed

IBO fps: 301-305

Inner Cam system

Weighted single cam 80% let-off

Axle to Axle

33.00"

Brace Height

7.88"

String/Cable Length

94 1/16" / 35 1/8"

Mass Weight

3.9 lbs.

AMO Draw Length

26", 28", 29", 30"

Optional modules allow draw length adjustment from 25" to 31"

| Draw Length | ITEM# | DESCRIPTION | QTY. | Draw Length | ITEM# | DESCRIPTION | QTY. |
|-------------|------------|-------------|------|-------------|------------|-------------|------|
| 31" | 2C-6498-01 | RH MOD#10 | 1 | 31" | 2C-6505-01 | LH MOD#10 | 1 |
| 30" | 2C-6499-01 | RH MOD #9 | 1 | 30" | 2C-6506-01 | LH MOD #9 | 1 |
| 29" | 2C-6500-01 | RH MOD #8 | 1 | 29" | 2C-6507-01 | LH MOD #8 | 1 |
| 28" | 2C-6501-01 | RH MOD #7 | 1 | 28" | 2C-6508-01 | LH MOD #7 | 1 |
| 27" | 2C-6502-01 | RH MOD #6 | 1 | 27" | 2C-6509-01 | LH MOD #6 | 1 |
| 26" | 2C-6503-01 | RH MOD #5 | 1 | 26" | 2C-6510-01 | LH MOD #5 | 1 |
| 25" | 2C-6504-01 | RH MOD #4 | 1 | 25" | 2C-6511-01 | LH MOD #4 | 1 |


DRAW LENGTH LISTED ABOVE IS SPECIFIC TO THIS BOW

Read owner's manual in full, bow requires specific types of bow presses for maintenance

Game Over

P/N 2L-7131-00

2008



| 1: IDLER ASSEMBLY | | QTY. |
|-------------------------|------------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2M-6470-00 | 08 IDLER AXLE THIMBLE | 2 |
| 2S-9051-00 | STD IDLER AXLE | 1 |
| 7B-1558A46 | .180 AXLE SPACER | 2 |
| 7B-6411-00 | IDLER WHEEL BEARING | 2 |
| 4A-7543-00 | IDLER WHEEL | 1 |
| 2. QUAD LIMB SET | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 6M-6486-41 | APG GAME OVER QUAD 50 LB | SET |
| 6M-6487-41 | APG GAME OVER QUAD 60 LB | SET |
| 6M-6488-41 | APG GAME OVER QUAD 70 LB | SET |
| 3: BUSS CABLE | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 2F-6428-00 | 452X BUSS CABLE 35 1/8" | 1 |
| 4: LIMB POCKET ASSEMBLY | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 1C-6144-01 | GREEN-M10.5 CAST QUAD CUP | 2 |
| 2M-6458-00 | 08 LIMB ISOLATION BOOT | 2 |
| 2M-6464-00 | POCKET PLUG | 4 |
| 2M-6460-00 | 08 POCKET HALF ROUND | 2 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 6 |
| 4A-7550-00 | 3/8-16X2-1/4 LIMB BOLT ASSY | 2 |
| 5: BOW HANDLE | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 2C-6524-02 | APG GAME OVER HANDLE RH | 1 |
| 2C-6525-02 | APG GAME OVER HANDLE LH | 1 |
| 4L-7920-00 | BEAR GEL LABEL | 2 |
| 4L-7921-00 | BEAR RISER LABEL | 1 |
| 6: CABLE GUARD ASSEMBLY | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 6M-6490-00 | 7-1/2" CARBON ROD | 1 |
| 2M-6384-00 | WHITE-TEFLON CABLE SLIDE | 1 |
| 2M-0160A34 | CABLE END CAP | 1 |
| 1B-1551A93 | 10-24 SCKT HEAD SET SCREW | 1 |
| 7: BOW GRIP | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 2M-6459-00 | 08 BEAR RUBBER GRIP RH | 1 |
| 2M-6466-00 | 08 BEAR RUBBER GRIP LH | 1 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 2 |
| 8: STRING SUPPRESSOR | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 2S-9055-02 | SUPPRESSOR MOUNT ROD | 1 |
| 2M-6469-00 | STRING DAMPNER | 1 |
| 1B-6877-00 | 10-24 X 3/4 SCKTHD CAP SCREW | 2 |
| 9: BOW STRING | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 2F-6427-00 | DF97 BOW STRING 94 1/16" | 1 |
| 10: SINGLE CAM ASSEMBLY | | QTY. |
| ITEM NO. | DESCRIPTION | |
| 1B-6879-00 | 6-32X5/16 SCKTHD CAP SCREW | 3 |
| 2S-9052-00 | STD CAM AXLE | 1 |
| 7B-0164A36 | RETAINER CLIP | 2 |
| 4A-7551-00 | 08 EFF ONE CAM ASSEMBLY RH | 1 |
| 4A-7552-00 | 08 EFF ONE CAM ASSEMBLY LH | 1 |
| 7B-1558A44 | .060 CAM SPACER | 3 |
| 2B-0160A46-00 | .030 CAM SPACER | 1 |



Lights Out

P/N 2L-7130-00

2008

Model Number

A84026005R RH 26" 50 LB.
 A84028006R RH 28" 60 LB.
 A84029006R RH 29" 60 LB.
 A84030006R RH 30" 60 LB.
 A84028007R RH 28" 60 LB.
 A84029007R RH 29" 70 LB.
 A84030007R RH 30" 70 LB.

Model Number

A84026005L LH 26" 50 LB.
 A84028006L LH 28" 60 LB.
 A84029006L LH 29" 60 LB.
 A84030006L LH 30" 60 LB.
 A84028007L LH 28" 60 LB.
 A84029007L LH 29" 70 LB.
 A84030007L LH 30" 70 LB.

Bow Speed

IBO fps: 296-300

Inner Cam system

Weighted single cam 80% let-off

Axle to Axle

30.00"

Brace Height

8.75"

String/Cable Length

87 3/4" / 32 1/8"

Mass Weight

3.7 lbs.

AMO Draw Length


26", 28", 29", 30"

Optional modules allow draw length adjustment from 25" to 31"

| Draw Length | ITEM# | DESCRIPTION | QTY. | Draw Length | ITEM# | DESCRIPTION | QTY. |
|-------------|------------|-------------|------|-------------|------------|-------------|------|
| 31" | 2C-6498-01 | RH MOD#10 | 1 | 31" | 2C-6505-01 | LH MOD#10 | 1 |
| 30" | 2C-6499-01 | RH MOD #9 | 1 | 30" | 2C-6506-01 | LH MOD #9 | 1 |
| 29" | 2C-6500-01 | RH MOD #8 | 1 | 29" | 2C-6507-01 | LH MOD #8 | 1 |
| 28" | 2C-6501-01 | RH MOD #7 | 1 | 28" | 2C-6508-01 | LH MOD #7 | 1 |
| 27" | 2C-6502-01 | RH MOD #6 | 1 | 27" | 2C-6509-01 | LH MOD #6 | 1 |
| 26" | 2C-6503-01 | RH MOD #5 | 1 | 26" | 2C-6510-01 | LH MOD #5 | 1 |
| 25" | 2C-6504-01 | RH MOD #4 | 1 | 25" | 2C-6511-01 | LH MOD #4 | 1 |

DRAW LENGTH LISTED ABOVE IS SPECIFIC TO THIS BOW

Read owner's manual in full, bow requires specific types of bow presses for maintenance



1: IDLER ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------|------|
| 2M-6470-00 | 08 IDLER AXLE THIMBLE | 2 |
| 2S-9051-00 | STD IDLER AXLE | 1 |
| 7B-1558A46 | .180 AXLE SPACER | 2 |
| 7B-6411-00 | IDLER WHEEL BEARING | 2 |
| 4A-7543-00 | IDLER WHEEL | 1 |

2: QUAD LIMB SET

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------|------|
| 6M-6486-40 | APG LIGHTS OUT QUAD 50 LB | SET |
| 6M-6487-40 | APG LIGHTS OUT QUAD 60 LB | SET |
| 6M-6488-40 | APG LIGHTS OUT QUAD 70 LB | SET |

3: BUSS CABLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2F-6426-00 | 452X BUSS CABLE 32 1/8" | 1 |

4: LIMB POCKET ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------|------|
| 1C-6144-01 | GREEN-M10.5 CAST QUAD CUP | 2 |
| 2M-6458-00 | 08 LIMB ISOLATION BOOT | 2 |
| 2M-6464-00 | POCKET PLUG | 4 |
| 2M-6460-00 | 08 POCKET HALF ROUND | 2 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 6 |
| 4A-7550-00 | 3/8-16X2-1/4 LIMB BOLT ASSY | 2 |

5: BOW HANDLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2C-6522-02 | APG GAME OVER HANDLE RH | 1 |
| 2C-6523-02 | APG GAME OVER HANDLE LH | 1 |
| 4L-7920-00 | BEAR GEL LABEL | 2 |
| 4L-7921-00 | BEAR RISER LABEL | 1 |

6: CABLE GUARD ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------|------|
| 6M-6491-00 | 8-1/2" FIBERGLASS ROD | 1 |
| 2M-6384-00 | WHITE-TEFLON CABLE SLIDE | 1 |
| 2M-0160A34 | CABLE END CAP | 1 |
| 1B-1551A93 | 10-24 SCKT HEAD SET SCREW | 1 |

7: BOW GRIP

| ITEM NO. | DESCRIPTION | QTY. |
|------------|--------------------|------|
| 2M-6404-00 | 2PC GRIP W LEATHER | 1 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 2 |

8: LOWER STRING SUPPRESSOR

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------|------|
| 2S-9054-01 | SUPPRESSOR MOUNT ROD | 1 |
| 2M-6469-00 | STRING DAMPNER | 1 |
| 1B-1551A93 | 10-24X3/16 SCKT SET SCREW | 2 |

9: BOW STRING

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2F-6425-00 | DF97 BOW STRING 87 3/4" | 1 |

10: SINGLE CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|---------------|------------------------------|------|
| 1B-6879-00 | 6-32X5/16 SCKT HD CAP SCREWS | 3 |
| 2S-9052-00 | STD CAM AXLE | 1 |
| 7B-0164A36 | RETAINER CLIP | 2 |
| 4A-7551-00 | 08 EFF ONE CAM ASSEMBLY RH | 1 |
| 4A-7552-00 | 08 EFF ONE CAM ASSEMBLY LH | 1 |
| 7B-1558A44 | .060 CAM SPACER | 1 |
| 2B-0160A46-00 | .030 CAM SPACER | 1 |



Model Number

A85028026R RH 28" 60 LB. 27" & 29" MODULES INCLUDED
 A85029027R RH 29" 70 LB. 28" & 30" MODULES INCLUDED
 A85028026L LH 28" 60 LB. 27" & 29" MODULES INCLUDED
 A85029027L LH 29" 70 LB. 28" & 30" MODULES INCLUDED

Bow Speed

IBO fps: 286-290

Cam system

Modular single cam 80% let-off

Axle to Axle

31.75"

Brace Height

8.75"

String/Cable Length

86 7/8" / 34 1/2"

Mass Weight

3.8 lbs.

AMO Draw Length

shipped at 28" or 29".
 Optional modules allow draw length adjustments from 25-31"


| DRAW LENGTH/ITEM#/DESCRIPTION | QTY. |
|--------------------------------------|------|
| 31" 2S-2077A42 BLKA-WING MODULE#2 WM | 1 |
| 30" 2S-2077A43 BLKA-WING MODULE#3 WM | 1 |
| 29" 2S-2077A44 BLKA-WING MODULE#4 WM | 1 |
| 28" 2S-2077A45 BLKA-WING MODULE#5 WM | 1 |
| 27" 2S-2077A46 BLKA-WING MODULE#6 WM | 1 |
| 26" 2S-2077A47 BLKA-WING MODULE#7 WM | 1 |
| 25" 2S-2077A48 BLKA-WING MODULE#8 WM | 1 |

DRAW LENGTH LISTED ABOVE IS SPECIFIC

Showdown

P/N 2L-7137-00

2008



| 1: IDLER WHEEL ASSEMBLY | | QTY. |
|-------------------------|----------------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2C-6456-00 | GREEN 3-SPOKE 3" IDLER WHEEL | 1 |
| 7B-0166A13 | PW IDLER WHEEL BEARING | 2 |
| 7B-6370-00 | IH WASHER .095 X .50D X .281ID | 1 |
| 7B-1558A49 | IH WASHER .230X .500 DI X .189ID | 2 |
| 7B-0162A32 | QCC AXLE SPOOL | 2 |
| 7B-0166A08 | QCC ONE CAM AXLE | 1 |

| 2. QUAD LIMB SET | | QTY. |
|------------------|-------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 6M-6459-41 | APG SHOWDOWN QUAD 60 LB | SET |
| 6M-6460-41 | APG SHOWDOWN QUAD 70 LB | SET |

| 3: BUSS CABLE | | QTY. |
|---------------|-------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2F-6434-00 | 452X BUSS CABLE 34 1/2" | 1 |

| 4: POCKET ASSEMBLY | | QTY. |
|--------------------|------------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2B-0161A54 | .080 OMNI LIMB WASHER, PVC | 2 |
| 2M-0169A85 | LIMB POCKET INSERT | 2 |
| 2M-0169A82 | PLAS-QUAD LIMB PAD ROCKER #2 | 2 |
| 2C-6466-00 | GREEN-CAST LIMB POCKET | 2 |
| 4A-2192A55 | 2 1/2" LIMB BOLT ASSEMBLY | 2 |

| 5: BOW HANDLE | | QTY. |
|---------------|------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2C-6532-02 | APG SHOWDOWN HANDLE RH | 1 |
| 2C-6533-02 | APG SHOWDOWN HANDLE LH | 1 |
| 4L-7920-00 | BEAR GEL LABEL | 2 |
| 4L-7921-00 | BEAR RISER LABEL | 1 |

| 6: CABLE GUARD ASSEMBLY | | QTY. |
|-------------------------|--------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 6M-6491-00 | 9-1/4" FIBERGLASS ROD | 1 |
| 2M-6384-00 | WHITE-TEFLON CABLE SLIDE | 1 |
| 2M-0160A34 | CABLE END CAP | 1 |
| 1B-1551A93 | #10-32 SOCKET SET SCREW | 1 |

| 7: BOW GRIP | | QTY. |
|-------------|--------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2M-6404-00 | 2PC GRIP W LEATHER | 1 |
| 1B-6878-00 | 10-24 X 1/2 BHCS | 2 |

| 8: BOW STRING | | QTY. |
|---------------|-------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 2F-6433-00 | DF97 BOW STRING 86 7/8" | 1 |

| 9: SINGLE CAM ASSEMBLY | | QTY. |
|------------------------|------------------------------|------|
| ITEM NO. | DESCRIPTION | |
| 1B-0167A29 | 6-32X1/4" SHCS | 3 |
| 4A-2190A65 | GRIZZLYII AXLE ASSY | 1 |
| 7B-6377-00 | .320 DELRIN FLANGE BUSHING | 2 |
| 1B-0164A31 | 8-32X5/8" STRING SPOOL SCREW | 1 |
| 7B-0164A36 | RETAINER CLIP | 2 |
| 4A-7097-00 | GRN-PW2 RH CAM ASSY | 1 |
| 4A-7098-00 | GRN-PW2 LH CAM ASSY | 1 |
| 2B-0160A55 | WASHER #8 EXTERNAL TOOTH | 1 |
| 7B-6316-00 | BRASS STRING SPOOL | 1 |
| 7B-6317-00 | BRASS STRING SPOOL NO-TAP | 1 |



Model Number

AFR9012640 RH 13-27" 40 LB. APG BOW SET
 AFR9012650 RH 13-27" 50 LB. APG BOW SET
 AFR9013640 LH 13-27" 40 LB. APG BOW SET
 AFR9013650 LH 13-27" 50 LB. APG BOW SET
 AFR9018640 RH 13-27" 40 LB. APG BOW ONLY
 AFR9018650 RH 13-27" 50 LB. APG BOW ONLY
 AFR9019640 LH 13-27" 40 LB. APG BOW ONLY
 AFR9019650 LH 13-27" 50 LB. APG BOW ONLY

Bow Speed

IBO fps: 283-287 ft/sec
 283 ft/sec@ 27" 50 lb actual tested

Cam system

Rotating Inner Cam 70% let-off

Axle to Axle

32"

Brace Height

5.50"

String/Cable Length


51" / 34 1/2"

Mass Weight

2.9 lbs.

AMO Draw Length

13"-27" ADJUSTABLE



ODYSSEY II

2008

1: UPPER INNER CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------------|------|
| 1B-6823-00 | #6-32 x 3/8 SOCKET HEAD CAP SCREW | 1 |
| 2S-8856-02 | INNER CAM MODULE | 1 |
| 4A-7281-01 | GREEN-INNER UPR CAM ASSY. | 1 |
| 7B-6402-00 | IH .200 WASHER | 1 |
| 2B-0160A46 | THRUST WASHER .030 | 2 |
| 7B-6378-00 | IH .360 FLANGE BUSHING | 1 |
| 7B-6402-00 | IH .215 FLANGE BUSHING | 1 |
| 7B-2190A45 | QCC AXLE W SPOOL ASSY | 1 |
| 7B-0162A32 | QCC AXLE SPOOL | 1 |

2: LIMBS

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------------|------|
| 6M-6481-04 | ODYSSEY II (G15) LIMB 40# APG | PAIR |
| 6M-6480-04 | ODYSSEY II (G20) LIMB 50# APG | PAIR |

3: POCKET ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------|------|
| 2C-2073-20 | GREEN-RML SOLID LMB POCKET | 2 |
| 4A-2192A66 | WT ADJUST BOLT ASSY | 2 |
| 1B-1700A20 | #10-24 X 1/2 BHCS | 2 |
| 2B-1700A58 | WASHER .25 X .495DIA X .200 | 2 |

4: ACCESSORIES-CAN VARY DEPENDING ON MODEL

| ITEM NO. | DESCRIPTION | QTY. |
|------------|--------------------------------|------|
| 4A-7106-01 | (4) ARROW QUIVER ASSY.-APG | 1 |
| 4A-0322A63 | PEEP SIGHT | 1 |
| 4A-6930-00 | COBRA BANTUM SIGHT | 1 |
| 4A-7138-00 | B2 WHISKER BISCUIT REST-CARBON | 1 |
| 5A-7629-00 | CARBON ARROW-FIN | 3 |

5: CABLE GUARD ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------------|------|
| 6M-6479-00 | 8" FIBERGLASS CABLE GUARD ROD | 1 |
| 2M-1553A71 | CABLE SLIDE | 1 |

6: BOW HANDLE/GRIP

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2C-2265A78 | G2SL MACH HANDLE APG RH | 1 |
| 2C-2265A79 | G2SL MACH HANDLE APG LH | 1 |
| 2M-0704A88 | RH SOFT GRIP | 1 |
| 2M-0704A89 | LH SOFT GRIP | 1 |

7: SYNTHETIC BUSS CABLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2F-6361-00 | 34 1/2" BUSS CABLE-DF97 | 2 |

8: BOW STRING

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------|------|
| 2F-6360-00 | 51" BOW STRING-DF97 | 1 |

9: LOWER INNER CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------------|------|
| 1B-6823-00 | #6-32 x 3/8 SOCKET HEAD CAP SCREW | 1 |
| 2S-8856-02 | INNER CAM MODULE | 1 |
| 4A-7282-01 | GREEN-INNER LWR CAM ASSY. | 1 |
| 7B-6402-00 | IH .200 WASHER | 1 |
| 2B-0160A46 | THRUST WASHER .030 | 2 |
| 7B-6378-00 | IH .360 FLANGE BUSHING | 1 |
| 7B-6402-00 | IH .215 FLANGE BUSHING | 1 |
| 7B-2190A45 | QCC AXLE W SPOOL ASSY | 1 |
| 7B-0162A32 | QCC AXLE SPOOL | 1 |



PIONEER II

2008

Model Number

AFR9014229 RH 13-27" 29 LB. BOW SET
 AFR9015229 LH 13-27" 29 LB. BOW SET
 AFR9018229 RH 13-27" 29 LB. BOW ONLY
 AFR9019229 LH 13-27" 29 LB. BOW ONLY

Bow Speed

IBO fps: 283-287
 Projected speed at 27" 50 lbs

Cam system

Rotating Inner Cam 70% let-off

Axle to Axle

32"

Brace Height

5 1/2"

String/Cable Length


51" / 34 1/2"

Mass Weight

2.9 lbs.

AMO Draw Length

13"-27" ADJUSTABLE



1: UPPER INNER CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------------|------|
| 1B-6823-00 | #6-32 x 3/8 SOCKET HEAD CAP SCREW | 1 |
| 2S-8856-02 | INNER CAM MODULE | 1 |
| 4A-7281-01 | GREEN-INNER UPR CAM ASSY. | 1 |
| 7B-6402-00 | IH .200 WASHER | 1 |
| 2B-0160A46 | THRUST WASHER .030 | 2 |
| 7B-6378-00 | IH .360 FLANGE BUSHING | 1 |
| 7B-6402-00 | IH .215 FLANGE BUSHING | 1 |
| 7B-2190A45 | QCC AXLE W SPOOL ASSY | 1 |
| 7B-0162A32 | QCC AXLE SPOOL | 1 |

2: LIMBS

| ITEM NO. | DESCRIPTION | QTY. |
|------------|--------------------------------|------|
| 6M-6469-14 | PIONEER II (G9) LIMB 29# BLACK | PAIR |

3: POCKET ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------|------|
| 2C-2073-20 | GREEN-RML SOLID LMB POCKET | 2 |
| 4A-2192A66 | WT ADJUST BOLT ASSY | 2 |
| 1B-1700A20 | #10-24 X 1/2 BHCS | 2 |
| 2B-1700A58 | WASHER .25 X .495DIA X .200 | 2 |

4: ACCESSORIES-CAN VARY DEPENDING ON MODEL

| ITEM NO. | DESCRIPTION | QTY. |
|------------|--------------------------------|------|
| 4A-6951-00 | BLACK-4 ARROW QUIVER ASSY. | 1 |
| 4A-0322A63 | PEEP SIGHT | 1 |
| 4A-6930-00 | COBRA BANTUM SIGHT | 1 |
| 4A-7138-00 | B2 WHISKER BISCUIT REST-CARBON | 1 |
| 4A-6869-02 | 26" SAFETY GLASS ARROWS-BLACK | 3 |

5: CABLE GUARD ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------------|------|
| 6M-6479-00 | 8" FIBERGLASS CABLE GUARD ROD | 1 |
| 2M-1553A71 | CABLE SLIDE | 1 |

6: BOW HANDLE/GRIP

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------------|------|
| 2C-6464-00 | G2SL MACH HANDLE BLACK RH | 1 |
| 2C-6465-00 | G2SL MACH HANDLE BLACK LH | 1 |
| 2M-0704A88 | RH SOFT GRIP | 1 |
| 2M-0704A89 | LH SOFT GRIP | 1 |

7: SYNTHETIC BUSS CABLE

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-------------------------|------|
| 2F-6361-00 | 34 1/2" BUSS CABLE-DF97 | 2 |

8: BOW STRING

| ITEM NO. | DESCRIPTION | QTY. |
|------------|---------------------|------|
| 2F-6360-00 | 51" BOW STRING-DF97 | 1 |

9: LOWER ROTATABLE CAM ASSEMBLY

| ITEM NO. | DESCRIPTION | QTY. |
|------------|-----------------------------------|------|
| 1B-6823-00 | #6-32 x 3/8 SOCKET HEAD CAP SCREW | 1 |
| 2S-8856-02 | INNER CAM MODULE | 1 |
| 4A-7282-01 | GREEN-INNER LWR CAM ASSY. | 1 |
| 7B-6402-00 | IH .200 WASHER | 1 |
| 2B-0160A46 | THRUST WASHER .030 | 2 |
| 7B-6378-00 | IH .360 FLANGE BUSHING | 1 |
| 7B-6402-00 | IH .215 FLANGE BUSHING | 1 |
| 7B-2190A45 | QCC AXLE W SPOOL ASSY | 1 |
| 7B-0162A32 | QCC AXLE SPOOL | 1 |