

# Laminator Resource Chart

## (24+ inches)

Model	Type			Type				Size		
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)
<b>Advanced Greig Laminators, 608-846-1025, <a href="http://directory.myprintresource.com/10003621">directory.myprintresource.com/10003621</a></b>										
AGL 64C Laminator	•			•				62	2.38	3
AGL 64T Laminator		•		•				62	2.38	3
AGL 64I Laminator		•		•				62	1.25	3
AGL 4400 Laminator		•		•				42	1.75	3
AGL 6400 Laminator		•		•				62	2.38	3
AGL 8000R Laminator		•		•				79	2.13	3
AGL 8000S Laminator		•		•				79	2.13	3
AGL 8000T Laminator		•		•				79	2.13	3
AGL Compadre Laminator		•		•				62		3
AGL Encore DHR		•		•				62	1.19	3
AGL Encore Maxim		•		•				62	1.19	3
AGL Encore NH	•			•				62	1.19	3
AGL Encore SH		•		•				62	1.19	3

<b>Coda Inc., 201-825-7400, <a href="http://directory.myprintresource.com/10004482">directory.myprintresource.com/10004482</a></b>										
Codamount Laminator 26	•	•		•				26	2	3
Codamount Laminator 34	•	•		•				34	2	3
Codamount Laminator 44	•	•		•				44	2	3
Codamount Laminator 54	•	•		•				54	2	3
Codamount Laminator 64	•	•		•				64	2	3
Cold-Mount Laminator 26	•			•				26	2	3
Cold-Mount Laminator 34	•			•				34	2	3
Cold-Mount Laminator 44	•			•				44	2	3
Cold-Mount Laminator 54	•			•				54	2	3



Max Speed (fpm)	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/ Optional)	Tension		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
20				•	•	Optional	•		\$17,500
20	•		320	•	•	Optional	•		\$18,500
20		•	320	•	•	Optional	•		\$29,500
15		•	320	•	•	Optional		•	\$18,150
20		•	320	•	•	Optional		•	\$35,500
20		•	320	•	•	Optional		•	\$55,950
20		•	320	•	•	Optional		•	\$48,950
20	•		320	•	•	Optional		•	\$35,500
10	•		100	•	•	Y			\$9,995
15		•	320	•	•	Optional	•		\$21,900
15		•	320	•	•	Optional	•		\$24,400
15				•	•	N	•		\$15,100
15	•		320	•	•	N	•		\$16,100

20	•	•	300	•	•	N	•		\$4,975
20	•	•	300	•	•	N	•		\$5,570
20	•	•	300	•	•	N	•		Call for Pricing
20	•	•	300	•	•	N	•		\$6,600
20	•	•	300	•	•	N	•		\$8,510
20				Option	Option	N			\$2,100
20				Option	Option	N			\$2,295
20				Option	Option	N			\$3,595
20				Option	Option	N			\$4,395

# Laminator Resource Chart

(24+ inches)

Model	Type			Type				Size		
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)
<b>D&amp;K Group, Inc., 800-632-2314, <a href="http://directory.myprintresource.com/10004751">directory.myprintresource.com/10004751</a></b>										
EXP 27 Space Saver	•	•				•		28	0.188	N/A
EXP 42 Plus	•	•		•				41	0.5	3
EXP 42 Pouch	•	•				•		41	0.5	N/A
EXP 44 Twin	•	•		•				43	0.25	3
EXP 62 Plus	•	•		•				61	0.5	3
EXP 63	•	•		•				62	1	3
EXP 65	•			•				67	2	3
Minikote		•		•				27	1	1
Minikote EZ		•		•				27	1	1
Superkote 42	•	•		•				41	0.5	2
<b>Daige Inc., 800-645-3323, <a href="http://directory.myprintresource.com/10004758">directory.myprintresource.com/10004758</a></b>										
EZ Glide	•						•	54		
Solo 25	•			•				25	0.50	3
Solo 38	•			•				38		3
Solo 55	•			•				55		3
Solo 65	•			•				65		3
<b>Drytac, 800-280-6013, <a href="http://directory.myprintresource.com/10005009">directory.myprintresource.com/10005009</a></b>										
AFC1600-Aqueous Flood Coater				•			•	62	0.125	3
AFC2200-Aqueous Flood Coater				•			•	86	0.125	3
AFC3200-Aqueous Flood Coater				•				128	0.125	3
JetMounter 34	•			•				34	1	3.5

	Max Speed (fpm)	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension		Base Price (\$USD)
		Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	

	0.5	•		300			N			Call for Pricing
	10		•	300	•	•	Y	•		\$5,915
	3	•		300			N			\$3,520
	10		•	230		•	N			\$15,985
	10		•	300	•	•	Y	•		\$11,000
	10		•	285	•	•	Y		•	\$17,635
	21	•		140	•	•	N		•	\$12,075
	9.5		•	325		•	Y		•	\$1,985
	5		•	325		•	N	•		\$1,540
	15		•	300	•	•	N	•		\$5,505

										\$695
	7				•		N	•		\$1,295
	7				•		N	•		\$1,695
	7				•		N	•		\$2,195
	7				•		N	•		\$2,700

	9				•	•	N		•	Call for Pricing
	9				•	•	N		•	Call for Pricing
	6				•	•	N		•	Call for Pricing
	10				•	•	N		•	Call for Pricing

# Laminator Resource Chart

(24+ inches)

Model	Type			Type				Size		
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)
<b>Drytac, 800-280-6013, <a href="http://directory.myprintresource.com/10005009">directory.myprintresource.com/10005009</a></b>										
JetMounter 44SHA	•			•				44.125	1	4
JetMounter 63Pro		•		•				63	2	5.5
JetMounter 63SHA								63	2	5.5
JetMounter 63SHA-HA	•	•		•				63	2	5.5
JetMounter 54SHA	•			•				54.5	1	5
JetMounter 54SHA-HA	•	•		•				54.5	1	5
JetMounter ML25	•			•	•			25.5	0.375	2.5
PhotoMate- UV Liquid Coater 24					•		•	24	0.50	
PhotoMate- UV Liquid Coater 36					•		•	36	0.50	
XL-Wide Format UV Coater 60	•			•	•		•	60	3	3
XL-Wide Format UV Coater 80	•			•	•		•	80	3	3

## **GBC, 800-723-4000, [directory.myprintresource.com/10005486](http://directory.myprintresource.com/10005486)**

GBC 640t	•			•				64	0.5	2, 2.25, 3
GBC 2064Ct	•			•				64	1	2, 2.25, 3
GBC 2064WF-1		•		•				64	1	2, 2.25, 3
GBC 2080WFt		•		•				79	1	2, 2.25, 3
GBC Arctic Titan 1040WFc	•			•				41	0.5	2, 2.25, 3
GBC Arctic Titan 1064WFc	•			•				64	0.5	2, 2.25, 3
GBC Catena 65		•		•				25	0.188	1, 2.25

	Max Speed (fpm)	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension		Base Price (\$USD)
		Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
	10				•	•	N		•	Call for Pricing
	12	•		248	•	•	N		•	Call for Pricing
	12				•	•	N		•	Call for Pricing
	12		•	110	•	•	N		•	Call for Pricing
	10				•	•	N		•	Call for Pricing
	10		•	110	•	•	N		•	Call for Pricing
					•	•	N	•		\$295
	50						N	•		Call for Pricing
	100						N	•		Call for Pricing
	100+						N	•	•	Call for Pricing
	100+						N	•	•	Call for Pricing

	18	Assist		140	•	•	N	•		\$7,555
	30	Assist		104	•	•	Optional	•		\$19,495
	18		•	300	•	•	Optional	•		\$22,045
	15	•		300	•	•	N	•		\$25,720
	15				•	•	N	•		\$6,085
	15				•	•	N	•		\$8,395
	5		•	320	•	•	N	•		\$4,195

# Laminator Resource Chart

(24+ inches)

Model	Type			Type				Size		
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)

## GBC, 800-723-4000, [directory.myprintresource.com/10005486](http://directory.myprintresource.com/10005486)

GBC Catena 105		•		•				41	0.188	2.25, 3
GBC Falcon 3064WF-1		•		•				64	1	2, 2.25, 3
GBC Orca 4064WF-1		•		•				64	1	2, 2.25, 3
GBC Titan 1244WF-1		•		•				44	0.5	2, 2.25, 3
GBC Titan 1264WF-1		•		•				64	0.5	2, 2.25, 3

## Marabu North America LP, 888-253-2778, [directory.myprintresource.com/10004451](http://directory.myprintresource.com/10004451)

StarLam 1600 R							•	64		2, 3
----------------	--	--	--	--	--	--	---	----	--	------

## Neschen Americas, 410-540-8900, [directory.myprintresource.com/10006859](http://directory.myprintresource.com/10006859)

NESCHEN Accu-18XE							•	18		
NESCHEN AccuCoat 1600							•	60		
ProSEAL Pouch laminator		•				•		44	0.25	
SEAL 44 Ultra Plus	•	•		•				44	0.5	
SEAL 44 Ultra S Plus	•	•		•				44	0.5	
SEAL 54 Base			•	•				54	2	
SEAL 54 EL	•			•				54	1	
SEAL 62 Pro D	•	•		•				61	1.5	
SEAL 62 Pro S	•	•		•				61	1.5	
SEAL 62 Ultra Plus	•	•		•				61	0.5	
SEAL 62 Ultra C Plus	•			•				61	0.5	
SEAL 62 Ultra S Plus	•	•		•				61	0.5	
SEAL 62 Base			•	•				61	2	
SEAL Image 80 Pro	•	•		•				80	1.5	
SEAL Image 600md	•	•		•				61	1	

	Max Speed (fpm)	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension		Base Price (\$USD)
		Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
	5		•	320	•	•	N	•		\$9,445
	18		•	300	•	•	Y	•		\$28,870
	20		•	300	•	•	Y		•	\$34,645
	10		•	320	•	•	N	•		\$12,595
	10		•	320	•	•	N	•		\$16,795

					•	•				\$10,995
--	--	--	--	--	---	---	--	--	--	----------

	20									\$5,155
	5									\$16,536
	1	•		320			N	•		\$2,495
	5		•	250	•	•	N	•		\$7,945
	5	•		250	•	•	N	•		\$6,794
	16.4	•		104	•	•	N	•		\$9,484
	14				•	•	N	•		\$5,695
	20		•	284	•	•	Optional	•		\$20,339
	20	•		284	•	•	N	•		\$16,239
	5		•	250	•	•	N	•		\$9,409
	10				•	•	N	•		\$7,135
	5	•		250	•	•	N	•		\$8,155
	16.4	•		104	•	•	N	•		\$10,046
	20		•	284	•	•	Y	•		\$29,338
	15		•	275	•	•	N		•	\$28,870



# Laminator Resource Chart

(24+ inches)

Model	Type			Type				Size		
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)

**Quality Media & Laminating Solutions, 800-552-9427,**  
[directory.myprintresource.com/10007562](http://directory.myprintresource.com/10007562)

Quality 64TLX				•				62	1	3
---------------	--	--	--	---	--	--	--	----	---	---

**Remington Laminations, Inc., 877-317-1716, [directory.myprintresource.com/10007667](http://directory.myprintresource.com/10007667)**

Prisma HA 500H	•	•		•				54	10	3
Prisma HA 600H	•	•		•				64	10	3
Prisma MC50	•			•				48	10	3
Prisma Pro 45C	•			•				44	10	3
Prisma Pro 55C	•			•				54	10	3
Prisma Pro 65C	•			•				64	10	3
Prisma Pro S 45	•	•		•				44	10	3
Prisma Pro S 55	•	•		•				54	10	3
Prisma Pro S 65	•	•		•				64	10	3
Prisma Pro D 44	•	•		•				44	10	3
Prisma Pro D 54	•	•		•				54	10	3
Prisma Pro D 64	•	•		•				64	10	3
Prisma VT-55C	•			•				54	10	3
Prisma VT-65C	•			•				64	10	3
Prisma WAK-600	•			•				64	10	3

**Royal Sovereign, 800-397-1025, [directory.myprintresource.com/10007790](http://directory.myprintresource.com/10007790)**

RSC-820CLS	•			•				32	0.281	3
RSC-1050CL	•			•				41	0.281	3
RSC-1401C	•			•				55	1	3
RSC-1401H			•	•				55	1	3
RSC-1400L	•			•				55	0.625	3
RSC-1650C	•			•				65	0.625	3

Max Speed (fpm)	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	

15	•		265	•	•	N	•		\$7,600
----	---	--	-----	---	---	---	---	--	---------

15	•		122		•	N	•		\$5,600
15	•		122		•	N	•		\$5,800
15					•	N	•		\$1,699
15					•	N	•		\$5,250
15					•	N	•		\$5,500
15					•	N	•		\$5,750
15	•		300		•	N	•		\$5,995
15	•		300		•	N	•		\$6,495
15	•		300		•	N	•		\$6,995
15		•	300		•	N	•		\$9,495
15		•	300		•	N	•		\$10,995
15		•	300		•	N	•		\$12,995
15					•	N	•		\$3,600
15					•	N	•		\$3,700
15					•	N	•		\$2,999

8.2				•	•	N	•		\$3,023
11.5				•	•	N	•		\$4,363
16.4				•	•	N	•		\$6,460
16.4	•		122	•	•	N	•		\$6,957
16.4				•	•	N	•		\$7,285
16.4				•	•	N	•		\$7,467

# Laminator Resource Chart

(24+ inches)

Model	Type			Type				Size		
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)
<b>Royal Sovereign, 800-397-1025, <a href="http://directory.myprintresource.com/10007790">directory.myprintresource.com/10007790</a></b>										
RSC-1650H			•	•				65	0.625	3
RSS-1050N	•	•		•				41	0.5	2.25, 3
RSH-1050	•	•		•				41	0.625	2.25, 3
RSH-1151	•	•		•				45	0.625	2.25, 3
RSH-1651	•	•		•				65	0.625	2.25, 3
RSL-2701S		•		•				27	0.063	1
RSL-2702	•	•		•				27	0.188	3, 2.25, 1(Optional)

<b>USI, 800-282-9290, <a href="http://directory.myprintresource.com/10008502">directory.myprintresource.com/10008502</a></b>										
ARL 2700		•		•				27	0.125	1
ARL 2700 Pro Heated Roller		•		•				27	0.25	1
ARL 4000		•		•				40	0.25	1
ARL 4000 Pro Heated Roller		•		•				40	1	1
CSL 2700		•		•				27	0.125	1
Image 62 Heated Roller	•	•		•				62	1	3
Jet Mounter 26-1/2 Cold Laminator	•							26	0.5	3
Jet Mounter 44 Cold Laminator	•							44	0.5	3
Jet Mounter 54 Cold Laminator	•							54	0.5	3
Samson 63 Heated Roller	•	•		•				63	1	3
Solo 25 Cold Laminator	•							25	0.5	3
Solo 38 Cold Laminator	•							38	0.5	3
Solo 55 Cold Laminator	•							55	0.5	3
Solo 65 Cold Laminator	•							65	0.5	3

	Max Speed (fpm)	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension		Base Price (\$USD)
		Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	

	16.4	•		122	•	•	N	•		\$8,277
	19.7		Hot Shoe	320	•	•	Y	•		\$9,370
	6.6		•	320	•	•	N	•		\$9,370
	9.8		•	320	•	•	N	•		\$10,352
	13.1		•	320	•	•	N	•		\$11,452
	7.9		•	302		•	N	•		\$1,918
	8.2		•	302	•	•	N	•		\$3,165

	9.5		•	300	•		N	•		\$1,199
	9.5		•	300	•		N	•		\$1,399
	9.5		•	300	•		N	•		\$1,899
	9.5		•	300	•		N	•		\$2,999
	5		•	300	•		N	•		\$699
	6		•	300	•	•	Y	•		\$13,999
	10	•			•		N	•		\$945
	10	•			•		N	•		\$3,295
	10	•			•		N	•		\$4,295
	10		•	300	•	•	Y	•		\$18,192
	7.5	•			•		N	•		\$1,199
	7.5	•			•		N	•		\$1,569
	7.5	•			•		N	•		\$1,999
	7.5	•			•		N	•		\$2,499