

ICPSR 25501

**National Health and Nutrition
Examination Survey (NHANES),
1999-2000**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

NCHS User Guide -- Questionnaire: Diabetes

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Diabetes Section (June 2002) Sample Person Questionnaire

Description

The Diabetes section (prefix DIQ) provides personal interview data on diabetes, use of medications, and symptoms associated with diabetes such as vision problems, foot ulcers and sensations in the extremities.

Eligible Sample and Exclusion Criteria

All participants 1 years of age and older are eligible for the lead-in question pertaining to history of diabetes.

Follow-up questions:

- age when first told about diabetes health condition,
- insulin use (past and present),
- duration of insulin use,
- use of oral hypoglycemic agents,
- history of retinopathy and vision troubles due to diabetes (ages 20+ years)
- foot ulcer conditions that required significant time to heal (see note) - ages 40+ years
- numbness in hands or feet (specify body parts) - age 40+ years
- painful sensations in hands or feet (specify body parts), and leg pain, including the calves of the legs, walking - 40+ years

Protocol

The DIQ section is administered in the home by a trained household interviewer. This information may be linked to data obtained during the health examination component. An assessment of lower extremity disease (LED) and peripheral neuropathy is performed in adults 40+ years of age. Please refer to the notes for the LED component.

Analytic Notes

Question DIQ.090: "... **ever** had an ulcer or sore on (your/his/her) leg or foot that took more than **4 weeks** to heal?"

In the Spanish language version, the duration period was initially written as "2 weeks," but was corrected to "4 weeks" to match with the English language version. Data users should consider the possibility that the responses to DIQ090 reflect different time periods in the Spanish language version only.

DIQ010: "... **ever** been told by a doctor or health professional that {you have/{he/she/survey participant} has} diabetes or sugar diabetes?"

The questionnaire skip destination for responses "2," "3," "7," and "9" were corrected from DIQ085 to DIQ050. Because of the correction in the skip patterns, there will be many missing values for DIQ050. All participants 1+ years were asked if they are "... now taking insulin."

NHANES 99+
Codebook for Data Collection (1999-2000)
June 2002

Diabetes Section of SP Questionnaire DIQ)
Person level data -- use Interview Weights for analysis

| SEQN | Version Info | Target |
|---|----------------------------|----------------------|
| | Version 1.0 | B(1 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Respondent sequence number | |
| English Text: Respondent sequence number. | | |
| English Instructions: < blank > | | |
| Codes: | | |

| DIQ010 | Version Info | Target |
|--|-------------------------------|----------------------|
| | Version 1.1 | B(1 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Doctor told you have diabetes | |
| English Text: The next questions are about specific medical conditions. {Other than during pregnancy, {have you/has SP}/{Have you/Has SP}} ever been told by a doctor or health professional that {you have/{he/she/SP} has} diabetes or sugar diabetes? | | |
| English Instructions: CAPI INSTRUCTION: IF SP AGE < 12, DISPLAY "HAVE YOU" FOR THE FIRST DISPLAY AND "SP HAS" FOR THE SECOND DISPLAY. IF SP IS FEMALE AND AGE >= 20, DISPLAY "OTHER THAN DURING PREGNANCY, {HAVE YOU/HAS SP}". | | |
| Codes: | | |
| 1 = | Yes | |
| 2 = | No | (Skip to: DIQ050) |
| 3 = | Borderline | (Skip to: DIQ050) |
| 7 = | Refused | (Skip to: DIQ050) |
| 9 = | Don't know | (Skip to: DIQ050) |

| DIQ040G | Version Info | Target |
|---------|--------------|--------|
|---------|--------------|--------|

| | | |
|---|--------------------------------------|----------------------|
| | Version 1.0 | B(1 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Age when first told you had diabetes | |
| English Text: How old {was SP/were you} when a doctor or other health professional first told {you/him/her} that {you/he/she} had diabetes or sugar diabetes? | | |
| English Instructions: GATE QUESTION | | |
| Codes: | | |
| 1 = | Enter number | |
| 2 = | Less than 1 year | |
| 7 = | Refused | |
| 9 = | Don't know | |

| | | |
|---|------------------------|----------------------|
| DIQ040Q | Version Info | Target |
| | Version 1.0 | B(1 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| 1 - 120 | Number of years of age | |
| English Text: How old {was SP/were you} when a doctor or other health professional first told {you/him/her} that {you/he/she} had diabetes or sugar diabetes? | | |
| English Instructions: CAPI INSTRUCTION: IF SP AGE < 12, DISPLAY "YOU" FOR THE SECOND DISPLAY. ENTER AGE IN YEARS. | | |
| Codes: | | |
| 77777 = | Refused | |
| 99999 = | Don't know | |

| | | |
|--|---------------------|----------------------|
| DIQ050 | Version Info | Target |
| | Version 1.1 | B(1 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Taking insulin now | |
| English Text: {Is SP/Are you} now taking insulin | | |
| English Instructions: {Is SP/Are you} now taking insulin | | |
| Codes: | | |
| 1 = | Yes | |
| 2 = | No | (Skip to: DIQ065) |
| 7 = | Refused | (Skip to: DIQ065) |

9 = Don't know

(Skip to: DIQ065)

| DIQ060G | Version Info | Target |
|---|-----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| | How long taking insulin | |
| English Text: For how long {have you/has SP} been taking insulin? | | |
| English Instructions: GATE QUESTION | | |
| Codes: | | |
| 1 = | Enter number (of months or years) | |
| 2 = | Less than 1 month | |
| 7 = | Refused | |
| 9 = | Don't know | |

| DIQ060Q | Version Info | Target |
|---|----------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| 1 - 100 | Number of mos/yrs taking insulin | |
| English Text: For how long {have you/has SP} been taking insulin? | | |
| English Instructions: ENTER NUMBER (OF MONTHS OR YEARS) | | |
| Codes: | | |
| 77777 = | Refused | |
| 99999 = | Don't know | |

| DIQ060U | Version Info | Target |
|----------------------------------|------------------------------|-------------|
| | | Version 1.0 |
| Hard Edits | SAS Label | |
| | Unit of measure (month/year) | |
| English Text: UNIT OF MEASURE | | |
| English Instructions: ENTER UNIT | | |
| Codes: | | |
| 1 = | Months | |
| 2 = | Years | |

| | | |
|-----|------------|--|
| 7 = | Refused | |
| 9 = | Don't know | |

| DIQ065 | Version Info | Node Sequence |
|--------|--------------|---------------|
| | Version 1.0 | 416 |

English Instructions: BOX 0. CHECK ITEM DIQ.065: IF 'YES' (CODE 1) IN DIQ.010, CONTINUE. OTHERWISE, GO TO BOX 2.

| DIQ070 | Version Info | Target |
|--|--|----------------------|
| | Version 1.0 | B(1 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Take diabetic pills to lower blood sugar | |
| English Text: {Is SP/Are you} now taking diabetic pills to lower {{his/her}/your} blood sugar? These are sometimes called oral agents or oral hypoglycemic agents. | | |
| English Instructions: < blank > | | |
| Codes: | | |
| 1 = | Yes | |
| 2 = | No | |
| 7 = | Refused | |
| 9 = | Don't know | |

| DIQ075 | Version Info | Node Sequence |
|--------|--------------|---------------|
| | Version 1.0 | 418 |

English Instructions: BOX 1. CHECK ITEM DIQ.075: IF SP AGE >= 20, CONTINUE. OTHERWISE, GO TO END OF SECTION.

| DIQ080 | Version Info | Target |
|--|--|-----------------------|
| | Version 1.0 | B(20 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Diabetes affected eyes/had retinopathy | |
| English Text: Has a doctor ever told {you/SP} that diabetes has affected {your/his/her} eyes or that {you/s/he} had retinopathy? | | |
| English Instructions: < blank > | | |
| Codes: | | |

| | | |
|-----|------------|--|
| 1 = | Yes | |
| 2 = | No | |
| 7 = | Refused | |
| 9 = | Don't know | |

| | | |
|--|-----------------------------|----------------------|
| DIQ085 | Version Info | Node Sequence |
| | Version 1.0 | 420 |
| English Instructions: BOX 2. CHECK ITEM DIQ.085: IF SP AGE >= 40, CONTINUE. OTHERWISE, GO TO END OF SECTION. | | |

| | | |
|--|--------------------------------------|-----------------------|
| DIQ090 | Version Info | Target |
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Ulcer/sore not healed within 4 weeks | |
| English Text: {Have you/Has SP} ever had an ulcer or sore on {your/his/her} leg or foot that took more than 4 weeks to heal? | | |
| English Instructions: < blank > | | |
| Codes: | | |
| 1 = | Yes | |
| 2 = | No | |
| 7 = | Refused | |
| 9 = | Don't know | |

| | | |
|---|-----------------------------------|-----------------------|
| DIQ100 | Version Info | Target |
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Numbness in hands/feet-past 3 mos | |
| English Text: During the past 3 months, {have you/has SP} had numbness or loss of feeling in {your/his/her} hands or feet, other than from {your/his/her} hands or feet falling asleep? | | |
| English Instructions: < blank > | | |
| Codes: | | |
| 1 = | Yes | |
| 2 = | No | (Skip to: DIQ120) |
| 7 = | Refused | (Skip to: DIQ120) |

9 = Don't know

(Skip to: DIQ120)

| DIQ110 | Version Info | Target |
|---|---------------------------------|-----------------------|
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Numbness in hands, feet or both | |
| English Text: Has the numbness or loss of feeling been in {your/SP's} hands, feet, or both? | | |
| English Instructions: < blank > | | |
| Codes: | | |
| 1 = | Hands | |
| 2 = | Feet | |
| 3 = | Both | |
| 7 = | Refused | |
| 9 = | Don't know | |

| DIQ120 | Version Info | Target |
|--|--|-----------------------|
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Pain/tingling in hands/feet - past 3 mos | |
| English Text: During the past 3 months, {have you/has SP} had a painful sensation or tingling in {your/his/her} hands or feet? Do not include normal foot aches from standing or walking for long periods. | | |
| English Instructions: < blank > | | |
| Codes: | | |
| 1 = | Yes | |
| 2 = | No | (Skip to: DIQ140) |
| 7 = | Refused | (Skip to: DIQ140) |
| 9 = | Don't know | (Skip to: DIQ140) |

| DIQ130 | Version Info | Target |
|--|-------------------------------------|-----------------------|
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Pain/tingling in hands,feet or both | |
| English Text: Has the painful sensation or tingling been in {your/his/her} hands, feet, or both? | | |

English Instructions: < blank >

Codes:

| | | |
|-----|------------|--|
| 1 = | Hands | |
| 2 = | Feet | |
| 3 = | Both | |
| 7 = | Refused | |
| 9 = | Don't know | |

| DIQ140 | Version Info | Target |
|------------|----------------------------------|-----------------------|
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Pain in either leg while walking | |

English Text: {Do you/Does SP} ever get pain in either leg while {you are/s/he is} walking?

English Instructions: < blank >

Codes:

| | | |
|-----|------------|--------------------|
| 1 = | Yes | |
| 2 = | No | (End of Section) |
| 7 = | Refused | (End of Section) |
| 9 = | Don't know | (End of Section) |

| DIQ150 | Version Info | Target |
|------------|------------------------|-----------------------|
| | Version 1.0 | B(40 Yrs. - 120 Yrs.) |
| Hard Edits | SAS Label | |
| | Pain in calf or calves | |

English Text: Does this pain include pain in {your/SP's} calf or calves?

English Instructions: < blank >

Codes:

| | | |
|-----|------------|--|
| 1 = | Yes | |
| 2 = | No | |
| 7 = | Refused | |
| 9 = | Don't know | |

General Information About NHANES Interview Data

Respondent Rules

In general, persons 16 years of age and older, and emancipated minors were interviewed directly. A small number of NHANES questionnaire sections have different respondent rules. Please review the questionnaire documentation, questionnaires, and interviewer training manuals carefully prior to analyzing the data.

Proxy Rules

A responsible adult provided information for sample persons under 16 years of age and for individuals who could not self-report. The interviewer training manuals and component-specific notes provided with these files provide additional information about the use of respondents.

Automated Data Collection Methodology

Household Interview and Mobile Examination Center (MEC) Interview data were recorded electronically with the use of computerized questionnaire forms that were programmed using Blaise© software. The Household Interview questionnaires were programmed in Blaise© and installed on laptop computers for use in the field. The MEC interviews were also administered in an automated format, but the interview module formats included non-Blaise© software. After data collection was completed, the interview data files were transmitted electronically to a central survey database system.

NHANES Spanish Language Questionnaires

All NHANES questionnaires were translated into Spanish and were administered in computer-assisted personal interview (CAPI) format along with the English language versions.

Household Interview Component Questionnaires:

- Screener Questionnaire
- Family Interview Questionnaire
- Sample Person Questionnaire

Mobile Examination Center (MEC) Questionnaires:

- MEC Computer-Assisted Personal Interview (MEC CAPI)
- MEC Audio-Computer-Assisted Self Interview (MEC A-CASI)

The MEC Interview component is a two-part interview that addresses several health-related topics. The personal interview portion is conducted in a private setting by a trained interviewer. The Audio Computerized Self Administered (A-CASI) portion of the interview was conducted in a private room in the MEC without the interviewer being present. (The interviewers are present for a brief "training" session dealing with the use of the personal computer and interview system software) The A-CASI format permits the respondents to hear questions through earphones and to read questions on a computer screen. Respondents progress through the A-CASI questions at their own speed, as they touch the computer screen to indicate their response. The A-CASI portion of the interview consists of five separate sections, each of which deals with a sensitive health risk behavior topic.

Interviewer Training:

All interviewers completed a comprehensive two-week training program. Many of the interviewers had prior interviewing experience. A large percentage of the household interviewers were bilingual in English and Spanish.

The MEC interviewers also received extensive interviewer training on personal and audio-computer-assisted interview administration. This training focused on the specific interview modules that were administered in the MEC dealing with mental health and smoking, drug use, alcohol, and sexual behavior.

NHANES interviewer training included role-playing exercises and practice interviews, all of which were monitored by NCHS and contractor staff. Detailed information about the interviewer training requirements is found in the [NHANES Household Interviewer Training Manual](#).

Interviewer Quality Control Monitoring

Extensive pretesting was completed prior to implementing the questionnaires in the field. A full "dress rehearsal" pilot test was conducted with the field and examination staff to test all of the survey participant contact and interview systems and procedures.

Several types of quality control monitoring methods were implemented to ensure that high quality data were collected during the survey. Interviewer monitoring was a major responsibility for NCHS and contractor staff. Interviewers were frequently accompanied on interviews and observed to verify that the interview protocol was administered correctly. Interviewers were retrained on survey procedures if necessary.

NCHS encouraged the interviewers to provide constructive comments and feedback based on their field experiences. NCHS used field staff and interviewer feedback to improve the questionnaires and survey materials. Survey staff

debriefing and training sessions were conducted annually. NCHS and contractor staff participated in the debriefing meetings. Interviewers were trained on new survey content and protocol changes prior to implementation in the field.

Data collection system consistency checks

The NHANES CAPI systems have built-in edit and range checks for most questions that have open-ended response options. When unusual or unrealistic responses were recorded, the interviewer was alerted immediately and instructed to verify or edit the initial response.

Data Preparation: Reviews, editing, and derived variables

During data preparation, variable frequency counts were checked, questionnaire "skip" patterns were verified, and the reasonableness of responses to the questions were reviewed. If changes were made to the original data, a derived variable was created. The derived variable is essentially the final version of the variable after editing and recoding was performed. The derived variable nomenclature for questionnaire data includes the letter "D" in the third position of the variable name in place of the letter "Q" for the questionnaire item that is customarily used in NHANES data release files. The survey questionnaire codebooks include the names and descriptions of the derived variables.

Check Items and Final Data Release Variables

The codebooks for each survey component include "check item" variables. Check item variables were used internally at NCHS as part of the quality control process to verify that the data collection process was correct. The check item variables are not part of the data release files, however. Analysts would need to re-create these variables to produce check item frequencies.

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------|---------|--|
| 1 | ACQ | Acculturation | SEQN | Respondent sequence number |
| 2 | ACQ | Acculturation | ACD010A | English usually spoken at home |
| 3 | ACQ | Acculturation | ACD010B | Spanish usually spoken at home |
| 4 | ACQ | Acculturation | ACD010C | Other language(s) usually spoken at home |
| 5 | ACQ | Acculturation | ACQ020 | Language(s) read and spoken |
| 6 | ACQ | Acculturation | ACQ030 | Language(s) used as child |
| 7 | ACQ | Acculturation | ACD040 | Language(s) usually spoken at home |
| 8 | ACQ | Acculturation | ACQ050 | Language(s) usually used to think |
| 9 | ACQ | Acculturation | ACQ060 | Language(s) usually used with friends |
| 10 | ACQ | Acculturation | ACD070 | Father's country of birth |
| 11 | ACQ | Acculturation | ACD080 | Mother's country of birth |
| 12 | ALQ | Alcohol Use | SEQN | Respondent sequence number |
| 13 | ALQ | Alcohol Use | ALQ100 | Had at least 12 alcohol drinks/1 yr? |
| 14 | ALQ | Alcohol Use | ALQ110 | Had at least 12 alcohol drinks/lifetime? |
| 15 | ALQ | Alcohol Use | ALQ120Q | How often drink alcohol over past 12 mos |
| 16 | ALQ | Alcohol Use | ALQ120U | # days drink alcohol per wk, mo, yr |
| 17 | ALQ | Alcohol Use | ALQ130 | Avg # alcoholic drinks/day -past 12 mos |
| 18 | ALQ | Alcohol Use | ALQ140Q | # days have 5 or more drinks/past 12 mos |
| 19 | ALQ | Alcohol Use | ALQ140U | # days per week, month, year? |
| 20 | ALQ | Alcohol Use | ALQ150 | Ever have 5 or more drinks every day? |
| 21 | AUQ | Audiometry | SEQN | Respondent sequence number |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|------------|---------|--|
| 22 | AUQ | Audiometry | AUQ130 | General condition of hearing |
| 23 | AUQ | Audiometry | AUQ140 | When was hearing last tested |
| 24 | AUQ | Audiometry | AUQ150 | Ever worn a hearing aid |
| 25 | AUQ | Audiometry | AUQ160 | Now wearing a hearing aid |
| 26 | AUQ | Audiometry | AUQ170 | Worn hearing aid in past 12 months |
| 27 | AUQ | Audiometry | AUQ180 | How often wear hearing aid in past year |
| 28 | AUQ | Audiometry | AUQ190 | Ears ringing, roaring, buzzing past year |
| 29 | AUQ | Audiometry | AUQ200 | How often ringing, roaring, buzzing |
| 30 | AUQ | Audiometry | AUQ210 | Firearm noise exposure outside work |
| 31 | AUQ | Audiometry | AUQ220 | Use ear protection around firearm noise |
| 32 | AUQ | Audiometry | AUQ230 | Loud noise exposure outside work |
| 33 | AUQ | Audiometry | AUQ240 | Use ear protection around loud noise |
| 34 | BAQ | Balance | SEQN | Respondent sequence number |
| 35 | BAQ | Balance | BAQ010 | Dizzy/balance/falling problems/past yr |
| 36 | BAQ | Balance | BAQ020A | Dizziness problems in past year |
| 37 | BAQ | Balance | BAQ020B | Balance problems in past year |
| 38 | BAQ | Balance | BAQ020C | Falling problems in past year |
| 39 | BAQ | Balance | BAQ030A | How long did dizziness last |
| 40 | BAQ | Balance | BAQ030B | How long did balance problem last |
| 41 | BAQ | Balance | BAQ040 | Get dizzy when turn over in bed |
| 42 | BAQ | Balance | BAQ060A | Off balance due to cold or flu |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 43 | BAQ | Balance | BAQ060B | Off balance due to injury or accident |
| 44 | BAQ | Balance | BAQ060C | Off balance due to drugs or medicine |
| 45 | BAQ | Balance | BAQ060D | Off balance due to aging |
| 46 | BAQ | Balance | BAQ060E | Off balance due to surgery |
| 47 | BAQ | Balance | BAQ060F | Off balance due to hearing problem |
| 48 | BAQ | Balance | BAQ060G | Off balance due to vision problem |
| 49 | BAQ | Balance | BAQ060H | Nothing related to balance problem |
| 50 | BAQ | Balance | BAQ070 | Received treatment for dizziness/balance |
| 51 | BAQ | Balance | BAQ075 | How long ago where you treated |
| 52 | BAQ | Balance | BAQ080A | Did treatment involve medication |
| 53 | BAQ | Balance | BAQ080B | Did treatment involve surgery to ear |
| 54 | BAQ | Balance | BAQ080C | Did treatment involve other type surgery |
| 55 | BAQ | Balance | BAQ080D | Did treatment involve exercises |
| 56 | BAQ | Balance | BAQ090 | Treatment affect on dizziness/balance |
| 57 | BAQ | Balance | BAQ100 | Blood relative dizziness/balance problem |
| 58 | BPQ | Blood Pressure | SEQN | Respondent sequence number |
| 59 | BPQ | Blood Pressure | BPQ010 | Last blood pressure reading by doctor |
| 60 | BPQ | Blood Pressure | BPQ020 | Ever told you had high blood pressure |
| 61 | BPQ | Blood Pressure | BPQ030 | Told had high blood pressure - 2+ times |
| 62 | BPQ | Blood Pressure | BPQ040A | Taking prescription for hypertension |
| 63 | BPQ | Blood Pressure | BPQ040B | Told to control weight for hypertension |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 64 | BPQ | Blood Pressure | BPQ040C | Told to reduce sodium for hypertension |
| 65 | BPQ | Blood Pressure | BPQ040D | Told to exercise more for hypertension |
| 66 | BPQ | Blood Pressure | BPQ040E | Told to reduce alcohol for hypertension |
| 67 | BPQ | Blood Pressure | BPQ040F | Told to do other things for hypertension |
| 68 | BPQ | Blood Pressure | BPQ043A | Told to stop smoking for hypertension |
| 69 | BPQ | Blood Pressure | BPQ043B | Told to increase potassium for hyptrnsn |
| 70 | BPQ | Blood Pressure | BPQ043C | Told of other diet changes for hyptrnsn |
| 71 | BPQ | Blood Pressure | BPQ043D | Told to do other things for hyptrnsn |
| 72 | BPQ | Blood Pressure | BPQ050A | Now taking prescribed medicine |
| 73 | BPQ | Blood Pressure | BPQ050B | Now controlling weight |
| 74 | BPQ | Blood Pressure | BPQ050C | Now reducing salt/sodium |
| 75 | BPQ | Blood Pressure | BPQ050D | Now exercising more |
| 76 | BPQ | Blood Pressure | BPQ050E | Now reducing alcohol consumption |
| 77 | BPQ | Blood Pressure | BPQ060 | Ever had blood cholesterol checked |
| 78 | BPQ | Blood Pressure | BPQ070 | When blood cholesterol last checked |
| 79 | BPQ | Blood Pressure | BPQ080 | Doctor told you - high cholesterol level |
| 80 | BPQ | Blood Pressure | BPQ090A | Told to eat less fat for cholesterol |
| 81 | BPQ | Blood Pressure | BPQ090B | Told to reduce weight for cholesterol |
| 82 | BPQ | Blood Pressure | BPQ090C | Told to exercise more for cholesterol |
| 83 | BPQ | Blood Pressure | BPQ090D | Told to take prescriptn for cholesterol |
| 84 | BPQ | Blood Pressure | BPQ100A | Now eating fewer high fat foods |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|------------------------|---------|--|
| 85 | BPQ | Blood Pressure | BPQ100B | Now controlling weight |
| 86 | BPQ | Blood Pressure | BPQ100C | Now increasing exercise |
| 87 | BPQ | Blood Pressure | BPQ100D | Now taking prescribed medicine |
| 88 | BPQ | Blood Pressure | BPQ110A | Eating fewer high fat foods on own |
| 89 | BPQ | Blood Pressure | BPQ110B | Controlling weight on own |
| 90 | BPQ | Blood Pressure | BPQ110C | Increasing exercise on own |
| 91 | BPQ | Blood Pressure | BPQ120 | Eating fewer high fat foods on own |
| 92 | BPQ | Blood Pressure | BPQ130 | Controlling weight on own |
| 93 | BPQ | Blood Pressure | BPQ140 | Increasing exercise on own |
| 94 | CDQ | Cardiovascular Disease | SEQN | Respondent sequence number |
| 95 | CDQ | Cardiovascular Disease | CDQ010 | Shortness of breath on stairs/inclines |
| 96 | CDQ | Cardiovascular Disease | CDQ020 | Short of breath walking on level surface |
| 97 | CDQ | Cardiovascular Disease | CDQ030 | Stop for breath walking at own pace |
| 98 | CDQ | Cardiovascular Disease | CDQ040 | Stop for breath walking 100 yards |
| 99 | CDQ | Cardiovascular Disease | CDQ050 | Awakened by trouble breathing |
| 100 | CDQ | Cardiovascular Disease | CDQ060 | Breathing trouble relieved by sitting up |
| 101 | CDQ | Cardiovascular Disease | CDQ070 | Sleep on 2+ pillows to help breathe |
| 102 | CDQ | Cardiovascular Disease | CDQ080 | Had swelling of feet or ankles |
| 103 | CDQ | Cardiovascular Disease | CDQ090 | Swelling during day or overnight |
| 104 | CFQ | Cognitive Functioning | SEQN | Respondent sequence number |
| 105 | CFQ | Cognitive Functioning | CFD010 | Can do exercise without distraction? |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------------------|----------|--|
| 106 | CFQ | Cognitive Functioning | CFQ020 | Usually wear glasses to read? |
| 107 | CFQ | Cognitive Functioning | CFD030 | Has SP completed sample exercise? |
| 108 | CFQ | Cognitive Functioning | CFD040 | Reason unable to complete sample |
| 109 | CFQ | Cognitive Functioning | CFD050 | DSS exercise completion result |
| 110 | CFQ | Cognitive Functioning | CFDFINSH | Number complete |
| 111 | CFQ | Cognitive Functioning | CFDRIGHT | Score: number correct |
| 112 | DBQ | Diet Behavior & Alcohol | SEQN | Respondent sequence number |
| 113 | DBQ | Diet Behavior & Alcohol | DBQ010 | Ever breastfed or fed breastmilk |
| 114 | DBQ | Diet Behavior & Alcohol | DBD020 | Age started eating other foods (days) |
| 115 | DBQ | Diet Behavior & Alcohol | DBD030 | Age stopped breastfeeding(days) |
| 116 | DBQ | Diet Behavior & Alcohol | DBD040 | Age fed formula daily basis(days) |
| 117 | DBQ | Diet Behavior & Alcohol | DBD050 | Age when stopped receiving formula(days) |
| 118 | DBQ | Diet Behavior & Alcohol | DBD060 | Age first fed milk daily basis(days) |
| 119 | DBQ | Diet Behavior & Alcohol | DBQ070A | Type of milk first fed - whole milk |
| 120 | DBQ | Diet Behavior & Alcohol | DBQ070B | Type of milk first fed - 2% milk |
| 121 | DBQ | Diet Behavior & Alcohol | DBQ070C | Type of milk first fed - 1% milk |
| 122 | DBQ | Diet Behavior & Alcohol | DBQ070D | Type of milk first fed - skim/nonfat |
| 123 | DBQ | Diet Behavior & Alcohol | DBD070J | Type of milk first fed - other |
| 124 | DBQ | Diet Behavior & Alcohol | DBD080 | Age started eating solid foods(days) |
| 125 | DBQ | Diet Behavior & Alcohol | DBD090 | # of times/week eat restaurant food |
| 126 | DBQ | Diet Behavior & Alcohol | DBQ095 | Type of salt used at table |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------------------|---------|---|
| 127 | DBQ | Diet Behavior & Alcohol | DBQ100 | How often add salt to food at table |
| 128 | DBQ | Diet Behavior & Alcohol | DBQ110 | Ever eat poultry |
| 129 | DBQ | Diet Behavior & Alcohol | DBQ120 | When eat poultry, how often eat skin |
| 130 | DBQ | Diet Behavior & Alcohol | DBQ130 | Ever eat beef, pork, lamb or veal |
| 131 | DBQ | Diet Behavior & Alcohol | DBQ140 | When eating meat, ever eat visible fat |
| 132 | DBQ | Diet Behavior & Alcohol | DBD195 | Past 30 day milk product consumption |
| 133 | DBQ | Diet Behavior & Alcohol | DBQ220A | You drink whole or regular milk |
| 134 | DBQ | Diet Behavior & Alcohol | DBQ220B | You drink 2% fat milk |
| 135 | DBQ | Diet Behavior & Alcohol | DBQ220C | You drink 1% fat milk |
| 136 | DBQ | Diet Behavior & Alcohol | DBQ220D | You drink skim, nonfat or .5% milk |
| 137 | DBQ | Diet Behavior & Alcohol | DBD220J | You drank another type of milk |
| 138 | DBQ | Diet Behavior & Alcohol | DBD235A | How often drank milk age 5-12 |
| 139 | DBQ | Diet Behavior & Alcohol | DBD235B | How often drank milk age 13-17 |
| 140 | DBQ | Diet Behavior & Alcohol | DBD235C | How often drank milk age 18-35 |
| 141 | DBQ | Diet Behavior & Alcohol | ALD240 | How often drink beer(per month) |
| 142 | DBQ | Diet Behavior & Alcohol | ALD250 | How often drink wine(per month) |
| 143 | DBQ | Diet Behavior & Alcohol | ALD260 | How often drink hard liquor(per month) |
| 144 | DBQ | Diet Behavior & Alcohol | DBD270A | Helping of protein food eaten/day |
| 145 | DBQ | Diet Behavior & Alcohol | DBD270B | Helping of milk/dairy foods eaten/day |
| 146 | DBQ | Diet Behavior & Alcohol | DBD270C | Helping of fruit/fruit juices eaten/day |
| 147 | DBQ | Diet Behavior & Alcohol | DBD270D | Helping of vegetables eaten/day |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------------------|---------|--|
| 148 | DBQ | Diet Behavior & Alcohol | DBD270E | Helping of breads/grain foods eaten/day |
| 149 | DBQ | Diet Behavior & Alcohol | DBQ300 | Community/Government meals delivered |
| 150 | DBQ | Diet Behavior & Alcohol | DBQ330 | Eat meals at community/senior center |
| 151 | DBQ | Diet Behavior & Alcohol | DBD360 | Attend kindergarten thru high school |
| 152 | DBQ | Diet Behavior & Alcohol | DBD370 | School serves school lunches |
| 153 | DBQ | Diet Behavior & Alcohol | DBD380 | # of times/week get school lunch |
| 154 | DBQ | Diet Behavior & Alcohol | DBQ390 | School lunch free, reduced or full price |
| 155 | DBQ | Diet Behavior & Alcohol | DBD400 | School serve complete breakfast each day |
| 156 | DBQ | Diet Behavior & Alcohol | DBD410 | # of times/week get school breakfast |
| 157 | DBQ | Diet Behavior & Alcohol | DBQ420 | School breakfast free/reduced/full price |
| 158 | DEQ | Dermatology | SEQN | Respondent sequence number |
| 159 | DEQ | Dermatology | DEQ010 | # moles at least 1/4 inch in diameter |
| 160 | DEQ | Dermatology | DEQ020 | Natural hair color at age 18 |
| 161 | DEQ | Dermatology | DEQ030 | Skin reaction to sun after non-exposure |
| 162 | DEQ | Dermatology | DEQ040 | Ever told by doctor you had melanoma |
| 163 | DEQ | Dermatology | DEQ050 | Close blood relative have melanoma |
| 164 | DEQ | Dermatology | DEQ060 | Dermatitis, eczema, rash in past year |
| 165 | DEQ | Dermatology | DEQ070 | Have dermatitis, eczema, rash now |
| 166 | DEQ | Dermatology | DED080A | Hands affected by skin condition |
| 167 | DEQ | Dermatology | DED080B | Arms affected by skin condition |
| 168 | DEQ | Dermatology | DED080C | Head, face or neck skin affected |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------|---------|---------------------------------------|
| 169 | DEQ | Dermatology | DED080D | Torso affected by skin condition |
| 170 | DEQ | Dermatology | DED080E | Legs affected by skin condition |
| 171 | DEQ | Dermatology | DED080F | Shoulder affected by skin condition |
| 172 | DEQ | Dermatology | DED080G | Groin affected by skin condition |
| 173 | DEQ | Dermatology | DED080H | Buttocks affected by skin condition |
| 174 | DEQ | Dermatology | DED080I | Feet affected by skin condition |
| 175 | DEQ | Dermatology | DED080J | Other area affected by skin condition |
| 176 | DEQ | Dermatology | DEQ090 | Chemicals/Substances cause condition |
| 177 | DEQ | Dermatology | DEQ110 | Substances picked up at work |
| 178 | DEQ | Dermatology | DED100A | 1st Chemical/substance listed |
| 179 | DEQ | Dermatology | DED100B | 2nd Chemical/substance listed |
| 180 | DEQ | Dermatology | DED100C | 3rd Chemical/substance listed |
| 181 | DEQ | Dermatology | DED100D | 4th Chemical/substance listed |
| 182 | DIQ | Diabetes | SEQN | Respondent sequence number |
| 183 | DIQ | Diabetes | DIQ010 | Doctor told you have diabetes |
| 184 | DIQ | Diabetes | DIQ040G | Age when first told you had diabetes |
| 185 | DIQ | Diabetes | DIQ040Q | Number of years of age |
| 186 | DIQ | Diabetes | DIQ050 | Taking insulin now |
| 187 | DIQ | Diabetes | DIQ060G | How long taking insulin |
| 188 | DIQ | Diabetes | DIQ060Q | Number of mos/yrs taking insulin |
| 189 | DIQ | Diabetes | DIQ060U | Unit of measure (month/year) |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------------------|----------|--|
| 190 | DIQ | Diabetes | DIQ070 | Take diabetic pills to lower blood sugar |
| 191 | DIQ | Diabetes | DIQ080 | Diabetes affected eyes/had retinopathy |
| 192 | DIQ | Diabetes | DIQ090 | Ulcer/sore not healed within 4 weeks |
| 193 | DIQ | Diabetes | DIQ100 | Numbness in hands/feet-past 3 mos |
| 194 | DIQ | Diabetes | DIQ110 | Numbness in hands, feet or both |
| 195 | DIQ | Diabetes | DIQ120 | Pain/tingling in hands/feet - past 3 mos |
| 196 | DIQ | Diabetes | DIQ130 | Pain/tingling in hands,feet or both |
| 197 | DIQ | Diabetes | DIQ140 | Pain in either leg while walking |
| 198 | DIQ | Diabetes | DIQ150 | Pain in calf or calves |
| 199 | DSQFILE1 | Supplement Counts | SEQN | Respondent sequence number |
| 200 | DSQFILE1 | Supplement Counts | DSD010 | Any dietary supplements taken? |
| 201 | DSQFILE1 | Supplement Counts | DSDCOUNT | Total # of dietary supplements taken |
| 202 | DSQFILE2 | Participant's Use of Supplement | SEQN | Respondent sequence number |
| 203 | DSQFILE2 | Participant's Use of Supplement | DSDSUPID | Supplement id number |
| 204 | DSQFILE2 | Participant's Use of Supplement | DSDSUPP | Supplement name |
| 205 | DSQFILE2 | Participant's Use of Supplement | DSD070 | Was container seen? |
| 206 | DSQFILE2 | Participant's Use of Supplement | DSDMTCH | Matching code |
| 207 | DSQFILE2 | Participant's Use of Supplement | DSD090 | How long supplement taken (days)? |
| 208 | DSQFILE2 | Participant's Use of Supplement | DSD100Q | How often taken past month? (quantity) |
| 209 | DSQFILE2 | Participant's Use of Supplement | DSD100U | How often taken past month? (unit) |
| 210 | DSQFILE2 | Participant's Use of Supplement | DSD120Q | How much taken each time? (quantity) |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------------------|----------|--|
| 211 | DSQFILE2 | Participant's Use of Supplement | DSD120U | How much taken each time? (unit) |
| 212 | DSQFILE2 | Participant's Use of Supplement | DSDANTA | Antacid reported as a dietary supplement |
| 213 | DSQFILE3 | Supplement Information | DSDSUPID | Supplement ID number |
| 214 | DSQFILE3 | Supplement Information | DSDSUPP | Supplement name |
| 215 | DSQFILE3 | Supplement Information | DSDSRCE | Supplement information source |
| 216 | DSQFILE3 | Supplement Information | DSDTYPE | Formulation type |
| 217 | DSQFILE3 | Supplement Information | DSDSERVQ | Serving size quantity |
| 218 | DSQFILE3 | Supplement Information | DSDSERVU | Serving size unit |
| 219 | DSQFILE3 | Supplement Information | DSDSERVA | Alternative serving size |
| 220 | DSQFILE3 | Supplement Information | DSDCNTV | Count of vitamins in the supplement |
| 221 | DSQFILE3 | Supplement Information | DSDCNTM | Count of minerals in the supplement |
| 222 | DSQFILE3 | Supplement Information | DSDCNTA | Count of amino acids in the supplement |
| 223 | DSQFILE3 | Supplement Information | DSDCNTB | Count of botanicals in the supplement |
| 224 | DSQFILE3 | Supplement Information | DSDCNTO | Count of other ingredients in the supplement |
| 225 | DSQFILE4 | Ingredient Information | DSDSUPID | Supplement ID number |
| 226 | DSQFILE4 | Ingredient Information | DSDSUPP | Supplement name |
| 227 | DSQFILE4 | Ingredient Information | DSDINGID | Ingredient ID |
| 228 | DSQFILE4 | Ingredient Information | DSDINGR | Ingredient name |
| 229 | DSQFILE4 | Ingredient Information | DSDOPER | Ingredient operator |
| 230 | DSQFILE4 | Ingredient Information | DSDQTY | Ingredient quantity |
| 231 | DSQFILE4 | Ingredient Information | DSDUNIT | Ingredient unit |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|------------------------|----------|---|
| 232 | DSQFILE4 | Ingredient Information | DSDCAT | Ingredient category |
| 233 | DSQFILE4 | Ingredient Information | DSDBLFLG | Blend flag |
| 234 | DSQFILE5 | Supplement Blend | DSDINGID | Ingredient ID |
| 235 | DSQFILE5 | Supplement Blend | DSDINGR | Ingredient name |
| 236 | DSQFILE5 | Supplement Blend | DSDBCID | Blend component ID |
| 237 | DSQFILE5 | Supplement Blend | DSDBCNAM | Blend component name |
| 238 | DSQFILE5 | Supplement Blend | DSDBCCAT | Blend component category |
| 239 | DUQ | Drug Use | SEQN | Respondent sequence number |
| 240 | DUQ | Drug Use | DUQ100 | Ever used cocaine or other street drug |
| 241 | DUQ | Drug Use | DUQ110 | #days used street drugs over past year |
| 242 | DUQ | Drug Use | DUQ120 | Ever used a needle to take street drugs |
| 243 | DUQ | Drug Use | DUQ130 | #days used needle for street drugs/year |
| 244 | ECQ | Early Childhood | SEQN | Respondent sequence number |
| 245 | ECQ | Early Childhood | ECQ010 | Mother's age when born |
| 246 | ECQ | Early Childhood | ECQ020 | Mother smoked when pregnant |
| 247 | ECQ | Early Childhood | ECQ030 | Mother quit smoking while pregnant |
| 248 | ECQ | Early Childhood | ECQ040 | Mother quit smoking while pregnant (mo) |
| 249 | ECQ | Early Childhood | ECQ060 | Receive newborn care at health facility |
| 250 | ECQ | Early Childhood | ECD070A | Weight at birth, pounds |
| 251 | ECQ | Early Childhood | ECD070B | Weight at birth, ounces |
| 252 | ECQ | Early Childhood | ECQ080 | Weight more/less than 5.5 lbs |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------|---------|--|
| 253 | ECQ | Early Childhood | ECQ090 | Weight more/less than 9.0 lbs |
| 254 | ECQ | Early Childhood | ECD100 | Ever attend day care or preschool |
| 255 | ECQ | Early Childhood | ECD110 | Now attend day care or preschool |
| 256 | ECQ | Early Childhood | FSQ121 | Now attend headstart |
| 257 | ECQ | Early Childhood | ECQ130 | Hours spent away from home/weekday day |
| 258 | ECQ | Early Childhood | ECQ140 | Hours spent away from home/weekend day |
| 259 | FSQ | Food Security | SEQN | Respondent sequence number |
| 260 | FSQ | Food Security | FSD010 | Food adequacy indicator |
| 261 | FSQ | Food Security | FSD160 | Household WIC received |
| 262 | FSQ | Food Security | FSD170N | No. people in HH authorized for fd stmps |
| 263 | FSQ | Food Security | FSD180 | Authorized for fd stmps in last 12 mos |
| 264 | FSQ | Food Security | FSD190 | No. mos authorized in last 12 mos |
| 265 | FSQ | Food Security | FSD200 | Currently authorized for fd stmps |
| 266 | FSQ | Food Security | FSD655 | Child received WIC in past 12 months |
| 267 | FSQ | Food Security | FSD660C | Child currently receives WIC |
| 268 | FSQ | Food Security | FSD665 | How long child receiving WIC? |
| 269 | FSQ | Food Security | FSQ650 | Mom received WIC in past 12 months |
| 270 | FSQ | Food Security | FSD660M | Mom currently receives WIC |
| 271 | FSQ | Food Security | FSD670 | How long mom receiving WIC? |
| 272 | FSQ | Food Security | HHfdsec | Household food security category |
| 273 | FSQ | Food Security | ADfdsec | Adult food security category |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------------------|---------|---------------------------------------|
| 274 | FSQ | Food Security | CHfdsec | Child food security category |
| 275 | HIQ | Health Insurance | SEQN | Respondent sequence number |
| 276 | HIQ | Health Insurance | HID010 | Covered by health insurance |
| 277 | HIQ | Health Insurance | HID030A | Covered by private insurance |
| 278 | HIQ | Health Insurance | HID030B | Covered by Medicare |
| 279 | HIQ | Health Insurance | HID030C | Covered by Medicaid/CHIP |
| 280 | HIQ | Health Insurance | HID030D | Covered by other government insurance |
| 281 | HIQ | Health Insurance | HID030E | Covered by single service plan |
| 282 | HIQ | Health Insurance | HID040 | Dental coverage included |
| 283 | HIQ | Health Insurance | HIQ210 | Time when no insurance in past year? |
| 284 | HIQ | Health Insurance | HIQ220 | How long since last insured |
| 285 | HOQ | Housing Characteristics | SEQN | Respondent sequence number |
| 286 | HOQ | Housing Characteristics | HOD010 | Type of home |
| 287 | HOQ | Housing Characteristics | HOD030 | How many apartments in building |
| 288 | HOQ | Housing Characteristics | HOD040 | When was home built |
| 289 | HOQ | Housing Characteristics | HOD050 | Number of rooms in home |
| 290 | HOQ | Housing Characteristics | HOD060 | How many years family lived in home |
| 291 | HOQ | Housing Characteristics | HOQ065 | Home owned, bought, rented, other |
| 292 | HOQ | Housing Characteristics | HOQ070 | Source of tap water |
| 293 | HOQ | Housing Characteristics | HOQ080 | Water treatment devices used or not |
| 294 | HOQ | Housing Characteristics | HOD140 | Home painted in last 12 months |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------------------|---------|---|
| 295 | HOQ | Housing Characteristics | HOD150 | Old paint scraped when home painted? |
| 296 | HOQ | Housing Characteristics | HOD160 | Paint peeling, flaking, chipping inside |
| 297 | HOQ | Housing Characteristics | HOD170 | Inside peeling area plus 22x26 |
| 298 | HOQ | Housing Characteristics | HOD180 | Number of rooms 22x26 peeling |
| 299 | HOQ | Housing Characteristics | HOD190 | Outside paint peeling/flaking/chipping |
| 300 | HOQ | Housing Characteristics | HOD210 | Outside peeling larger than door? |
| 301 | HOQ | Housing Characteristics | HOD220 | Window, cabinet or wall renovation |
| 302 | HSQ | Health Status | SEQN | Respondent sequence number |
| 303 | HSQ | Health Status | HSQ500 | SP recent health - over past 4 weeks |
| 304 | HSQ | Health Status | HSQ510 | SP have stomach or intestinal illness? |
| 305 | HSQ | Health Status | HSQ520 | SP have flu, pneumonia, ear infection? |
| 306 | HSQ | Health Status | HSQ570 | SP donated blood in past 12 months? |
| 307 | HSQ | Health Status | HSQ580 | How long ago was last blood donation? |
| 308 | HSQ | Health Status | HSQ590 | Blood ever tested for HIV virus? |
| 309 | HSQ | Health Status | HSAQUEX | Source of Health Status Data |
| 310 | HUQ | Hospital Utilization | SEQN | Respondent sequence number |
| 311 | HUQ | Hospital Utilization | HUQ010 | General health condition |
| 312 | HUQ | Hospital Utilization | HUQ020 | Health now compared with 1 year ago |
| 313 | HUQ | Hospital Utilization | HUQ030 | Routine place to go for healthcare |
| 314 | HUQ | Hospital Utilization | HUQ040 | Type place most often go for healthcare |
| 315 | HUQ | Hospital Utilization | HUQ050 | #Times received healthcare over past yr |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|---------|--|
| 316 | HUQ | Hospital Utilization | HUQ060 | How long since last healthcare visit |
| 317 | HUQ | Hospital Utilization | HUQ070 | Overnight hospital patient in last year |
| 318 | HUQ | Hospital Utilization | HUD080 | #Times overnite hospital patient/last yr |
| 319 | HUQ | Hospital Utilization | HUQ090 | Seen mental health professional /past yr |
| 320 | IMQ | Immunization | SEQN | Respondent sequence number |
| 321 | IMQ | Immunization | IMQ010 | Received hepatitis A vaccine series |
| 322 | IMQ | Immunization | IMQ020 | Received hepatitis B 3 dose series |
| 323 | IMQ | Immunization | IMQ030 | Had pneumonia vaccination |
| 324 | KIQ | Kidney | SEQN | Respondent sequence number |
| 325 | KIQ | Kidney | KIQ020 | Ever told you had weak/failing kidneys |
| 326 | KIQ | Kidney | KIQ080 | Difficulty starting to urinate |
| 327 | KIQ | Kidney | KIQ100 | Bladder feel empty after urinating |
| 328 | KIQ | Kidney | KIQ120 | Ever told you had enlarged prostate |
| 329 | KIQ | Kidney | KIQ140 | Told it was a benign enlargement |
| 330 | KIQ | Kidney | KIQ160 | Age first told had benign enlargement |
| 331 | KIQ | Kidney | KIQ180 | Enlargement due to cancer |
| 332 | KIQ | Kidney | KIQ200 | Ever told you had prostate cancer |
| 333 | KIQ | Kidney | KIQ220 | Age when first told had prostate cancer |
| 334 | KIQ | Kidney | KIQ240 | Ever had surgery on prostate gland |
| 335 | KIQ | Kidney | KIQ260 | Surgery on prostate but not for cancer |
| 336 | KIQ | Kidney | KIQ280 | Surgery for cancer of the prostate |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|---|
| 337 | KIQ | Kidney | KIQ300 | Radiation treatments for prostate cancer |
| 338 | KIQ | Kidney | KIQ320 | Blood test to check for prostate cancer |
| 339 | KIQ | Kidney | KIQ040 | Difficulty controlling bladder |
| 340 | KIQ | Kidney | KIQ060 | Frequency of bladder control problem |
| 341 | KIQ | Kidney | KIQ340 | Ever had rectal examination? |
| 342 | KIQ | Kidney | KIQ360 | Rectal exam check for prostate cancer |
| 343 | KIQ | Kidney | KIQ380 | Rectal exam check for blood in stool |
| 344 | KIQ | Kidney | KIAQUEX | Questions KIQ340, -360, -380: 1=SI , 2=MI |
| 345 | MCQ | Medical Conditions | SEQN | Respondent sequence number |
| 346 | MCQ | Medical Conditions | MCQ010 | Ever been told you have asthma |
| 347 | MCQ | Medical Conditions | MCQ020 | Age when first had asthma |
| 348 | MCQ | Medical Conditions | MCQ030 | Still have asthma |
| 349 | MCQ | Medical Conditions | MCQ040 | Had asthma attack in past year |
| 350 | MCQ | Medical Conditions | MCQ050 | Emergency care visit for asthma/past yr |
| 351 | MCQ | Medical Conditions | MCQ053 | Taking treatment for anemia/past 3 mos |
| 352 | MCQ | Medical Conditions | MCQ060 | Told have attention deficit disorder? |
| 353 | MCQ | Medical Conditions | MCQ080 | Doctor ever said you were overweight |
| 354 | MCQ | Medical Conditions | MCQ083 | Ever told you have learning disability |
| 355 | MCQ | Medical Conditions | MCQ090 | Ever had chickenpox |
| 356 | MCQ | Medical Conditions | MCQ092 | Ever receive blood transfusion |
| 357 | MCQ | Medical Conditions | MCQ093 | Year receive blood transfusion |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|--|
| 358 | MCQ | Medical Conditions | MCQ100 | Told have high blood pressure |
| 359 | MCQ | Medical Conditions | MCQ110 | Taking medicine for high blood pressure |
| 360 | MCQ | Medical Conditions | MCQ114 | Ever tested for lead poisoning |
| 361 | MCQ | Medical Conditions | MCQ117Q | How long since lead poisoning test |
| 362 | MCQ | Medical Conditions | MCQ117U | Months or years |
| 363 | MCQ | Medical Conditions | MCQ120A | Had hay fever in past year |
| 364 | MCQ | Medical Conditions | MCQ120B | Had 3 or more ear infections/past year |
| 365 | MCQ | Medical Conditions | MCQ120C | Had frequent/severe headaches/past yr |
| 366 | MCQ | Medical Conditions | MCQ120D | Stuttering/Stammering in past year |
| 367 | MCQ | Medical Conditions | MCQ140 | Trouble seeing even with glass/contacts |
| 368 | MCQ | Medical Conditions | MCQ147 | Menstrual periods started yet? |
| 369 | MCQ | Medical Conditions | MCQ148 | Age when menstrual periods started |
| 370 | MCQ | Medical Conditions | MCQ150G | School days missed from injury/illness |
| 371 | MCQ | Medical Conditions | MCQ150Q | # school days missed from injury/illness |
| 372 | MCQ | Medical Conditions | MCQ160A | Doctor ever said you had arthritis |
| 373 | MCQ | Medical Conditions | MCQ160B | Ever told had congestive heart failure |
| 374 | MCQ | Medical Conditions | MCQ160C | Ever told you had coronary heart disease |
| 375 | MCQ | Medical Conditions | MCQ160D | Ever told you had angina/angina pectoris |
| 376 | MCQ | Medical Conditions | MCQ160E | Ever told you had heart attack |
| 377 | MCQ | Medical Conditions | MCQ160F | Ever told you had a stroke |
| 378 | MCQ | Medical Conditions | MCQ160G | Ever told you had emphysema |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|--|
| 379 | MCQ | Medical Conditions | MCQ160H | Ever told you had a goiter |
| 380 | MCQ | Medical Conditions | MCQ160I | Ever told you had thyroid disease |
| 381 | MCQ | Medical Conditions | MCQ160J | Doctor said you were overweight |
| 382 | MCQ | Medical Conditions | MCQ160K | Ever told you had chronic bronchitis |
| 383 | MCQ | Medical Conditions | MCQ160L | Ever told you had any liver condition |
| 384 | MCQ | Medical Conditions | MCQ170H | Do you still have a goiter |
| 385 | MCQ | Medical Conditions | MCQ170I | Do you still have thyroid disease |
| 386 | MCQ | Medical Conditions | MCQ170K | Do you still have chronic bronchitis |
| 387 | MCQ | Medical Conditions | MCQ170L | Do you still have a liver condition |
| 388 | MCQ | Medical Conditions | MCQ180A | Age when told you had arthritis |
| 389 | MCQ | Medical Conditions | MCQ180B | Age when told you had heart failure |
| 390 | MCQ | Medical Conditions | MCQ180C | Age when told had coronary heart disease |
| 391 | MCQ | Medical Conditions | MCQ180D | Age when told you had angina pectoris |
| 392 | MCQ | Medical Conditions | MCQ180E | Age when told you had heart attack |
| 393 | MCQ | Medical Conditions | MCQ180F | Age when told you had a stroke |
| 394 | MCQ | Medical Conditions | MCQ180G | Age when told you had emphysema |
| 395 | MCQ | Medical Conditions | MCQ180H | Age when told you had a goiter |
| 396 | MCQ | Medical Conditions | MCQ180I | Age when told you had thyroid disease |
| 397 | MCQ | Medical Conditions | MCQ180K | Age when told you had chronic bronchitis |
| 398 | MCQ | Medical Conditions | MCQ180L | Age when told you had a liver condition |
| 399 | MCQ | Medical Conditions | MCQ190 | Which type of arthritis |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|--|
| 400 | MCQ | Medical Conditions | MCQ200 | Ever told had stomach/duod/peptic ulcer |
| 401 | MCQ | Medical Conditions | MCQ210 | Had ulcer in past year |
| 402 | MCQ | Medical Conditions | MCQ220 | Ever told you had cancer or malignancy |
| 403 | MCQ | Medical Conditions | MCQ230A | What kind of cancer |
| 404 | MCQ | Medical Conditions | MCQ230B | What kind of cancer |
| 405 | MCQ | Medical Conditions | MCQ230C | What kind of cancer |
| 406 | MCQ | Medical Conditions | MCQ230D | What kind of cancer |
| 407 | MCQ | Medical Conditions | MCQ240A | Age when bladder cancer first diagnosed |
| 408 | MCQ | Medical Conditions | MCQ240B | Age when blood cancer first diagnosed |
| 409 | MCQ | Medical Conditions | MCQ240C | Age when bone cancer first diagnosed |
| 410 | MCQ | Medical Conditions | MCQ240D | Age when brain cancer first diagnosed |
| 411 | MCQ | Medical Conditions | MCQ240E | Age when breast cancer first diagnosed |
| 412 | MCQ | Medical Conditions | MCQ240F | Age when cervical cancer first diagnosed |
| 413 | MCQ | Medical Conditions | MCQ240G | Age when colon cancer first diagnosed |
| 414 | MCQ | Medical Conditions | MCQ240H | Age esophageal cancer first diagnosed |
| 415 | MCQ | Medical Conditions | MCQ240I | Age gallbladder cancer first diagnosed |
| 416 | MCQ | Medical Conditions | MCQ240J | Age when kidney cancer first diagnosed |
| 417 | MCQ | Medical Conditions | MCQ240K | Age larynx/windpipe cancer diagnosed |
| 418 | MCQ | Medical Conditions | MCQ240L | Age when leukemia first diagnosed |
| 419 | MCQ | Medical Conditions | MCQ240M | Age when liver cancer first diagnosed |
| 420 | MCQ | Medical Conditions | MCQ240N | Age when lung cancer first diagnosed |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 421 | MCQ | Medical Conditions | MCQ240O | Age lymphoma/Hodgkins' diagnosed |
| 422 | MCQ | Medical Conditions | MCQ240P | Age when melanoma first diagnosed |
| 423 | MCQ | Medical Conditions | MCQ240Q | Age mouth\tongue\lip cancer diagnosed |
| 424 | MCQ | Medical Conditions | MCQ240R | Age nervous system cancer diagnosed |
| 425 | MCQ | Medical Conditions | MCQ240S | Age when ovarian cancer first diagnosed |
| 426 | MCQ | Medical Conditions | MCQ240T | Age pancreatic cancer first diagnosed |
| 427 | MCQ | Medical Conditions | MCQ240U | Age prostate cancer first diagnosed |
| 428 | MCQ | Medical Conditions | MCQ240V | Age when rectal cancer first diagnosed |
| 429 | MCQ | Medical Conditions | MCQ240W | Age non-melanoma skin cancer diagnosed |
| 430 | MCQ | Medical Conditions | MCQ240X | Age unknown skin cancer first diagnosed |
| 431 | MCQ | Medical Conditions | MCQ240Y | Age soft tissue cancer first diagnosed |
| 432 | MCQ | Medical Conditions | MCQ240Z | Age stomach cancer first diagnosed |
| 433 | MCQ | Medical Conditions | MCQ240AA | Age testicular cancer first diagnosed |
| 434 | MCQ | Medical Conditions | MCQ240BB | Age when thyroid cancer first diagnosed |
| 435 | MCQ | Medical Conditions | MCQ240CC | Age when uterine cancer first diagnosed |
| 436 | MCQ | Medical Conditions | MCQ240DD | Age other type of cancer first diagnosed |
| 437 | MCQ | Medical Conditions | MCQ245A | Work days missed for illness/maternity |
| 438 | MCQ | Medical Conditions | MCQ245B | # of workdays missed |
| 439 | MCQ | Medical Conditions | MCQ250A | Blood relatives have diabetes |
| 440 | MCQ | Medical Conditions | MCQ250B | Blood relatives have Alzheimer's |
| 441 | MCQ | Medical Conditions | MCQ250C | Blood relatives have asthma |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|---|
| 442 | MCQ | Medical Conditions | MCQ250D | Blood relatives have arthritis |
| 443 | MCQ | Medical Conditions | MCQ250E | Blood relatives have osteoporosis |
| 444 | MCQ | Medical Conditions | MCQ250F | Blood relatives w/hypertension/stroke |
| 445 | MCQ | Medical Conditions | MCQ250G | Blood relatives have angina |
| 446 | MCQ | Medical Conditions | MCQ260AA | Blood relative-diabetes-mother |
| 447 | MCQ | Medical Conditions | MCQ260AB | Blood relative-diabetes-father |
| 448 | MCQ | Medical Conditions | MCQ260AC | Blood relative-diabetes-mother's mother |
| 449 | MCQ | Medical Conditions | MCQ260AD | Blood relative-diabetes-mother's father |
| 450 | MCQ | Medical Conditions | MCQ260AE | Blood relative-diabetes-father's mother |
| 451 | MCQ | Medical Conditions | MCQ260AF | Blood relative-diabetes-father's father |
| 452 | MCQ | Medical Conditions | MCQ260AG | Blood relative-diabetes-brother |
| 453 | MCQ | Medical Conditions | MCQ260AH | Blood relative-diabetes-sister |
| 454 | MCQ | Medical Conditions | MCQ260AI | Blood relative-diabetes-other |
| 455 | MCQ | Medical Conditions | MCQ260BA | Blood relative-Alzheimer's-mother |
| 456 | MCQ | Medical Conditions | MCQ260BB | Blood relative-Alzheimer's-father |
| 457 | MCQ | Medical Conditions | MCQ260BC | Blood relative-Alzheimer's-mom's mother |
| 458 | MCQ | Medical Conditions | MCQ260BD | Blood relative-Alzheimer's-mom's father |
| 459 | MCQ | Medical Conditions | MCQ260BE | Blood relative-Alzheimer's-dad's mother |
| 460 | MCQ | Medical Conditions | MCQ260BF | Blood relative-Alzheimer's-dad's father |
| 461 | MCQ | Medical Conditions | MCQ260BG | Blood relative-Alzheimer's-brother |
| 462 | MCQ | Medical Conditions | MCQ260BH | Blood relative-Alzheimer's-sister |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 463 | MCQ | Medical Conditions | MCQ260BI | Blood relative-Alzheimer's-other |
| 464 | MCQ | Medical Conditions | MCQ260CA | Blood relative-asthma-mother |
| 465 | MCQ | Medical Conditions | MCQ260CB | Blood relative-asthma-father |
| 466 | MCQ | Medical Conditions | MCQ260CC | Blood relative-asthma-mother's mother |
| 467 | MCQ | Medical Conditions | MCQ260CD | Blood relative-asthma-mother's father |
| 468 | MCQ | Medical Conditions | MCQ260CE | Blood relative-asthma-father's mother |
| 469 | MCQ | Medical Conditions | MCQ260CF | Blood relative-asthma-father's father |
| 470 | MCQ | Medical Conditions | MCQ260CG | Blood relative-asthma-brother |
| 471 | MCQ | Medical Conditions | MCQ260CH | Blood relative-asthma-sister |
| 472 | MCQ | Medical Conditions | MCQ260CI | Blood relative-asthma-other |
| 473 | MCQ | Medical Conditions | MCQ260DA | Blood relative-arthritis-mother |
| 474 | MCQ | Medical Conditions | MCQ260DB | Blood relative-arthritis-father |
| 475 | MCQ | Medical Conditions | MCQ260DC | Blood relative-arthritis-mother's mother |
| 476 | MCQ | Medical Conditions | MCQ260DD | Blood relative-arthritis-mother's father |
| 477 | MCQ | Medical Conditions | MCQ260DE | Blood relative-arthritis-father's mother |
| 478 | MCQ | Medical Conditions | MCQ260DF | Blood relative-arthritis-father's father |
| 479 | MCQ | Medical Conditions | MCQ260DG | Blood relative-arthritis-brother |
| 480 | MCQ | Medical Conditions | MCQ260DH | Blood relative-arthritis-sister |
| 481 | MCQ | Medical Conditions | MCQ260DI | Blood relative-arthritis-other |
| 482 | MCQ | Medical Conditions | MCQ260EA | Blood relative-osteoporosis-mother |
| 483 | MCQ | Medical Conditions | MCQ260EB | Blood relative-osteoporosis-father |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 484 | MCQ | Medical Conditions | MCQ260EC | Blood relative-osteoporosis-mom's mother |
| 485 | MCQ | Medical Conditions | MCQ260ED | Blood relative-osteoporosis-mom's father |
| 486 | MCQ | Medical Conditions | MCQ260EE | Blood relative-osteoporosis-dad's mother |
| 487 | MCQ | Medical Conditions | MCQ260EF | Blood relative-osteoporosis-dad's father |
| 488 | MCQ | Medical Conditions | MCQ260EG | Blood relative-osteoporosis-brother |
| 489 | MCQ | Medical Conditions | MCQ260EH | Blood relative-osteoporosis-sister |
| 490 | MCQ | Medical Conditions | MCQ260EI | Blood relative-osteoporosis-other |
| 491 | MCQ | Medical Conditions | MCQ260FA | Blood relative-hypertension-mother |
| 492 | MCQ | Medical Conditions | MCQ260FB | Blood relative-hypertension-father |
| 493 | MCQ | Medical Conditions | MCQ260FC | Blood relative-hypertension-mom's mother |
| 494 | MCQ | Medical Conditions | MCQ260FD | Blood relative-hypertension-mom's father |
| 495 | MCQ | Medical Conditions | MCQ260FE | Blood relative-hypertension-dad's mother |
| 496 | MCQ | Medical Conditions | MCQ260FF | Blood relative-hypertension-dad's father |
| 497 | MCQ | Medical Conditions | MCQ260FG | Blood relative-hypertension-brother |
| 498 | MCQ | Medical Conditions | MCQ260FH | Blood relative-hypertension-sister |
| 499 | MCQ | Medical Conditions | MCQ260FI | Blood relative-hypertension-other |
| 500 | MCQ | Medical Conditions | MCQ260GA | Blood relative-heart attack-mother |
| 501 | MCQ | Medical Conditions | MCQ260GB | Blood relative-heart attack-father |
| 502 | MCQ | Medical Conditions | MCQ260GC | Blood relative-heart attack-mom's mother |
| 503 | MCQ | Medical Conditions | MCQ260GD | Blood relative-heart attack-mom's father |
| 504 | MCQ | Medical Conditions | MCQ260GE | Blood relative-heart attack-dad's mother |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 505 | MCQ | Medical Conditions | MCQ260GF | Blood relative-heart attack-dad's father |
| 506 | MCQ | Medical Conditions | MCQ260GG | Blood relative-heart attack-brother |
| 507 | MCQ | Medical Conditions | MCQ260GH | Blood relative-heart attack-sister |
| 508 | MCQ | Medical Conditions | MCQ260GI | Blood relative-heart attack-other |
| 509 | MCQ | Medical Conditions | MCQ270 | Your mother ever fracture hip |
| 510 | MCQ | Medical Conditions | MCQ280 | Mother's age when fractured hip |
| 511 | MCQ | Medical Conditions | MCQ290 | Mother under/over 50 when fracture hip |
| 512 | MPQ | Miscellaneous Pain | SEQN | Respondent sequence number |
| 513 | MPQ | Miscellaneous Pain | MPQ010 | Joint pain/aching/stiffness in past year |
| 514 | MPQ | Miscellaneous Pain | MPQ020 | Symptoms present for most of month? |
| 515 | MPQ | Miscellaneous Pain | MPQ030 | Symptoms begin only because of injury |
| 516 | MPQ | Miscellaneous Pain | MPD040 | #wks have joint pain symptoms |
| 517 | MPQ | Miscellaneous Pain | MPD050A | Right shoulder affected |
| 518 | MPQ | Miscellaneous Pain | MPD050B | Left shoulder affected |
| 519 | MPQ | Miscellaneous Pain | MPD050C | Right elbow affected |
| 520 | MPQ | Miscellaneous Pain | MPD050D | Left elbow affected |
| 521 | MPQ | Miscellaneous Pain | MPD050E | Right hip affected |
| 522 | MPQ | Miscellaneous Pain | MPD050F | Left hip affected |
| 523 | MPQ | Miscellaneous Pain | MPD050G | Right wrist affected |
| 524 | MPQ | Miscellaneous Pain | MPD050H | Left wrist affected |
| 525 | MPQ | Miscellaneous Pain | MPD050I | Right knee affected |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|---------|---------------------------------------|
| 526 | MPQ | Miscellaneous Pain | MPD050J | Left knee affected |
| 527 | MPQ | Miscellaneous Pain | MPD050K | Right ankle affected |
| 528 | MPQ | Miscellaneous Pain | MPD050L | Left ankle affected |
| 529 | MPQ | Miscellaneous Pain | MPD050M | Right toes affected |
| 530 | MPQ | Miscellaneous Pain | MPD050N | Left toes affected |
| 531 | MPQ | Miscellaneous Pain | MPD050O | Right fingers/thumb affected |
| 532 | MPQ | Miscellaneous Pain | MPD050P | Left fingers/thumb affected |
| 533 | MPQ | Miscellaneous Pain | MPD050Q | Other joints affected |
| 534 | MPQ | Miscellaneous Pain | MPQ060 | Neck pain over last three months |
| 535 | MPQ | Miscellaneous Pain | MPQ070 | Low back pain |
| 536 | MPQ | Miscellaneous Pain | MPQ080 | Pain down either leg below knee |
| 537 | MPQ | Miscellaneous Pain | MPQ090 | Severe headaches or migraines |
| 538 | MPQ | Miscellaneous Pain | MPQ100 | Pain problem lasting more than 24 hrs |
| 539 | MPQ | Miscellaneous Pain | MPQ110 | How long experience this pain |
| 540 | MPQ | Miscellaneous Pain | MPQ120A | Head affected |
| 541 | MPQ | Miscellaneous Pain | MPQ120B | Face/dental affected |
| 542 | MPQ | Miscellaneous Pain | MPQ120C | Right shoulder/girdle affected |
| 543 | MPQ | Miscellaneous Pain | MPQ120D | Left shoulder/girdle affected |
| 544 | MPQ | Miscellaneous Pain | MPQ120E | Right upper arm affected |
| 545 | MPQ | Miscellaneous Pain | MPQ120F | Left upper arm affected |
| 546 | MPQ | Miscellaneous Pain | MPQ120G | Right mid-arm affected |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|---------------------------|
| 547 | MPQ | Miscellaneous Pain | MPQ120H | Left mid-arm affected |
| 548 | MPQ | Miscellaneous Pain | MPQ120I | Right lower arm affected |
| 549 | MPQ | Miscellaneous Pain | MPQ120J | Left lower arm affected |
| 550 | MPQ | Miscellaneous Pain | MPQ120K | Right upper back affected |
| 551 | MPQ | Miscellaneous Pain | MPQ120L | Left upper back affected |
| 552 | MPQ | Miscellaneous Pain | MPQ120M | Right lower back affected |
| 553 | MPQ | Miscellaneous Pain | MPQ120N | Left lower back affected |
| 554 | MPQ | Miscellaneous Pain | MPQ120O | Right buttock affected |
| 555 | MPQ | Miscellaneous Pain | MPQ120P | Left buttock affected |
| 556 | MPQ | Miscellaneous Pain | MPQ120Q | Right upper leg affected |
| 557 | MPQ | Miscellaneous Pain | MPQ120R | Left upper leg affected |
| 558 | MPQ | Miscellaneous Pain | MPQ120S | Right mid-leg affected |
| 559 | MPQ | Miscellaneous Pain | MPQ120T | Left mid-leg affected |
| 560 | MPQ | Miscellaneous Pain | MPQ120U | Right lower leg affected |
| 561 | MPQ | Miscellaneous Pain | MPQ120V | Left lower leg affected |
| 562 | MPQ | Miscellaneous Pain | MPQ120W | Neck affected |
| 563 | MPQ | Miscellaneous Pain | MPQ120X | Sternum affected |
| 564 | MPQ | Miscellaneous Pain | MPQ120Y | Right chest affected |
| 565 | MPQ | Miscellaneous Pain | MPQ120Z | Left chest affected |
| 566 | MPQ | Miscellaneous Pain | MPQ120AA | Abdomen affected |
| 567 | MPQ | Miscellaneous Pain | MPQ120AB | Spine affected |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------|----------|--|
| 568 | MPQ | Miscellaneous Pain | MPQ120AC | Right hand affected |
| 569 | MPQ | Miscellaneous Pain | MPQ120AD | Left hand affected |
| 570 | MPQ | Miscellaneous Pain | MPQ120AE | Right foot affected |
| 571 | MPQ | Miscellaneous Pain | MPQ120AF | Left foot affected |
| 572 | OCQ | Occupation | SEQN | Respondent sequence number |
| 573 | OCQ | Occupation | OCQ130 | Average hours/week of paid/unpaid work |
| 574 | OCQ | Occupation | OCQ150 | Type of work done last week |
| 575 | OCQ | Occupation | OCQ160 | Worked at all last week? |
| 576 | OCQ | Occupation | OCQ180 | Hours worked last week at all jobs |
| 577 | OCQ | Occupation | OCQ210 | Usually work 35 or more hours per week |
| 578 | OCQ | Occupation | OCQ260 | Description of job/work situation |
| 579 | OCQ | Occupation | OCD270 | Number of months working in the main job |
| 580 | OCQ | Occupation | OCQ280 | Health insurance offered at main job |
| 581 | OCQ | Occupation | OCQ290G | Smell tobacco smoke at work |
| 582 | OCQ | Occupation | OCQ290Q | # Hrs/day smell tobacco smoke at work |
| 583 | OCQ | Occupation | OCQ300 | Ever wear protective equipment at work |
| 584 | OCQ | Occupation | OCQ310A | Ever wear respirator at work |
| 585 | OCQ | Occupation | OCQ310B | Ever wear hearing protection at work |
| 586 | OCQ | Occupation | OCQ310C | Ever wear protective gloves at work |
| 587 | OCQ | Occupation | OCQ330A | Protective gloves of latex rubber |
| 588 | OCQ | Occupation | OCQ330B | Protective gloves of leather |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------|---------|--|
| 589 | OCQ | Occupation | OCQ330C | Protective gloves of vinyl |
| 590 | OCQ | Occupation | OCQ330D | Protective gloves of cloth |
| 591 | OCQ | Occupation | OCQ330E | Protective gloves of something else |
| 592 | OCQ | Occupation | OCQ340 | Ever exp. job noise 3+mos-SP working |
| 593 | OCQ | Occupation | OCQ350 | Currently exposed to loud noise at work |
| 594 | OCQ | Occupation | OCQ360 | Avg # hours loud noise exposure now |
| 595 | OCQ | Occupation | OCQ380 | Main reason did not work last week |
| 596 | OCQ | Occupation | OCD395 | Duration of longest work (months) |
| 597 | OCQ | Occupation | OCQ420 | Ever exp. job noise 3+mos-SP not working |
| 598 | OCQ | Occupation | OCQ430 | Loud job noise: 3 months on longest job? |
| 599 | OCQ | Occupation | OCQ440 | # hours/day constant loud noise on job |
| 600 | OCQ | Occupation | OCQ450 | Wear ear protection during work |
| 601 | OCQ | Occupation | OCQ270Q | How long worked at main job |
| 602 | OCQ | Occupation | OCQ270U | Unit of measure (day/week/month/year) |
| 603 | OHQ | Oral Health | SEQN | Respondent sequence number |
| 604 | OHQ | Oral Health | OHQ010 | General condition of mouth and teeth |
| 605 | OHQ | Oral Health | OHQ020 | Limit foods because of teeth problems |
| 606 | OHQ | Oral Health | OHQ030 | When did you last visit a dentist |
| 607 | OHQ | Oral Health | OHQ033 | Main reason for last dental visit |
| 608 | OHQ | Oral Health | OHQ040 | Routine checkups over past 3 yrs |
| 609 | OHQ | Oral Health | OHQ050 | Routine checkups frequency past 3 yrs |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------|----------|--|
| 610 | OHQ | Oral Health | OHQ060 | Regular dentist/lab you visit for care |
| 611 | OHQ | Oral Health | OHQ070Q | How long use this dentist/lab as regular |
| 612 | OHQ | Oral Health | OHQ070U | Unit of measure (days/wks/mos/yrs) |
| 613 | OHQ | Oral Health | OHQ080 | Sip liquids to aid swallowing foods |
| 614 | OHQ | Oral Health | OHQ090 | Amount of saliva in mouth |
| 615 | OHQ | Oral Health | OHQ100 | Difficulties swallowing foods |
| 616 | OHQ | Oral Health | OHQ110 | Mouth feel dry when eating meal |
| 617 | OSQ | Osteoporosis | SEQN | Respondent sequence number |
| 618 | OSQ | Osteoporosis | OSQ010A | Broken or fractured a hip |
| 619 | OSQ | Osteoporosis | OSQ010B | Broken or fractured a wrist |
| 620 | OSQ | Osteoporosis | OSQ010C | Broken or fractured spine |
| 621 | OSQ | Osteoporosis | OSQ020A | # Times broken/fractured hip |
| 622 | OSQ | Osteoporosis | OSQ020B | # Times broken/fractured wrist |
| 623 | OSQ | Osteoporosis | OSQ020C | # Times broken/fractured spine |
| 624 | OSQ | Osteoporosis | OSQ030AA | Age when fractured hip 1st time |
| 625 | OSQ | Osteoporosis | OSQ040AA | Under/over 50 when fracd. hip 1st time |
| 626 | OSQ | Osteoporosis | OSQ050AA | Reason hip fracture occurred 1st time |
| 627 | OSQ | Osteoporosis | OSQ030AB | Age when fractured hip 2nd time |
| 628 | OSQ | Osteoporosis | OSQ040AB | Under/over 50 when fracd. hip 2nd time |
| 629 | OSQ | Osteoporosis | OSQ050AB | Reason hip fracture occurred 2nd time |
| 630 | OSQ | Osteoporosis | OSQ030AC | Age when fractured hip 3rd time |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------|----------|--|
| 631 | OSQ | Osteoporosis | OSQ040AC | Under/over 50 when fracd. hip 3rd time |
| 632 | OSQ | Osteoporosis | OSQ050AC | Reason hip fracture occurred 3rd time |
| 633 | OSQ | Osteoporosis | OSQ030BA | Age when fractured wrist 1st time |
| 634 | OSQ | Osteoporosis | OSQ040BA | Under/over 50 when fracd. wrist 1st time |
| 635 | OSQ | Osteoporosis | OSQ050BA | Reason wrist fracture occurred 1st time |
| 636 | OSQ | Osteoporosis | OSQ030BB | Age when fractured wrist 2nd time |
| 637 | OSQ | Osteoporosis | OSQ040BB | Under/over 50 when fracd. wrist 2nd time |
| 638 | OSQ | Osteoporosis | OSQ050BB | Reason wrist fracture occurred 2nd time |
| 639 | OSQ | Osteoporosis | OSQ030BC | Age when fractured wrist 3rd time |
| 640 | OSQ | Osteoporosis | OSQ040BC | Under/over 50 when fracd. wrist 3rd time |
| 641 | OSQ | Osteoporosis | OSQ050BC | Reason wrist fracture occurred 3rd time |
| 642 | OSQ | Osteoporosis | OSQ030BD | Age when fractured wrist 4th time |
| 643 | OSQ | Osteoporosis | OSQ040BD | Under/over 50 when fracd. wrist 4th time |
| 644 | OSQ | Osteoporosis | OSQ050BD | Reason wrist fracture occurred 4th time |
| 645 | OSQ | Osteoporosis | OSQ030BE | Age when fractured wrist 5th time |
| 646 | OSQ | Osteoporosis | OSQ040BE | Under/over 50 when fracd. wrist 5th time |
| 647 | OSQ | Osteoporosis | OSQ050BE | Reason wrist fracture occurred 5th time |
| 648 | OSQ | Osteoporosis | OSQ030BF | Age when fractured wrist 6th time |
| 649 | OSQ | Osteoporosis | OSQ040BF | Under/over 50 when fracd. wrist 6th time |
| 650 | OSQ | Osteoporosis | OSQ050BF | Reason wrist fracture occurred 6th time |
| 651 | OSQ | Osteoporosis | OSQ030BG | Age when fractured wrist 7th time |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------|----------|--|
| 652 | OSQ | Osteoporosis | OSQ040BG | Under/over 50 when fracd. wrist 7th time |
| 653 | OSQ | Osteoporosis | OSQ050BG | Reason wrist fracture occurred 7th time |
| 654 | OSQ | Osteoporosis | OSQ030BH | Age when fractured wrist 8th time |
| 655 | OSQ | Osteoporosis | OSQ040BH | Under/over 50 when fracd. wrist 8th time |
| 656 | OSQ | Osteoporosis | OSQ050BH | Reason wrist fracture occurred 8th time |
| 657 | OSQ | Osteoporosis | OSQ030BI | Age when fractured wrist 9th time |
| 658 | OSQ | Osteoporosis | OSQ040BI | Under/over 50 when fracd. wrist 9th time |
| 659 | OSQ | Osteoporosis | OSQ050BI | Reason wrist fracture occurred 9th time |
| 660 | OSQ | Osteoporosis | OSQ030BJ | Age when fractured wrist 10th time |
| 661 | OSQ | Osteoporosis | OSQ040BJ | Under/over 50 when fracd wrist 10th time |
| 662 | OSQ | Osteoporosis | OSQ050BJ | Reason wrist fracture occurred 10th time |
| 663 | OSQ | Osteoporosis | OSQ030CA | Age when fractured spine 1st time |
| 664 | OSQ | Osteoporosis | OSQ040CA | Under/over 50 when fracd. spine 1st time |
| 665 | OSQ | Osteoporosis | OSQ050CA | Reason spine fracture occurred 1st time |
| 666 | OSQ | Osteoporosis | OSQ030CB | Age when fractured spine 2nd time |
| 667 | OSQ | Osteoporosis | OSQ040CB | Under/over 50 when fracd. spine 2nd time |
| 668 | OSQ | Osteoporosis | OSQ050CB | Reason spine fracture occurred 2nd time |
| 669 | OSQ | Osteoporosis | OSQ030CC | Age when fractured spine 3rd time |
| 670 | OSQ | Osteoporosis | OSQ040CC | Under/over 50 when fracd. spine 3rd time |
| 671 | OSQ | Osteoporosis | OSQ050CC | Reason spine fracture occurred 3rd time |
| 672 | OSQ | Osteoporosis | OSQ030CD | Age when fractured spine 4th time |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-------------------|----------|--|
| 673 | OSQ | Osteoporosis | OSQ040CD | Under/over 50 when fracd. spine 4th time |
| 674 | OSQ | Osteoporosis | OSQ050CD | Reason spine fracture occurred 4th time |
| 675 | OSQ | Osteoporosis | OSQ030CE | Age when fractured spine 5th time |
| 676 | OSQ | Osteoporosis | OSQ040CE | Under/over 50 when fracd. spine 5th time |
| 677 | OSQ | Osteoporosis | OSQ050CE | Reason spine fracture occurred 5th time |
| 678 | OSQ | Osteoporosis | OSQ060 | Ever told had osteoporosis/brittle bones |
| 679 | OSQ | Osteoporosis | OSQ070 | Ever treated for osteoporosis |
| 680 | PAQ | Physical Activity | SEQN | Respondent sequence number |
| 681 | PAQ | Physical Activity | PAD020 | Walked or bicycled over past 30 days |
| 682 | PAQ | Physical Activity | PAQ050Q | # times walked or bicycled |
| 683 | PAQ | Physical Activity | PAQ050U | Unit of measure (day/week/month) |
| 684 | PAQ | Physical Activity | PAD080 | How long per day (minutes) |
| 685 | PAQ | Physical Activity | PAQ100 | Tasks around home/yard past 30 days |
| 686 | PAQ | Physical Activity | PAD120 | # of times past 30 days |
| 687 | PAQ | Physical Activity | PAD160 | How long each time (minutes) |
| 688 | PAQ | Physical Activity | PAQ180 | Avg level of physical activity each day |
| 689 | PAQ | Physical Activity | PAD200 | Vigorous activity over past 30 days |
| 690 | PAQ | Physical Activity | PAD320 | Moderate activity over past 30 days |
| 691 | PAQ | Physical Activity | PAD440 | Muscle strengthening activities |
| 692 | PAQ | Physical Activity | PAD460 | Number of times past 30 days |
| 693 | PAQ | Physical Activity | PAQ480 | Daily hours of TV, video or computer use |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--|----------|---|
| 694 | PAQ | Physical Activity | PAQ500 | Activity comparison last mo - last yr |
| 695 | PAQ | Physical Activity | PAQ520 | Compare activity w/others same age |
| 696 | PAQ | Physical Activity | PAQ540 | Compare activity with 10 years ago |
| 697 | PAQ | Physical Activity | PAQ560 | # time/week you play or exercise hard |
| 698 | PAQ | Physical Activity | PAD570 | # of hours watch TV or videos yesterday |
| 699 | PAQ | Physical Activity | PAQ580 | # hours use computer/games yesterday |
| 700 | PAQ | Physical Activity | PAAQUX | Questionnaire source flag for weighting |
| 701 | PAQIAF | Physical Activity Individual Activities File | SEQN | Respondent sequence number |
| 702 | PAQIAF | Physical Activity Individual Activities File | PADACTIV | Leisure time activity |
| 703 | PAQIAF | Physical Activity Individual Activities File | PADLEVEL | Activity level |
| 704 | PAQIAF | Physical Activity Individual Activities File | PADTIMES | # of times did activity in past 30 days |
| 705 | PAQIAF | Physical Activity Individual Activities File | PADDURAT | Average duration of activity (minutes) |
| 706 | PAQIAF | Physical Activity Individual Activities File | PADMETS | MET score for activity |
| 707 | PAQIAF | Physical Activity Individual Activities File | PAAQUX | Questionnaire source flag for weighting |
| 708 | PFQ | Physical Functioning | SEQN | Respondent sequence number |
| 709 | PFQ | Physical Functioning | PFQ010 | Physical,mental,emotional limitations |
| 710 | PFQ | Physical Functioning | PFQ015 | Able to take part in most type of play |
| 711 | PFQ | Physical Functioning | PFQ020 | Crawl, walk, run, play limitations |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|---------|---|
| 712 | PFQ | Physical Functioning | PFQ030 | Long term impairment/health problem |
| 713 | PFQ | Physical Functioning | PFQ040 | Receive Special Ed or Early Intervention |
| 714 | PFQ | Physical Functioning | PFQ048 | Limitations keeping you from working |
| 715 | PFQ | Physical Functioning | PFQ050 | Limited in amount of work you can do |
| 716 | PFQ | Physical Functioning | PFQ055 | Need special equipment to walk |
| 717 | PFQ | Physical Functioning | PFQ056 | Experience confusion/memory problems |
| 718 | PFQ | Physical Functioning | PFQ059 | Physical, mental, emotional limitations |
| 719 | PFQ | Physical Functioning | PFQ060A | Managing money difficulty |
| 720 | PFQ | Physical Functioning | PFQ060B | Walking for a quarter mile difficulty |
| 721 | PFQ | Physical Functioning | PFQ060C | Walking up ten steps difficulty |
| 722 | PFQ | Physical Functioning | PFQ060D | Stooping, crouching, kneeling difficulty |
| 723 | PFQ | Physical Functioning | PFQ060E | Lifting or carrying difficulty |
| 724 | PFQ | Physical Functioning | PFQ060F | House chore difficulty |
| 725 | PFQ | Physical Functioning | PFQ060G | Preparing meals difficulty |
| 726 | PFQ | Physical Functioning | PFQ060H | Walking between rooms on same floor |
| 727 | PFQ | Physical Functioning | PFQ060I | Standing up from armless chair difficulty |
| 728 | PFQ | Physical Functioning | PFQ060J | Getting in and out of bed difficulty |
| 729 | PFQ | Physical Functioning | PFQ060K | Using fork, knife, drinking from cup |
| 730 | PFQ | Physical Functioning | PFQ060L | Dressing yourself difficulty |
| 731 | PFQ | Physical Functioning | PFQ060M | Standing for long periods difficulty |
| 732 | PFQ | Physical Functioning | PFQ060N | Sitting for long periods difficulty |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|----------|---|
| 733 | PFQ | Physical Functioning | PFQ060O | Reaching up over head difficulty |
| 734 | PFQ | Physical Functioning | PFQ060P | Grasp/holding small objects difficulty |
| 735 | PFQ | Physical Functioning | PFQ060Q | Going out to movies, events difficulty |
| 736 | PFQ | Physical Functioning | PFQ060R | Attending social event difficulty |
| 737 | PFQ | Physical Functioning | PFQ060S | Leisure activity at home difficulty |
| 738 | PFQ | Physical Functioning | PFD067A | Health problems causing difficulty |
| 739 | PFQ | Physical Functioning | PFD067B | Health problems causing difficulty |
| 740 | PFQ | Physical Functioning | PFD067C | Health problems causing difficulty |
| 741 | PFQ | Physical Functioning | PFD067D | Health problems causing difficulty |
| 742 | PFQ | Physical Functioning | PFD067E | Health problems causing difficulty |
| 743 | PFQ | Physical Functioning | PFD069AG | Arthritis or rheumatism problems |
| 744 | PFQ | Physical Functioning | PFD069AQ | Number of days/weeks/months/years |
| 745 | PFQ | Physical Functioning | PFD069AU | Unit of measure (da/wk/mo/yr) |
| 746 | PFQ | Physical Functioning | PFD069BG | Back or neck problems |
| 747 | PFQ | Physical Functioning | PFD069BQ | Number of days/weeks/months/years |
| 748 | PFQ | Physical Functioning | PFD069BU | Unit of measure (da/wk/mo/yr) |
| 749 | PFQ | Physical Functioning | PFQ069CG | Cancer condition |
| 750 | PFQ | Physical Functioning | PFQ069CQ | Number of days/weeks/months/years |
| 751 | PFQ | Physical Functioning | PFQ069CU | Unit of measure (da/wk/mo/yr) |
| 752 | PFQ | Physical Functioning | PFD069DG | Depression, anxiety, emotional problems |
| 753 | PFQ | Physical Functioning | PFD069DQ | Number of days/weeks/months/years |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|----------|--|
| 754 | PFQ | Physical Functioning | PFD069DU | Unit of measure (da/wk/mo/yr) |
| 755 | PFQ | Physical Functioning | PFQ069EG | Other development problems |
| 756 | PFQ | Physical Functioning | PFQ069EQ | Number of days/weeks/months/years |
| 757 | PFQ | Physical Functioning | PFQ069EU | Unit of measure (da/wk/mo/yr) |
| 758 | PFQ | Physical Functioning | PFQ069FG | Diabetes condition |
| 759 | PFQ | Physical Functioning | PFQ069FQ | Number of days/weeks/months/years |
| 760 | PFQ | Physical Functioning | PFQ069FU | Unit of measure (da/wk/mo/yr) |
| 761 | PFQ | Physical Functioning | PFQ069GG | Fractures, bone, joint injury problems |
| 762 | PFQ | Physical Functioning | PFQ069GQ | Number of days/weeks/months/years |
| 763 | PFQ | Physical Functioning | PFQ069GU | Unit of measure (da/wk/mo/yr) |
| 764 | PFQ | Physical Functioning | PFQ069HG | Hearing problems |
| 765 | PFQ | Physical Functioning | PFQ069HQ | Number of days/weeks/months/years |
| 766 | PFQ | Physical Functioning | PFQ069HU | Unit of measure (da/wk/mo/yr) |
| 767 | PFQ | Physical Functioning | PFD069IG | Heart problems |
| 768 | PFQ | Physical Functioning | PFD069IQ | Number of days/weeks/months/years |
| 769 | PFQ | Physical Functioning | PFD069IU | Unit of measure (da/wk/mo/yr) |
| 770 | PFQ | Physical Functioning | PFD069JG | Hypertension or high blood pressure |
| 771 | PFQ | Physical Functioning | PFD069JQ | Number of days/weeks/months/years |
| 772 | PFQ | Physical Functioning | PFD069JU | Unit of measure (da/wk/mo/yr) |
| 773 | PFQ | Physical Functioning | PFQ069KG | Lung or breathing problems |
| 774 | PFQ | Physical Functioning | PFQ069KQ | Number of days/weeks/months/years |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|----------|-----------------------------------|
| 775 | PFQ | Physical Functioning | PFQ069KU | Unit of measure (da/wk/mo/yr) |
| 776 | PFQ | Physical Functioning | PFQ069LG | Mental retardation condition |
| 777 | PFQ | Physical Functioning | PFQ069LQ | Number of days/weeks/months/years |
| 778 | PFQ | Physical Functioning | PFQ069LU | Unit of measure (da/wk/mo/yr) |
| 779 | PFQ | Physical Functioning | PFQ069MG | Other injury problems |
| 780 | PFQ | Physical Functioning | PFQ069MQ | Number of days/weeks/months/years |
| 781 | PFQ | Physical Functioning | PFQ069MU | Unit of measure (da/wk/mo/yr) |
| 782 | PFQ | Physical Functioning | PFQ069NG | Senility condition |
| 783 | PFQ | Physical Functioning | PFQ069NQ | Number of days/weeks/months/years |
| 784 | PFQ | Physical Functioning | PFQ069NU | Unit of measure (da/wk/mo/yr) |
| 785 | PFQ | Physical Functioning | PFQ069OG | Stroke problems |
| 786 | PFQ | Physical Functioning | PFQ069OQ | Number of days/weeks/months/years |
| 787 | PFQ | Physical Functioning | PFQ069OU | Unit of measure (da/wk/mo/yr) |
| 788 | PFQ | Physical Functioning | PFD069PG | Vision problems |
| 789 | PFQ | Physical Functioning | PFD069PQ | Number of days/weeks/months/years |
| 790 | PFQ | Physical Functioning | PFD069PU | Unit of measure (da/wk/mo/yr) |
| 791 | PFQ | Physical Functioning | PFD069QG | Weight problems |
| 792 | PFQ | Physical Functioning | PFD069QQ | Number of days/weeks/months/years |
| 793 | PFQ | Physical Functioning | PFD069QU | Unit of measure (da/wk/mo/yr) |
| 794 | PFQ | Physical Functioning | PFD069RG | Other impairment problems |
| 795 | PFQ | Physical Functioning | PFD069RQ | Number of days/weeks/months/years |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------------|----------|--|
| 796 | PFQ | Physical Functioning | PFD069RU | Unit of measure (da/wk/mo/yr) |
| 797 | PFQ | Physical Functioning | PFQ090 | Require special healthcare equipment |
| 798 | PFQ | Physical Functioning | PFQ100 | Special eating utensils |
| 799 | PFQ | Physical Functioning | PFQ110 | Dressing aids or devices |
| 800 | PUQ | Pesticide Use | SEQN | Respondent sequence number |
| 801 | PUQ | Pesticide Use | PUD010 | Pest control in home in past month? |
| 802 | PUQ | Pesticide Use | PUD020 | Rooms treated for pests? |
| 803 | PUQ | Pesticide Use | PUD021 | Foundation/outside of building treated? |
| 804 | PUQ | Pesticide Use | PUD031 | Non-professional treated home? |
| 805 | PUQ | Pesticide Use | PUD032 | # treatments in home by non-professional |
| 806 | PUQ | Pesticide Use | PUD033 | Professional treated home? |
| 807 | PUQ | Pesticide Use | PUD034 | # treatments in home by professional |
| 808 | PUQ | Pesticide Use | PUD040 | Home have private yard? |
| 809 | PUQ | Pesticide Use | PUD060 | Pest control in yard in past month? |
| 810 | PUQ | Pesticide Use | PUD071 | Non-professional treated yard? |
| 811 | PUQ | Pesticide Use | PUD072 | # treatments in yard by non-professional |
| 812 | PUQ | Pesticide Use | PUD073 | Professional treated yard? |
| 813 | PUQ | Pesticide Use | PUD074 | # treatments in yard by professional |
| 814 | RDQ | Respiratory Disease | SEQN | Respondent sequence number |
| 815 | RDQ | Respiratory Disease | RDQ010 | Problems with coughing in past year |
| 816 | RDQ | Respiratory Disease | RDQ020G | Episodes of coughing in past year |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------|---------|--|
| 817 | RDQ | Respiratory Disease | RDQ020Q | Enter number of episodes |
| 818 | RDQ | Respiratory Disease | RDQ030 | Coughing most days - over 3 mo period |
| 819 | RDQ | Respiratory Disease | RDQ040 | # years had cough problem |
| 820 | RDQ | Respiratory Disease | RDQ050 | Bring up phlegm most days - 3 mo period |
| 821 | RDQ | Respiratory Disease | RDQ060 | # years bringing up phlegm problem |
| 822 | RDQ | Respiratory Disease | RDQ070 | Wheezing or whistling in chest - past yr |
| 823 | RDQ | Respiratory Disease | RDQ080 | # wheezing/whistling attacks past year |
| 824 | RDQ | Respiratory Disease | RDQ090 | Wheezing disturb sleep in past year |
| 825 | RDQ | Respiratory Disease | RDQ100 | Chest sound wheezy during exercise |
| 826 | RDQ | Respiratory Disease | RDQ110 | Wheezing severe enough to limit speech |
| 827 | RDQ | Respiratory Disease | RDQ120 | Got medical attn for wheezing attack |
| 828 | RDQ | Respiratory Disease | RDQ130 | Taken medication for wheezing -past yr |
| 829 | RDQ | Respiratory Disease | RDQ133 | Doctor prescribe wheezing medication |
| 830 | RDQ | Respiratory Disease | RDQ135 | Limit usual activities due to wheezing |
| 831 | RDQ | Respiratory Disease | RDQ137 | Miss work or school due to wheezing |
| 832 | RDQ | Respiratory Disease | RDQ140 | Had dry cough at night in past year |
| 833 | RHQ | Reproductive Health | SEQN | Respondent sequence number |
| 834 | RHQ | Reproductive Health | RHQ010 | Age when first menstrual period occurred |
| 835 | RHQ | Reproductive Health | RHQ020 | Age range at first menstrual period |
| 836 | RHQ | Reproductive Health | RHQ030 | Had regular periods in past 12 months |
| 837 | RHQ | Reproductive Health | RHQ040 | Reason not having regular periods |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------|---------|--|
| 838 | RHQ | Reproductive Health | RHQ050 | When did SP have last period? |
| 839 | RHQ | Reproductive Health | RHQ060 | Age at last menstrual period |
| 840 | RHQ | Reproductive Health | RHQ070 | Age range at last menstrual period |
| 841 | RHQ | Reproductive Health | RHD080 | Days since last period |
| 842 | RHQ | Reproductive Health | RHQ090 | Menstrual cycle regularity/last 5 years |
| 843 | RHQ | Reproductive Health | RHQ100 | Menstrual bleeding rate/last 5 years |
| 844 | RHQ | Reproductive Health | RHQ110 | Hot flashes, night sweats/last 6 mos? |
| 845 | RHQ | Reproductive Health | RHD120 | Monthly frequency of hot flashes |
| 846 | RHQ | Reproductive Health | RHD130 | Ever been pregnant? |
| 847 | RHQ | Reproductive Health | RHQ140 | Think that you are pregnant now? |
| 848 | RHQ | Reproductive Health | RHQ150 | What month of pregnancy are you in? |
| 849 | RHQ | Reproductive Health | RHQ160 | How many times have been pregnant? |
| 850 | RHQ | Reproductive Health | RHD170 | # pregnancies resulting in live births |
| 851 | RHQ | Reproductive Health | RHQ180 | Age at first live birth |
| 852 | RHQ | Reproductive Health | RHQ190 | Age at last live birth |
| 853 | RHQ | Reproductive Health | RHQ200 | Now breastfeeding a child? |
| 854 | RHQ | Reproductive Health | RHQ210 | Breastfed any of your children? |
| 855 | RHQ | Reproductive Health | RHD230 | # of children breastfed at least 1 month |
| 856 | RHQ | Reproductive Health | RHQ240A | Reason not breastfed - job/schedule |
| 857 | RHQ | Reproductive Health | RHQ240B | Reason not breastfed - mother's phys/med |
| 858 | RHQ | Reproductive Health | RHQ240C | Reason not breastfed - child's phys/med |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------|---------|--|
| 859 | RHQ | Reproductive Health | RHQ240D | Reason not breastfed - preferred bottle |
| 860 | RHQ | Reproductive Health | RHQ240E | Reason not breastfed - didn't know how |
| 861 | RHQ | Reproductive Health | RHQ240F | Reason not breastfed - other |
| 862 | RHQ | Reproductive Health | RHQ250 | Any child weight <5.5 lbs at birth? |
| 863 | RHQ | Reproductive Health | RHQ260 | # children weighing <5.5 lbs at birth? |
| 864 | RHQ | Reproductive Health | RHD270 | Number of children born preterm |
| 865 | RHQ | Reproductive Health | RHD280 | Had a hysterectomy? |
| 866 | RHQ | Reproductive Health | RHQ290 | Age when had hysterectomy |
| 867 | RHQ | Reproductive Health | RHQ300 | Had at least one ovary removed? |
| 868 | RHQ | Reproductive Health | RHQ310 | Were both ovaries removed or only one? |
| 869 | RHQ | Reproductive Health | RHQ320 | Both ovaries removed at same time? |
| 870 | RHQ | Reproductive Health | RHQ330 | Age when first/both ovaries removed |
| 871 | RHQ | Reproductive Health | RHQ340 | Age when second ovary removed |
| 872 | RHQ | Reproductive Health | RHD350 | Fallopian tubes ever cut/tied/removed |
| 873 | RHQ | Reproductive Health | RHQ360 | Told by doctor had endometriosis? |
| 874 | RHQ | Reproductive Health | RHQ370 | Age when first told had endometriosis |
| 875 | RHQ | Reproductive Health | RHQ380 | Told by doctor had uterine fibroids? |
| 876 | RHQ | Reproductive Health | RHQ390 | Age when first told had uterine fibroids |
| 877 | RHQ | Reproductive Health | RHQ420 | Ever taken birth control pills? |
| 878 | RHQ | Reproductive Health | RHQ430 | Age when started taking birth pills |
| 879 | RHQ | Reproductive Health | RHD440 | Taking birth control pills now? |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------|---------|--|
| 880 | RHQ | Reproductive Health | RHQ450 | Age when stopped taking birth pills |
| 881 | RHQ | Reproductive Health | RHQ460Q | How long taking birth control pills |
| 882 | RHQ | Reproductive Health | RHQ460U | Unit of measure: months, years |
| 883 | RHQ | Reproductive Health | RHD470 | Brand name of contraceptives |
| 884 | RHQ | Reproductive Health | RHQ510 | Used DepoProvera or injectables? |
| 885 | RHQ | Reproductive Health | RHQ520 | Now use DepoProvera or injectables? |
| 886 | RHQ | Reproductive Health | RHQ540 | Ever use female hormones? |
| 887 | RHQ | Reproductive Health | RHQ541A | Hormone pills used |
| 888 | RHQ | Reproductive Health | RHQ541B | Hormone patches used |
| 889 | RHQ | Reproductive Health | RHQ541C | Hormone cream/suppository/injection used |
| 890 | RHQ | Reproductive Health | RHQ550 | Having periods when start hormones |
| 891 | RHQ | Reproductive Health | RHQ551A | Used estr/progest for menopause |
| 892 | RHQ | Reproductive Health | RHQ551B | Used estr/progest for emotions |
| 893 | RHQ | Reproductive Health | RHQ551C | Used estr/progest for hysterct/oophorect |
| 894 | RHQ | Reproductive Health | RHQ551D | Used estr/progest for osteoporosis |
| 895 | RHQ | Reproductive Health | RHQ551E | Used estr/progest for cardiovascular dis |
| 896 | RHQ | Reproductive Health | RHQ551F | Used estr/progest for irregular periods |
| 897 | RHQ | Reproductive Health | RHQ551G | Used estr/progest for other reasons |
| 898 | RHQ | Reproductive Health | RHQ554 | Use hormone pills w/estrogen only |
| 899 | RHQ | Reproductive Health | RHQ556 | Age started estrogen-only pills |
| 900 | RHQ | Reproductive Health | RHQ558 | Taking estrogen only pills now? |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------|---------|---------------------------------------|
| 901 | RHQ | Reproductive Health | RHQ560Q | How long taking estrogen only pills |
| 902 | RHQ | Reproductive Health | RHQ560U | Unit of measure: months, years |
| 903 | RHQ | Reproductive Health | RHQ562 | Used hormone pills w/progestin only |
| 904 | RHQ | Reproductive Health | RHQ564 | Age started progestin only pills |
| 905 | RHQ | Reproductive Health | RHQ566 | Taking progestin only pills now? |
| 906 | RHQ | Reproductive Health | RHQ568Q | How long taking progestin only pills |
| 907 | RHQ | Reproductive Health | RHQ568U | Unit of measure: months, years |
| 908 | RHQ | Reproductive Health | RHQ570 | Used estrogen/progestin combo pills |
| 909 | RHQ | Reproductive Health | RHQ572 | Age started estrogen/progestin pills |
| 910 | RHQ | Reproductive Health | RHQ574 | Taking estrogen/progestin now? |
| 911 | RHQ | Reproductive Health | RHQ576Q | How long taking estrogen/progestin |
| 912 | RHQ | Reproductive Health | RHQ576U | Unit of measure: months, years |
| 913 | RHQ | Reproductive Health | RHQ580 | Used estrogen-only patches? |
| 914 | RHQ | Reproductive Health | RHQ582 | Age started estrogen-only patches |
| 915 | RHQ | Reproductive Health | RHQ584 | Using estrogen-only patches now? |
| 916 | RHQ | Reproductive Health | RHQ586Q | How long using estrogen only patch |
| 917 | RHQ | Reproductive Health | RHQ586U | Unit of measure: months, years |
| 918 | RHQ | Reproductive Health | RHQ596 | Used estrogen/progestin combo patch |
| 919 | RHQ | Reproductive Health | RHQ598 | Age started estrogen/progestin patch |
| 920 | RHQ | Reproductive Health | RHQ600 | Use estrogen/progestin patch now? |
| 921 | RHQ | Reproductive Health | RHQ602Q | How long use estrogen/progestin patch |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|---------------------------|----------|---|
| 922 | RHQ | Reproductive Health | RHQ602U | Unit of measure: months, years |
| 923 | RXQ_ANA | Analgesics/Pain Relievers | SEQN | Respondent sequence number |
| 924 | RXQ_ANA | Analgesics/Pain Relievers | RXQ300 | Drugs/over counter taken regularly |
| 925 | RXQ_ANA | Analgesics/Pain Relievers | RXQ310 | Product taken |
| 926 | RXQ_ANA | Analgesics/Pain Relievers | RXD320 | # years taking product every day |
| 927 | RXQ_ANA | Analgesics/Pain Relievers | RXQ330 | Currently taking product every day |
| 928 | RXQ_ANA | Analgesics/Pain Relievers | RXD331Q | # of pills/doses taken/day |
| 929 | RXQ_ANA | Analgesics/Pain Relievers | RXD331U | Unit of measure (pills/doses) |
| 930 | RXQ_RX | Prescription Medications | SEQN | Respondent sequence number |
| 931 | RXQ_RX | Prescription Medications | RXD295 | Number of prescription medicines taken |
| 932 | RXQ_RX | Prescription Medications | RXD030 | Taken prescription medicine in past month |
| 933 | RXQ_RX | Prescription Medications | RXD260 | Number of days taken medicine |
| 934 | RXQ_RX | Prescription Medications | RXD240B | Standard generic ingredient name |
| 935 | RXQ_RX | Prescription Medications | FDACODE1 | FDA/NDC drug class code 1 |
| 936 | RXQ_RX | Prescription Medications | FDACODE2 | FDA/NDC drug class code 2 |
| 937 | RXQ_RX | Prescription Medications | FDACODE3 | FDA/NDC drug class code 3 |
| 938 | RXQ_RX | Prescription Medications | FDACODE4 | FDA/NDC drug class code 4 |
| 939 | RXQ_RX | Prescription Medications | FDACODE5 | FDA/NDC drug class code 5 |
| 940 | RXQ_RX | Prescription Medications | FDACODE6 | FDA/NDC drug class code 6 |
| 941 | RXQ_RX | Prescription Medications | NHCODE | Generic ingredient code |
| 942 | RXQ_RX | Prescription Medications | RXQ250 | Medicine container seen by interviewer |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|--------------------------|-----------|--|
| 943 | RXQ_RX | Prescription Medications | RXQ280 | Number of canisters used in past month |
| 944 | RXQ_RX | Prescription Medications | RXDDRIGID | Generic drug code |
| 945 | SMQ | Smoking & Tobacco Use | SEQN | Respondent sequence number |
| 946 | SMQ | Smoking & Tobacco Use | SMQ020 | Smoked at least 100 cigarettes in life |
| 947 | SMQ | Smoking & Tobacco Use | SMD030 | Age started smoking cigarettes regularly |
| 948 | SMQ | Smoking & Tobacco Use | SMQ040 | Do you now smoke cigarettes... |
| 949 | SMQ | Smoking & Tobacco Use | SMQ050Q | How long since quit smoking cigarettes |
| 950 | SMQ | Smoking & Tobacco Use | SMQ050U | Unit of measure (day/week/month/year) |
| 951 | SMQ | Smoking & Tobacco Use | SMD055 | Age last smoked cigarettes regularly |
| 952 | SMQ | Smoking & Tobacco Use | SMD057 | # cigarettes smoked per day when quit |
| 953 | SMQ | Smoking & Tobacco Use | SMD070 | # cigarettes smoked per day now |
| 954 | SMQ | Smoking & Tobacco Use | SMD075 | How many years smoked this amount |
| 955 | SMQ | Smoking & Tobacco Use | SMD080 | # days smoked cigs during past 30 days |
| 956 | SMQ | Smoking & Tobacco Use | SMD090 | Avg # cigarettes/day during past 30 days |
| 957 | SMQ | Smoking and Tobacco Use | SMD100BR | Cigarette Brand/sub-brand |
| 958 | SMQ | Smoking and Tobacco Use | SMD100FL | Filter type |
| 959 | SMQ | Smoking and Tobacco Use | SMD100MN | Menthol indicator |
| 960 | SMQ | Smoking and Tobacco Use | SMD100LN | Length |
| 961 | SMQ | Smoking and Tobacco Use | SMD100TR | FTC Tar Content |
| 962 | SMQ | Smoking and Tobacco Use | SMD100NI | FTC Nicotine Content |
| 963 | SMQ | Smoking and Tobacco Use | SMD100CO | FTC Carbon Monoxide Content |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------|---------|--|
| 964 | SMQ | Smoking & Tobacco Use | SMQ120 | Smoked a pipe at least 20 times in life |
| 965 | SMQ | Smoking & Tobacco Use | SMD130 | Age started smoking pipes regularly |
| 966 | SMQ | Smoking & Tobacco Use | SMQ140 | Do you now smoke a pipe... |
| 967 | SMQ | Smoking & Tobacco Use | SMQ143 | # pipefuls of tobacco smoked per day |
| 968 | SMQ | Smoking & Tobacco Use | SMQ145 | # years smoked this amount of pipes |
| 969 | SMQ | Smoking & Tobacco Use | SMQ150 | Smoked cigars at least 20 times in life |
| 970 | SMQ | Smoking & Tobacco Use | SMD160 | Age started smoking cigars regularly |
| 971 | SMQ | Smoking & Tobacco Use | SMQ170 | Do you now smoke cigars... |
| 972 | SMQ | Smoking & Tobacco Use | SMQ173 | # cigars smokes per day |
| 973 | SMQ | Smoking & Tobacco Use | SMQ175 | # years smoked this amount of cigars |
| 974 | SMQ | Smoking & Tobacco Use | SMQ180 | Used snuff at least 20 times in life |
| 975 | SMQ | Smoking & Tobacco Use | SMD190 | Age started using snuff regularly |
| 976 | SMQ | Smoking & Tobacco Use | SMQ200 | Do you now use snuff... |
| 977 | SMQ | Smoking & Tobacco Use | SMD203 | # snuff pinches/dips/rubs per day |
| 978 | SMQ | Smoking & Tobacco Use | SMQ205 | # years used this amount of snuff |
| 979 | SMQ | Smoking & Tobacco Use | SMQ210 | Used chewing tobacco 20 times in life |
| 980 | SMQ | Smoking & Tobacco Use | SMD220 | Age started chewing tobacco regularly |
| 981 | SMQ | Smoking & Tobacco Use | SMQ230 | Do you now use chewing tobacco... |
| 982 | SMQ | Smoking & Tobacco Use | SMD233 | # chewing plugs/wads/chaws per day |
| 983 | SMQ | Smoking & Tobacco Use | SMD235 | # years used this chewing tobacco amount |
| 984 | SMQFAM | Family Smoking | SEQN | Respondent sequence number |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------|---------|--|
| 985 | SMQFAM | Family Smoking | SMD410 | Does anyone smoke in the home |
| 986 | SMQFAM | Family Smoking | SMD415 | Total number of smokers in home |
| 987 | SMQFAM | Family Smoking | SMD415A | Total # of cigarette smokers in home |
| 988 | SMQFAM | Family Smoking | SMD415B | Total # of cigar smokers in home |
| 989 | SMQFAM | Family Smoking | SMD415C | Total # of pipe smokers in home |
| 990 | SMQFAM | Family Smoking | SMD430 | Total # cigarettes smoked in home |
| 991 | SMQFAM | Family Smoking | SMD440 | Total # cigars smoked in home |
| 992 | SMQFAM | Family Smoking | SMD450 | Total # pipes smoked in home |
| 993 | SMQMEC | Smoking & Tobacco Use | SEQN | Respondent sequence number |
| 994 | SMQMEC | Smoking & Tobacco Use | SMQ620 | Ever tried cigarette smoking |
| 995 | SMQMEC | Smoking & Tobacco Use | SMD630 | Age first smoked whole cigarette |
| 996 | SMQMEC | Smoking & Tobacco Use | SMQ640 | # days smoked cigarettes in past month |
| 997 | SMQMEC | Smoking & Tobacco Use | SMQ650 | # cigarettes per day during past month |
| 998 | SMQMEC | Smoking & Tobacco Use | SMQ660 | Brands of cigarettes smoked/past mo |
| 999 | SMQMEC | Smoking & Tobacco Use | SMQ664B | Menthol or non-menthol BensonHedges |
| 1000 | SMQMEC | Smoking & Tobacco Use | SMQ664C | Menthol or non-menthol Camels |
| 1001 | SMQMEC | Smoking & Tobacco Use | SMQ664M | Menthol or non-menthol Marlboro |
| 1002 | SMQMEC | Smoking & Tobacco Use | SMQ664O | Menthol or non-menthol other brand |
| 1003 | SMQMEC | Smoking & Tobacco Use | SMQ664W | Menthol or non-menthol Winston |
| 1004 | SMQMEC | Smoking & Tobacco Use | SMQ666B | Regular, light or ultralite BensonHedges |
| 1005 | SMQMEC | Smoking & Tobacco Use | SMQ666C | Regular, light or ultralite Camels |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------|---------|---|
| 1006 | SMQMEC | Smoking & Tobacco Use | SMQ666K | Regular, light or ultralite Kools |
| 1007 | SMQMEC | Smoking & Tobacco Use | SMQ666M | Regular, light or ultralite Marlboro |
| 1008 | SMQMEC | Smoking & Tobacco Use | SMQ666N | Regular, light or ultralite Newport |
| 1009 | SMQMEC | Smoking & Tobacco Use | SMQ666O | Regular, light or ultralite other brand |
| 1010 | SMQMEC | Smoking & Tobacco Use | SMQ666S | Regular, light or ultralite Salem |
| 1011 | SMQMEC | Smoking & Tobacco Use | SMQ666W | Regular, light or ultralite Winston |
| 1012 | SMQMEC | Smoking & Tobacco Use | SMQ670 | Tried to quit smoking - past 12 months |
| 1013 | SMQMEC | Smoking & Tobacco Use | SMD680 | Used tobacco or nicotine in last 5 days |
| 1014 | SMQMEC | Smoking & Tobacco Use | SMD690A | Used last 5 days - cigarettes |
| 1015 | SMQMEC | Smoking & Tobacco Use | SMD690B | Used last 5 days - pipes |
| 1016 | SMQMEC | Smoking & Tobacco Use | SMD690C | Used last 5 days - cigars |
| 1017 | SMQMEC | Smoking & Tobacco Use | SMD690D | Used last 5 days - chewing tobacco |
| 1018 | SMQMEC | Smoking & Tobacco Use | SMQ690E | Used last 5 days - snuff |
| 1019 | SMQMEC | Smoking & Tobacco Use | SMD690F | Used last 5 days - patch, gum, other |
| 1020 | SMQMEC | Smoking & Tobacco Use | SMD710 | # days smoked cigarettes - last 5 days |
| 1021 | SMQMEC | Smoking & Tobacco Use | SMD720 | # cigarettes smoked/day - last 5 days |
| 1022 | SMQMEC | Smoking & Tobacco Use | SMQ725 | When did SP smoke last cigarette |
| 1023 | SMQMEC | Smoking & Tobacco Use | SMD740 | # days smoked pipe - last 5 days |
| 1024 | SMQMEC | Smoking & Tobacco Use | SMD750 | # pipes smoked/day - last 5 days |
| 1025 | SMQMEC | Smoking & Tobacco Use | SMQ755 | When did SP smoke last pipe |
| 1026 | SMQMEC | Smoking & Tobacco Use | SMD770 | # days smoked cigars - last 5 days |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------------|---------|--|
| 1027 | SMQMEC | Smoking & Tobacco Use | SMD780 | # cigars smoked/day - last 5 days |
| 1028 | SMQMEC | Smoking & Tobacco Use | SMQ785 | When did SP smoke last cigar |
| 1029 | SMQMEC | Smoking & Tobacco Use | SMD800 | # days used chewing tobacco- last 5 days |
| 1030 | SMQMEC | Smoking & Tobacco Use | SMQ815 | When did SP last use chewing tobacco |
| 1031 | SMQMEC | Smoking & Tobacco Use | SMQ817 | # days used snuff over last 5 days |
| 1032 | SMQMEC | Smoking & Tobacco Use | SMQ819 | When did SP last used snuff |
| 1033 | SMQMEC | Smoking & Tobacco Use | SMD830 | # days used nicotine aids - last 5 days |
| 1034 | SMQMEC | Smoking & Tobacco Use | SMQ840 | Last time used nicotine stop smoking aid |
| 1035 | SMQMEC | Smoking & Tobacco Use | SMAQUEX | Questionnaire source flag for weighting |
| 1036 | SSQ | Social Support | SEQN | Respondent sequence number |
| 1037 | SSQ | Social Support | SSQ010 | Anyone to help with emotional support |
| 1038 | SSQ | Social Support | SSQ020A | Spouse gives most emotional support |
| 1039 | SSQ | Social Support | SSQ020B | Daughter gives most emotional support |
| 1040 | SSQ | Social Support | SSQ020C | Son gives most emotional support |
| 1041 | SSQ | Social Support | SSQ020D | Sibling gives most emotional support |
| 1042 | SSQ | Social Support | SSQ020E | Parent gives most emotional support |
| 1043 | SSQ | Social Support | SSQ020F | Other relative gives emotional support |
| 1044 | SSQ | Social Support | SSQ020G | Neighbors give most emotional support |
| 1045 | SSQ | Social Support | SSQ020H | Co-workers give most emotional support |
| 1046 | SSQ | Social Support | SSQ020I | Church members give emotional support |
| 1047 | SSQ | Social Support | SSQ020J | Club members give most emotional support |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------|---------|--|
| 1048 | SSQ | Social Support | SSQ020K | Professionls give most emotional support |
| 1049 | SSQ | Social Support | SSQ020L | Friends give most emotional support |
| 1050 | SSQ | Social Support | SSQ020M | Others give most emotional support |
| 1051 | SSQ | Social Support | SSQ020N | No one gives most emotional support |
| 1052 | SSQ | Social Support | SSQ030 | Needed more support in past year |
| 1053 | SSQ | Social Support | SSQ040 | How much more support needed |
| 1054 | SSQ | Social Support | SSQ050 | Anyone to help with financial support |
| 1055 | SSQ | Social Support | SSQ060 | Number of close friends |
| 1056 | SXQ | Sexual Behavior | SEQN | Respondent sequence number |
| 1057 | SXQ | Sexual Behavior | SXQ020 | Ever had sexual intercourse |
| 1058 | SXQ | Sexual Behavior | SXD030 | Age when first had sexual intercourse |
| 1059 | SXQ | Sexual Behavior | SXQ100 | #men sex intercourse partners/life |
| 1060 | SXQ | Sexual Behavior | SXQ120 | #men sex intercourse partners/year |
| 1061 | SXQ | Sexual Behavior | SXQ130 | #women sex intercourse partners/life |
| 1062 | SXQ | Sexual Behavior | SXQ150 | #women sex intercourse partners/year |
| 1063 | SXQ | Sexual Behavior | SXQ170 | #women sex intercourse partners/life |
| 1064 | SXQ | Sexual Behavior | SXQ190 | #women sex intercourse partners/year |
| 1065 | SXQ | Sexual Behavior | SXQ200 | #men sex intercourse partners/lifetime |
| 1066 | SXQ | Sexual Behavior | SXQ220 | #men sex intercourse partners/year |
| 1067 | SXQ | Sexual Behavior | SXQ240 | #sexual intercourse partners/past mo |
| 1068 | SXQ | Sexual Behavior | SXQ250 | #times had sex without condom/past mo |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|-----------------|---------|--|
| 1069 | SXQ | Sexual Behavior | SXQ260 | Doctor ever told you had genital herpes |
| 1070 | SXQ | Sexual Behavior | SXQ265 | Doctor ever told you had genital warts |
| 1071 | SXQ | Sexual Behavior | SXQ270 | Doctor ever told you had gonorrhea |
| 1072 | SXQ | Sexual Behavior | SXQ272 | Doctor ever told you had chlamydia |
| 1073 | SXQ | Sexual Behavior | SXQ280 | Are you circumcised or uncircumcised |
| 1074 | TBQ | Tuberculosis | SEQN | Respondent sequence number |
| 1075 | TBQ | Tuberculosis | TBQ010 | Ever had TB/tuberculosis skin test |
| 1076 | TBQ | Tuberculosis | TBQ020 | Ever told had positive TB skin test |
| 1077 | TBQ | Tuberculosis | TBQ030 | Prescribed medicine for preventing TB |
| 1078 | TBQ | Tuberculosis | TBQ040 | Ever told you had active TB |
| 1079 | TBQ | Tuberculosis | TBQ050 | Prescribed medicine for active TB |
| 1080 | TBQ | Tuberculosis | TBQ060 | Lived in household TB sick person |
| 1081 | VIQ | Vision | SEQN | Respondent sequence number |
| 1082 | VIQ | Vision | VIQ030 | General condition of eyesight |
| 1083 | VIQ | Vision | VIQ040 | Time worrying about eyesight |
| 1084 | VIQ | Vision | VIQ050A | Difficulty reading ordinary newsprint |
| 1085 | VIQ | Vision | VIQ050B | Difficulty with up close work or chores |
| 1086 | VIQ | Vision | VIQ050C | Difficulty seeing steps/curbs-dim light |
| 1087 | VIQ | Vision | VIQ050D | Difficulty noticing objects to side |
| 1088 | VIQ | Vision | VIQ050E | Difficulty findng object on crowdedshelf |
| 1089 | VIQ | Vision | VIQ055 | Difficulty drivng daytime-familiar place |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 1090 | VIQ | Vision | VIQ060 | Vision limits how long can do activities |
| 1091 | VIQ | Vision | VIQ070 | Ever had a cataract operation |
| 1092 | VIQ | Vision | VIQ080 | Operation in right, left or both eyes |
| 1093 | WHQ | Weight History | SEQN | Respondent sequence number |
| 1094 | WHQ | Weight History | WHD010 | Current Self-reported height (inches) |
| 1095 | WHQ | Weight History | WHD020 | Current Self-reported weight (pounds) |
| 1096 | WHQ | Weight History | WHQ030 | How do you consider your weight |
| 1097 | WHQ | Weight History | WHD040 | Like to weigh more, less or same |
| 1098 | WHQ | Weight History | WHD050 | Self-reported weight-1 yr ago (pounds) |
| 1099 | WHQ | Weight History | WHD060 | Weight change intentional |
| 1100 | WHQ | Weight History | WHQ070 | Tried to lose weight in past year |
| 1101 | WHQ | Weight History | WHD080A | Ate less food to lose weight |
| 1102 | WHQ | Weight History | WHD080B | Lowered calories to lose weight |
| 1103 | WHQ | Weight History | WHQ080C | Ate less fat to lose weight |
| 1104 | WHQ | Weight History | WHD080D | Exercised to lose weight |
| 1105 | WHQ | Weight History | WHQ080E | Skipped meals to lose weight |
| 1106 | WHQ | Weight History | WHD080F | Ate diet products to lose weight |
| 1107 | WHQ | Weight History | WHQ080G | Used liquid diet formula to lose weight |
| 1108 | WHQ | Weight History | WHQ080H | Joined program to lose weight |
| 1109 | WHQ | Weight History | WHQ080I | Took RX diet pills to lose weight |
| 1110 | WHQ | Weight History | WHQ080J | Took non-RX suppl. to lose weight |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 1111 | WHQ | Weight History | WHQ080K | Took laxatives to lose weight |
| 1112 | WHQ | Weight History | WHD080L | Other methods to lose weight |
| 1113 | WHQ | Weight History | WHD080M | Drank a lot of water to lose weight |
| 1114 | WHQ | Weight History | WHD080N | Followed a special diet |
| 1115 | WHQ | Weight History | WHQ090 | Tried not to gain weight in past year |
| 1116 | WHQ | Weight History | WHQ100A | Ate less to not gain weight |
| 1117 | WHQ | Weight History | WHQ100B | Lowered calories to not gain weight |
| 1118 | WHQ | Weight History | WHD100C | Ate less fat to not gain weight |
| 1119 | WHQ | Weight History | WHD100D | Exercised |
| 1120 | WHQ | Weight History | WHQ100E | Skipped meals to not gain weight |
| 1121 | WHQ | Weight History | WHD100F | Ate diet foods to not gain weight |
| 1122 | WHQ | Weight History | WHQ100G | Used liquid diet formula to not gain |
| 1123 | WHQ | Weight History | WHQ100H | Joined program to not gain weight |
| 1124 | WHQ | Weight History | WHQ100I | Took RX diet pills to not gain |
| 1125 | WHQ | Weight History | WHQ100J | Took non-RX suppl. to not gain weight |
| 1126 | WHQ | Weight History | WHQ100K | Took laxatives to not gain weight |
| 1127 | WHQ | Weight History | WHD100L | Other methods to lose weight |
| 1128 | WHQ | Weight History | WHD100M | Drank a lot of water to not gain weight |
| 1129 | WHQ | Weight History | WHD100N | Followed a special diet to lose weight |
| 1130 | WHQ | Weight History | WHD110 | Self-reported weight-10 yrs ago (pounds) |
| 1131 | WHQ | Weight History | WHD120 | Self-reported weight - age 25 (pounds) |

NHANES 1999-2000 Questionnaire Variable List

June 2009

| Item # | Data File | Component | Item ID | Label |
|--------|-----------|----------------|---------|--|
| 1132 | WHQ | Weight History | WHD130 | Self-reported height - age 25 (inches) |
| 1133 | WHQ | Weight History | WHD140 | Self-reported greatest weight(pounds) |
| 1134 | WHQ | Weight History | WHD150 | Age when heaviest weight |
| 1135 | WHQ | Weight History | WHD160 | Least self-reported weight since 18(lbs) |
| 1136 | WHQ | Weight History | WHD170 | Age when lightest weight |