

Maytag® High-Efficiency Laundry Solutions

Where Strength and Style Unite



Built Strong to Last Long

Built Strong to Last Long

Maytag brand's century-long heritage of quality and dependability continues with the introduction of the new **Bravos®** and **Performance Series High-Efficiency (HE)** laundry pairs.

Designed to tackle all of your laundry challenges to deliver the results you would expect from Maytag brand.

Includes high performance features and Maytag® Commercial Technology **MCT** - durable commercial grade parts bringing the technology of commercial laundry to your home.



What's your style?



In today's environment, Canadians are more concerned about energy efficiency when choosing their appliances.

Now, with Maytag brand's front-load Performance Series and top-load Bravos® laundry pairs, you can have the best of both worlds- energy efficient, dependable laundry solutions in the style you prefer.

What Set's Maytag brand's Laundry apart?



Long-lasting, commercial-grade components for your home. Bring the proven technology of commercial laundry into your home. A durable metal motor, commercial-grade belt and automotive bearings are individually designed and tested with the same strength and reliability as commercial-grade applications. The same strength can now be found in Maytag® Performance Series and Bravos® laundry pairs. MCT gives you the confidence to tackle all your laundry needs and stand the test of time.

Commercial-Grade Belts

Industry's widest belts perform consistently year after year.

4 Premium Drum Rollers

Helps reduce noise and vibration for second floor installations.



Durable Metal Drive System

Provides fast, more efficient drying.

Solid Steel Baseframe

Provides additional support to minimize noise and vibration.

Heavy-Duty, Die-Cast Door Hinges

Keep a tight seal through years of loading and unloading.

4 Gap Dampers and 2 Additional Springs

Helps reduce noise and vibration for second floor installations.



Commercial-Grade, Tilted Stainless Steel Wash Basket

Helps resist stains and odors.

Durable Metal Drive System

Removes water for fast, efficient drying.

Commercial-Grade, Solid Steel Baseframe

Helps prevent "washer walk" at high spin speeds.

PERFORMANCE SERIES

LAUNDRY PAIR



MCT

Maytag® Commercial Technology (MCT)

From springs and belts to motors and side panels—the commercial-grade components in these laundry pairs were designed for use in commercial applications to provide strength and dependability.



NEW! Reduce Allergens with Steam Sanitization

Deep cleans your clothes by reducing at least 95% of tested allergens. Allergens tested were dust mites and pet dander. Available on multiple cycles, including Heavy Duty and Whitest Whites.*



NEW! Steam Refresh Dryer Cycles

A fine mist of water combines with heat, forming steam that helps remove odours and relax wrinkles† from a few items or an entire load.*

† Applicable in "Rapid Refresh" Cycle only.

* Available on select models.

Product Specifications

9000 SERIES



5000 SERIES





3000 SERIES



WASHER MODELS	MHWE900V	MHWE500V	MHWE300V
Capacity (cu. ft.)	SuperSize Capacity Plus 4.4 I.E.C.	SuperSize Capacity Plus 4.0 I.E.C.	SuperSize Capacity Plus 4.0 I.E.C.
MCT Maytag® Commercial Technology (MCT)	•	•	•
Sensi-Care™ wash system	•	•	•
ENERGY STAR® qualified	•	•	•
Automatic wash cycles/options	11/4	10/3	9/3
NEW! Sanitization cycles	with Steam	with Steam	NSF Certified non-steam
NEW! SteamClean option	•	•	
NEW! Oxi Treat option	•		
Delay Start option	16-Hour	10-Hour	8-Hour
Temperature settings	5	4	4
Soil levels	3 (Light, Normal, Heavy)	3 (Light, Normal, Heavy)	3 (Light, Normal, Heavy)
IntelliTemp™ automatic temperature control	•	•	•
IntelliFill™ automatic water level sensor	•	•	•
Variable speed motor with preselected spin speeds	•	•	•
QuietSeries™ sound package	400	300	300
1,000-Watt water heater	•	•	•
Sensor-controlled suds detection	•	•	•
Timed release detergent system	•	•	•
Dispenser drawer	4-Tray (adds Oxi Dispenser)	3-Tray	3-Tray
Estimated time remaining display and Add-a-Garment indicator	•	•	•
End-of-cycle signal and control lock	•	•	•
Dimensions (H x W x D)	38" (96.5 cm) x 27" (68.6 cm) x 32" (81.3 cm)	38" (96.5 cm) x 27" (68.6 cm) x 31 1/2" (80 cm)	38" (96.5 cm) x 27" (68.6 cm) x 31 1/2" (80 cm)
Colours	W, J	W	W, F
DRYER MODELS	YMEDE900V (Electric) MGDE900V (Gas)	YMEDE500V (Electric) MGDE500V (Gas)	YMEDE300V (Electric) MGDE300V (Gas)
Capacity (cu. ft.)	SuperSize Capacity Plus 7.5	SuperSize Capacity Plus 7.0	SuperSize Capacity Plus 7.0
MCT Maytag® Commercial Technology (MCT)	•	•	•
GentleBreeze™ drying system with IntelliDry® sensor	•	•	•
Drying cycles/temperature settings	11/5	9/5	7/5
NEW! NSF Certified Sanitary cycle	•	•	•
NEW! Steam Rapid Refresh cycle	•	•	•
NEW! Steam Custom Refresh cycle	•	•	•
Wrinkle Prevent option	up to 140 minutes	up to 120 minutes	up to 120 minutes
Touch Up option	•	•	•
QuietSeries™ sound package	400	300	300
DuraCushion™ dryer drum	•	•	•
Interior light	•	•	•
4-Way electric, 3-way gas venting	•	•	•
Estimated time remaining display	•	•	•
End-of-cycle signal and control lock	•	•	•
Reversible swing door	•	•	•
(DFP) Direct feed, easy-plumb water hook-up	•	•	•
Dimensions (H x W x D)	38" (96.5 cm) x 27" (68.6 cm) x 32 9/16" (82.7 cm)	38" (96.5 cm) x 27" (68.6 cm) x 31 1/2" (80 cm)	38" (96.5 cm) x 27" (68.6 cm) x 31 1/2" (80 cm)
Colours	W, J	W	W, F
ACCESSORIES			
Laundry 1-2-3™ 10" (25.4 cm) pedestal or 15.5" (39.4 cm) pedestal with storage drawer	MHP1000SQ 10" (25.4 cm) White only XHP1550VW,J 15.5" (39.4 cm)	MHP1000SQ 10" (25.4 cm) White only XHP1550VW 15.5" (39.4 cm)	MHP1000SQ 10" (25.4 cm) White only XHP1550VW,F 15.5" (39.4 cm)
Laundry 1-2-3™ tower	MVP9000TW (White only)	MVP9000TW (White only)	MVP9000TW (White only)
Laundry 1-2-3™ worksurface	MW29000TW XW29000VJ	MW29000TW	MW29000TW XW29000VF
Stacking kit	8212640	8212640	8212640

COLOUR OPTIONS

 (W) or (Q) White

 (J) Oxide

 (F) Crimson

Dimensions are for planning purposes only.
Specifications subject to change without notice.
All models listed may not be available at every dealer.

MCT Maytag® Commercial Technology:

- Durable metal motor and drive system
- Commercial-grade belts and bearings
- Commercial-grade, tilted stainless steel wash basket
- Smooth Balance™ suspension system
- Steel baseframe
- Steel side panels
- Die-cast door hinges

BRAVOS
LAUNDRY PAIR



Maytag® Commercial Technology (MCT)

Every Bravos® laundry pair is built with durable, commercial-grade components to provide a long and dependable life for the product.

(See reverse side for more on MCT.)



Steam-Enhanced Dryer Cycles

A mist of water combines with heat, forming steam that effectively relaxes wrinkles and reduces odours. Rapid Refresh works on a few items, while Custom Refresh handles an entire dry load.



ENERGY STAR® Qualified

Our largest capacity washers are among the most efficient in the industry. You'll save 70% water and 67% energy.*

Product Specifications



WASHER MODEL	MVWB800V	MVWB700V	MVWB400V
Capacity (cu. ft. I.E.C.)	SuperSize Capacity Plus 4.7	SuperSize Capacity Plus 4.7	SuperSize Capacity Plus 4.7
MCT Maytag® Commercial Technology (MCT)	•	•	•
ENERGY STAR® qualified	•	•	•
Sensi-Care™ wash system with IntelliClean™ impeller	•	•	•
1,200-Watt water heater	with Clean Boost option		
NEW! Sanitary with Oxi cycle	NSF Certified		
NEW! Allergen removal feature	•		
Automatic wash cycles/temperature settings	14/5	13/4	13/4
Soil levels	4	3	3
Clean Washer cycle	•	•	•
MaxExtract™ extended spin	•	•	•
Delay Start option	up to 10 hours		
Automatic temperature control	•	•	•
IntelliFill™ automatic water level sensor	•	•	•
QuietSeries™ sound package	400	300	300
Maximum spin speed (RPM)	up to 1,000	up to 1,000	up to 1,000
Automatic dispensers	Oxi, detergent, bleach, fabric softener	Detergent, bleach, fabric softener	Detergent, bleach, fabric softener
Water save spray rinse	•	•	•
Adjustable end-of-cycle signal	•	•	•
Estimated time remaining display	•	•	•
Dial controls with auto control wake-up	•	•	•
Last cycle recall	•	•	•
Wide-opening lid with SmoothClose™ hinge	Commercial-grade glass window	Commercial-grade glass window	Solid Spill-Catcher™ lid
Smooth Balance™ suspension system with Superior Vibration Control (SVC)	•	•	•
Self-cleaning lint removal system	•	•	•
Dimensions (H x W x D)	44" (111.8 cm) x 28" (71.1 cm) x 27" (68.6 cm)	44" (111.8 cm) x 28" (71.1 cm) x 27" (68.6 cm)	44" (111.8 cm) x 28" (71.1 cm) x 27" (68.6 cm)
Colours	Q/B/U	Q	Q
DRYER MODEL	YMED800V (Electric) MGDB800V (Gas)	YMEDB700V (Electric) MGDB700V (Gas)	YMEDB400V (Electric) MGDB400V (Gas)
Capacity (cu. ft.)	SuperSize Capacity Plus 7.3	SuperSize Capacity Plus 7.3	SuperSize Capacity Plus 7.3
MCT Maytag® Commercial Technology (MCT)	•	•	•
GentleBreeze™ drying system with IntelliDry® sensor	•	•	•
Drying cycles/temperature settings	9/5	7/5	7/5
Steam cycles with direct feed, easy-plumb (DFP) water hook-up	Rapid Refresh and Custom Refresh		
Wrinkle Prevent option	up to 150 minutes	up to 90 minutes	up to 90 minutes
Smooth Balance™ suspension system	•	•	•
QuietSeries™ sound package	400	300	300
DuraCushion™ dryer drum	•	•	•
Interior light	Selectable	Selectable	•
Adjustable end-of-cycle signal	•	•	•
Damp Dry signal	•	•	•
Estimated time remaining display	•	•	•
Durable powdercoat-on-steel Spill-Catcher™ top	•	•	•
Dial controls with auto control wake-up	•	•	•
Last cycle recall	•	•	•
Reversible side-swing door	Commercial-grade glass window	Commercial-grade glass window	•
Front lint filter	•	•	•
1,950 RPM blower with 100-foot vent length	•	•	•
2-way internal, optional 4-way external venting with kit (49610)	•	•	•
Dimensions (H x W x D)	44" (111.8 cm) x 29" (73.7 cm) x 29 1/2" (74.9 cm)	44" (111.8 cm) x 29" (73.7 cm) x 29 1/2" (74.9 cm)	44" (111.8 cm) x 29" (73.7 cm) x 29 1/2" (74.9 cm)
Colours	Q/U	Q	Q

COLOUR OPTIONS



(Q) White



(U) Silver



MCT Maytag® Commercial Technology:

- Commercial-grade, stainless steel wash basket
- Commercial-grade washer drive system bearings
- Commercial capacity, direct drive infinite speed motor
- Commercial-grade glass window
- Commercial-grade, 5-rib dryer belt
- Commercial-grade, premium dryer drum rollers



Look for the ENERGY STAR® star symbol. It shows the product meets the ENERGY STAR® guidelines for energy efficiency.

Dimensions are for planning purposes only. Specifications subject to change without notice. All models listed may not be available at every dealer.

Built Strong to Last Long

maytag.ca

©Registered trade-mark/™ Trade-mark of Maytag Corporation or its related companies. Used under license by Maytag Limited in Canada. ©2008. All rights reserved.