

#### **DEPARTMENT OF THE NAVY**

COMMANDER, NAVAL SURFACE FORCE UNITED STATES PACIFIC FLEET 2841 RENDOVA ROAD SAN DIEGO, CALIFORNIA 92155-5490

COMMANDER NAVAL SURFACE FORCE ATLANTIC 1430 MITSCHER AVE NORFOLK, VA 23551-2494

IN REPLY REFER TO

COMNAVSURFPACINST 6000.2B/COMNAVSURFLANTINST 6000.2BN01M/N02M8 Oct 10

#### COMNAVSURFPAC/COMNAVSURFLANT INSTRUCTION 6000.2B

From: Commander, Naval Surface Force U.S. Pacific Fleet

Commander, Naval Surface Force Atlantic

Subj: MEDICAL READINESS INSPECTION PROGRAM

Ref: (a) OPNAVINST 6530.4B

(b) NAVMED P-117 (MANMED)

(c) COMNAVSURFORINST 6000.1

(d) COMFLTFORCOMINST 6600.1

(e) HA POLICY 06-001, Policy on Oral Health and Readiness

Encl: (1) Medical Readiness Inspection Checklist

- 1. <u>Purpose</u>. To establish a Medical Readiness Inspection (MRI) program for afloat Medical Departments per references (a) through (c). Dental readiness standards for ships without an assigned Dental Officer is contained in references (d) and (e).
- 2. <u>Background</u>. The mission of the ship's Medical Department is two-fold: to maintain the health and readiness of the ship's crew and to maintain the readiness of the Medical Department. To ensure a continuous state of readiness, the Medical Department must provide for and promote the health and wellness of their crew, prevent and treat illness or injury and maintain complete documentation in medical and administrative records on individuals and medical programs.
- 3. Cancellation. COMNAVSURFORINST 6000.2A
- 4. <u>Intent</u>. To provide the Commanding Officer (CO) of a ship, the Immediate Superior in Command (ISIC) and the Type Commander (TYCOM), a timely pre-deployment assessment on the readiness of the ship's Medical Department and its ability to accomplish its mission, functions and tasks. The MRI is used by the TYCOM to

certify the ship as medically ready for deployment. This certification is valid for a period of 18 months. No medical readiness certification shall exceed the 18 month periodicity without a TYCOM waiver. Platforms exceeding 18 months without a waiver will lose certification.

#### 5. Action

- The Regional Medical Representative (RMR) will conduct a formal MRI no greater than D-120 and less than D-90 days prior to the departure date for any deployment which will be greater than 90 days. The RMR will conduct the MRI using the checklists contained in enclosure (1) of this instruction. The RMR will ensure that all chapters and sections of the inspection checklist are completed. Due to the wide variety of ship classes within the Surface Fleet, not all sections of the checklist will be applicable to all ships. Those sections not applicable to the ships being inspected will be marked "NA" for not applicable. Requests to modify the checklist to conform to class specific requirements must receive formal approval from the TYCOM prior to use of a modified checklist. Each section and sub-section will receive a grade of SAT, UNSAT or NA. A comment is required for all UNSAT grades. When an UNSAT grade is noted for an sub-section that is marked "Critical", the entire section is deemed UNSAT. The RMR will review and verify the percentages and dates to be provided in the MRI.
- b. Chapter grading is based on the percentage of satisfactory sections within a chapter. Divide the number of satisfactory sections by the number of applicable sections then multiply the resulting product number by 100 to determine the percentage. The Overall Summary Grade is determined by averaging the percentages of Chapters 1 thru 6:
  - (1) C-1 Fully Ready  $\Rightarrow$  90%
  - (2) C-2 Substantially Ready>= 80%
  - (3) C-3 Marginally Ready >= 70%
  - (4) C-4 Not Ready <= 69%
- c. The Regional Medical Representative will provide a verbal out brief with unit leadership at the conclusion of the inspection and will forward a copy of the full MRI report, to the unit, the operational ISIC and the TYCOM. C-1/C-2

COMNAVSURFPACINST 6000.2B/ COMNAVSURFLANTINST 6000.2B 8 Oct 10

Inspection results will be reported in writing within 10 days of the inspection. Scores of C-3 or lower will be reported to the unit, operational ISIC and TYCOM via fastest available means not to exceed 48 hours. The senior inspector will submit the final written report along with a Plan of Action and Milestones (POA&M) within 14 days after the date of the inspection.

- d. The RMR can conduct a Technical Assist Visit (TAV) at any time when requested by the unit leadership, when questionable circumstances exist within the ship's Medical Department, prior to the SMDR turnover and/or prior to a formal MRI. The TAV is considered an informal review of the Medical Department and the results of the visit are for use by the inspected command and the ISIC to provide guidance to the SMDR and their chain of command.
- 6. <u>Review Responsibility</u>. COMNAVSURFPAC and COMNAVSURFLANT Medical Officers are responsible for the annual review of this instruction.

R. A. ROGERS Chief of Staff

Chief of Staff

Distribution:

Electronic only, via COMNAVSURFOR Directives Web site,
https://www.surfor.navy.mil/directives0/pages/default.aspx

UNIT:	MRI/TAV DATE:
Commanding Officer:	DEPLOYMENT DATE:
<b>Executive Officer:</b>	
SMDR:	
Senior Inspector:	

CHAPTER		Percentage	C-STATUS	HEALTH MAINTENANCE	PERCENT
1. Administration and Training		0%	0	Tetanus	0%
2. Supplies and Equipment		0%	0	Influenza, Seasonal	0%
3. Emergency Medical Preparedness		0%	0	Hepatitis A	0%
4. Ancillary Services		0%	0% 0 Hepatitis B		
5. Environmental Health Programs		0%	0	MMR/Titer	0%
6. Occupational Health Programs		0%	0	OPV/IPV	0%
AMAL Status (%):	0.00%			Tuberculosis Surveillance	0%
Current IMR %	0.00%			HIV	0%
Blood Bank Certification Date:	0-Jan-00			Periodic Health Assessments	0%
Ship's Sanitation Control Certification Expiration Date:	0-Jan-00			Women's Health Examinations	0%
OVERALL SUMMARY GRADE		0.0%		DNA	0%
Comments:				Audiograms	0%
				Dental Readiness (IDC Ships)	0%

#### **GRADING CRITERIA:**

#### **Chapter C-Status:**

Chapter grading is based on the percentage of satisfactory sections.

## Any UNSAT in a critical sub-section will make the entire

Divide the number of satisfactory sections by the number of applicable sections.

Multiply this amount by 100 to determine percentage.

(Number of Satisfactory Sections / Number of Applicable Sections X 100) = %

#### **Overall Summary Grade:**

Overall Summary Grade is determined by averaging the percentages of chapters 1 through 6.

C-1	<b>FULLY READY</b>	C-1	>= 90%
	SUBSTANTIALLY		
C-2	READY	C-2	>= 80%
C-3	MARGINALLY READY	C-3	>= 70%
C-4	NOT READY	C-4	<= 69%

### NAVAL SURFACE FORCE MEDICAL READINESS INSPECTION EXECUTIVE SUMMARY

**CHAPTER 1 - ADMINISTRATION AND TRAINING** 

1. EXTERNAL REPORTS		SAT	UNSAT	Comments			
a. DNBI (report submitted weekly)				Date Last Subn	nitted:		
b. IMR % (90% or above)	0.00%			Date Last Uplo	ad:		
c. DEERS (report submitted weekly)				Date Last Subn	nitted:		
		•	•	•		SAT	UNSAT
2. MEDICAL DEPARTMENT DAILY STATUS REPORTS		SAT	UNSAT	Comments			
a. Report of Sick and Injured (Submitted Daily)							
b. Medical 8 o'clock Report (Submitted Daily)							
c. Reviewed and signed by ship's CO/XO. Submitted in a way as to ensure patient privacy.							
a way as to ensure patient privacy.	l					SAT	UNSAT
3. SICK CALL LOG MAINTAINED IN SAMS/TMIP		SAT	UNSAT	Comments			
a. All sickcall visits entered.							
				·		SAT	UNSAT
4. PROFESSIONAL BOOKS AND MATERIALS		SAT	UNSAT	Comments			
a. Current STATREF version onboard							
b. Required Books, Publications and Instructions per BUMEDINST 6820 and CFFC/PACFLT 6820.							
						SAT	UNSAT
5. OTHER ADMINISTRATION		SAT	UNSAT	Comments			
a. Current TMIP/SAMS version onboard:	Critical						
(1) Daily back-ups being accomplished on separate media?							
(2) Password on file with CMS/Security Manager?							
(3) All Medical Department personnel proficient with TMIP/SAMS?							
(4) TMIP/SAMS has network connectivity?	Critical						
(5) Providers have access to CHCS/AHLTA?							
b. Health records management							
(1) Record security maintained?							
(2) TMIP/SAMS data matches health record data? (Compare 1% of random crew records)							
c. Medical admin files maintained per SECNAVINST							

d. Injury reports completed and routed through the COC?								
e. Emergency relief procedures for HMs standing non-medical watches on file in OOD Binder/log?								
	•		•	•			SAT	UNSAT
6. CURRENT, FUNCTIONAL TICKLER		SAT	UNSAT	Comments				
a. Follow-up appointments tracked								
b. Consultation Log								
							SAT	UNSAT
7. TRAINING		SAT	UNSAT	Comments				
a. Inservice Training for Medical Personnel conducted?								
(1) PQS/JQR used for Jr. HMs								
(a) Completed w/in six months of reporting								
(2) BCLS Certification								
(a) All Medical Department personnel								
(3) ACLS Certification (As applicable)								
(4) Medical inservice training conducted and documented semi-weekly at a minimum								
b. Medical Training for Stretcher-Bearers conducted and documented bi-weekly								
c. Medical Training Team (MTT) identified								
d. Medical conducts training with "I" Division								
e. Crew training per Long Range Training Plan and documented in Med ADP and ships training database								
assamented in the data supportanting actualists	<u>l</u>	l		ı			SAT	UNSAT
								L
8. DENTAL (SHIPS WITHOUT DENTAL DEPARTMENTS)		SAT	UNSAT	Comments				
a. Shipboard dental procedures manual onboard								
b. Dental kit instruments packed/sterilized								
c. Dental readiness <95% CAT I & II=UNSAT I 00% II 00% III 00% IV 00% Overall: 00%	0.00%							
		l .					SAT	UNSAT
TOTAL SECTIONS:	8							
SAT SECTIONS:	0							
APPLICABLE SECTIONS:	8							
PERCENT SAT:	0%	(# SAT DIVI	DED BY # APP	LICABLE X 100)	= %			
		-						
CHAPTER C-STATUS					C-1	C-2	C-3	C-4
					>= 90%	>= 80%	>= 70%	<= 69%

Chapter 2: SUPPLIES AND EQUIPMENT	NAV MEDICAL R		RFACE I				
1. AMAL DOCUMENTS	APPLICABILITY	SAT	UNSAT	Comments			
a. Sams used for supply tracking							
b. Current AMAL update being used	Critical			Date:			
c. Supply/Medical Department has Prime Vendor Account							
						SAT	UNSAT
2. AMAL STATUS	<90%=UNSAT	SAT	UNSAT	Comments			
a. Total Combined AMAL percentage:	0.00%						
(1) General Medicine Percentage	0.00%						
(2) Minor Surgery AMAL Percentage	0.00%						
(3) Preventive Medicine AMAL Percentage	0.00%						
(4) Pharmacy AMAL Percentage	0.00%						
b. Current bulkhead-to-bulkhead inventory (Annual)				DATE:			
		•	•			SAT	UNSAT
3. EQUIPMENT, MAINTENANCE & REPAIR	<90%=UNSAT	SAT	UNSAT	COMMENTS			
a. Equipment AMAL Percentage:	0.00%						
b. Biomedical repair checks accomplished per PMS:				DATE:			
c. All equipment included in 3M system (OHMS-NG/SNAP)	Critical						
d. NAVMED 6700/3 current and maintained for each piece of medical equipment							
e. Reefer temp maintained at 36 - 46 degrees Fahrenheit? Reefer log maintained per 6000.1:	Critical						
f. Reefer alarm functional and audible (audible outside of Medical if not manned 24/7):	Critical						
g. SERP list for ship current and aligned with AMAL:							
h. CASREP submitted for non-functioning Medical equipment:							
i. ACLS equipment available and functional:	Critical						
j. Medical oxygen cylinder hydrostatic testing up-to- date? (Review min 10% onboard)							
k. Sterilizer(s) functional test:							
I. Medical WBGT functional test:							
				-		SAT	UNSAT
		7					
TOTAL SECTIONS:	3						
SAT SECTIONS:	0	_					
APPLICABLE SECTIONS:	3						
PERCENT SAT:	0%	(# SAT	DIVIDED BY #	# APPLICABLE X 10	0) = %		
		_		C-1	C-2	C-3	C-4

Chapter 3: EMERGENCY MEDICAL PREPAREDNESS	Stocked Per AMAL = 100% ONBOARD					
1. EMERGENCY RESPONSE KIT		SAT	UNSAT	COMMENTS		
a. Emergency Response Kit (MORK/IDC)						
(1) Stocked per 53/56 AMAL	Critical			%		
(2) Inventoried semi-annually and documented.				Last Inventory:		
b. Jr. HM Emergency Response Kit (1 kit per 2 Jr HMs on MO ship/1 per Jr HM on IDC ship)						
(1) Stocked per 55 AMAL	Critical			%		
(2) Inventoried semi-annually and documented.				Last Inventory:		
					SAT	UNSAT
	Г		1			
2. CRASH CART		SAT	UNSAT	COMMENTS		
a. Stocked per 54 AMAL	Critical			%		
b. Anti-pilferage device used						
c. Inventoried monthly and documented	Critical			Last Inventory:		
d. ACLS algorithm current and posted						
					SAT	UNSAT
3. MINOR SURGICAL PACKS (open one and verify)		SAT	UNSAT	COMMENTS		
a. Appropriate number of packs for ship class (Per		JAI	UNSAT	COMMENTS		
CNSL/CNSP 6000.1)						
b. Instruments properly cleaned, packed & sealed						
c. Packs labeled with applicable expiration dates						
d. Sutures / knife blades attached to outside of pack						
					SAT	UNSAT
4. OXYGEN		CAT	LINICAT	CONANAENTS		
		SAT	UNSAT	COMMENTS		
a. PMS accomplished on all Oxygen cylinders:						
b. "Grade B shock mounting" installed & in use	Critical					
c. Valve covers on "stowed" cylinders						
d. Non-sparking wrenches available						
e. At least 1 "in-service" cylinder ready for use. (minimum 75% full):						
f. Oxygen handling and stowage precautions posted (Appendix of CNSP 6000.1)						
					SAT	UNSAT

### COMNAVSURFPACINST 6000.2B/ COMNAVSURFLANTINST 6000.2B 8 Oct 10

			_					
5. FIRST-AID BOX (FAB)		SAT	UNSAT	COMMENTS				
a. Stocked per 50 AMAL	Critical			%				
b. Required locations adequate								
c. Properly marked								
d. Contents divided in thirds; stored in plastic								
e. Anti-pilferage device used								
f. Inventoried semi-annually and documented	Critical			Last Inventory:				
					SAT	UNSAT		
6. FIRST-AID KIT, GUN CREW (GUN BAG)		SAT	UNSAT	COMMENTS				
a. Stocked per 57 AMAL	Critical			%				
b. One per two First Responders (Stretcher Bearers)								
c. Anti-pilferage device used								
d. Stored in plastic bags inside Gun Bag								
e. Stored in BDS								
f. Inventoried semi-annually and documented	Critical			Last Inventory:				
					SAT	UNSAT		
7. BATTLE DRESSING STATIONS (BDS)		SAT	UNSAT	COMMENTS				
a. Stocked per 52 AMAL	Critical			%				
b. Routes to BDS marked (interior/exterior)								
c. Access signs on BDS doors								
d. Surgical light & emergency lighting operable								
e. Potable water tank with diagram and valve labeling								
f. Surgical sink operable								
g. Operating table functionable with straps and pads								
h. Inventoried semi-annually and documented	Critical			Last Inventory:				
					SAT	UNSAT		
8. MASS CASUALTY BOX (MCB)		SAT	UNSAT	COMMENTS				
a. Stocked per 51 AMAL	Critical			%				
b. Required number onboard								
c. Located & mounted properly								
d. Contents contained in plastic bags								
e. Anti-pilferage device used								
f. Inventoried semi-annually and documented	Critical			Last inventory:				
					SAT	UNSAT		

9. FIRST-AID KIT, GENERAL PURPOSE (BOAT BOX)			SAT	UNSAT		COMME	NTS				
a. Stocked per 58 AMAL	Critical						%				
b. One per each Rhib, MWB, and Gig,											
c. Contents sealed in plastic bag											
d. Anti-pilferage device used											
e. Inventoried semi-annually and documented	Critical					Last inve	ntory:				
									SAT		UNSAT
10. FORCE HEALTH PROTECTION			SAT	UNSAT		COMME	NTS				
a. Stocked per 05 AMAL											
(1) CBR Medication (<100% = UNSAT)	Critical						%				
(2) Pandemic Medication (<90% = UNSAT)							%				
b. Quarterly SLEP update completed:											
c. Inventoried annually and documented:	Critical					Last inve	ntory:				
d. Contents stored in locked or secure area:											
									SAT		UNSAT
	1	L	I., _		CON	NDITION	Properly	Patie	ent		
. STRETCHER/LITTERS		# Reqd	# O	n Board		NDITION / UNSAT	Properly located	Patie strap		Comm	
		# Reqd	# O	n Board						Autho	rized to
		# Reqd	# O	n Board						Autho carry e straps	rized to extra. No pt on flt deck
Stokes Stretchers		2	# 0	n Board						Autho carry e straps	rized to extra. No pt
Stokes Stretchers Sea-Air Rescue (SAR) Litters		# Reqd 2	# 0	n Board						Autho carry e straps	rized to extra. No pt on flt deck
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly	Critical	2 1 1	# 0	n Board						Autho carry e straps or han	rized to extra. No pt on flt deck
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available	Critical (LHA/LHD ONLY)	2 1 1 2	# 0	n Board						Autho carry e straps	rized to extra. No pt on flt deck
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands	(LHA/LHD ONLY)	2 1 1 2 100		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve		2 1 1 2		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve	(LHA/LHD ONLY)	2 1 1 2 100		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck ger bay
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve	(LHA/LHD ONLY)	2 1 1 2 100		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck ger bay
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands	(LHA/LHD ONLY)	2 1 1 2 100		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck ger bay
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve  (1) Handling Lines for litters with Locking Gate  OTAL SECTIONS:	(LHA/LHD ONLY) Critical	2 1 1 2 100		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck ger bay
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve  (1) Handling Lines for litters with Locking Gate  OTAL SECTIONS: AT SECTIONS:	(LHA/LHD ONLY) Critical	2 1 1 2 100		n Board						Autho carry e straps or han	rized to extra. No pt on flt deck ger bay
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve	(LHA/LHD ONLY) Critical  11 0	2 1 1 2 100 1 per BD 2	05		SAT		located			Autho carry e straps or han	rized to extra. No pt on flt deck ger bay
Stokes Stretchers  Sea-Air Rescue (SAR) Litters  (1) Wire Rope Assembly  (2) Sling Rescue, Helicopter with valid weight test available  Decon Litters and Stands  Reeves Sleeve  (1) Handling Lines for litters with Locking Gate  OTAL SECTIONS: AT SECTIONS: PPLICABLE SECTIONS:	(LHA/LHD ONLY) Critical  11 0 11	2 1 1 2 100 1 per BD 2	05		SAT	CABLE X 10	located		os —	Autho carry e straps or han	rized to extra. No pt on flt deck

	_						
Chapter 4: ANCILLARY SERVICES							
1. LABORATORY	APPLICABILITY	SAT	UNSAT	COMMENTS			
a. Stocked per 32 AMAL	<90%=UNSAT			%			
b. Laboratory Procedures Manual current and available							
c. Laboratory Log maintained							
d. Equipment function test	Critical						
						SAT	UNSAT
2. BLOOD BANK (CRTS ONLY)		SAT	UNSAT	COMMENTS			
a. Stocked per 33 AMAL	<90%=UNSAT			%			
b. Blood Bank Procedures Manual current and available							
c. Blood Bank Assessment Current				DATE:			
d. Required Blood Products Onboard (PRBC)							
e. Blood Bank Training Current (annual)	(HM-8506)						
f. Blood Bank Pack-up Kit (PUK) complete and within periodicity:				(On applicable	CRTS. Maintained by S	upply Dept)	
g. Emergency Backup system for blood bank available and functional: (CO2 bottles 100% filled):							
						SAT	UNSAT
3. X-RAY		SAT	UNSAT	COMMENTS			
a. Stocked per 31 AMAL	<90% = UNSAT			%			
b. X-Ray Procedures Manual current and available							
c. X-Ray Log maintained							
d. Films Forwarded For Radiologist's Reading							
e. Performance Test current	Critical			DATE:			
f. Dosimetry Program current							

SAT UNSAT

Critical

DATE:

g. External Audit current

h. Equipment function test

### COMNAVSURFPACINST 6000.2B/ COMNAVSURFLANTINST 6000.2B 8 Oct 10

s. Prescriptions per MANMED Chap 21 c. Designated pharmacy pace can be locked d. Controlled Substances [1] AMAL quantity oriboard and maintained in Bulk lock of Controlled Substances [2] AMAL quantity oriboard and members assigned lock of Controlled Substances inventory conducted as part of the substances inventory conducted and substances inventory conducted i	4. PHARMACY		SAT	UNSAT	COMMENTS			
Controlled Substances  (A) Controlled Substances  (B) SAMAL quantity onboard and maintained in Bulk stock  (C) Custodians and inventory board members assigned in writing  (A) Controlled Substances Inventory conducted as prequired  (A) Controlled Substances Inventory Conducted as prequired Controlled Substances Inventory Conducted As predictions of the Controlled Substances Inventory Conducted Controlled	a. Stocked per 34 AMAL	<90=UNSAT						
1. Controlled Substances 1. (1) AMAL quantity onboard and maintained in Bulk Stock (2) Custodians and inventory board members assigned in writing 1. (3) Proper administrative procedures followed (3) Proper administrative procedures followed (4) Controlled Substances inventory conducted as prequired  S. KCU/WARD  As applicable)  As applicable)  As applicable   AT   MISAT   COMMENTS   Section 1998   Section 19	b. Prescriptions per MANMED Chap 21							
13) ANAL quantity onboard and maintained in Bulk Sock (2) Curtodians and inventory board members assigned overling (3) Proper administrative procedures followed (4) Controlled Substances inventory conducted as required  Critical  S. ICU/WARD  A. Sapplicable)  A. Sapplicable)  A. Socked per 23 AMAL  90e-UNSAT  C. Substances and available  C. Rursing procedures current and available  C. Rursing furnished to the current and available  C.	c. Designated pharmacy space can be locked							
Column   C	d. Controllled Substances							
In writing (a) Proper administrative procedures followed (c) Controlled Substances inventory conducted as various of the control of the contr	(1) AMAL quantity onboard and maintained in Bulk Stock							
As applicable   SAT   UNSAT   COMMENTS   COMM	(2) Custodians and inventory board members assigned in writing							
SAT UNSAT  SOLUTION OF THE PROPERTY OF THE PRO	(3) Proper administrative procedures followed							
5. ICL/WARD  As applicable) AS applicable) AS Stocked per 23 AMAL  AS OUNSAT  AS INCISING PROCEDURE AND AVAILABBLE  B. REQUIRED AND AVAILABBLE  B. A	(4) Controlled Substances Inventory conducted as required	Critical						
a. Stocked per 23 AMAL  50 - LU and Ward SOP current and available  6. C. Nursing procedures current and available  6. Linen provisions adequate  6. Dietary provisions adequate  7. Dietary provisions adequate  8. Dietary provisions adequate  8. Dietary provisions adequate  8. Dietary provisions adequate  9. Dietary provisions adequate  9. Dietary provisions adequate  9. Dietary provisions adequate  9. Dietary provisions adequate  10. Universal Precautions posted  11. Universal Precautions posted  12. Isolation Plan current and available  13. Mattresses meet Blood-Borne Pathogen  5. Required number of patient beds onboard and functional  14. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional  15. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional  15. Electrocardiogram machine available and functional  16. Electrocardiogram machine available and functional  17. Electrocardiogram machine available and functional  18. Admission criteria current and available  19. Admission criteria current and available  10. Mechanism for Pathott Identification in Use  10. Patient Tracking Plan/Status Board  11. Mo Orders written for each patient  12. Patient Tracking Plan/Status Board  13. Mo Orders written for each patient  14. Restraint policy current and available  15. Proper forms utilized for documenting care  16. Restraint policy current and available  16. Thrombolytic Therapy Protocol and Supplies  16. Inpatient Records Maintained & Retired properly  17. Inpatient Records Maintained & Retired properly							SAT	UNSAT
a. Stocked per 23 AMAL  50 - LU and Ward SOP current and available  6. C. Nursing procedures current and available  6. Linen provisions adequate  6. Dietary provisions adequate  7. Dietary provisions adequate  8. Dietary provisions adequate  8. Dietary provisions adequate  8. Dietary provisions adequate  9. Dietary provisions adequate  9. Dietary provisions adequate  9. Dietary provisions adequate  9. Dietary provisions adequate  10. Universal Precautions posted  11. Universal Precautions posted  12. Isolation Plan current and available  13. Mattresses meet Blood-Borne Pathogen  5. Required number of patient beds onboard and functional  14. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional  15. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional  15. Electrocardiogram machine available and functional  16. Electrocardiogram machine available and functional  17. Electrocardiogram machine available and functional  18. Admission criteria current and available  19. Admission criteria current and available  10. Mechanism for Pathott Identification in Use  10. Patient Tracking Plan/Status Board  11. Mo Orders written for each patient  12. Patient Tracking Plan/Status Board  13. Mo Orders written for each patient  14. Restraint policy current and available  15. Proper forms utilized for documenting care  16. Restraint policy current and available  16. Thrombolytic Therapy Protocol and Supplies  16. Inpatient Records Maintained & Retired properly  17. Inpatient Records Maintained & Retired properly								
A. ICU and Ward SOP current and available C. Nursing procedures current and available d. Linen provisions adequate e. Dietary provisions adequate e. Dietary provisions adequate f. Infection Control (1) Universal Precautions posted (2) Isolation Plan current and available (3) Mattresses meet Blood-Borne Pathogen (4) Linen Pathogen (5) Required number of patient beds onboard and functional intravenous pump available at each ICU bed and functional intravenous pump available at each ICU bed and functional intravenous pump available, calibrated and functional intravenous pump available and functional intravenous pump av	5. ICU/WARD	(As applicable)	SAT	UNSAT	COMMENTS			
c. Nursing procedures current and available d. Linen provisions adequate e. Dietary provisions adequate e. Dietary provisions adequate f. Infection Control for the control fo	a. Stocked per 23 AMAL	<90=UNSAT				<u>'</u>		
d. Linen provisions adequate e. Dietary provisions adequate f. Infection Control (1) Universal Precautions posted (2) Isolation Plan current and available (3) Mattresses meet Blood-Borne Pathogen Standards g. Required number of patient beds onboard and functional nuctional nuctional functional functional functional splead and functional functional functional splead and functional splead and functional functional splead and functional splead sp	b. ICU and Ward SOP current and available							
e. Dietary provisions adequate f. Infection Control  (1) Universal Precautions posted (2) Isolation Plan current and available (3) Mattresses meet Blood-Borne Pathogen Standards g. Required number of patient beds onboard and functional Unctional (100% function check) I. Mechanical ventilators available, calibrated and functional Lettorial Ventional (100% function check) I. Beletrocardiogram machine available and functional J. Electrocardiogram machine available and functional J. Electrocardiogram for Patient Identification in Use J. Patient Tracking Plan/Status Board J. Mo Orders written for each patient L. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies L. Inpatient Records Maintained & Retired properly L. Proper forms utilized for documenting are f. Infection Control  L. Patient Records Maintained & Retired properly L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly  L. Patient Records Maintained & Retired properly	c. Nursing procedures current and available							
Infection Control  (1) Universal Precautions posted  (2) Isolation Plan current and available (3) Mattresses meet Blood-Borne Pathogen Standards g. Required number of patient beds onboard and functional Incomplete of patient beds onboard and functional Incomplete of patient vital signs monitor and intravenous pump available at each ICU bed and functional (100% function check) Incomplete of patient vital signs monitor and intravenous pump available, calibrated and functional (100% function check) Incomplete of patient vital signs monitor and intravenous pump available, calibrated and functional (100% function check) Incomplete of patient vital signs monitor and intravenous pump available, calibrated and functional (100% function check) Incomplete of patient vital signs monitor and intravenous pump available, calibrated and functional (100% function check) Incomplete of patient vital signs monitor and intravenous pump available and functional (100% function check) Incomplete of patient vital signs monitor and distributions available of patient vital signs monitor and intravenous pump available of patient vital signs monitor and intravenous pump available of patient vital signs monitor and intravenous pump available of patient vital signs monitor and intravenous pump available of patient vital signs monitor and intravenous pump available of patient vital signs monitor and vital	d. Linen provisions adequate							
(1) Universal Precautions posted (2) Isolation Plan current and available (3) Mattresses meet Blood-Borne Pathogen Standards (3) Mattresses meet Blood-Borne Pathogen Standards (3) Required number of patient beds onboard and functional h. Oxygen, suction unit, patient vital signs monitor and functionals (100% function check) (3) Mattresses meet Blood-Borne Pathogen Standards (4) Critical Company available at each ICU bed and functionals (100% function check) (5) Mechanical ventilators available, calibrated and functional Critical Company available Company available Samplication of Critical Company available Company available Samplication In Use Company availabl	e. Dietary provisions adequate							
(2) Isolation Plan current and available (3) Mattresses meet Blood-Borne Pathogen Standards (3) Mattresses meet Blood-Borne Pathogen Standards (3) Required number of patient beds onboard and functional (4) Daysen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional: (100% function check) (5) Leictrocardiogram machine available, calibrated and functional: (100% function check) (6) Leictrocardiogram machine available and functional: (100% function check) (6) Leictrocardiogram machine available and functional: (100% functional: (100% function check)) (6) Leictrocardiogram machine available and functional: (100% functional	f. Infection Control							
3) Mattresses meet Blood-Borne Pathogen Standards g. Required number of patient beds onboard and functional h. Oxygen, suction unit, patient vital signs monitor and functional (100% function check)  1. Mechanical ventilators available, calibrated and functional functional ventilators available and functional ventilators ventilators available ventilators ventilato	(1) Universal Precautions posted							
Standards  Required number of patient beds onboard and functional  Dr. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional: (100% function deck)  Rechanical ventilators available, calibrated and functional: (200% function deck)  Electrocardiogram machine available and functional  Critical  CIHA/LHD - 10; LPD-17 - 6)  SAT  UNSAT  SAT  UNSA	(2) Isolation Plan current and available							
functional h. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and functional: (100% function check) i. Mechanical ventilators available, calibrated and functional j. Electrocardiogram machine available and functional Critical CHA/LHD - 10; LPD-17 - 6)  SAT  UNSAT  SAT  UNSAT  Comments  SAT  UNSAT  Comments  SAT  UNSAT  Omments  SAT  UNS	(3) Mattresses meet Blood-Borne Pathogen Standards							
Intravenous pump available at each ICU bed and functional: (100% function check)  In Mechanical ventilators available, calibrated and functional  In Mechanical ventilators available, calibrated and functional  In Electrocardiogram machine available and functional  In Electrocardiogram and functional  In Electrocardiogram and functional  In Electrocardiogram available and functional  In Electro	g. Required number of patient beds onboard and functional							
functional    Critical   Chical   Chical   Chical   Chical   Critical   Criti	h. Oxygen, suction unit, patient vital signs monitor and intravenous pump available at each ICU bed and function check)	Critical						
SAT UNSAT  6. PATIENT ADMINISTRATION  (As applicable) SAT UNSAT Comments  a. Admission criteria current and available b. Mechanism for Patient Identification In Use c. Patient Tracking Plan/Status Board d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	i. Mechanical ventilators available, calibrated and functional	Critical			(LHA/LHD - 10;	LPD-17 - 6)		
6. PATIENT ADMINISTRATION  a. Admission criteria current and available  b. Mechanism for Patient Identification In Use  c. Patient Tracking Plan/Status Board  d. MO orders written for each patient  e. Proper forms utilized for documenting care  f. Restraint policy current and available  g. Thrombolytic Therapy Protocol and Supplies  h. Inpatient Records Maintained & Retired properly	i. Electrocardiogram machine available and functional	Critical						
a. Admission criteria current and available b. Mechanism for Patient Identification In Use c. Patient Tracking Plan/Status Board d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly							SAT	UNSAT
a. Admission criteria current and available b. Mechanism for Patient Identification In Use c. Patient Tracking Plan/Status Board d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly								
a. Admission criteria current and available b. Mechanism for Patient Identification In Use c. Patient Tracking Plan/Status Board d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	6. PATIENT ADMINISTRATION	(As applicable)	SAT	UNSAT	Comments			
c. Patient Tracking Plan/Status Board d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	a. Admission criteria current and available							
c. Patient Tracking Plan/Status Board d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	b. Mechanism for Patient Identification In Use							
d. MO orders written for each patient e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	c. Patient Tracking Plan/Status Board							
e. Proper forms utilized for documenting care f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	d. MO orders written for each patient							
f. Restraint policy current and available g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	e. Proper forms utilized for documenting care							
g. Thrombolytic Therapy Protocol and Supplies h. Inpatient Records Maintained & Retired properly	f. Restraint policy current and available							
h. Inpatient Records Maintained & Retired properly								
	h. Inpatient Records Maintained & Retired properly							
		1	1		1		SAT	UNSAT

7. OPERATING ROOM (CRTS ONLY)		SAT	UNSAT	COMMENTS		
a. Stocked per 21 AMAL (<90% = UNSAT)		3111	5115111			
b. Stocked per 20 AMAL (<90% = UNSAT)						
(1) AMAL requirement of Dantrolene onboard.						
c. Sterility of Supplies						
(1) Utilizing Event Related Sterilization						
(2) Cold Disinfectant Documented						
(3) Weekly biological testing conducted and documented. (For all non-table top sterillizers)						
d. Patient Administration/Identification						
(1) Proper Form for Documentation of Care (and maintained for two years)						
(2) Pathological Specimen Procedures current and available						
(3) Pathology Specimen Log maintained						
(4) IV Conscious Sedation Protocol current and available						
e. Structure and Equipment Functionality						
(1) Anesthesia Machines/RGM's certified, functional and calibrated	Critical			DATE:		
(2) Required surgical scopes onboard (EGD, Colon, Bronch) and functional						
(3) Electrosurgical apparatus w/ necessary accessories functional						
(4) Operatin beds and transport gurneys with safety restraints						
(5) Suction and oxygen available in each OR room and functional						
(6) Hypo/Hyperthermia and Fluid Warming Equipment available and functional:						
f. Required Number / Type of Surgical Sets Onboard						
g. Wrong Surgical Site Protocol current and available						
					SAT	UNSAT

TOTAL SECTIONS:	7					
SAT SECTIONS:	0					
APPLICABLE SECTIONS:	7					
PERCENT SAT:	0%	(# SAT DIVIDED BY # APPLICABLE X 1	100) = 9	%		
CHAPTER C-STATUS			C-1	C-2	C-3	C-4
		>=	90%	>= 80%	>=70%	<=69%

Chapter 5: ENVIRONMENTAL HEALTH PROGRAMS							
1. SANITATION		SAT	UNSAT	Comments			
a. Food Safety Program							
(1) Formal Inspections in periodicity							
(a) Inspections forwarded to Supply Officer & Commanding Officer							
(b) Discrepancies corrected in a timely manner & verified on inspection form							
(2) Food Service Physical Examinations conducted as required & documented							
b. Quarterly Habitability Report: (Areas as applicable)							
(1) Berthing & Head Facilities (Officer and Enlisted)							
(2) Barber Shop(s)							
(3) Potable Water System and supplies							
(4) CHT/MSD Systems							
(a) Inspections Completed							
(b) NKO Course complete and current							
(5) Ship's Store and Vending areas							
(6) Laundry							
(7) Fitness/Exercise Facilities							
(8) Brig							
			T	T	Γ	SAT	UNSAT
2. MEDICAL WASTE		SAT	UNSAT	Comments			
a. Current Instruction available	OPNAV P-45-113-3-99						
b. Proper disposal procedures followed							
c. Waste properly stored onboard							
d. Medical waste log maintained						1	
						SAT	UNSAT
3. PEST CONTROL SURVEYS / TREATMENTS		SAT	UNSAT	Comments			
a. HM Pest Control Certifications Current		SAT	UNSAI	comments	<u> </u>		
b. Personal Protective Equipment available							
c. Pest Control Program documented using SAMS							
d. Ship's Sanitation Control Certification				Expiration Dat	e:		
	L			l		CAT	LINEAT
						SAT	UNSAT
							<u> </u>

A DOTABLE WATER SANITATION		SAT	UNSAT	Comments			
4. POTABLE WATER SANITATION  a. Halogen Residual Testing conducted and documented when necessary		SAI	UNSAT	comments			
documented when necessary							
Bacteriological Testing conducted and documented weekly							
c. Potable water log maintained using SAMS							
						SAT	UNSAT
5. TUBERCULOSIS CONTROL PROGRAM		SAT	UNSAT	Comments			
a. Ensure annual evaluations are conducted for converters <100% UNSAT	Critical				_		
b. New reactors evaluated by an MO	Critical						
c. INH therapy complete and documented	Critical						
		<mark></mark>	·	<u>.</u>		SAT	UNSAT
			T				1
6. HEALTH MAINTENANCE <90%=UNSAT a. Tetanus		SAT	UNSAT	PERCENT	Comments	<u> </u>	
b. Influenza				0%			
c. Hepatitis A				0%			
d. Hepatitis B (for required personnel) <100%=UNSAT				0% 0%			
e. MMR				0%			
f. OPV/IPV				0%			
g. Tuberculosis Surveillance/Screening (Annual)							
<100%=UNSAT	Critical			0%			
h. Periodic Health Assessment (Annual)  L. Pap Smears (if applicable) results recorded in Health				0%			
i. Pap Smears (if applicable) results recorded in Health Record				0%			
j. HIV (Projected through deployment)				0%			
k. DNA Verification <100%=UNSAT				0%			
l. Blood Type				0%			
m. G6PD				0%			
n. Sickle Cell				0%			
o. Baseline audiogram (DD 2215)				0%			
p. HCP Audiogram (DD 2216) (Annual)				0%		1	
						SAT	UNSAT
ſ		<del>_</del>					
TOTAL SECTIONS:	6						
SAT SECTIONS:	0						
APPLICABLE SECTIONS:	6						
PERCENT SAT: 0%		(# SAT DIVI	DED BY # AP	PLICABLE X 10	0) = %		
CHAPTER C-STATUS					C-1 C-7	2 C-3	C-4
•		<del></del>		>:	= 90% >= 8	0% >= 70	% <= 69%

Chapter 6: OCCUPATIONAL HEALTH PROGRAMS	]		.200 1110	27 2011011		
1. INDUSTRIAL HYGIENE SURVEY		SAT	UNSAT	Comments		
a. Baseline Industrial Hygiene Survey on file	Critical			Date:		
b. Follow up completed within 2 years				Date:		
					SAT	UNSAT
2. ASBESTOS MANAGEMENT		SAT	UNSAT	Comments		
a. Command Asbestos Management Plan current and available						
<ul> <li>Personnel assigned to AMSP have current screenings per OPNAVINST 5100.19</li> </ul>						
c. Roster of personnel assigned to AMSP current and available						
d. If Emergency Asbestos Rip-out Team (EART) established medical surveillance current?						
					 SAT	UNSAT
3. HEAT STRESS		SAT	UNSAT	Comments		
Heat stress training conducted at "I" Division documented.						
b. Heat Stress Program Binder current and complete per CNSFINST 6000.1					 	
c. Heat Stress Surveys signed by the CO						
					SAT	UNSAT
4. HAZARDOUS MATERIAL CONTROL AND MANAGEMENT (HMC & M)		SAT	UNSAT	Comments		
a. Medical Department assists Supply Department     with Hazardous Material training.						
<ul> <li>Medical Department maintains a complete copy of the MSDS File</li> </ul>	Critical					
		-II		•	SAT	UNSAT
		_		<u> </u>		
5. HEARING CONSERVATION PROGRAM		SAT	UNSAT	COMMENTS		
a. Audiogram % for personnel assigned to HCP	<90% = Unsat			%		
b. Hearing Conservation Program Binder current and complete per CNSFINST 6000.1						
c. Roster of personnel assigned to HCP current and available.						
d. PPE provided for personnel assigned to HCP						
e. Hearing Conservation training conducted at "I" Division documented.						
f. Annual refresher training conducted for personnel in the HCP documented.						

		_	_				
g. Work-related STS incidents are entered in WESS							
						SAT	UNSAT
6. SIGHT CONSERVATION PROGRAM		SAT	UNSAT	COMMENTS			
a. Eye examination % for personnel assigned to SCP (HT, MR)	<90% = Unsat			%	•		
b. Sight Conservation Program Binder current and complete per CNSFINST 6000.1							
c. Roster of personnel assigned to SCP current and available.							
d. Sight Conservation Signs posted as required by IH Survey							
e. PPE provided for personnel assigned to SCP							
f. Safety Officer maintains a current list of eye-wash stations onboard							
				•		SAT	UNSAT
7. RESPIRATORY PROTECTION PROGRAM		SAT	UNSAT	COMMENTS			
Medical screening conducted for personnel to wear respirators							
						SAT	UNSAT
8. LEAD CONTROL PROGRAM (LCP)		SAT	UNSAT	Comments			
a. Personnel exposed to lead informed of OSHA Lead Standard, 29 CFR 1910.1025 Appxs A & B							
<ul> <li>b. Personnel assigned to LCP received initial / follow up exam with Occ. Health</li> </ul>							
						SAT	UNSAT
TOTAL SECTIONS:	8						
SAT SECTIONS:	0						
APPLICABLE SECTIONS:	8						
PERCENT SAT:	0%	(# SAT D	DIVIDED BY #	# APPLICABLE X 10	00) = %		
		•			•		
CHAPTER C-STATUS					C-1 C-2	C-3	C-4
	<u> </u>	_			>= >=	>=	
					90% 80%	70%	<= 69%

SURFACE FORCE MEDICAL READINESS INSPECTION HEALTH RECORD REVIEW												
Unit:				Date:				Ins	pector:			
	Records Reviewed											
Requirement	1	2	3	4	5	6	7	8	9	10		%
Last 4 SSN												
Record jacket in good or better condition											0	0%
Record jacket information complete (inside/outside)											0	0%
Current Adult Prev & CC Flowsheet (DD Form 2766)											0	0%
Hepatitis A (Completed series of 3)											0	0%
Hepatitis B (Completed series of 2)											0	0%
MMR (Completed series of 2)											0	0%
OPV/IPV (Single dose)											0	0%
Tetanus (Q 10 yrs)											0	0%
Influenza (Annual)											0	0%
Tuberculosis (TB) Surveillance/Screening (Annual)											0	0%
<b>DNA</b> (Drawn and verified as being on file at AFIP Repository)											0	0%
Blood Type (ABO/RH)											0	0%
G6PD											0	0%
Sickle Cell											0	0%
HIV (Drawn Q 2 yrs)											0	0%
Baseline Audiogram (DD 2215)											0	0%
Annual Audiogram (DD 2216) As required for Hearing Conservation Pgm											0	0%
Medical Surveillance Questionnaire (OPNAV 5100/15)											0	0%
<b>PHA</b> (SF-600) - (Annual)											0	0%
Required Specialty Exams complete (CS, HT, MA, HM, etc.)											0	0%
Well Woman Exam (Results in Record) - (Annual)											0	0%
Total	_	_	_	<b>†</b> -	_	-	-	-	-	_	0	0%
1. Pull HR's randomly and include CHT,	CS, TB re	actor, SF	l (barber,	laundry)	, HCP, a	nd Wome	n's Healt	h				
2. Place in each box (an "X" if complete,												
3. Overall Score = Number of items requ	ired - Nur	nber of ite	ems miss	ing / Nun	nber of ite	ems requi	ired x 100	)				
Comments:												