

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	REAR		
ANSCHUTZ																			
Mark 12		16	16																
54, 54MS, 64, 64MS, 164, 1400 Series, 1500 Series		91	91											S91	S91				48964
153 Deluxe		19	19																
1568		61	46					402					1						
- Matte		61M	46M					402M			49717			S61	S46		S402		
- Silver		61S	46S					402S			49729								
AUTO SHOTGUNS																			
All Autos EXCEPT Rem 11-48, 11-87, 1100, Sptsmn 48	4												7						
BENELLI																			
Nova 12 ga Shotgun (MATTE) (flat receiver)									423M										
Super Black Eagle, Super Black Eagle II, M1 & M2 Field Guns	5								93AM										
BERETTA																			
Mato Rifle		49A	46											S49A	S46				
500, 501, 502 (info per Beretta)		54	46																
Pintail Slug Gun		35	35			40A	40A												
- Matte		35M	35M			40A-M	40A-M							S35	S35	S40A	S40A		
- Silver		35S	35S			40A-S	40A-S												
BRITISH 303																			
With Enfield Action	4,15								TO-1										
BROWNING																			
1885 High Wall (Octagon Barrel)	1,3	11	29																
22 Auto	18								60A										
Sako Actions in 243, 308, 22-250, 222 & 222 Mag.		72	71																
A-Bolt, A-Bolt 22 Stalker, Medallion		47	47								49719							48922 L/A	48904
- Black																		48924 S/A	48904
- Matte		47M	47M	48462										S47	S47			48923 L/A	48905
- Matte																		48925 S/A	48905
- Silver		47S	47S	48463															
A-Bolt Shotgun																			
- Matte		47M	419M																
A-Bolt (European Model), Mod 52, 52C	5	85	85																
X-Bolt (sold in base pair only)																			
- Matte 48493						48493													
- Silver 48495						48495													
Bolt Action BBR, Hi-Power, Other Cal. (Older Mod.)		45	46					402			49721		5	S45	S46		S402		
- Silver		45S	46S					402S											
BAR, BAR II, Mark II, BLR Lightning (Lever), BPR	5	54	54								49720			S54	S54			48932	
- Matte (base pair)						48470								S25	S25			48933	
BLR (Lever Action)		25	25																
BLR with Flat Top Receiver (Older Models)		28	28																
BBR (Bolt Action) Long & Short Actions		47	46					402			49718								
- Matte		47M	46M					402M						S47	S46		S402		
- Silver		47S	46S					402S											
A-Bolt WSSM		427	47																48911
BAR Matte									423M										
BSA																			
Monarch Medium Action in 222, 243 & 308		36	35					40A	97										
- Matte		36M	35M					40A-M			49712			S36	S35		S40A		
- Silver		36S	35S					40A-S											
CF2, Monarch Long Action in 7mm, 270 & 30-06		36	35					40A	98										
- Matte		36M	35M					40A-M			49712			S36	S35		S40A		
- Silver		36S	35S					40A-S											
Other High-Powers		28	28																
CARCANO																			
Carcano	4, 6												1						

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL								REAR	FRONT	REAR	FRONT		
CARL GUSTAF																						
Mod 2000														S460	S460							
CHURCHILL																						
Highlander			36	35					40A													
- Matte			36M	35M					40A-M	49712				S36	S36		S40A					
- Silver			36S	35S					40A-S													
CIL (question on this one, possible a savage.)																						
830												1										
871										62	49715											
900			19	19																		
950 & 950-C			61	46					402			1										
- Matte			61M	46M					402M	49717			S61	S46		S402						
- Silver			61S	46S					402S													
972-C			45	46					402		49721		S45	S46		S402						
- Silver			45S	46S					402S													
COLT																						
57			45	46					402		49721		S45	S46		S402						
- Silver			45S	46S					402S													
Coltsman in 223, 243 & 308 Cal. (Round Receiver)			25	25									S25	S25								
Coltsman in 264 & 30-06 Cal. (Round Receiver)			54	54							49720		S54	S54								
Coltsman with Sako Style Action in 223 & other Cal			67	65																		
H Bar	10																					
Sharps			85	85																		
Python, King Cobra & Trooper MKIII, MKV (not drilled/tapped)	8									48639												
Anaconda, Python & King Cobra Pistols (Silver)	8,17									412S		48604										
Sauer			35	35					40A	40A								48960				
- Matte			35M	35M					40A-M	40A-M			S35	S35	S40A	S40A						
- Silver			35S	35S					40A-S	40A-S												
COOBY																						
60 & 600												2										
71			47	46					402		49718	1	S47	S46		S402						
- Matte			47M	46M					402M				S47	S46		S402						
- Silver			47S	46S					402S													
CVA																						
Octagon Barrels / Receivers	17		61A	61A																		
Round Barrels / Receivers (Post '96 Models)			418M	418M	48521								48531					48970				
- Silver			418S	418S																		
ENFIELD with receiver cut down like:																						
Remington 30			11	11								1										
Winchester 70			47	46					402													
- Matte			47M	46M					402M	49718			S47	S46		S402						
- Silver			47S	46S					402S													
Remington 721			36	35					40A													
- Matte			36M	35M					40A-M	49712			S36	S35		S40A						
- Silver			36S	35S					40A-S													
GARCIA																						
73										53	49725											
74			67	65																		
GOLDEN EAGLE																						
7000			71	71																		
GROOVED RECEIVER WITH 3/8" DOVETAILS																						
See .22 Ring information	12									TO-10	49515											
- Silver											49733											

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL								REAR	FRONT	REAR	FRONT		
H & R																						
65, 165, 150 & 151 (Auto)			18	18									2									
250, 251, 264, 265, 365, 450 & 550			18	16									2									
232C Shotgun (10 Ga.) & 980 Ultra			19	19																		
155, SB2 Ultra (.22-250), Topper 158C (1973+), 157									82													
300, 301, 330 & 370 (Pre 1973)			45	46				402			49721		5	S45	S46		S402					
- Silver			45S	46S				402S														
300 & 301 S.A. in 22-250 243 & 308 (1973+)			83	84																		
300 & 301 L.A. in 270 30-06 7mm & 300 Win (1973+)			54	46				402						S54	S46		S402					
317 & 322			11	35				40A														
317 (Pre 1975)			67	65																		
360 & 361									81													
700									87A													
755, 765, 852 & 865			17	21									2									
800			12	12																		
Topper 30, 22 Jet & Mod 158 (Pre 1973)	18								60A													
Pardner Pump									48113													
Handy Rifle									82													
HERTERS																						
J9			45	46				402			49721		5	S45	S46		S402					
- Silver			45S	46S				402S														
U9 BSA Action	4		28	28																		
U9 Round Receiver			36	35				40A														
- Matte			36M	35M				40A-M			49712			S36	S35		S40A					
- Silver			36S	35S				40A-S														
HIGH-STANDARD																						
High-Power			55	46				402					1	S55	S46							
Auto Shotgun													8									
INTERARMS																						
92 Carbine (Replica of Win. 92)	4												3A									
ATD	18								60A													
Mark X	1	55	20A																			
Mini Mark X	1	23	71A																			
Viscount	1	45	46					402			49721			S45	S46		S402					
ITHACA																						
Deerslayer 37 & 87 (12, 16, 20 GA.)									62		49715											
LSA-55 & LSA-65			61	61							49727											
- Matte			61M	61M										S61	S61							
- Silver			61S	61S																		
49SS, .22	4												3A									
Lightning X3			39	39																		
JAPANESE																						
6.5mm & 7.7mm	6								70				1									
KNIGHT MUZZLELOADERS																						
Knight MK-85, BK-92 & T-Bolt (Flat receivers)			61	61																		
- Matte			61M	61M	48522						49727	48532		S61	S61							
- Silver			61S	61S																		
Most Knight Round Receivers: Bighorn, TK2000, Vision,																						
LK-93, Wolverine, Legend, Disc, American, Revolution			45	45																		
- Matte			45M	45M										S45	S45							
- Silver			45S	45S																		
KP1			18	18																		
KRAG																						
(Offset to left for easy ejection)	4												2									
LAKEFIELD																						
22 Rimfire	12								TO-10													
LEE-ENFIELD																						
Lee-Enfield	4,15								TO-1													

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	REAR		
LEGACY																			
Howa		36	35					40A									48912	48900	
- Matte		36M	35M					40A-M		49712				S36	S35	S40A	48913	48901	
- Silver		36S	35S					40A-S											
LLAMA (Pistol)																			
Super Comanche (Flat Surface - See Octagon Barrels)	4																		
MAGNUM RESEARCH																			
Lone Eagle SSP 91 Pistol		16	16																
MARLIN																			
45, 30AS, 336 (all models), 444, 1893, 1894, 1895, Camp 9, 922M, 989, .22 Auto, (308MX per Marlin)								63B		49713	48763						48928		
- Silver								63BS											
- Matte				48471									S466	S466			48929		
A1 & 50		15	15									2							
39A, 39D & Century (Octagon Barrel)		28	31																
39A (Round Barrel)	21	29	16					90				2							
57 Magnum (possibly the model 56)								58											
88, 89 & 98		18	18									2							
80, 81 & 980		12	12									2							
455		45	46					402		49721		5	S45	S46	S402				
- Silver		45S	46S					402S											
512 Slug Master & 55 (drill & tap) (Matte)												10M							
60, 990L, 70, 995, 882, 25MN, 883	12							TO-10											
MR7		47	46					402											
- Matte		47M	46M					402M		49718			S47	S46	S402				
- Silver		47S	46S					402S											
MLS-50 & MLS-54, (Bases sold 2/pack)		406	406							49736									
- Silver		406S	406S																
1894																	48958		
900 Series in .17 & .22 Calibers	12							TO-10											
XL7		47M	402M																
925M (Call Marlin Directly)																			
MAUSER																			
Receiver Ring about 1.410" Diameter (98FN)	1,2	45	46					402		49721		5	S45	S46	S402	48954	48952		
- Matte		45M	45M	48464				402M											
- Silver		45S	46S					402S											
Receiver Ring about 1.300" Diameter (Swedish 96)	1, 2	55	46					402				1	S55	S46	S402	48950			
Bauer 3000 & 4000		68	46					402											
Mark X	1	55	20A																
98																	48916	48910	
MOSSBERG																			
25, 26, 42, 46M, 140, 142 & 146 45-46 w/ 3/4" dia. Bbls		12	13									2							
40		16	21									2							
43, 44, 144, 46BT & 35		12	16									2							
45, 46 Early Models with 13/16" Dia. Bbls		12	16									2							
320, 340, 342 & 620		21	21									2							
640								63B		49713									
680, 800 & 695-Shotgun (use dual extension rings)		55	55									2	S55	S55					
50, 51, 151, 152, 350 & 352		12	12																
400		20A	42																
472, 479 & 679								80											
464 Lever Action		403	403																
4X4		35	36																
- Matte		35M	36M	48460															
- Silver		35S	36S	48461															

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					STANDARD		EXTENSION		1-PC	2-PC	
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	REAR			FRONT
MOSSBERG (Cont.)																				
500AS (Pre 1997) & 600 Shotguns										88										
500 (1997+) 590 & 835 Shotguns (matte)					48473					417M										
590 (Matte)	25										48333									
810 & RM7		25	11																	
100 ATR, 1500, 1700		36	35					40A									48912	48900		
- Matte		36M	35M					40A-M						S36	S35		S40A	48913	48901	
- Silver		36S	35S					40A-S		49712										
935 (Matte)										430M										
930 Auto Loader (can use 417M, need two shorter screws #6091326)										417M										
9200										430										
MUSGRAVE																				
Mark I & Mark II		54	46					402						S54	S46		S402			
Mark III & Mark IV		45	46					402				49721		S45	S46		S402			
- Silver		45S	46S																	
NAVY ARMS																				
Country Boy Muzzleloader		46	46				402	402	53											
- Matte		46M	46M				402M	402M				49725		S46	S46	S402	S402			
- Silver		46S	46S				402S	402S												
NEW ENGLAND FIREARMS (H & R)																				
Handy Rifle Hornet (use Extra High rings)										82										
N.E.F. 10 Gauge Shotgun		19	19																	
Huntsman Muzzleloader	8									82										
NEW HAVEN																				
495B (Matte)													10M							
NORINCO																				
22 Auto (Replica of Browning 22 Auto)	18									60A										
JW-15	12									TO-10										
OCTAGON BARREL OR FLAT TOP RECEIVERS																				
Can be fitted with the following bases:		61	61							50										
PARKER-HALE																				
1000, 1000C, 1100, 1200 & 1700		45	46					402				49721		S45	S46		S402			
- Silver		45S	46S					402S												
2600		71	85																	
Midland		71	75																	
PEDER SOLI																				
Lightning		75	75																	
PUMP SHOTGUNS																				
All pumps EXCEPT Win. 42	4												8							
RAPTOR ARMS																				
Same as Remington 700 Long Action	25	36	35					40A	98					1	S36	S35		S40A		
- Matte		36M	35M					40A-M		48334	49712				S36	S35		S40A		
- Silver		36S	35S					40A-S												
REMINGTON																				
700, 78, 40X-L, 721 & 725 (all Long Actions)	25	36	35					40A	98			48736		1				48912	48900	
- Matte		36M	35M	48460				40A-M		48334	49712				S36	S35		48913	48901	
- Silver		36S	35S	48461				40A-S											48971	
700, 78, 40X-S, 722 & 725 (all Short Actions), 700 Mzl. Ldr.	25	36	35					40A	97			48736		1	S36	S35		S40A	48930	48900
- Matte		36M	35M	48460				40A-M		48330	49712				S36	S35		S40A	48931	48901
- Silver		36S	35S	48461				40A-S												
710		71	71																	
788 All Calibers		76	75																	
788 in .222 Mag., .22/250, .30/30 Cal																			48978	
788 in .243, 6mm, .308 Cal																			48946	
7 w/3 holes, 600, 660, XP-100, XR-100									70					1						
7 w/4 holes, (New in 1999), 673 (Matte)		421M	35M												S430	S460				

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	REAR		
REMINGTON (Cont.)																			
740, 742 & 760 (two piece base pair sold in Matte)				48472					62		49715							48948	
4, 6, 74, 76, 7400, 7600, 750									93		49714	48793						48914	
- Matte																		48915	
8 & 81													7						
10, 11, 12, 34*, 341*, 510, 511, 512 & 521T	6	43	42										2						
12A, 121 with 3/4" Diameter Barrels		18	13										2						
121 with 13/16" Diameter Barrels		18	17										2						
12C Octagon Barrel		18	31																
14 & 141		20A	27																
41	6	17	17										2						
24 & 241	18							60A											
25		18	21										2						
30 & 720		11	11										1						
33	6	17	13										2						
513S & 513T		43	44										2						
514		16	21										2						
514 (not drilled & tapped) & 550	4	12	12																
541S & 541T		15	15																
522 Viper	11																		
5, 552, 572 & 581(S)	12							TO-10											
597, 597LSS (Matte)	25							414M	48335										
- Silver								414S											
798 (two pc base pair in Matte)		55	20A	48476															
799 (base pairs in Matte #48477) (two pc base pair in Matte)		71A	23	48477															
870, 1100, 11-87 Shotguns (also see Converta Mount System)	24							429M											
11-48, 1100, Sportsman 48 & 58 Shotguns													8						
Genesis (418M sold as a base pair)		418M	418M	48435															
ROSSI (also see INTERARMS)																			
.410/.22LR & .410/.17HMR Small Frame Matched Pair Combo ONLY	7							92A											
RUGER																			
No. 1	1,3,4	85	89																
No. 3	1,3,4	85	86																
10/22 in 22 Long Rifle Cal. (Grooved & Drilled), Ruger 10/22 Charger	16							TO-9											
- Matte	16, 25			48474				TO-9M	48335	49711									
- Silver	16							TO-9S		49734									
10/22 Mag & 77/22 (w/built-in integral mounts), 77-50 ML													49723						
- Silver													49735						
96/22 & 96/22 Magnum	16							TO-11											
44 Carbine Magnum Deerstalker		47	68																
M77 (Round top Drilled)		79	35					40A										48912	
- Matte																		48900	
M77 (w/built-in integral mounts) (Matte)													49724					48913	
- Silver													49732					48901	
Mini 14 Ranch & Mini 30 (w/built-in integral mount) (Matte)	25												49723						
- Silver													49735						
Mini 14 (no integral mnts) (302)	8							48644					48602						
- Silver (302S)	8							48646					48607						
Mini 14 (Side Plate Mult Slot Mount) (Matte)									48322										
Single Six & Super Single Six (314)	8							48643					48622						
Security Six (305)	8							48640					48605						
Blackhawk & Super Blackhawk (301)	8							48638					48601						
- Silver (301S)	8							48635					48610						
Redhawk (308S) silver	8							48648					48611						
Super Redhawk (436)								48497											
Mark II Pistol Standard Models (306)	8, 13							48641					48606						
- Silver (306S)	8, 13							48637					48620						

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	REAR		
SAKO																			
L579		72	71																
72, 75 & 78		85	85																
Finnwolf			53								49725								
Forester, Finnbear & Vixen (Tapered Dovetails)		67	65															48962	
Whitetail Hunter		61	61																
- Matte		61M	61M								49727		S61	S61					
- Silver		61S	61S																
SAUER																			
200		35	35					40A											
- Matte		35M	35M			40A-M	40A-M						S35	S35	S40A	S40A			
- Silver		35S	35S			40A-S	40A-S												
202																			
SHR 970		25	25								49720		S459	S460					
SAVAGE																			
3		16	21										2						
4 & 5		12	13										2						
6 & 7		12	12										2						
29 (Round Barrel)		11	22																
19 & 23		15	16										2						
20, 340, 340E, 342, 840 & 842E	14												1						
24	17							74											
24 & 900S (22 Cal rifles w/grooved receivers)	12							TO-10											
25 (Octagon Barrel)		19	31																
40 & 45		11	11										2						
67 Shotgun									93		49714								
93F Heavy Barrel, 93, 93FVSS		16	16																
99, 1895 & 1899		14	19															48956	
170									62		49715								
219		12	30										2						
10, 12 & 16 (Short Actions), Striker Pstl, 510, 512, 516, S/ A 10 ML (2-piece ONLY) Pre 2003 Models	22	61	46					402	420								48920	48902	
- Matte	22	61M	46M	48465				402M					S61	S46	S402			48903	
- Silver	22	61S	46S					402S										48972	
110, 112, 116 (Long Actions); 210 Shtg (use X-high rings) Pre 2003 Models	22	61	46					402	413				1				48918	48902	
- Matte	22	61M	46M	48465				402M		49717			S61	S46	S402			48903	
- Silver	22	61S	46S					402S										48972	
2400		67	65																
10, 12, 110, 112 series w/ AccuTrigger, Stevens 200, 10 ML II	22	46	46					402											
- Matte	22	46M	46M	48466				402M					S46	S46	S402	S402		48906	
- Silver	22	46S	46S	48467				402S											
Axis / Edge		46M						402M		48347									
Accu Trigger Short Actions Tactical Base Matte		46M	46M					402M		48338									
Savage MK II		16	16																
SCHULTZ & LARSEN																			
Schultz & Larsen		54	45					402					1	S54	S45	S402			
SEARS																			
42 & 43		12	21																
50 & 51		45	46					402			49721		5	S45	S46	S402			
- Silver		45S	46S					402S											
51L		55	46					402					1	S55	S46	S402			
53		47	46					402			49718		1				48908		
- Matte		47M	46M					402M						S47	S46	S402		48909	
- Silver		47S	46S					402S											
54 & 100													3B						

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL								REAR	FRONT	REAR	FRONT		
SHILEN																						
Flat Top Receiver		61	61								49727											
- Matte		61M	61M											S61	S61							
- Silver		61S	61S																			
Round Receiver		35	35		40A	40A																
- Matte		35M	35M		40A-M	40A-M								S35	S35	S40A	S40A					
- Silver		35S	35S		40A-S	40A-S					49725											
SKS																						
SKS (Matte)	25										48331											
SMITH & WESSON																						
Mauser Actions w/small rec. ring about 1.30" dia		55	46					402					1	S55	S46		S402					
1500 1600 & 1700		36	35					40A									48912					
- Matte		36M	35M					40A-M			49712			S36	S35		S40A					
- Silver		36S	35S					40A-S									48913					
29, 629, 625, 686 & L. K & N Frame Rvirs (Factory Drilled)	8,17,23									401												
- Silver	8,17,23									401S												
L & K Frame Rvirs (307)	8									48642												
- Silver (307S)	8									48634												
41 Pistol										62												
2206 TGT Pstl (Silver)	17									407S												
X-Frame (Silver - 48496)	25									48496												
SPRINGFIELD																						
O3	6	54	55										1	S54	S55							
O3-A3	8	59	45																			
SPRINGFIELD ARMORY																						
1911 A-2 SASS Conversion										26												
STEVENS																						
26		22	22										2									
27 Octagon		31	31																			
53		16	21										2									
56 & 66		12	13										2									
57, 76, 4171/2 & 762		12	12										2									
110E		61	46					402					1									
- Matte		61M	46M					402M			49717			S61	S46		S402					
- Silver		61S	46S					402S														
322 & 325													1									
416		18	17										2									
417		15	15										2									
418 & 418 1/2		16	16										2									
Savage/Stevens 200	22	46	46		402	402																
- Matte	22	46M	46M		402M	402M								S46	S46	S402	S402					
- Silver	22	46S	46S		402S	402S											48906					
STEVENS - SPRINGFIELD																						
83		16	21										2									
85, 87 & 872	4	12	12										2									
840	14												1									
TAURUS																						
L, K & N Frame Rvirs (Like S&W Factory Drilled)	8,17,23									401												
- Silver	8,17,23									401S												
L & K Frame Rvirs (307)	8									48642												
- Silver (307S)	8									48634												

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL								REAR	FRONT	REAR	FRONT		
THOMPSON CENTER																						
Contender Handgun & Contender Carbine Rifle										92A												
- Silver										92AS												
Scout Rifle & Scout Pistol										404												
TCR										405												
ThunderHawk & Firehawk (2ea. per pkg.)			406	406							49736											
- Silver			406S	406S																		
Traditional Style Muzzleloaders, New Englander	19									408												
Encore, Omega, Triumph										410							48926					
- Matte (410M)										48520		48530										
- Silver										410S												
System 1 & Black Diamond, Blk Mountain, Center Woods			411	411																		
- Silver			411S	411S																		
TIKKA																						
Tikka w/Flat Receiver			61	61																		
- Matte			61M	61M							49727			S61	S61							
- Silver			61S	61S																		
Sako Design w/Tapered Dovetail			67	65																		
TRADITIONS																						
Whitetail w/Octagon Receivers	17		61A	61A																		
In-Line Muzzleloaders w/Round Receivers -Matte			418M	418M	48521							48531										
- Silver			418S	418S																		
U. S. CARBINE																						
M1 Carbine 30 Cal.	20												M									
VALMET																						
Tapered Dovetail Sako Design			67	65																		
VOERE																						
2130	4		28	28																		
2150, 2165/1, 2165/2, 2165/3 & 2165/4 (Mauser Action)			45	46						402				S45	S46		S402					
- Silver			45S	46S																		
WEATHERBY																						
Vanguard, 300	1, 22		36	35						40A							48912 48900					
- Matte	1, 22		36M	35M						40A-M				S36	S35		48913 48901					
- Silver	1, 22		36S	35S						40A-S												
Mark V std. Cal incl. 240mag, Centerfire Pistol, 224 Varmintmaster, Ultra Lightweight			36	415																		
- Matte			36M	415M																		
- Silver			36S	415S																		
XXII (info per customer)			55	55																		
FN Mauser Style Actions			45	46						402				S45	S46		S402					
- Silver			45S	46S						402S												
Mark V Mag. Cal except 240 mag.			424	35													48976					
- Matte			424M	35M						40A-M												
WESTERN FIELD																						
712	6												1									
730			25	11																		
740										63B												
- Silver										63BS												
750			67	65																		
770			55	20A																		
772										80												
775 & 780			55	55										S55	S55							

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES				
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC					No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL								REAR	FRONT	REAR	FRONT		
WINCHESTER (Includes Ranger Models)																						
03 & 63			19	22									2									
06, 62, 62A & 90 w/Octagon Barrel			32	32																		
05, 07 & 10			20A	17																		
42													2									
43			18	18																		
52 (hole spacing different)		6, 9	25	57									2									
52 (hole spacing same)		6, 9	46	46				402					2									
- Matte		6, 9	46M	46M			402M	402M						S46	S46	S402	S402					
- Silver		6, 9	46S	46S			402S	402S														
Lever Actions 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895		4											3A									
54 & early Mod. 70 w/Serial No. below #66 350		6	48	46				402					1									
57 & 69			12	13									2									
60, 67 & 68		6	21	21																		
61 w/Round Barrel			19	13									2									
61 w/Octagon Barrel			25	32									2									
69A, 72 & 47			12	17									2									
70 Long Action (hole spacing same) 670, 770		9	47	46				402	96				1				48938	48908				
- Matte			47M	46M	48468			402M			49718			S47	S46	S402		48909				
- Silver			47S	46S	48469			402S														
70 Long Action (hole spacing different) & 70 Super Express		9	49A	46				402					1	S49A	S46	S402						
70 Short Action (1984+)			47	46				402	99								48940	48908				
- Matte			47M	46M	48468			402M			49718			S47	S46	S402		48909				
- Silver			47S	46S	48469			402S										48907				
70 WSSM			428	46																		
70 w/Serial No below 66350 (Pre '64)																	48936					
70 Long Action w/Rear Hole Spacing of .435"																		48934				
74			12	12									2									
75 Sporter			15	30									2									
75 Target			15	16									2									
77			15	32									2									
88 & 100									53		49725						48942					
94 Pre '64													3D									
94 Post '64 & 94 Trapper													3B									
94 Big Bore 375													3C									
94 Angle-Eject Big Bore			95	403																		
94 Angle-Eject (except earliest models) (two pc base pair in Matte)			95	94	48475						49716	48794					48944					
94/22		16							TO-10													
520			85	85																		
777			71	71																		
1200 & 1500 Shotguns (See Converta Mount Systems)																						
1300 & 1400 Shotguns (also See Converta Mount Sys) Matte		25							416M	48337												
50 Shotgun													8									
X-150, APEX Muzzleloaders (Matte)			418M	418M																		
- Silver			418S	418S																		
XSR			55	55																		

Weaver Base Mount Charts (Modified for Customer Service)

WEAVER™ MOUNT APPLICATIONS CHART	N O T E S	WEAVER™ ALUMINUM MOUNT BASES								TOP	STEEL LOCK SEE-THRU RINGS	Complete Mount Systems	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
		STANDARD 2-PC BASES				EXTENSION BASES		1-PC	1-PC	No Bases Required	Bases w/Rings	Use Rings 49350 or 49340	STANDARD		EXTENSION		1-PC	2-PC	
		REAR	FRONT	Base	Pairs	REAR	FRONT	1-PC	TACTICAL				REAR	FRONT	REAR	FRONT			
MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER																			

NOTES	
1	Shimming is probably required for perfect scope alignment.
2	Rear base may require modifications for correct fit to military actions.
3	Front base may require modification for correct fit.
4	Gun will have to be drilled and tapped.
5	Front base screws must be shortened by grinding.
6	gunsmith.
7	Base DOES NOT FIT Rossi Large Frame Matched Pair Combos. (All models with 12 GA or 20 GA barrels.)
8	Remove rear sight to use. tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have: HOLE SPACING THE SAME: Model 52: use 46+ 46, Model 70: use 47+ 46
9	HOLE SPACING DIFFERENT: Model 52: use 25+ 57 Model 70: use 49A+ 46
10	enough to clear the front sight.
11	The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12	Rifle has Grooved Receiver for Tip-Off Rings.
13	or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
14	Bolt Clearance problem may exist and scope will not be centered.
15	Base accepts Tip-Off Rings only.
16	3/8" grooves for both applications.
17	Must be factory drilled and tapped.
18	One-Piece base attaches to barrel and extends back over receiver.
19	Requires the use of Thompson/Center base adapter.
20	Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21	base mounts w/2 set screws & newer guns are factory drilled & tapped.
22	allows an extra .689".
23	MAY CAUSE INJURY.
24	Top mount base is designed to fit 12GA models only.
25	Can be used with Tactical Multi Slot Bases.