

 $f \sim$



Did you know...

Pinworm may infect up to 40 million people in the US?

If your **child is scratching...**it may be **pinworm.**

EMVERM doesn't toy with pinworm.







EMVERM TREATS PINWORM INFECTION WITH A

95% CURE RATE IN A SINGLE TABLET

Important Safety and Patient Information about EMVERM Who should not take EMVERM?

Do not take EMVERM if you are allergic to mebendazole or any of the ingredients in EMVERM. See the end of this Patient Information for a complete list of ingredients in EMVERM.

What is EMVERM?

EMVERM is a prescription medicine used to treat adults and children 2 years of age and older with intestinal worm infections caused by pinworm, whipworm, roundworm, or

Pinworm infection spreads easily from person to person

Pinworm is spread by swallowing contagious pinworm eggs



AT NIGHT, **FEMALE PINWORMS** LAY STICKY, TINY EGGS ON THE SKIN OF THE INFECTED PERSON'S **ANAL AREA**



At night

At night, female pinworms lay sticky, tiny eggs on the skin around the infected person's anal area.



Scratching

The infected person scratches this area and doesn't wash his or her hands, leaving pinworm eggs on fingertips and under fingernails.



Contamination

When the infected person touches an object, that object becomes contaminated with pinworm eggs.



3 Weeks

The eggs can live on these indoor surfaces for up to 3 weeks.



Spreading infection

Another person comes along and touches that contaminated object.

Now, that person has pinworm eggs on their hands or fingers.

When that person touches his or her mouth and swallows eggs, the infection has begun.



How to avoid pinworm infection at home

Good hygiene is the best way to prevent pinworm

- · Thoroughly and frequently washing hands, including under the fingernails, with soap and warm water is important
- · Keep fingernails short. Avoid fingernail-biting and putting fingers in the mouth or on the face



IF YOU SEE A CHILD THOROUGHLY, RIGHT AWAY

SCRATCHING HIS OR HER BOTTOM, BE SURE THAT CHILD WASHES HIS OR HER HANDS

Other ways to avoid pinworm infection include:





Children may pick up infective pinworm eggs at school and bring the infection home.

- Daily morning showers and changing of underwear
- Carefully handle and frequently wash underwear, bed clothes, towels, and bedding
- Do not shake out blankets and bedding. Pinworm eggs can become airborne, inhaled, and swallowed
- Take a prescription medicine as directed by your doctor—one dose per person in the house. If not cured 3 weeks after treatment, a second course of treatment is advised.
- Clean shared surfaces like doorknobs, toilet seats, and furniture with a disinfectant, such as bleach
- Pinworm eggs are spread easily and even the cleanest and most careful people can get them

CONTROL PINWORM INFECTION WITH EMVERM >





Important Safety and Patient Information about EMVERM







Protecting yourself and your family from pinworm

Pinworm infection can spread easily in homes, daycare facilities, and schools



PINWORMS LIVE INSIDE AN INFECTED PERSON'S INTESTINE



Sticky eggs

Pinworm eggs can stick to almost any surface after a contaminated hand touches it.



Live on most surfaces

These sticky, nearly invisible eggs can live for 3 weeks on surfaces in the home-and can even be in the air.



Spreads easily

Pinworm is a common infection that spreads easily, especially among young children.



In the intestine

Pinworms live inside an infected person's intestine.



Home contagion control

If someone in your home has a pinworm infection, you will need to start taking steps to get rid of it and prevent reinfection.



Protect your family

The longer pinworm sticks around, the more likely it is that other household members will also become infected.



Important Safety and Patient Information about EMVERM

Who should not take EMVERM?

Do not take EMVERM if you are allergic to mebendazole or any of the ingredients in EMVERM. See the end of this Patient Information for a complete list of ingredients in







Frequently asked questions about pinworm infection

The more you know about pinworm, the better you can spot the symptoms and protect yourself and your family against infection.



? w	hat are pinworms?	-
	ns—also known as seatworms and threadworms—are little parasites. Pinworms are small, thin, white worms that live in the intestine. omeone has pinworms, it is also known as a pinworm infection. Pinworms are highly contagious parasitic infections.	
? Is	pinworm infection dangerous?	+
O Ca	an I prevent pinworm infection?	+
? w	hat are the symptoms of pinworm infection?	+
? w	hat increases the risk of pinworm infection?	+
? H	ow is pinworm infection detected?	+
3 w	hen should I call the doctor?	+
? H	ow is pinworm infection treated?	+
3 w	hen is pinworm infection no longer contagious?	+
9 w	hat happens if pinworm infection comes back?	+

Important Safety and Patient Information about EMVERM



Resources designed to help you

Your doctor has prescribed EMVERM to treat an infection caused by pinworms, a highly contagious parasitic intestinal worm. Follow your doctor's instructions carefully.

In addition to your doctor's treatment, you can help prevent reinfection and infection of other people by understanding a few simple facts about pinworm.




EMVERM CAN
HELP STOP
PINWORM INFECTIONS



Download the EMVERM Patient Brochure to learn more about pinworm infection, taking EMVERM, and how to save on your EMVERM prescription.

DOWNLOAD THE PATIENT BROCHURE >





Important Safety and Patient Information about EMVERM Who should not take EMVERM?

Do not take EMVERM if you are allergic to mebendazole or any of the ingredients in EMVERM. See the end of this Patient Information for a complete list of ingredients in EMVERM.


What is EMVERM?

EMVERM is a prescription medicine used to treat adults and children 2 years of age and older with intestinal worm infections caused by pinworm, whipworm, roundworm, or hookworm.

Before you take EMVERM, tell your healthcare provider about all of your medical conditions, including if you:

- · are pregnant or plan to become pregnant. It is not known if EMVERM will harm your unborn baby.
- are breastfeeding or plan to breastfeed. EMVERM can pass into your milk and may harm your baby. Talk to your healthcare provider about the best way to feed your baby if
 you take EMVERM. Do not breastfeed while taking EMVERM.

100 mg





Intense itching and scratching of the bottom



IF LEFT UNTREATED. CAN LEAD TO OTHER **HEALTH ISSUES**



Pinworm infection causes intense itching in a person's bottom.

Some people with pinworm may not even know they're infected, but the main symptom or sign of a pinworm infection is intense itching and scratching of the bottom.

This extreme itching is caused by sticky pinworm eggs around the anal area. At night, some people may feel the pinworms come out to lay their eggs. This can also cause intense itching.

People with pinworm infection may also sleep poorly, be irritable, and be restless. The intense itching and scratching of the bottom may lead to a bacterial infection.

Less common signs of pinworm infection include:

- Stomachache
- Bed-wetting
- Teeth grinding
- · Pain while urinating
- Weight loss



Pinworm infection can negatively affect sleep.

Pinworm infection may lead to other health problems

In rare cases, pinworms can enter the female genital area. This may cause a urinary tract infection (UTI).

UTIs can cause redness, swelling, and pain when urinating.

Approximately 1/3 of young girls with urinary tract infections may also have pinworm.

TALK TO YOUR DOCTOR ABOUT A DIAGNOSIS >

Important Safety and Patient Information about EMVERM

Who should not take EMVERM?

- Most patients with commercial insurance will receive an automatic co-pay reduction at participating pharmacies when picking up an EMVERM prescription
- Click here to see the list of participating pharmacies

- Show your Savings Card to the pharmacist when you pick up your EMVERM prescription. Your pharmacist will apply the copay reduction at the pharmacy counter if they do not participate in the eVoucher Program
- Cash patients (patients without insurance coverage) may also participate in this offer, unless you do not meet the eligibility criteria as listed below

Terms, conditions, and eligibility criteria


- 1. This card is not valid for prescriptions submitted for reimbursement to Medicare, Medicaid, Medigap, VA or DOD or TriCare or where prohibited by law, or other federal or state programs (including any state pharmaceutical assistance programs), or private indemnity or HMO insurance plans that reimburse you for the entire cost of your prescription drugs. Patients may not use this card if EMVERM is covered under their Medicare prescription drug plan or if they are Medicare-eligible and enrolled in an employer-sponsored health plan or prescription drug benefit program for retirees.
- 2. This card is good for use only with an EMVERM prescription at the time the prescription is filled by the pharmacist and dispensed to the patient.
- 3. This offer is good for 12 uses per patient or until the program expires, whichever comes first.
- Maximum reimbursement limits apply; patient out-of-pocket expense may vary.
- 5. Amneal reserves the right to rescind, revoke, or amend this offer without notice.
- 6. Offer good only in the USA at participating retail pharmacies.
- Void if prohibited by law, taxed, or restricted.
- 8. The selling, purchasing, trading, or counterfeiting of this card is prohibited by law.
- 9. By redeeming this card, you acknowledge that you are an eligible patient and that you understand and agree to comply with the terms and conditions of this offer stated above and all LoyaltyScript® program Terms and Conditions posted at www.mckesson.com/mprstnc.

By clicking "Download Savings Card" below, I certify that I am not covered by:

- Any federal or state healthcare program, such as Medicare, Medicaid, etc, including state medical or pharmaceutical assistance programs;
- The Medicare Prescription Drug Program (Part D), or in the coverage gap; or
- Insurance that is paying the entire cost of the prescription
- *I agree to this certification and have read and accept the Program Terms, Conditions, and Eligibility Criteria.
- *I certify that I am 18 years of age or older and completing this for myself or a dependent.

DOWNLOAD SAVINGS CARD >





Important Safety and Patient Information about EMVERM Who should not take EMVERM?

Do not take EMVERM if you are allergic to mebendazole or any of the ingredients in EMVERM. See the end of this Patient Information for a complete list of ingredients in EMVERM.

What is EMVERM?

EMVERM is a prescription medicine used to treat adults and children 2 years of age and older with intestinal worm infections caused by pinworm, whipworm, roundworm, or

What is pinworm?

Pinworms—also known as seat worms and threadworms—are little parasites. When a person is infected with pinworms, the eggs hatch and the small, thin, white worms grow and live inside the intestine.

When someone has pinworms, it is also known as a pinworm infection.

While a person sleeps, female pinworms crawl out of a person's bottom to lay thousands of eggs. The tiny, sticky pinworm eggs are laid just outside in the anal area. This can lead to intense itching and scratching.

Once a person touches pinworm eggs, usually from scratching his or her bottom, the eggs can be spread to other objects and surfaces without anyone knowing it.

Pinworm eggs are so sticky, they can cling to toys, bedding, towels, clothing, and lots of other things people share every day. That's how pinworm infection spreads so easily from person to person.

LEARN MORE ABOUT PINWORM EGGS >

Did you know pinworm may infect up to 40 million people in the US?


Pinworm infects people of all ages and socioeconomic levels.

In fact, pinworm is the most common parasitic worm infection in the US—and one of the most common parasitic worm infections worldwide.





Adult pinworms are less than one-half inch long



Pinworm spreads most easily among:

- Young children between the ages of 3 to 14 years
- Toddlers (2 to 4 years old) who put their fingers in their mouths
- Family members and caregivers of infected persons
- Children in schools and daycare facilities

Pinworm infection in the US



Pinworm infections happen more often than head lice infestations among young children in the US.

In fact, pinworm cases are 3 times more common than head lice cases.

Important Safety and Patient Information about EMVERM