



Ideas

for the Garden



Lawn mowing technology of the future: Battery power for large lawn areas

The two battery powered lawn mowers of the BRILL LION product range offer ultimate freedom in the garden. They are noiseless and environmentally friendly – but without a power cord. They are powerful and keep their charge longer – but without the detrimental effects of CO2 emissions or high running costs.

Lithium ion batteries have certain properties which make them ideal for the use in lawn mowers: no memory effect, low self-discharge and efficient DC motors with minimum loss of heat. In practice, this means lower running costs, longer service life of the battery, longer operating times and thus they are ideal for large areas of lawn – up to 20 % more than comparable models.

The BRILL LION mowers are very simple to handle: The battery can be removed easily and then connected to the supplied cord for recharging. A clearly visible LED display shows the charging status of the battery.

The two LION mowers combine the advantages of the lithium ion technology with the convincing features of two successful BRILL lawnmower ranges: BRILL evolution and BRILL RazorCut.



The distinguishing features of the **BRILL evolution LION 36** are the dual channel air system for an ideal cutting performance, the possibility of positioning it upright and the comfortable removal of grass cuttings. Plus: Under ideal conditions the lithium ion technology allows to cut an area of up to 400 sq m. Strong as a lion, but gentle to the lawn!

The new **RazorCut LION 38** offers the perfect symbiosis of the cutting technology of a cylinder mower and the latest technology in batteries. Thanks to its electrically driven blade cylinder, this mower is suited for up 400 sq m of grass – just like the evolution LION. The reel blade allows the mower to cut the grass like scissors. The comfortable and elegant way to have an English lawn!



	Contents	Ideas for the Garden	
	The (R)evolution from BRILL The BRILL evolution electric and petrol mowers	Page 4	evolution
	Hattrick – lawn care with fresh air cure The multifunction machine that can do everything	Page 8	Hattrick mowers
	Basic Small device, big performance	Page 9	Basic mower
	Mowing lawns without side-effects The multi-function machine that can do everything	Page 10	brillencio
	Real power packs BRILL Steelline	Seite 14	Steelline
	Keeps you and your lawn fit BRILL hand cylinder mowers	Page 16	Cylinder mowers
	Lawn scarifiers – no problem with thatch and moss BRILL aerators	Page 20	Lawn scarifiers
	Handy garden tool BRILL Gardenboy	Page 23	Gardenboy
	Compost with comfort BRILL shredders	Page 24	Shredders
	Fun to drive in the garden BRILL lawn tractors Crossover	Page 26	Tractors
weaking of the second s	Further information www.brill.de	Page 30	ernet

BRILL evolution – the (R)evolution from BRILL



This is what it stands for!

Superior technology, convenient handling, dynamic design

The **BRILL evolution** sets new standards in lawn mower technology. Innovative technology and functional design were the decisive factors in the development of the **evolution** series. The revolutionary spacesaving concept is optimally tailored to today's requirements. When positioned upright, the **evolution** finds room in the smallest of spaces. The patented dual channel air system guarantees a perfect cut.

The **evolution** petrol mower is equipped with a special tank system, so that it can also be stored upright in a filled state. Particularly pleasing is the low weight of the petrol mowers. They only weigh slightly more than comparable electrical appliances. In this way mowing lawns becomes fun!

The **BRILL evolution LION** offers an outstanding mowing performance as well as all advantages of the successful BRILL evolution mowers: Cordless freedom, impressive operating times, less noise, emission-free working and low running costs. This is lawn mowing technology of the future.





BRILL

Ideas for the Garden

Optionally with mulch kit





The DuoAir Management

A dual channel air system with effective cutting technology collects grass and sucks the lawn holds dust and pollen. This cuttings in an air flow, resulting means that dirt is no longer in an ideal cutting performance even with the closest cutting height.



swirled up and allergy sufferers can breathe a new sigh of relief.

Always at the right height...

The ideal position can always be attained thanks to the adjustable handle bars. The grass box which opens at the back can also be emptied without a change of grip.





The upright position...

A functional design makes the BRILL evolution a real spacesaver. It is easy to carry or fit into even the smallest car boot. It shrinks in size if not in use. When positioned upright, it finds room in every corner.



Getting a grip...

The integrated ergonomical handles are a real relief. They can be used to lift and transport the BRILL evolution easily, in addition to placing it in the boot.



Everything comes together cleanly and clearly – at the comfort panel with the useful cable carrier. Mowing with ease at long last!



Well filled...

Always close...

The BRILL evolution can always be perfectly adapted to the right lawn height

using the central, adjustable

The deepest cutting height of

16 mm makes mowing lawns

of golf course quality possible.

7 postion height settings.

The grass box level indicator of the BRILL **evolution** is a new practical thing. It can be easily read and you

Einfach praktisch

The grass cuttings in the grass box can be easily removed without having to change your

The closed grass box system protects people with allergies in the best possible way from dust and pollen.





also know when it is time to

empty the grass box.

BRILL evolution – (R)evolution von BRILL



illergiog-frauediches Pracisio		Electric lawnmowers			
		BRILL evolution 33 EF	BRILL Evolution 36 EF	BRILL Evolution 41 EF	BRILL evolution 33 EM
Art no	B	61050	61051	61052	61040
EAN Code		40 09093 000771	40 09093 000788	40 09093 000795	40 09093 000702
Cutting width	(m)	33 cm	36 cm	41 cm	33 cm
Engine		Electric 230 V	Electric 230 V	Electric 230 V	Electric 230 V
Nominal power	kW (PS)	1,000 W	1,300 W	1,600 W	1,000 W
Housing	2	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic
Cutting technology	100	Single blade	Single blade	Single blade	Single component blade
Handle bar adjustment	\Box	•	•	•	•
Wheels	•	Plain bearing	Ball bearing	Ball bearing	Plain bearing
Cutting height adjust- ment with display		Central, 7 position height settings from 16 – 70 mm	Central, 7 position height settings from 16 – 70 mm	Central, 7 position height settings from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm
Grass box volume	2520	281	361	50	281
Safety	I	Comfort panel, engine and blade stop under 3 sec.	Comfort panel, engine and blade stop under 3 sec.	Comfort panel, engine and blade stop under 3 sec.	Cable release, engine and blade stop under 3 sec.
Wheel drive	(e)	'		'	· ·
Moving cable guide		•	•	•	•
Noise level	900	88 dB(A)	89 dB(A)	92 dB(A)	88 dB(A)
Weight	i	17 kg	19 kg	22 kg	16 kg
Recommended for areas up to	m²	400 sq. m	500 sq. m	700 sq. m	400 sq. m
Packed fully assembled		•	•	•	•

○ Not standard **○** Standard The right to make technical amendments reserved



evolution mulching function

For the 41 and 42 series models a mulch box is available as a special accessory. This is inserted instead of the grass box and distributes the mown grass directly on to the lawn. In this way you fertilize your lawn and protect it from drying out.





Practical cleaning...

Thanks to its upright position, it can be cleaned after use without difficulty.

There is even a storage bracket available as an accessory, making it possible to hang the **evolution** on a wall without difficulty.





	Petrol lawnmowers			Battery powered lawn mower
BRILL evolution 36 EM	BRILL evolution 41 EM	BRILL evolution 42 BM	BRILL evolution 42 BFR	BRILL evolution LION 36
61041	61042	61053	61054	61056
40 09093 000719	40 09093 000726	40 09093 001440	40 09093 001457	40 09093 185379
36 cm	41 cm	42 cm	42 cm	36 cm
Electric 230 V	Electric 230 V	Briggs & Stratton Series 450	Briggs & Stratton Series 500	DC Motor
1,200 W	1,500 W	148 ccm	158 ccm	2,5 V / 3,9 Ah
Robust PP plastic	Robust PP plastic	High impact resistant ABS- plastic	High impact resistant ABS- plastic	Robust PP plastic
Single component blade	Single component blade	Single component blade	Single component blade	Single component blade
•	•	•	•	•
Plain bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing
Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm	Central, 7 position height settings, from 16 – 70 mm
361	501	50	50	361
Cable release, engine and blade stop under 3 sec.	Flick-Flack cable guide, engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec., Safety key
		0	•	
•	•			
89 dB(A)	92 dB(A)	95 dB(A)	95 dB(A)	
19 kg	21 kg	24 kg	25.5 kg	19 kg
500 sq. m	700 sq. m	800 sq. m	900 sq. m	400 sq. m

Accessories:

BRILL evolution cutting	blade				
	Art no	61604	61605	61606	61608
2007	EAN Code	40 09093 001044	40 09093 001051	40 09093 001068	40 09093 001525
	Cutting width	33 cm	36 cm	41 cm	42 cm

BRILL bracket for e	volution		E
-	Art no	61630	
1625	EAN code	40 09093 001075	
الالا			1
00			4
			1
BRILL battery for eve	olution LION		
BRILL battery for ev	olution LION Art no	65083	

BRILL mulch box for evolution						
44	Art no	78933				
	EAN Code	40 09093 001952				
	Cutting width	41 cm				
	Art no	78934				
	EAN Code	40 09093 001945				
	Cutting width	42 cm				
	_					

Internet

BRILL Hattrick - lawn care with fresh air cure







Hattrick® The all-rounder

Aerating, mowing, collecting – the multifunction machine that can do everything

Spring-clean for the lawn! The **Hattrick** aerates, mows and collects in one operation. The aerator roller on the front thoroughly removes thatch and moss from the lawn. It is equipped with robust, durable steel tines, which aerate the lawn as they rotate. The aerator roller is activated via the connection button.

The dual channel air system ensures an optimum mowing and collection performance under all conditions, so that the removed thatch and the grass clippings land safely in the large grass catcher.

The comfort panel with ergonomic handle guide and practical cable guide is clearly arranged and particularly pleasant to operate.

Art no	B	62103
EAN Code		40 09093 001426
Cutting width	<m></m>	36 cm
Engine		Electric – 230 V
Output/power	kW (PS)	1,500 W
Aerator can be switched on	8 <u>7</u> 0	•
Mulch-box		Available as accessory
Housing	\sim	Robust PP plastic
Cutting technology	P	Single component blade
Handle bar adjustment	\bigcirc	•
Wheels		Plain bearing
Cutting height adjustment with indicator		Central, infinitely variable from 30 – 70 mm
Fabric grass catcher		38
Safety		Comfort panel, movable cable guide, engine and blade stop under 3 sec.
Wheel drive		0
Weight	Ĭ.	21 kg
Noise level	-))(((88 dB(A)
Recommended for areas up to	m²	600 sq. m
Packed fully assembled		•

O Not standard ● Standard The right to make technical amendments reserved

Mulching with the BRILL MulchCut

When mulching the grass cuttings are finely cut and returned directly to the lawn and serve as a source of moisture and natural fertiliser. The Mulch Set is available as accessory. It is simply hooked into the collection chute in place of the grass box.







BRILL Basic 32 ED



Small device – big performance


The appeal of the Brill 32 ED lies in its compact design. Its intelligent construction combined with a powerful electric motor guarantee outstanding mowing results. It is therefore the ideal mower for small lawns.

		DRILL DASIC 32 LD
Art no	M	64100
EAN Code		40 09093 641004
	(cm)	32 cm
Engine		Electric 230 V
Power	kW (PS)	1.000 W
Housing	\sim	Robust PP plastic
Cutting technology	NO.	Single component blade
Handle bar adjustment	\Box	0
Wheels		Plain bearing
Cutting height adjust- ment with display		Central, infinitely variable between 25 and 55 mm
Grass box volume		32
Safety		Engine and blade stop under 3 sec.
Moving cable guide		•
Weight	ħ	13.7 kg
Recommended for areas up to	m²	400 sq. m
Packed fully assembled		0
○ Not standard ○ Standard		

O Not standard ● Standard

The right to make technical amendments reserved

Accessories:



BRILL Hattrick cutting blade	Art no	61605
	EAN Code	40 09093 001051
	Working width	36 cm
The same of the sa		
Cutting blade for Basic 32 ED	Art no	61604
Cutting blade for Basic 32 ED	Art no EAN Code	61604 40 09093 001044
Cutting blade for Basic 32 ED		

brillencio – mowing lawns without side-effects





Brilliant Features

The **brillencio** from BRILL has literally been created for a relaxed lawn mowing. Its design took on fundamental requirements such as a noise prevention, comfortable handling and as far as possible, protection of those suffering from allergies from dust and pollen.

That is also what has emerged: friendly to your ears, just right for people suffering from allergies and kind to your back.

Friendly to your ears as a matter of principle

The silencer system integrated in the housing "swallows" the noise volume and at the same time deflects the exhaust gases from the engine directly towards the ground.

Airspace - just right for people suffering from allergies

The closed all-round retaining system prevents the ejection of grass, dust particles and pollen. People suffering from allergies can breathe a sigh of relief.

Technology which is kind to your back

The closed multi-function box covering the gass box at the rear provides noise insulation and optimises the air flow. The folding mechanism of the handle bars enables the grass box to be removed whilst standing in an upright position. The folding mechanism of the handle bars enables the grass box to be removed whilst standing in an upright position. A central and infinitely variable height adjustment of 30-80 cm provides ideal mowing positions.

Magnesium housing ultra light and unbreakable

The housing of all 43 and 51 models is of ultra light, high impact-resistant magnesium – High-Tech is used in your garden!

brillencio

Housing with silencer Low-noise blade Removal of the grass box in a manner which is kind to your back Powerful long grass mower



The closed silencer concept:

Emissions, dust particles and pollen are almost completely encapsulated in the multifunction box. The low-noise blade and the silencer which is integrated in the housing reduce the noise perception by up to 50%.



Mg

The **brillencio** enables the grass box to be removed from a standing position, thereby being kind to the back.



The aerodynamically optimised blade guarantees a clean cut.



The height adjustment is central and can be continuously adjusted from 30 to 80 mm





The complete housing of all **brillencio** 43 and 51 models is made of the ultra light and highly impact-resistant material, magnesium.

11



brillencio – mowing lawns without side-effects



State-of-the-art materials

High impact resistance and extremly robust materials characterise the **brillencio**. The housing of the smaller models is made of high-quality PA/ABS plastic.



Every **brillencio** is ready for work in an instant folded away again and stored so that it saves space. The compact design, the refined folding mechanism and the two integrated handles make it easy.





Art no	M	62056
EAN Code		40 09093 001471
Cutting width	<cm></cm>	48 cm
Engine		Briggs & Stratton Series 625/650 190 ccm
Nominal power	kW (PS)	2.36 kW, 2,800 rpm
Housing	\sim	High impact resistant PA/ABS plastic
Cutting technology	KOW.	Low noise single component blade
Wheels		With double ball bearing mounting
Cutting height adjustment with display		Central, infinitely variable from 30 – 80 mm
Grass box volume		65 l
Safety	ļ	Engine and blade stop under 3 sec.
Wheel drive		1-speed
Electric start	✓	0
Recommended for areas up to	m²	1,400 sq. m
Noise level	~))((94 dB(A)
Weight	ŀ	39.5 kg
Packed fully assembled		•
Not standard Standard	The right	to make technical amendments reserved





brillencio 43 B OHC	brillencio 43 BR OHC
62025	62026
40 09093 000627	40 09093 000634
43 cm	43 cm
Honda GCV 135 135 ccm	Honda GCV 135 135 ccm
2.1 kW, 2,900 rpm	2.1 kW, 2,900 rpm
Mg Magnesium	Mg Magnesium
Low noise single component blade	Low noise single component blade
With double ball bearing mounting	With double ball bearing mounting
Central, infinitely variable from 30 – 80 mm 50 l	Central, infinitely variable from 30 – 80 mm 50 l
Engine and blade stop under 3 sec.	Engine and blade stop under 3 sec.
1-speed o	1-speed
0	0
1,000 sq. m	1,200 sq. m
93 dB(A)	93 dB(A)
34 kg	37.5 kg
•	•



Ultra-light – extremely stable What has proved its worth in the aerospace and aeroplane technology is used in the brillencio. The housings made of magnesium are ultra-light, high impact resistant and robust.

Runs very smoothly

The long wheelbase means that the **brillencio** glides over the lawn pass after pass, stably and on track – attractive, clean cutting guaranteed!

Perfect Balance

The grass box is arranged in such a way on the **brillencio** that its weight is transferred to the rear axle when full.

Convenient Vario-drive

Several models save the gardener from having to push the mower because they have driven wheels. The Vario-drive with infinitely variable adjustable speed enables the brillencio also to handle large areas and lawn areas on slopes without difficulty.

Accessories:

Duo-cutting blade for brill	encio Art no	61600
7.	EAN Code	40 09093 616002
	Cutting width	43 cm
	· ·	
	Art no	61602
	EAN Code	40 09093 616026
	Cutting width	48 cm
AND	· ·	
400	Art no	61603
	EAN Code	40 09093 616033
	Cutting width	51 cm

BRILL Steelline – strong on slopes






The **Steelline** product range is characterised by its robust steel deck, its powerful engines and its large cutting widths. The petrol mowers are equipped with big rear wheels for easy manoeuverability. They show their versatility even on uneven ground and obtain a perfect cutting performance in high grass.

The powerful petrol mowers have a Briggs & Stratton engine. Three types are equipped with a 1-speed wheel drive of 3.5 km/h. The 52 model is supplied with side ejection and mulch kit as a standard feature.

The electric start enables the **Steelline 46 XL RE 6.0** to be switched on even more comfortably. The battery is recharged while mowing so you do not need an external charger in the course of the garden season.





Easily adjustable

The integrated spring system enables the cutting height to be conveniently set centrally to seven different heights from 30 to 70 respectively 80 millimetres.



Clean mowing

The grass box made of robust plastic holds 65 litres and can be removed easily.



Easy to manoeuvre

The extra large wheels with single-speed wheel drive ensure more grip and simple handling.



Easily visible

The practical level indicator shows when the grass box has to be emptied.





Steelline Plus 42 XL 6.0	Steelline Plus 46 XL 6.0	Steelline Plus 46 XL R 6.0	Steelline Plus 46 XL RE 6.0	Steelline Quattro 52 XL R 6.0
63311	63312	63306	63313	63308
40 09093 175400	40 09093 175417	40 09093 001761	40 09093 186697	40 09093 001785
Briggs & Stratton XRQ 675 ReadyStart Silver, 190 ccm 2.33 kW, 2,800 rpm	Briggs & Stratton XRQ 675 ReadyStart Silver, 190 ccm 2.33 kW, 2,800 rpm	Briggs & Stratton XRQ 675 ReadyStart Silver, 190 ccm 2.33 kW, 2,800 rpm	Briggs & Stratton XRQ 675 ReadyStart Silver, with electric start, 190 ccm 2.33 kW, 2,800 rpm	Briggs & Stratton XRQ 675 ReadyStart Silver, 190 ccm 2.33 kW, 2,800 rpm
42 cm	46 cm	46 cm	46 cm	51 cm
central, 7 position height settings (30 – 70 mm) steel sheet	central, 7 position height settings (30 – 80 mm) steel sheet	central, 7 position height settings (30 – 80 mm) steel sheet	central, 7 position height settings (30 – 80 mm) steel sheet	central, 7 position height settings (30 – 80 mm) steel sheet
1 blade	1 blade	1 blade	1 blade	1 blade
Plain bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing
0	0	1-single-speed 3,5 km/h	1-single-speed 3,5 km/h	1-single-speed 3,5 km/h
0	0	0	0	•
65 l	65 l	65 I	65 I	65 l
•	•	•	•	•
0	0	0	0	•
30 kg	32 kg	33 kg	35 kg	35 kg
800 sq. m	1.000 sq. m	1.200 sq. m	1.200 sq. m	1.600 sq. m



Comfortable start The electric start enables the engine to be switched on even more comfortably.

Accessories:

O Not standard

BRILL Steelline cutting blade				
	Art no	61611		
	EAN Code	40 09093 182897		
	Working width	42 cm		
	Art no	61609		
	EAN Code	40 09093 001976		
	Working width	46 cm		
	Art no	61610		
	EAN Code	40 09093 001983		
	Working width	51 cm		
RPILL Steelling mulch kit				

Standard

BRILL Steelline	BRILL Steelline mulch kit			
	Art no	79004		
	EAN Code	400 909 318 7885		
	Working width	46 cm		
	Art no	79005		
	EAN Code	400 909 318 7892		
	Working width	42 cm		

Hattrick mowers

Basic-Mäher

brillencio

Steelline

Lawn scarifiers Cylinder mowers

Gardenboy

Shredders

Tractors

The right to make technical amendments reserved

BRILL Cylinder mowers – keeps you and your lawn fit





BRILL Cylinder Mower

The razor-sharp fitness programme

The classic lawn mower now in a modern design. Worthy of note is the modern shape of the sturdy and foldable handle bars in silver and grey with ergonomic foam rubber handles.

The large wheels with their special profile also ensure convenient working as does too the attractive "rear spoiler" which ejects the grass cuttings in a controlled manner. Mowing with the cylinder mower means precision cutting of each single blade of grass. Precision sharpened to a hundredth of a millimetre, blade cylinder and bottom blade of special hardened steel leave a lawn cut as if with scissors whereby the contactfree cutting technique – a BRILL invention – ensures quietness.

Mowing is even easier and more comfortable with the battery powered cylinder mower RazorCut LION 38. Due to its lithium ion technology it is ideal for areas up to 400 sq m – without cord, without emissions and without a lot of noise.



Hattrick mowers

Basic-Mäher



BRILL Cylinder mowers – keeps you and your lawn fit



	Cylinder mowers		
	BRILL Classic 30	BRILL RazorCut Premium 33	BRILL RazorCut Premium 38
Art no	78357	78366	78371
EAN Code	40 09093 001822	40 09093 001815	40 09093 001808
Nominal power	0	0	0
Cutting width (cm)	30 cm	33 cm	38 cm
Cutting technology	blade cylinder, 5 blades	blade cylinder, 5 blades	blade cylinder, 5 blades
Contact-free cutting technology	0	•	•
Cylinder & bottom blade: Special steel and precision-sharpened	•	maintenance- • free because of anti-coiling device	maintenance- • free because of anti-coiling device
Blade spindle mounted on ball bearings	•	•	•
Cover to protect flowers and shrubs	•	•	•
Frame	classic ladder frame design	ergonomically shaped with foam rubber handle	ergonomically shaped with foam rubber handle
Cutting height adjustment	6 settings from 17 – 43 mm	infinitely variable from 14 – 45 mm with monitoring scale on both sides	infinitely variable from 14 – 45 mm with monitoring scale on both sides
Drive			
Safety			
Recommended for areas m ²	up to 100 sq. m	up to 200 sq. m	up to 250 sq. m
Grass catcher	available as accessory	available as accessory	available as accessory
Noise level			
Weight	5.4 kg	6.9 kg	7.4 kg

○ Not standard • Standard The right to make technical amendments reserved



Accessory:

Cylinder mower grass catcher 38	Art no	65041
	EAN	40 09093 610628
	Material	Woven nylon, reinforced
		with steel frame
	Cutting width	38 cm
	Weight	1.5 kg
Cylinder mower grass catcher 30/33	Art no	65061
		05002
	EAN	40 09093 001969
	EAN Material	
		40 09093 001969
		40 09093 001969 Woven nylon, reinforced





Battery-powered cylinder mower BRILL RazorCut LION 38

65082

400 909 318 5386

25,2 V / 2,6 Ah

38 cm

blade cylinder with electric drive,

maintenance-

free because of anti-coiling device

ergonomically shaped with foam rubber handle infinitely variable from 20 – 45 mm with monitoring scale on both sides Li-Ion Accu

safety switch

approx. 400 sq. m with fully charged battery available as accessory

86 dB(A)

ca. 11 kg

65077 EAN Code 40 09093 185027

Two light emitting diodes indicate the battery charge condition. The LION battery is also suitable as a replacement for the old nickel-cadmium batteries just as the previous charger can be used

for the new batteries.


RAZURGUT



The cutting height adjustment of the RazoCut is infinitely variable from 14 to 45 millimetres or from 20 to 45 millimetres respectively.



It is as simple as that: If you want to change the battery, you can remove it with one grip.



Heat-treated cylinder blades ensure precise cut.

BRILL Lawn scarifiers – no problem with thatch and moss



Your lawn breathes a sigh of relief!

The scarifying of the lawn is an important requirement for the obtaining of beautiful thick green grass.

Only a powerful lawn scarifier effectively removes thatch, moss, cuttings and dead vegetation. Nutrients, air and water are otherwise unable to penetrate deep down to the roots of the grass. You gain the best results with the electric lawn scarifiers from BRILL.

With working widths of 30 to 36 cm and powerful electric motors from 1100 to 1400 watts, the BRILL electric scarifier is even able to remove thatch and moss from larger areas.

The BRILL **lawn scarifier** is also available as a powerful model with a petrol engine. With its wide working width of 40 cm, it guarantees efficient scarifying.





And your lawn takes a deep breath...



The BRILL lawn scarifier – clever technology:

- a compact design with functions easy to use
- central transport and parking position which can be operated from above
- infinitely variable height adjustment for the blade roller
- optimised discharge chute
- height-adjustable bars permitting ergonomically effective working
- carrying handles for easy transportation
- space-saving





A beautiful, thick lawn needs air



Ideal care

Scarifying is best carried out in the spring at the start of the period of growth and once again in the late autumn. The lawn aerator on the other hand can be used more often, because the interference is not so severe. Comparable to a vigorous raking, the rotating steel tines of the aerator roller scour through the space between the individual lawn plants. This means that excessive formation of thatch is prevented and the lawn remains healthy and vigorous over the entire year.



Scarifying and aerating: two in one.



BRILL Lawn scarifiers – no problem with thatch and moss



	BRILL 28 VE/RL	BRILL 30 VE	BRILL 36 VE	BRILL 40 VB
Art no	62066	62063	62060	64014
EAN Code	40 09093 001488	40 09093 000733	40 09093 000566	40 09093 001587
Working width	2 8 cm	30 cm	36 cm	40 cm
Engine	230 V/1,000 W	230 V/1,100 W	230 Volt/1,400 W	Briggs & Stratton Series 475
Nominal power kw (Ps	5)			2.16 kW, 3,100 rpm
Housing	Robust PP plastic	Robust PP plastic	Robust PP plastic	Robust PP plastic
Height adjustment of the blade bar	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 15 mm	Central, infinitely variable up to 20 mm	Central, infinitely variable up to 20 mm
Number of blades	6	14	16	17
Centrally operational transport position	•	•	•	•
Handle bar adjustment	0	0	•	•
Cable guide	•	•	•	
Wheels	Plain bearing	Plain bearing	Plain bearing	Ball bearing
Grass catcher	45 l (available as accessory)	35 I (available as accessory)	50 I (available as accessory)	50 I (available as accessory)
Recommended for areas of up to m²	500 sq. m	600 sq. m	800 sq. m	1,000 sq. m
Packaged completely pre-assembled	0	•	•	0
Weight	11 kg	21 kg	26 kg	33 kg
	Not standard Standard	The right to make technical amendments	reserved	



Compact and space-saving

Accessories:



	BRILL Scarifier roller	30er	36er	40er
	Art no.	62075	62071	62077
Makaka	EAN Code	40 09093 001129	40 09093 000863	40 09093 001143
AND DESCRIPTION OF THE PARTY OF				

BRILL Aerator roller 28 VE/RL				
10 - 10 - 20	Art no.	62069		
AND PROPERTY OF THE PARTY OF TH	EAN Code	40 09093 001518		
	Working width	28 cm		







BRILL Gardenboy 400 GB







The BRILL Gardenboy is the universal garden tool for preparing and looking after your beds. With its specially hardened steel prongs it scarifies the earth without mixing up the layer of humus in the top soil and the natural order of the useful micro-organisms. Thanks to its low weight and back-friendly ergonomic design the BRILL Gardenboy makes sure that the hard work required in looking after a garden becomes a pleasure. The BRILL Gardenboy – the innovative electic soil harrower for edge-trimming, scarifying, harrowing, loosening and weeding.

Art no 65052 EAN Code 40 09093 001556 350 W Output/power 230 V Engine Working width Approx. 100 mm Housing High impact-resistant PA/ABS plastic Technology 2 x 3 tines made of rolled carbon steel, oscillating rotation of approx. 90°, 550 movements back and forth per minute Handle bars Lower handle Infinitely adjustable and rotable Safety Mechanic safety clutch as overload protection Weight approx. 2.3 kg Working depth 80 mm

BRILL Shredder – compost with comfort



With the LH and ESK shredder, the cut material is drawn in by the rotating cutting wheel.



The 64 I collector box protects the blade access



The indexing bolt guarantees safety. It prevents the unit starting on its own when undertaking relatively small pieces of assembly work.

Crush tree cuttings...



BRILL LH and ESK garden shredders

With the LH and ESK models, by crushing and cutting, enabling it to rot more easily. The collecting box fulfils an important additional function in the ESK model: it is not safety factor because it protects the discharge opening from access. Therefore, no-one can accidentally reach into the cutting mechanism from underneath while it is operating. If the box is removed, the unit switches off immediately. The long distance between the filling hopper and the blade mechanism forms a safety factor in the 2300 ESK.











Art no
EAN Code
Engine
Power
Rotational speed of shredding mechanism Shredding mechanism
Capacity
Cutting-crushing tech. with self feed Safety bolt
Access protection from above
Access protection from below
Collector box
Transport wheels
Weight

		100		
	BRILL shredder 2200 MH	BRILL ProfiCut 2800 MH – 230 V	BRILL Roller shredder 2300 LH	BRILL safety shredder 2300 ESK
M	74000	74001	73983	78055
	40 09093 000948	40 09093 001662	40 09093 739831	40 09093 805505
	230 V	230 V	230 V	230 V
kW (PS)	2,200 W	2,000 W	2,300 W	2,300 W
	2,800 rpm	2,800 rpm	40 rpm	40 rpm
7.34 7.34	1 flat blade	Crown cutter, triangular cutter	High quality, hardened steel	High quality, hardened steel
	Up to 3.5 cm Ø	Up to 5 cm Ø	Up to 4 cm ∅	Up to 4 cm ∅
11257	0	0	•	•
I	•	•	•	•
	•	•	•	•
				•
	0	125 I collector bag	0	64 I collector box
	•	•	•	•
Į.	21 kg	43 kg	24 kg	35.2 kg

O Not standard

Standard

The right to make technical amendments reserved

BRILL ProfiCut 2800 MH

This powerful universal shredder represents an energetic helper in the garden. Fitted with a 2.0 kW motor and a unique cutting mechanism, it chops up branches with a thickness of up to 5 cm without any problem. Safety is ensured by the large filling hopper with chips/slivers protection system as well as the automatic start-up safeguard. Its two large wheels allow the shredder to be transported easily.



The integrated toolbox for spare cutter and operating instructions is very practical.



Flat cutter for 2200 MH	Art no	61607
	FAN Code	40 09093 001167

BRILL Lawn tractors – fun to drive in the garden



Comfortable mowing of large areas

Optimized in respect of function and design, BRILL's lawn tractors now offer even more convenience and performance. The **Crossover** models have powerful engines and are optional equipped with hydrostatic travel drive, electric emptying of the grass box per rocker switch and an electromagnetic clutch for the cutter which enables the blade to be switched on in a simple manner. With cutting widths of 74, 92 and 102 cm the range permits even

large lawns to be mown comfortably and rapidly. The 92 and larger models have an asynchronous cutting mechanism with two suction-reinforced wing blades and ballbearing-mounted V-belts. The powerful Briggs & Stratton or Honda engines ensure a high mowing performance. The extra large tyres on the 102 series mower give more driver comfort especially on difficult terrains.







	BRILL Crossover 74/13	BRILL Crossover 74/13 H
Art no	65053	65054
EAN Code	40 09093 001686	40 09093 001693
Engine	Briggs & Stratton I/C OHV 13,5 344 ccm, 1 cylinder	Briggs & Stratton I/C OHV 13,5 344 ccm, 1 cylinder
Nominal power kw (P	6.96 kW, 2,900 rpm	6.96 kW, 2,900 rpm
Cutting width	74 cm (1 blade)	74 cm (1 blade)
Height adjustment, cutting height	6 settings, 30 – 90 mm	6 settings, 30 – 90 mm
Gear changing	5 fwd/1 reverse	Manual Hydrostat
Blade coupling	Mechanical belt coupling	Mechanical belt coupling
Wheel size	Front: 13 x 6.0 – 6 Rear: 18 x 6.5 – 8	Front: 13 x 6.0 – 6 Rear: 18 x 6.5 – 8
Capacity m²	3,500 sq. m/h	3,500 sq. m/h
Grass box	220	220
Emptying of grass box from the driver's seat	telescopic lever	telescopic lever
Dimensions (L x W x H)	2,610 x 960 x 1,120 mm	2,610 x 960 x 1,120 mm
Turning circle	185 cm	185 cm
Weight	202 kg	203 kg

O Not standard ● Standard The right to make technical amendments reserved



Smooth running

Tractors with hydrostatic travel drive can be manoeuvred without jerks and steplessly per pedal.



Well lit

The standard fitting out with xenon lamps means that the ambient surroundings are well illuminated.



Convenient to operate

The central cutting height adjustment device is positioned directly next to the driver's seat.

The BRILL Mulch System

The lawn needs a great deal of moisture in the summer to prevent it drying out. Mulching proves to be extremely practical and effective, especially on large gardens. For the fine grass cuttings provide the lawn with moisture and fertiliser at the same time, in addition there is no need for any waste disposal.

BRILL Lawn tractors – fun to drive in the garden

POWERED by Honda Engines

The BRILL Honda **lawn tractors** are equipped with a very efficient engine. They start easily, run smoothly and quietly and keep a clean cut even when mowing thick lawns.





BRILL Crossover 92/13 H

65056

EAN Code		40 09093 001709	40 09093 001716
Engine		Briggs & Stratton I/C OHV 13,5 344 ccm, 1 cylinder	Briggs & Stratton I/C OHV 13,5 344 ccm, 1 cylinder
Nominal power	kW (PS)	6.96 kW, 2,900 rpm	6.96 kW, 2,900 rpm
Cutting width	<cm></cm>	92 cm (2 blades)	92 cm (2 blades)
Height adjustment, cutting height		6 settings, 30 – 90 mm	6 settings, 30 – 90 mm
Gear changing	O	5 fwd/1 reverse	Foot-operated Hydrostat
Blade coupling	0	Electromagnetic	Electromagnetic
Wheel size		Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8	Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8
Capacity	m²	4,000 sq. m/h	4,000 sq. m/h
Grass box		300	300
Emptying of grass box from the driver's seat		Supported by pneumatic spring	Supported by pneumatic spring
Dimensions (L x W x H)		2,610 x 1,040 x 1,120 mm	2,610 x 1,040 x 1,120 mm
Turning circle	7	190 cm	190 cm
Weight	ř	209 kg	210 kg

LAIN COUC	40 00000 001 002		
Accessory for front sweeping machine and snow-clearing panel			
BRILL quick	release coupling without drive		
Art no	78977		
EAN Code	40 09093 897708		
Accessory for snow-clearing panel			
BRILL driving set for mechanic blade coupling			
Art no	78985		
EAN Code	40 09093 001860		
Accessory for front sweeping machine			
BRILL driving set for electromagnetic blade coupling			
Art no	78986		
FAN Code	40 09093 001877		

Accessory for front sweeping machine

RILL quick release coupling with drive

Art no 78973FAN Code 40 09093 897302

BRILL snow-clearing pane	el TS 125 Art no	78982
1		40 09093 100204
1	Working width	125 cm
1	Clearing panel	Sheet steel, swivelling
		operation from the driver's
		seat in 5 mountings, under
		edge of panel with rubber strip
	Weight	
	Dimensions $(l \times w \times h)$	
	Connection	Quick release coupling system
	Mounting frame and quick release	se coupling required as accessories
BRILL universal spreader	Art no	78714
	EAN Code	40 09093 871401
	EAN Code Spreading width	40 09093 871401
W.	Spreading width Capacity	40 09093 871401 300 – 360 cm Approx. 80 kg
	Spreading width Capacity	40 09093 871401 300 – 360 cm
	Spreading width Capacity	40 09093 871401 300 – 360 cm Approx. 80 kg
0	Spreading width Capacity Tyres	40 09093 871401 300 – 360 cm Approx. 80 kg 16″x 4″ Polyethylene
BRILL trailer coupling	Spreading width Capacity Tyres Hopper Trailer coupling required as acces	40 09093 871401 300 – 360 cm Approx. 80 kg 16″x 4″ Polyethylene
BRILL trailer coupling	Spreading width Capacity Tyres Hopper Trailer coupling required as acces	40 09093 871401 300 – 360 cm Approx. 80 kg 16"x 4" Polyethylene ssory.
BRILL trailer coupling	Spreading width Capacity Tyres Hopper Trailer coupling required as accer Art no	40 09093 871401 300 – 360 cm Approx. 80 kg 16"x 4" Polyethylene ssory.

EAN Code 40 09093 001907



BRILL

Ideas for the Garden

POWERED by Honda Engines





POWERED by Honda Engines





BRILL Crossover 92/16 H OHV	BRILL Crossover 102/15	BRILL Crossover 102/16 H OHV	BRILL Crossover 102/20 HE
BRILL Crossover 92/10 H OHV	BRILL Crossover 102/15	BRILL Crossover 102/16 H OHV	DRILL Crossover 102/20 HE
65057	65058	65060	65059
40 09093 001723	40 09093 001730	40 09093 001754	40 09093 001747
Honda GCV 530 530 ccm, 2 cylinder	Briggs & Stratton I/C OHV 14,5 500 ccm, 1 cylinder	Honda GCV 530 530 ccm, 2 cylinders	Briggs & Stratton V-TWIN OHV 20 656 cm³, 2 Zylinder
10.3 kW, 2,900 rpm	9.64 kW, 2,900 rpm	10.3 kW, 2,900 rpm	12,87 kW, 2.900 rpm
92 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)
6 settings, 30 – 90 mm	6 settings, 30 – 90 mm	6 settings, 30 – 90 mm	6 settings, 30 – 90 mm
Foot-operated Hydrostat	5 fwd/1 reverse	Foot-operated Hydrostat	Foot-operated Hydrostat
Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Front: 13 x 6.5 – 6 Rear: 18 x 8.5 – 8	Front: 15 x 6.0 – 6 Rear: 18 x 8.5 – 8	Front: 15 x 6.0 – 6 Rear: 18 x 8.5 – 8	Front: 15 x 6.0 – 6 Rear: 18 x 8.5 – 8
4,500 sq. m/h	5,500 sq. m/h	6,000 sq. m/h	7,000 sq. m/h
300	300 l	300	300
Supported by pneumatic spring	Supported by pneumatic spring	Supported by pneumatic spring	Electric
2,610 x 1,040 x 1,120 mm	2,610 x 1,090 x 1,120 mm	2,610 x 1,090 x 1,120 mm	2,610 x 1,090 x 1,120 mm
190 cm	160 cm	160 cm	160 cm
220 kg	213 kg	223 kg	233 kg

○ Not standard • Standard The right to make technical amendments reserved

BRILL trailed sweeper	Art no	78709
	EAN Code	40 09093 001174
	Sweeping width	96 cm
	Collecting capacity	270 l
	Sweeping brush	Diameter 10 – 25 cm
	Height adjustment	Central, infinitely variable
	Area of use	Sweeping up leaves and
(3)		cut grass from the lawn
	Trailer coupling required as access	ssory
BRILL towed trailer	Art no	65040
	EAN Code	40 09093 610536
	Load-holding area	293 l
	Pan	Steel
	Loading aperture	Steel, removable,

	EAN Code	40 09093 610536
	Load-holding area	293
	Pan	Steel
	Loading aperture	Steel, removable,
		reinforced guide
0	Load weight	max. 292.5 kg
	Dimensions	108 x 82 x 30 cm
	Trailer coupling required as accessory	

BRILL deflector/swath shield	Art no	78993
	EAN Code	40 09093 001938
BRILL service and exposition rack	Art no	78988
BRILL service and exposition rack	7	78988 40 09093 001891



BRILL lawn roller	Art no	78712
	EAN Code	40 09093 871203
	Working width	91 cm
	Weight when empty	Approx. 18 kg
A second	Maximum weight filled	
	with water	180 kg
3	Roller material	Non-rusting, reinforced
		polyethylene
	Trailer coupling required as acces	sory



for 74 cm model				
	Art no	78726		
	EAN Code	40 09093 001846		
for 92/102 cm model				
	Art no	78725		
	FAN Code	40 09093 872507		





BRILL stands for quality and tradition

Already since the establishment of the company in the year 1873 the quality and efficiency of development and production have been the primary focus of BRILL. We started under modest working conditions in an on-site foundry in Wuppertal-Barmen. Today we have modern manufacturing plants as well as a highly developed logistics center at the company's site in Witten-Herbede.

For years our products and services and their reliability have been documented and confirmed with various safety test marks and awards by independent internationally recognized institutions.

























jardin&paysage [







To guarantee consistent production quality, the company has been certified under DIN **ISO 9001** since 1997.

That means that quality can be checked in all stages of production. That means proven quality for you.



www.brill.de





You will find the complete BRILL product range on our website

www.brill.de





This catalogue was handed over to you by:

BRILL GLORIA

Haus- und Gartengeräte GmbH

D-58456 Witten
Därmannsbusch 7

Phone: +49 23 02 / 7 00 - 0 Fax: +49 23 02 / 7 00 - 46

www.brill.de

Sales and Marketing headquarters: D-89231 Neu-Ulm Edisonallee 3

Phone: +49 731 / 1 40 60 47

Fax: +49 731 / 1 40 60 43 info@brillgloria-garten.com