



IP100

New range of NVR's for professional installations, up to 128 channels, 4K resolution


BIG PROMO 3 2017

Comelit View S



Available on the
App Store

ANDROID APP ON
Google play



WIKIT040AUK

New ready made 4 channels HD Wi-Fi CCTV kit: easy to set up and use, ideal for home or business, simple mobile remote viewing


COMELIT BIGPROMO

TRADE PRICES VALID FROM 1st SEPTEMBER TO 31st DECEMBER 2017


Products NOW Ex Stock - This offer is valid only for products available on stock.

Trade prices are in Pounds, Net, excluding VAT and valid for security trade customers only.

Information is subject to change without notice.



BIG
PROMO



IP EASY SERIES



IPCAME020A FULL-HD BULLET IP CAMERA, 3.6 MM, IR 30M, IP66

Camera sensor: 1/2.8" CMOS Sony
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 30 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE802.3af



FULL HD

£50



IPCAME062A FULL-HD BULLET IP CAMERA, 2.8-12 MM, IR 25M, IP66

Camera sensor: 1/2.8" CMOS Sony
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 28 led / 25m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



FULL HD

£57

IPCAME040A 4MP BULLET IP CAMERA, 3.6MM, IR 30M, IP66

Camera sensor: 1/3" CMOS
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1520 (4MP)
Video compression: H.264, H.265 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 30 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

Compatible only with
IPNVR006A-xxx and
IPNVR036A-xxx



4MP

£63

IPCAME064A 4MP BULLET IP CAMERA, 2.8-12MM, IR 25M, IP66

Camera sensor: 1/3" CMOS Sony
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1520 (4MP)
Video compression: H.264, H.265 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 28 led / 25m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

Compatible only with
IPNVR006A-xxx and
IPNVR036A-xxx



MOTORIZED LENS AND AUTOFOCUS

£77

IPCAME050A 5MP BULLET IP CAMERA, 3.6MM, IR 30M, IP66

Camera sensor: 1/3.2" CMOS
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1944 (5MP)
Video compression: H.264, H.265 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 30 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

Compatible only with
IPNVR006A-xxx and
IPNVR036A-xxx



5MP

£96

IPCAME065A 5MP BULLET IP CAMERA, 2.8-12MM, IR 25M, IP66


Camera sensor: 1/3.2" CMOS Sony
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1944 (5MP)
Video compression: H.264, H.265 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 28 led / 25m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

Compatible only with
IPNVR006A-xxx and
IPNVR036A-xxx



MOTORIZED LENS AND AUTOFOCUS

£100



IP EASY SERIES



IPCAM067A
FULL-HD MINIDOME IP
CAMERA, 3.6 MM, IR 30M, IP66

Camera sensor: 1/2.7" CMOS
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 36 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



£51



IPCAM069A
FULL-HD MINIDOME IP CAMERA,
2.8-12 MM, IR 30M, IP66

Camera sensor: 1/2.7" CMOS
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 30 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



£56

IPCAM074A
4MP MINIDOME IP CAMERA,
3.6MM, IR 30M, IP66

Camera sensor: 1/3" CMOS
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1520 (4MP)
Video compression: H.264, H.265 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 36 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



Compatible only with
IPNVR006A-xxx and
IPNVR036A-xxx

£69

IPCAM084A
4MP MINIDOME IP CAM,
2.8-12MM MOT., IR 30M, IP66

Camera sensor: 1/3" CMOS
Camera optical zoom: 4x
Sensitivity (lux): 0.5 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1520 (4MP)
Video compression: H.264, H.265 (Dual streaming)
Main functions: Privacy mask, Motion detection
No. IR LEDs / Max. distance (m): 30 led / 30m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



Compatible only with
IPNVR006A-xxx and
IPNVR036A-xxx

£96

WIKIT040AUK
WI-FI KIT, WINVR040A,
4 WICAM010A, HDD 1TB

WINVR040A
Video inputs: 4
Main video output: 1 (VGA), 1 (HDMI), 1920x1080@60Hz
Video compression: H.264
Hard disk included: 1TB (4TB max)
WICAM010A
Camera sensor: 1/3" CMOS Progressive Scan
Camera lens: 4 mm
Electronic shutter (s): 1/25 ÷ 1/25000
IR filter: Mechanical
Video resolution (H x V): 1280x960 (HD - 960p)
Power supply included.



HD	WI-FI
PRECONFIGURED	HDD 1TB




P2P
↔

£299

NEW



BIG
PROMO



IP EASY SERIES

IPNVR004BPOESL NVR W/4 INPUTS, FULL-HD IP POE, NO HDD

Video inputs: 4 PoE (FULL-HD)
Main video output: 1 (VGA), 1 (HDMI 1.3), 1920x1080 @ 60Hz
Video compression: H.264
Display / recording frame rate: 100fps@FULL-HD Real Time
Installable hard drive: 1 x 4 TB max
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, SMTP, DHCP, DDNS, ONVIF 2.3
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 2xUSB, 4xEthernet 10/100Mbit/s PoE (IEEE 802.3af), 1xEthernet 10/100Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz



£ **78**

ONVIF



FULL HD

IP AUTO CONFIGURATION

IPNVR004BPOE-2TBW NVR 4 INPUTS IP FULL-HD POE, HDD 2TB WD PURPLE

HDD 2TB
“WD PURPLE”

£ **161**

IPNVR004BPOE-4TBW NVR 4 INPUTS IP FULL-HD POE, HDD 4TB WD PURPLE

HDD 4TB
“WD PURPLE”

£ **227**

IPNVR008BPOESL NVR W/8 INPUTS, FULL-HD IP POE, NO HDD

Video inputs: 8 PoE (FULL-HD)
Main video output: 1 (VGA), 1 (HDMI 1.3), 1920x1080 @ 60Hz
Video compression: H.264
Display / recording frame rate: 200fps@FULL-HD Real Time
Installable hard drive: 2 x 4 TB max
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, SMTP, DHCP, DDNS, ONVIF 2.3
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 2xUSB, 8xEthernet 10/100Mbit/s PoE (IEEE 802.3af), 1xEthernet 10/100Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz



£ **92**

ONVIF



FULL HD

IP AUTO CONFIGURATION

IPNVR008BPOE-2TBW NVR 8 INPUTS IP FULL-HD POE, HDD 2TB WD PURPLE

HDD 2TB
“WD PURPLE”

£ **177**

IPNVR008BPOE-4TBW NVR 8 INPUTS IP FULL-HD POE, HDD 4TB WD PURPLE


HDD 4TB
“WD PURPLE”

£ **241**

IPNVR008BPOE-8TBW NVR 8 INPUTS IP FULL-HD POE, HDD 8TB WD PURPLE

HDD 8TB
“WD PURPLE”

£ **390**



IP EASY SERIES



IPNVR006ASL
NVR 16 INPUTS IP FULL-HD, NO HDD

Video inputs: 16 (FULL-HD) / 9 (4MP/5MP)
Main video output: 1 (VGA), 1 (HDMI 1.3), 1920x1080@60Hz
Alarm Inputs/Outputs: 4/1
Video compression: H.264
Display / recording frame rate: 400fps@FULL-HD Real Time
Installable hard drive: 2 x 4 TB max
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, SMTP, DHCP, DDNS
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 2xUSB, 1xEthernet 10/100/1000Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz

£70



ONVIF

Available on the App Store

Google play

P2P

Comelit DNS

PLUG & PLAY

UP TO 5MP

IPNVR006A-2TBW
NVR 16 INPUTS IP FULL-HD,
HDD 2TB WD PURPLE

HDD 2TB
“WD PURPLE”

£156

IPNVR006A-4TBW
NVR 16 INPUTS IP FULL-HD,
HDD 4TB WD PURPLE

HDD 4TB
“WD PURPLE”

£220

IPNVR006A-8TBW
NVR 16 INPUTS IP FULL-HD,
HDD 8TB WD PURPLE

HDD 8TB
“WD PURPLE”

£369

IPNVR036ASL
NVR 36 INPUTS IP FULL-HD, NO HDD

Video inputs: 36 (FULL-HD) / 16 (4MP/5MP)
Main video output: 1 (VGA), 1 (HDMI 1.3), 1920x1080@60Hz
Alarm Inputs/Outputs: 4/1
Video compression: H.264
Display / recording frame rate: 900fps@FULL-HD Real Time
Installable hard drive: 4 x 4 TB max
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, SMTP, DHCP, DDNS
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 2xUSB, 1xEthernet 10/100/1000Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz

£156



ONVIF

Available on the App Store

Google play

P2P

Comelit DNS

PLUG & PLAY

UP TO 5MP

IPNVR036A-2TBW
NVR 36 INPUTS IP
FULL-HD,
HDD 2TB WD
PURPLE

HDD 2TB
“WD PURPLE”

£235

IPNVR036A-4TBW
NVR 36 INPUTS IP
FULL-HD,
HDD 4TB WD
PURPLE

HDD 4TB
“WD PURPLE”

£305

IPNVR036A-8TBW
NVR 36 INPUTS IP
FULL-HD,
HDD 8TB WD
PURPLE

HDD 8TB
“WD PURPLE”

£455

IPNVR036A-12TBW
NVR 36 INPUTS IP
FULL-HD,
HDD 12TB WD
PURPLE

HDD 12TB
“WD PURPLE”

£604

IPNVR036A-16TBW
NVR 36 INPUTS IP
FULL-HD,
HDD 16TB WD
PURPLE

HDD 16TB
“WD PURPLE”

£753

IP 100 SERIES

IPCAM102B
FULL-HD BULLET IP CAMERA,
3.6 MM, IR 15 M, IP66

£65

Camera sensor: 1/2.8” CMOS Sony
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264, MJPEG (Dual streaming)
Main functions: Privacy mask, Motion detection, Tampering
No. IR LEDs / Max. distance (m): 30 led / 15m
DC supply voltage: 12V
POE power supply: Standard IEEE802.3af”



FULL HD
ONVIF

IPCAM162A
FULL-HD BULLET IP CAMERA,
2.8-12MM, IR 50M, IP66

£87

Camera sensor: 1/2.8” CMOS Sony
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264, MJPEG (Dual streaming)
Main functions: Privacy mask, Motion detection, Tampering
No. IR LEDs / Max. distance (m): 66 led / 50m
DC supply voltage: 12V
POE power supply: Standard IEEE802.3af



FULL HD
ONVIF

IPCAM1622A
FULL-HD BULLET IP CAMERA,
6-22MM, IR 50M, IP66

£96

Camera sensor: 1/2.8” CMOS Sony
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080P)
Video compression: H.264, MJPEG (Dual streaming)
Main functions: Privacy mask, Motion detection, Tampering
No. IR LEDs / Max. distance (m): 66 led / 50m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



FULL HD
ONVIF

IPCAM163A
3MP BULLET IP CAMERA,
2.8-12MM, IR 50M, IP66

£128

Camera sensor: 1/2.8” CMOS Sony EXMOR Starvis Technology
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2048x1536 (3MP)
Video compression: H.264, H.265, MJPEG (Dual streaming, Dual compression)
Main functions: Video Analytics, Privacy mask, Motion detection, Tampering
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
No. IR LEDs / Max. distance (m): 2 led arrays / 50m
Support SD card (card not included): Micro-SD (64GB max)
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

3MP	VIDEO ANALYSIS
WDR	SONY STARVIS SENSOR

ONVIF




IPCAM165A
5MP BULLET IP CAMERA,
2.8-12MM,IR 50M,IP66

£234

Camera sensor: 1/1.8” CMOS Sony EXMOR Starvis Technology
Camera optical zoom: 3x
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1944 (5MP)
Video compression: H.264, H.265, MJPEG (Dual streaming, Dual compression)
Main functions: Video Analytics, Privacy mask, Motion detection, Tampering
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
No. IR LEDs / Max. distance (m): 2 led arrays / 50m
Support SD card (card not included): Micro-SD (64GB max)
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

5MP	MOTORIZED LENS
VIDEO ANALYSIS	SONY STARVIS SENSOR

ONVIF



IP 100 SERIES



IPCAM1638A IP BULLET CAMERA 3MP, ZOOM 2.8-12MM, SMART IR

Camera sensor: 1/2.8" CMOS Sony EXMOR Starvis Progressive scan
Camera optical zoom: 3x
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2048x1536 (3MP)
Video compression: H.264, H.265, MJPEG (Dual streaming, Dual compression)
Main functions: Video Analytics, Privacy mask, Motion detection, Tampering
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
No. IR LEDs / Max. distance (m): 15 led SMD / 30m (SMART IR)
Support SD card (card not included): Micro-SD (64GB max)
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

£121



IPCAM168A FULL-HD VANDALDOME IP CAMERA, 2.8-12MM, IR 15M, IP65

Camera sensor: 1/4" CMOS
Sensitivity (lux): 0 (led IR ON)
IR filter: Mechanical
Video transmission: Dual streaming (H.264, MJPEG)
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264, MJPEG
Main functions: Privacy mask, Motion detection
No. IR LEDs / Lighting distance (m): 18 led / 15 m
DC supply voltage: 12Vdc
POE power supply: POE (802.3af)

IPCAM169A FULL-HD VANDALDOME IP CAMERA, 6-22MM, IR 15M, IP65

Camera sensor: 1/2.8" CMOS Sony
Sensitivity (lux): 0 (led IR ON)
IR filter: Mechanical
Video transmission: Dual streaming (H.264, MJPEG)
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264, MJPEG
Main functions: Privacy mask, Motion detection
No. IR LEDs / Lighting distance (m): 18 led / 15 m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

£96



IPCAM183A 3MP MINIDOME IP CAMERA, 2.8-12MM, IR 30M, IP66

£124


Camera sensor: 1/2.8" CMOS Sony EXMOR Starvis Technology
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2048x1536 (3MP)
Video compression: H.264, H.265, MJPEG (Dual streaming, Dual compression)
Main functions: Video Analytics, Privacy mask, Motion detection, Tampering
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
No. IR LEDs / Max. distance (m): 28 led / 30m
Support SD card (card not included): Micro-SD (64GB max)
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af



IPCAM185A 5MP MINIDOME IP CAMERA, 3.6-10MM, IR 30M, IP66

£202

Camera sensor: 1/1.8" CMOS Sony EXMOR Starvis Technology
Camera optical zoom: 3x
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2592x1944 (5MP)
Video compression: H.264, H.265, MJPEG (Dual streaming, Dual compression)
Main functions: Video Analytics, Privacy mask, Motion detection, Tampering
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
No. IR LEDs / Max. distance (m): 28 led / 30m
Support SD card (card not included): Micro-SD (64GB max)
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af




IPPT-1004W CONNECTION BOX FOR MINIDOME IPCAM168A, IPCAM169A, WHITE

Connection box, suitable for minidome cameras art. IPCAM168A, IPCAM169A, IPCAM183A and IPCAM185A, suitable for indoor use, white colour.

£10

BIG
PROMO



IP 100 SERIES

IPCAM1838A

IP MINIDOME CAMERA 3MP, ZOOM 2.8-12MM, SMART IR

Camera sensor: 1/2.8" CMOS Sony EXMOR Starvis Progressive scan
Camera optical zoom: 3x
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 2048x1536 (3MP)
Video compression: H.264, H.265, MJPEG (Dual streaming, Dual compression)
Main functions: Video Analytics, Privacy mask, Motion detection, Tampering
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
No. IR LEDs / Max. distance (m): 12 led SMD / 30m (SMART IR)
Support SD card (card not included): Micro-SD (64GB max)
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

Compatible only with IPNVR116D-xxx,
IPNVR125D-xxx AND IPNVR136D-xxx

£135



ONVIF

VIDEO ANALYSIS

MOTORIZED LENS

VANDALDOME IK10

WDR

IPPTZ120IRD

IP PTZ FULL-HD CAMERA, 20X ZOOM, IR 150M, IP66

Camera sensor: 1/2.8" CMOS 2.13M Starvis
Camera lens: 4.7 - 94 mm
Camera optical zoom: 20x
Sensitivity (lux): 0.02 (colour) / 0 (B/W - led IR ON)
IR filter: Mechanical
Video compression: H264, MJPEG
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Frame rate: 30 fps
Main functions: 255 Presets, 4 Tours, 4 Patterns, Defog, WDR, 3DNR, Motion detection, 8 privacy masks
No. IR LEDs / Lighting distance (m): 6 + 2 laser / 150 m
Alarm Input / Output: 2/1
Analogue video output: Yes
Support SD card (card not included): Micro-SD (32 GB max)
DC supply voltage: 24 V / POE IEEE 802.3at

£501

Wall mount bracket and power supply included

FULL HD

IR 150M

ZOOM 20X

ONVIF



IPPTZ130IRB

CAMERA IP PTZ 3MP, ZOOM 30X, IR 150M, IP66

Camera sensor: 1/2.8" CMOS 3.12M Starvis
Camera lens: 4.5 - 135 mm
Camera optical zoom: 30x
Sensitivity (lux): 0.05 (colour) / 0 (B/W - led IR ON)
IR filter: Mechanical
Video compression: H264, MJPEG
Video resolution (H x V): 2048x1536 (3MP)
Frame rate: 30 fps
Main functions: 255 Presets, 4 Tours, 4 Patterns, Defog, WDR, 3DNR, Motion detection, 8 privacy masks
No. IR LEDs / Lighting distance (m): 6 + 2 laser / 150 m
Alarm Input / Output: 2/1
Analogue video output: Yes
Support SD card (card not included): Micro-SD (32 GB max)
DC supply voltage: 24 V / POE IEEE 802.3at

£710

Wall mount bracket and power supply included

3MP

IR 150M

ZOOM 30X

ONVIF

IPPT-1201

POLE-MOUNTING ACCESSORY FOR CAMERA ART. IPPTZ120IRD AND IPPTZ130IRB

£24



IPPT-1202

CORNER-MOUNTING ACCESSORY FOR CAMERA ART. IPPTZ120IRD AND IPPTZ130IRB

£26




IPPT-604

CEILING MOUNT BRACKET ART. IPPTZ120IRD-130IRB

£42





IP 100 SERIES



IPCAM167A FULL-HD MINIDOME IP CAMERA, 3.6 MM, IR 15 M, IP65

Camera sensor: 1/2.8" CMOS Sony 2.43MP
Sensitivity (lux): 0 (B/W, led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264, MJPEG (Dual streaming)
Main functions: Privacy mask, Motion detection, tampering
No. IR LEDs / Max. distance (m): 36 led / 15m
DC supply voltage: 12V
POE power supply: Standard IEEE 802.3af

FULL HD
ONVIF
£80



IPPT-401 POLE-MOUNTING ACC. FOR CAMERA ART. IPPTZ110IRA

£42



IPPT-402 CORNER-MOUNTING ACC. FOR CAMERA ART. IPPTZ110IRA

£42



IPPT-403 FLUSH-MOUNTING ACC. FOR CAMERA ART. IPPTZ110IRA

£46



IPPTZ110IRA CAMERA IP PTZ FULL-HD, ZOOM 10X, IR 80M, IP66

Camera sensor: 1/2.8" CMOS
Camera optical zoom: 10x
Sensitivity (lux): 0.06 (colour) / 0 (B/W - led IR ON)
IR filter: Mechanical
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Video compression: H.264, MJPEG (Dual streaming)
Main functions: 255 Preset, 4 Tour, 4 Pattern, Home function
No. IR LEDs / Max. distance (m): 8 Smart IR leds / 80m
Wall support: Incluso
Support SD card (card not included): Micro-SD (32GB max)
DC supply voltage: 24V
POE power supply: IEEE802.3at
Sensitivity (lux): 0.06 (kleur) / 0 (Z/W, IR leds ON)

£372



Wall mount bracket and power supply included

FULL-HD
ZOOM 10X
IR 80M
ONVIF

IPNVR104EPOESL NVR W/8 IP INPUTS, 5MP POE, NO HDD

Video inputs: 8 (4 PoE 3/5MP + 4 3/5MP)
Main video output: 1 (VGA), 1 (HDMI), 1920x1080@60Hz
Video compression: H.264
Main features: video analysis management (with dedicated cameras), dual password authentication, instant playback
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, UPnP, SMTP, DHCP, DDNS, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome, Safari
Remote control by software: Comelit View 100
Remote control by mobile: app Comelit View 100 (Android, iOS)
Type of connections/ports: 2xUSB, 1xRS485, 4xEthernet 10/100Mbit/s PoE (IEEE 802.3af), 1xEthernet 10/100Mbit/s

£92 NEW



ONVIF Available on the App Store Google play P2P Comelit DNS UP TO 5MP IP AUTO CONFIGURATION

IPNVR104EPOE-1TBW NVR W/8 IP INPUTS, 5MP POE, HDD 1TB WD PURPLE

HDD 1TB
"WD PURPLE"
£146


IPNVR104EPOE-2TBW NVR W/8 IP INPUTS, 5MP POE, HDD 2TB WD PURPLE

HDD 2TB
"WD PURPLE"
£181

IPNVR104EPOE-4TBW NVR W/8 IP INPUTS, 5MP POE, HDD 4TB WD PURPLE

HDD 4TB
"WD PURPLE"
£241

BIG
PROMO



IP 100 SERIES

IPNVR108DPOESL
NVR W/8 IP INPUTS, 5MP POE, NO HDD

Video inputs: 8 PoE (3MP/5MP)
Main video output: 1 (VGA), 1 (HDMI), 1920x1080@60Hz
Alarm inputs/output: 2/1
Video compression: H.264
Main features: video analysis management (with dedicated cameras), dual password authentication, instant playback
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, UPnP, SMTP, DHCP, DDNS, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome, Safari
Remote control by software: Comelit View 100
Remote control by mobile: app Comelit View 100 (Android, iOS)
Type of connections/ports: 2xUSB, RS485, 8xEthernet 10/100Mbit/s PoE (IEEE 802.3af), 1xEthernet 10/100/1000Mbit/s

£156 NEW



UP TO 5MP

IP AUTO CONFIGURATION

IPNVR108DPOE-2TBW
NVR W/8 IP INPUTS, 5MP POE,
HDD 2TB WD PURPLE

HDD 2TB
“WD PURPLE”

£242

IPNVR108DPOE-4TBW
NVR W/8 IP INPUTS, 5MP POE,
HDD 4TB WD PURPLE

HDD 4TB
“WD PURPLE”

£305

IPNVR108DPOE-8TBW
NVR W/8 IP INPUTS, 5MP POE,
HDD 8TB WD PURPLE

HDD 8TB
“WD PURPLE”

£455

IPNVR116DSL
NVR 16 IP INPUTS 5MP, NO HDD

Video inputs: 16 (FULL-HD / 3MP) / 9 (5MP) / 25 (HD)
Main video output: 1 (VGA), 1 (HDMI) - 1920x1080@60Hz, 1280x1024@60Hz
Alarm Inputs/Outputs: 4/1
Video compression: H.264, MJPEG / 16÷8000 kbps
Display / recording frame rate: 480 fps@5MP Real time
Installable hard drive: 2 x 4 TB max
Operating system: Linux embedded
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
Protocols supported: HTTP, TCP/IP, UPnP, SMTP (SSL), DHCP, DDNS, PPPoE, NTP, P2P, RTSP, Comelit DNS, ONVIF 2.2
Remote control via browser: Internet Explorer, Firefox, Chrome, Safari
Remote control by software: Comelit View 100
Remote control by mobile: app Comelit View 100 (Android, iOS)
Type of connections/ports: 2xUSB 2.0, USB 3.0, RS485, Ethernet 10/100/1000Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz

£125



UP TO 5MP

4CH BACK-END VIDEO ANALYSIS

IPNVR116D-2TBW
NVR 16 INPUTS IP 5MP,
HDD 2TB WD PURPLE

HDD 2TB
“WD PURPLE”

£214

IPNVR116D-4TBW
NVR 16 INPUTS IP 5MP,
HDD 4TB WD PURPLE


HDD 4TB
“WD PURPLE”

£274

IPNVR116D-8TBW
NVR 16 INPUTS IP 5MP,
HDD 8TB WD PURPLE

HDD 8TB
“WD PURPLE”

£423



IP 100 SERIES



IPNVR136DSL NVR 36 IP INPUTS, 4K, NO HDD

Video inputs: 36 (4K / 5MP / 3MP / FULL-HD / HD)
Main video output: 1 (VGA), 1 (HDMI) - 3840x2160@30Hz, 1920x1080@60Hz, 1280x1024@60Hz
Alarm Inputs/Outputs: 4/4
Video compression: H.264, H.265 (High Profile@Level 4.2) / 16÷8000 kbps
Display / recording frame rate: 1080 fps@4K Real time
Installable hard drive: 8 x 6 TB max
Operating system: Linux embedded
Video analytics: Counting, object stolen/abandoned, area detection (object entering/leaving), virtual guard
Protocols supported: HTTP, TCP/IP, UPnP, SMTP (SSL), DHCP, DDNS, PPPoE, NTP, P2P, RTSP, Comelit DNS, ONVIF 2.2
Remote control via browser: Internet Explorer, Firefox, Chrome, Safari
Remote control by software: Comelit View 100
Remote control by mobile: app Comelit View 100 (Android, iOS)
Type of connections/ports: 2xUSB 2.0, USB 3.0, RS485, 2xEthernet 10/100/1000Mbit/s, eSATA
AC supply voltage: 100÷240V, 47÷63Hz

£420

UP TO 4K

8CH BACK-END VIDEO ANALYSIS



IPNVR136D-2TBW NVR 36 IP INPUTS, 4K, HDD 2TB WD PURPLE

HDD 2TB “WD PURPLE”

£507

IPNVR136D-4TBW NVR 36 IP INPUTS, 4K, HDD 4TB WD PURPLE

HDD 4TB “WD PURPLE”

£570

IPNVR136D-8TBW NVR 36 IP INPUTS, 4K, HDD 8TB WD PURPLE

HDD 8TB “WD PURPLE”

£719

IPNVR136D-12TBW NVR 36 IP INPUTS, 4K, HDD 12TB WD PURPLE

HDD 12TB “WD PURPLE”

£868

IPNVR136D-16TBW NVR 36 IP INPUTS, 4K, HDD 16TB WD PURPLE

HDD 16TB “WD PURPLE”


£1018

IPNVR136D-32TBW NVR 36 IP INPUTS, 4K, HDD 32TB WD PURPLE

HDD 32TB “WD PURPLE”

£1615

BIG
PROMO



IP 100 SERIES

IPNVR164DSL
NVR W/64 4K IP INPUTS, NO HDD

Video inputs: 64 (4K)
Main video output: 1 (VGA), 1 (HDMI), 3840 X 2160 (4k)
Alarm inputs/outputs: 4/4
Video compression: H.264, H.265
Main features: video analysis management (8 local + 56 with dedicated cameras), RAID (0, 1, 5, 6, 10), dual password, HDD grouping, instant playback
Video analysis: target counting, object left/removed, enter area, line crossing
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, UPnP, SMTP, DHCP, DDNS, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome, Safari
Remote control by software: Comelit View 100
Remote control by mobile: app Comelit View 100 (Android, iOS)
Type of connections/ports: 2xUSB 2.0, USB 3.0, RS485, 2xEthernet 10/100/1000Mbit/s, eSATA
AC supply voltage: 100÷240V, 50÷60Hz

UP TO 4K

4CH BACK-END VIDEO ANALYSIS



NEW

£511

IPNVR164D-4TBW
NVR W/64 4K IP
INPUTS, HDD 4TB
WD PURPLE

HDD 4TB “WD PURPLE”

£660

IPNVR164D-8TBW
NVR W/64 4K IP
INPUTS, HDD 8TB
WD PURPLE

HDD 8TB “WD PURPLE”

£809

IPNVR164D-12TBW
NVR W/64 4K IP
INPUTS, HDD 12TB
WD PURPLE

HDD 12TB “WD PURPLE”

£959

IPNVR164D-16TBW
NVR W/64 4K IP
INPUTS, HDD 16TB
WD PURPLE

HDD 16TB “WD PURPLE”

£1108

IPNVR164D-32TBW
NVR W/64 4K IP
INPUTS, HDD 32TB
WD PURPLE

HDD 32TB “WD PURPLE”

£1705

IPNVR128DSL
NVR W/128 4K IP INPUTS NO HDD


Video inputs: 128 (4K)
Main video output: 1 (VGA), 1 (HDMI), 3840 X 2160 (4k)
Alarm inputs/outputs: 4/4
Video compression: H.264, H.265
Main features: video analysis management (8 local + 56 with dedicated cameras), RAID (0, 1, 5, 6, 10), dual password, HDD grouping, instant playback
Video analysis: target counting, object left/removed, enter area, line crossing
Operating system: Linux embedded
Protocols supported: HTTP, TCP/IP, UPnP, SMTP, DHCP, DDNS, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome, Safari
Remote control by software: Comelit View 100
Remote control by mobile: app Comelit View 100 (Android, iOS)
Type of connections/ports: 2xUSB 2.0, USB 3.0, RS485, 2xEthernet 10/100/1000Mbit/s, eSATA
AC supply voltage: 100÷240V, 50÷60Hz

NEW

£1138

Please contact Sales for storage options up to 96TB





IP ACCESSORIES



IPSWC080A
NETWORK SWITCH, GIGABIT, 8
PORTS



£23

Network switch with 8 gigabit ports. Power supply in equipment.


IPSWC160A
NETWORK SWITCH, GIGABIT,
16 PORTS



£61

Network switch with 16 gigabit ports.

IPSWP050A
NETWORK SWITCH, GIGABIT, 5
PORTS (4 PoE)



£68

Network switch with 5 gigabit ports (4 PoE), max 26W per port, max 75W total.

IPSWP080A
NETWORK SWITCH, GIGABIT, 8
PORTS POE



£101

Network switch with 8 gigabit PoE ports, max 30W per port, max 150W total.


IPSWP160A
NETWORK SWITCH, GIGABIT,
16 PORTS POE



£171

Network switch with 16 PoE gigabit ports, max 30W per port, max 260W total.

BIG
PROMO



HD ANALOGUE SYSTEM - AHD

AHDVR0320A

4-HYBRID DVR, 32 HD INPUTS, 480 IPS, 2TB HDD

Video inputs: 32 (AHD/TVI 720p/960p, IP 1080p, CVBS 960H)

Main video output: 1 (VGA - 1920x1080@60Hz), 1 (HDMI - 4K@30Hz)

Alarm Inputs/Outputs: 4/1

Video compression: H.264

Display / recording frame rate: 480fps@(AHD/TVI 720p, CVBS 960H, IP Easy FULL-HD)

Hard disk capacity supplied: 2TB (6TB max)

Additional Hard Disks (SATA): 1 (6TB max)

Operating system: Linux embedded

Protocols supported: TCP/IP, PPPoE, DHCP, DDNS, P2P, Comelit DNS

Remote control via browser: Internet Explorer, Firefox, Chrome

Remote control by software: Comelit CMS

Remote control by mobile: APP Comelit View S (Android, iOS)

Type of connections/ports: 1xRS485, 2xUSB 2.0, 1xEthernet 10/100/1000 Mbit/s

AC supply voltage: 100÷240V / 50÷60Hz



£ **305**



ANALOGUE HD

HDD 2TB

4-HYBRID (AHD, TVI, ANALOGUE, IP EASY)



AHCAM608B

FULL-HD BULLET AHD CAMERA, 3.6MM, IR 25M, IP66

Camera sensor: 1/2.8" CMOS Sony

Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)

IR filter: Mechanical

Video output: AHD / CVBS (960H)

Video resolution (H x V): 1920x1080 (FULL-HD 1080p)

Main functions: Sense-Up, Defog

No. IR LEDs / Max. distance (m): 30 led / 25m

DC supply voltage: 12V

£ **29**

ANALOGUE FULL HD



AHCAM628B

FULL-HD MINDOME AHD CAMERA, 3.6MM, IR 20M, IP66

Camera sensor: 1/2.8" CMOS Sony

Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)

IR filter: Mechanical

Video output: AHD / CVBS (960H)

Video resolution (H x V): 1920x1080 (FULL-HD 1080p)

Main functions: OSD menu, Sense-Up, Defog

No. IR LEDs / Max. distance (m): 24 led / 20m

DC supply voltage: 12V

£ **28**

ANALOGUE FULL HD

AHCAM618B

FULL-HD BULLET AHD CAMERA, 2.8-12MM, IR 30M, IP66

Camera sensor: 1/2.8" CMOS Sony

Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)

IR filter: Mechanical

Video output: AHD / CVBS (960H)

Video resolution (H x V): 1920x1080 (FULL-HD 1080p)

Main functions: OSD menu, Sense-Up, Defog

No. IR LEDs / Max. distance (m): 36 led / 30m

DC supply voltage: 12V

£ **42**

ANALOGUE FULL HD

AHCAM638B

also available in grey colour - AHCAM638A/G

FULL-HD MINIDOME AHD CAMERA, 2.8-12MM, IR 30M, IP66

Camera sensor: 1/2.8" CMOS Sony

Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)

IR filter: Mechanical

Video output: AHD / CVBS (960H)

Video resolution (H x V): 1920x1080 (FULL-HD 1080p)

Main functions: OSD menu, Sense-Up, Defog

No. IR LEDs / Max. distance (m): 36 leds / 30m

DC supply voltage: 12V

£ **43**

ANALOGUE FULL HD

AHCAM618ZA

FULL-HD BULLET AHD CAMERA, MOT.ZOOM 2.8-12MM, IR

Camera sensor: 1/2.8" CMOS Sony

Sensitivity (lux): 0.05 (colour) / 0 (B/W, led IR ON)

IR filter: Mechanical

Video output: AHD / TVI / CVI / CVBS (960H)

Video resolution (H x V): 1920x1080 (FULL-HD 1080p)

Main functions: OSD menu, Sense-Up, Defog, UTC control

No. IR LEDs / Max. distance (m): 36 led / 30m

DC supply voltage: 12V

£ **57**

ANALOGUE FULL HD

MOTORIZED ZOOM AND AUTOFOCUS



AHCAM638ZA

FULL-HD MINIDOME AHD CAMERA, MOT. ZOOM 2.8-12MM

Camera sensor: 1/2.8" CMOS Sony

Sensitivity (lux): 0.05 (colour) / 0 (B/W, led IR ON)

IR filter: Mechanical

Video output: AHD / TVI / CVI / CVBS (960H)

Video resolution (H x V): 1920x1080 (FULL-HD 1080p)

Main functions: OSD menu, Sense-Up, Defog, UTC control

No. IR LEDs / Max. distance (m): 36 led / 30m


DC supply voltage: 12V

£ **61**

ANALOGUE FULL HD

MOTORIZED ZOOM AND AUTOFOCUS





HD ANALOGUE SYSTEM - AHD



AHCAM638AWDR AHD FULL-HD MINIDOME CAMERA, 2.8-12MM WDR

Camera sensor: 1/2.8" CMOS Sony Starvis 2.13MP
Lens: varifocal 2.8-12mm
Video output: AHD/TVI/CVI CVBS (960H)
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Sensitivity (lux): 0.0001 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Main functions: OSD menu, BLC, WDR (120dB), 3DNR
No. IR LEDs / Max. distance (m): 24 leds SMD / 35m
DC supply voltage: 12V



NEW

£49

ANALOGUE FULL HD

AHCAM633A AHD VANDALDOME FULL-HD CAMERA,6-22MM,IR 15M, IP66

Camera sensor: 1/2.8" CMOS Sony
Sensitivity (lux): 0.05 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video output: AHD / TVI / CVI / CVBS (960H)
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Main functions: OSD menu, Sense-Up, Defog
No. IR LEDs / Max. distance (m): 18 led / 15m
DC supply voltage: 12VDC



£64

ANALOGUE FULL HD
VANDALDOME IK10

MBRK631C WALL-MOUNTING ACCESSORY FOR CAMERA AHCAM631A AND AHCAM633A



£11

AHPTZ10IRB FULL-HD PTZ AHD CAMERA, 10X ZOOM, IR 50M, IP66

Camera sensor: 1/3" CMOS Sony
Camera optical zoom: 10x
Sensitivity (lux): 0.1 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video output: AHD
Video resolution (H x V): 1920x1080 (FULL-HD 1080p)
Main functions: 220 Preset, 3 Tour, Scan
No. IR LEDs / Max. distance (m): 6 Led array / 50m
DC supply voltage: 12V

£265

ANALOGUE FULL HD ZOOM 10X IR 50M

Wall mount bracket and power supply included




AHPT-1001B CEILING-MOUNTING BRACKET FOR CAMERA ART. AHPTZ10IRB Ceiling bracket for dome cameras art. AHPTZ10IR.

£29



BIG
PROMO



HD ANALOGUE SYSTEM - AHD

AHCAM619ZA

AHD BULLET CAMERA 3MP, ZOOM 2.8-12MM, IR 35M

Camera sensor: 1/3" CMOS
Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video output: AHD / TVI / CVI / CVBS (960H)
Video resolution (H x V): AHD/TVI (3MP - 1536p) / CVI (FULL-HD 1080p)
Main functions: OSD menu, UTC control
No. IR LEDs / Max. distance (m): 24 led SMD / 35m
DC supply voltage: 12V



£59



ANALOGUE 3MP

MOTORIZED ZOOM AND AUTOFOCUS

AHCAM639ZA

AHD MINIDOME CAMERA 3MP, ZOOM 2.8-12MM, IR 35M

Camera sensor: 1/3" CMOS
Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video output: AHD / TVI / CVI / CVBS (960H)
Video resolution (H x V): AHD/TVI (3MP - 1536p) / CVI (FULL-HD 1080p)
Main functions: OSD menu, Sense-Up, Defog, UTC control
No. IR LEDs / Max. distance (m): 24 led SMD / 35m
DC supply voltage: 12V



£63



ANALOGUE 3MP

MOTORIZED ZOOM AND AUTOFOCUS

AHCAM609A

AHD BULLET CAMERA 3MP, 3.6MM, IR 25M, IP66

Camera sensor: 1/3" CMOS
Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video output: AHD / TVI / CVI / CVBS (960H)
Video resolution (H x V): AHD/TVI (3MP - 1536p) / CVI (FULL-HD 1080p)
Main functions: OSD menu, UTC control
No. IR LEDs / Max. distance (m): 18 led SMD / 25m
DC supply voltage: 12V



£29



ANALOGUE 3MP

AHCAM629A

AHD MINIDOME CAMERA 3MP, 3.6MM, IR 25M, IP66


Camera sensor: 1/3" CMOS
Sensitivity (lux): 0.01 (colour) / 0 (B/W, led IR ON)
IR filter: Mechanical
Video output: AHD / TVI / CVI / CVBS (960H)
Video resolution (H x V): AHD/TVI (3MP - 1536p) / CVI (FULL-HD 1080p)
Main functions: OSD menu, Sense-Up, Defog
No. IR LEDs / Max. distance (m): 18 led SMD / 25m
DC supply voltage: 12V



£30



ANALOGUE 3MP



HD ANALOGUE SYSTEM - AHD



AHDVR043ASL 5-HYBRID DVR, 4 3MP INPUTS, NO HDD

Video inputs: 4 (AHD/TVI 3MP, CVI/IP 1080p, CVBS 960H)
Main video output: 1 (VGA), 1 (HDMI), 1920x1080 @ 60Hz
Video compression: H.264
Recording frame rate: 48fps@3MP-FULL-HD, 100fps@HD
Alarm Inputs/Outputs: 4/1
Installable hard drive: 1 x 4TB max
Operating system: Linux embedded
Protocols supported: TCP/IP, PPPoE, DHCP, DDNS, P2P, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 1xRS485, 2xUSB 2.0, 1xEthernet 10/100Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz



NEW
£ 72

P2P
Comelit DNS

UTC
CONTROL

Available on the App Store Google play

ANALOGUE 3MP

5-HYBRID (AHD, TVI, CVI, ANALOGUE, IP EASY)

AHDVR043A-1TBW
HDD 1TB
“WD PURPLE”

AHDVR043A-2TBW
HDD 2TB
“WD PURPLE”

AHDVR043A-4TBW
HDD 4TB
“WD PURPLE”

£ 127

£ 161

£ 221

AHDVR083ASL 5-HYBRID DVR, 8 3MP INPUTS, NO HDD

Video inputs: 8 (AHD/TVI 3MP, CVI/IP 1080p, CVBS 960H)
Main video output: 1 (VGA), 1 (HDMI), 1920x1080 @ 60Hz
Video compression: H.264
Recording frame rate: 96fps@3MP/FULL-HD, 200fps@HD
Alarm Inputs/Outputs: 4/1
Operating system: Linux embedded
Installable hard drive: 1 x 4TB max
Protocols supported: TCP/IP, PPPoE, DHCP, DDNS, P2P, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 1xRS485, 2xUSB 2.0, 1xEthernet 10/100Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz



£ 112

P2P
Comelit DNS

UTC
CONTROL

Available on the App Store Google play

ANALOGUE 3MP

5-HYBRID (AHD, TVI, CVI, ANALOGUE, IP EASY)

AHDVR083A-1TBW
HDD 1TB
“WD PURPLE”

AHDVR083A-2TBW
HDD 2TB
“WD PURPLE”

AHDVR083A-4TBW
HDD 4TB
“WD PURPLE”

£ 162

£ 196

£ 261

AHDVR163ASL 5-HYBRID DVR, 16 3MP INPUTS, NO HDD

Video inputs: 16 (AHD/TVI 3MP, CVI/IP 1080p, CVBS 960H)
Main video output: 1 (VGA), 1 (HDMI), 1920x1080 @ 60Hz
Video compression: H.264
Recording frame rate: 192fps@3MP, 240fps@FULL-HD, 400fps@HD
Alarm Inputs/Outputs: 4/1
Installable hard drive: 2 x 4TB max
Operating system: Linux embedded
Protocols supported: TCP/IP, PPPoE, DHCP, DDNS, P2P, Comelit DNS
Remote control via browser: Internet Explorer, Firefox, Chrome
Remote control by software: Comelit CMS
Remote control by mobile: APP Comelit View S (Android, iOS)
Type of connections/ports: 1xRS485, 2xUSB 2.0, 1xEthernet 10/100/1000Mbit/s
AC supply voltage: 100÷240V / 50÷60Hz



£ 199

P2P
Comelit DNS

UTC
CONTROL

Available on the App Store Google play

ANALOGUE 3MP

5-HYBRID (AHD, TVI, CVI, ANALOGUE, IP EASY)

AHDVR163A-2TBW
HDD 2TB
“WD PURPLE”

AHDVR163A-4TBW
HDD 4TB
“WD PURPLE”


AHDVR163A-8TBW
HDD 8TB
“WD PURPLE”

£ 273

£ 348

£ 498

BIG
PROMO



ACCESSORIES

JB-01G


**ANALOGUE AHD MINIDOME SMALL
CONNECTION BOX, GREY COLOUR**

JB-01W

**ANALOGUE AHD MINIDOME SMALL
CONNECTION BOX, WHITE COLOUR**

Suitable for AHCAM628B and AHCAM629A

£ **5**



Not waterproof

JB-02G


**ANALOGUE AHD MINIDOME LARGE
CONNECTION BOX, GREY COLOUR**

JB-02W

**ANALOGUE AHD MINIDOME LARGE
CONNECTION BOX, WHITE COLOUR**

Suitable for AHCAM638B-638A/G, AHCAM638ZA and AHCAM639ZA

£ **8**



Not waterproof

NEW

JB-04W

START AHD BULLET CONNECTION BOX, GREY

Suitable for SCAM118A, SCAM618A, AHCAM617A, AHCAM617B, AHCAM617C,
AHCAM618A, AHCAM618B, AHCAM618ZA and AHCAM619ZA



£ **12**

Not waterproof

43082UK

**POWER SUPPLY, JACK CONN.,
OUTPUT 12VDC/1.5A, UK
PLUG**

£ **6**




Until stock last

CONAL01A

**POWER SUPPLY CONNECTOR.
MALE JACK TERMINAL**

£ **2**



CONAL02A

**POWER SUPPLY CONNECTOR.
FEMALE JACK TERMINAL**

£ **2**



JB-100BB

CONNECTION BOX FOR IPCAM161B-162A-163A-165A

JB-100MB

CONNECTION BOX FOR IPCAM101C-102B-1638A

JB-100SMD


CONNECTION BOX FOR IPCAM1838A

JB-100MD

CONNECTION BOX FOR IPCAM166C-167A

£ **10**

£ **8**



Not waterproof

PSU-5A4PUK

**12V DC 5AMP 60W
4 PORT METAL BOX
PSU**

£ **29**

PSU-10A9PUK


**12V DC 10AMP 120W
9 PORT METAL BOX
PSU**


£ **34**

PSU-20A18PUK

**12V DC 20AMP 240W
18 PORT METAL BOX
PSU**

£ **45**





ACCESSORIES



WD20PURX
WD PURPLE
2TB 3.5" SATA
SURVEILLANCE
HD

£87

WD30PURX
WD PURPLE
3TB 3.5" SATA
SURVEILLANCE
HD

£119

WD40PURX
WD PURPLE
4TB 3.5" SATA
SURVEILLANCE
HD

£150

WD60PURX
WD PURPLE
6TB 3.5" SATA
SURVEILLANCE
HD

£240

VIDEOTEST LCD TESTER FOR ANALOGUE AND AHD VIDEO, RS485

Video tester for analogue signal, AHD/TVI (720p/1080p), UTP cables and RS485 serial (Pelco-P and Pelco-D protocol). 3.5" LCD screen, resolution 960 x 240. Video pattern generator, 12Vdc/1A output for camera power supply, battery life 8 hours. 9 Vdc/2A power supply unit supplied. Dimensions (W x H x D): 105 x 188 x 44 mm.

£134



Until stock last



Framing ratio: 16:9
Displayable colours (million): 16.7
Audio inputs/outputs: 1/2 (speakers, 2 W)
AC supply voltage: 100÷240 V 50÷60 Hz

SMON156A 15,6" LED-MONITOR, VGA, AUDIO, HD

Type of display: 15.6" LED
Video inputs: 1 (VGA)
Resolution: HD
Display brightness (cd/m2): 220

£74

HD

SMON185B **NEW** 18,5" LED-MONITOR, VGA, AUDIO, HD

Type of display: 18.5" led
Video inputs: 1(VGA), 1(BNC+1loop), 1(HDMI), 1(S-Video)
Resolution: HD
Display brightness (cd/m2): 250

£106

HD

MMON185A 18,5" LED-MONITOR, VGA, BNC, HDMI, AUDIO, HD

Type of display: 18.5" led
Video inputs: 1(VGA), 1(BNC+1loop), 1(HDMI), 1(S-Video)
Resolution: HD
Display brightness (cd/m2): 250

£147

HD


BNC

MMON215A 21,5" LED-MONITOR, VGA, HDMI, AUDIO, FULL-HD

Type of display: 21.5" led
Video inputs: 1(VGA), 1(HDMI)
Resolution: FULL-HD
Display brightness (cd/m2): 250

£142

FULL HD



[IT] **Comelit Group Spa**
Via Don Arrigoni 5
24020 Rovetta S. Lorenzo
Bergamo Italy
Tel. +39 (0) 346 750011
Fax +39 (0) 346 71436
www.comelitgroup.com
info@comelit.it

[AU] **Comelit Australia Pty Ltd**
Unit 6/11 Sabre Drive
Port Melbourne
Victoria 3207
Ph. 1300 889000
enquiries@comelitgroup.com.au

[BE] **Comelit Group Belgium**
Kleinewinkellan 24
1853 Grimbergen
Belgium
Tel. +32 2 411 50 99
Fax. +32 2 411 50 97
www.comelit.be
info@comelit.be

[CO] **Comelit Colombia**
Carrera 76#73-44, 2° piso
Bogotá, Colombia
Tel. (57-1) 4929358/79686
james.quimbaya@comelit.it
www.comelit.com.co

[DE] **Comelit Group S.p.A. Deutschland**
Konrad-Zuse-Str. 2
41516 Grevenbroich
Tel. 0 21 82-82 96-0
Fax: 0 21 82-82 96-299
www.comelit.de
info@comelit.de

[ES] **Comelit Group Spa Sucursal en Espana**
Calle Pintor Roig i Soler, 28
08916 - Badalona (Barcelona)
Tel. +34 932 430 376
Fax +34 934 084 683
www.comelit.es
info@comelit.es

[FR] **Comelit Immotec**
18, rue Séjourné
94000 CRÉTEIL CEDEX
Tél. +33 (0) 1 43 53 97 97
Fax +33 (0) 1 43 53 97 87
www.comelit.fr
contact@comelit-immotec.fr

[GR] **Comelit Hellas Telergo Security Ltd**
Roumelis, 59
16451 Argiroupoli - Athens Greece
Tel. +30 210 99 68 605-6
Fax +30 210 99 45 560
www.comelit.gr
telergo@otenet.gr

[IE] **Comelit Ireland**
Ground Floor
14 Herbert Street - Dublin 2
Tel. +353 (0) 1 619 0204
Fax +353 (0) 1 619 0298
www.comelit.ie
info@comelit.ie

[NL] **Comelit Nederland BV**
Buitendijks 1-3356 LX
Papendrecht
Tel. +31 786511201
Fax +31 786170955
www.comelit.nl
info@comelit.nl

[SG] **Comelit South East Asia Pte Ltd**
Victory Centre
110 Lorong 23 Geylang, #05-10
388410 Singapore
Tel. +6567024780
www.comelit.sg
office@comelit.sg

[AE] **Comelit Middle East**
Office 1-154, Techno Hub
Dubai Silicon Oasis
Free zone - Dubai, UAE
www.comelit.ae
info@comelit.ae

[GB] **Comelit Group UK Ltd**
Unit 4 Mallow Park Watchmead
Welwyn Garden City Herts
AL7 1GX
Tel: +44 (0)1707377203
Fax: +44 (0)1707377204
www.comelitgroup.co.uk
info@comelitgroup.co.uk

[US] **Comelit Usa**
2021 S. Myrtle Avenue
Monrovia, CA 91016
Tel. +1 626 930 0388
Fax +1 626 930 0488
www.comelitusa.com
sales@comelitusa.com

[RU] **Comelit Group Russia**
Moscow,
Krasnogvardeiskiy bulvar, 7A
tel: +7(495)789-49-33
www.comelit.ru
mail: tsn@comelit.ru
mail: info@comelit.ru

[HK] **Comelit Hong Kong**
Representative Office
Rm 601, 6/F, Tung Hip
Commercial Building,
248 Dex Voeux Road Central,
Office direct line:
+852 3582 1632
www.comelit.hk
info@comelit.hk

COMELIT BIGPROMO

TRADE PRICES VALID FROM 1st SEPTEMBER TO 31st DECEMBER 2017

Products NOW Ex Stock - This offer is valid only for products available on stock. Trade prices are in Pounds, Net, excluding VAT and valid for security trade customers only. Information is subject to change without notice.

Comelit Group UK Ltd

Unit 4 Mallow Park Welwyn - Garden City Herts AL7 1GX - UNITED KINGDOM

T: +44 01707377203 - F: +44 01707377204

Technical help and advice 01707 339888

www.comelitgroup.co.uk - cctv@comelitgroup.co.uk

 **Comelit®**
Passion. Technology. Design.