



Radionics™

D7412/D7212 Program Record Sheet

Date _____

Subscriber Name _____ Premises Phone _____

Address _____

City / State / ZIP _____

Installer Name _____ Subscriber Name _____

Record Name _____

NOTE: This Program Record Sheet contains the entries found in the **9000MAIN, RADXUSR1, RADXPNTS,** and **RADXSKED** product handlers. It includes all custom options. Items with a diamond (♦) are specific to the D7412.

| Area | Account # | Area Description |
|------|-----------|------------------|
| 1 | _____ | _____ |
| 2 | _____ | _____ |
| 3 | _____ | _____ |
| 4 | _____ | _____ |
| 5 | _____ | _____ |
| 6 | _____ | _____ |
| 7 | _____ | _____ |
| 8 | _____ | _____ |

Control/Communicator Location _____ Phone # _____

Aux Power Current Load _____ mA AC Voltage _____ VAC Battery Voltage _____ VDC

Earth Ground Location _____

Transformer Location _____ RJ38X _____

Bell/Siren Locations _____

Panel Wide Parameters

Phone

Phone 1 _____
 Phone 2 _____
 Phone 3 _____
 Phone 4 _____

Phone Parameters

| | | | |
|-----------------|----------|------------------|--------------|
| Modem Format | Yes / No | Buzz On Fail | Yes / No |
| Point/User Flag | Yes / No | Two Phone Lines | Yes / No |
| DTMF Dialing | Yes / No | BFSK Duress Code | 0 _____ |
| Phone Supv Time | _____ | Expand Test Rpt | Yes / No |
| Alarm On Fail | Yes / No | Ground Start | Short / Long |

Routing

Routing Options: Primary (Blank, 1 - 4), Backup (Blank, 1 - 4)

View Events? Yes / No

| Route 1 | Route 2 | Route 3 | Route 4 |
|----------------|----------------|----------------|----------------|
| ____ | ____ | ____ | ____ |
| Primary Backup | Primary Backup | Primary Backup | Primary Backup |

Fire Reports View Events ▼

| Route 1 | Route 2 | Route 3 | Route 4 |
|----------|----------|----------|----------|
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |
| Yes / No | Yes / No | Yes / No | Yes / No |

Burglar Reports ▼

| | | | | |
|----------------------|----------|----------|----------|----------|
| Alarm Report | Yes / No | Yes / No | Yes / No | Yes / No |
| Burg Restore | Yes / No | Yes / No | Yes / No | Yes / No |
| Duress | Yes / No | Yes / No | Yes / No | Yes / No |
| Missing Alarm | Yes / No | Yes / No | Yes / No | Yes / No |
| User Code Tamper | Yes / No | Yes / No | Yes / No | Yes / No |
| Trouble Report | Yes / No | Yes / No | Yes / No | Yes / No |
| Missing Trouble | Yes / No | Yes / No | Yes / No | Yes / No |
| Non-Fire Supervision | Yes / No | Yes / No | Yes / No | Yes / No |
| Point Bus Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Point Bus Restoral | Yes / No | Yes / No | Yes / No | Yes / No |
| Non-Fire Cancel | Yes / No | Yes / No | Yes / No | Yes / No |
| Alarm Restore | Yes / No | Yes / No | Yes / No | Yes / No |
| Supervision Missing | Yes / No | Yes / No | Yes / No | Yes / No |

Routing table continued on next page



NOTE: A heavy line box around a set of parameters indicates those parameters are available only when View Events is programmed YES.

Panel Wide Parameters (continued)

Routing (continued)

| | Route 1 | Route 2 | Route 3 | Route 4 |
|---------------------------------|----------|----------|----------|----------|
| | Yes / No | Yes / No | Yes / No | Yes / No |
| User Reports ▼ | | | | |
| Point Bypass/Command Bypass | Yes / No | Yes / No | Yes / No | Yes / No |
| Forced Point | Yes / No | Yes / No | Yes / No | Yes / No |
| Point Opening | Yes / No | Yes / No | Yes / No | Yes / No |
| Point Closing | Yes / No | Yes / No | Yes / No | Yes / No |
| Was Force Armed | Yes / No | Yes / No | Yes / No | Yes / No |
| Fail To Open | Yes / No | Yes / No | Yes / No | Yes / No |
| Fail To Close | Yes / No | Yes / No | Yes / No | Yes / No |
| Extend Close Time | Yes / No | Yes / No | Yes / No | Yes / No |
| Opening Report | Yes / No | Yes / No | Yes / No | Yes / No |
| Forced Close | Yes / No | Yes / No | Yes / No | Yes / No |
| Closing Report | Yes / No | Yes / No | Yes / No | Yes / No |
| Forced Close Perim Instant | Yes / No | Yes / No | Yes / No | Yes / No |
| Forced Close Perim Delay | Yes / No | Yes / No | Yes / No | Yes / No |
| Perimeter Instant Armed | Yes / No | Yes / No | Yes / No | Yes / No |
| Perimeter Delay Armed | Yes / No | Yes / No | Yes / No | Yes / No |
| Send User Text | Yes / No | Yes / No | Yes / No | Yes / No |
| Test Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Alarm | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Trouble | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Supervision | Yes / No | Yes / No | Yes / No | Yes / No |
| Status Report | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Open | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Close | Yes / No | Yes / No | Yes / No | Yes / No |
| Test Report | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Perimeter Instant | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Perimeter Delay | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Fire Supervision | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Fire Alarm | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Fire Trouble | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Missing Fire (Trouble) | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Missing Burglary ((Trouble) | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Missing Burglary (Alarm) | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Fire Supervision Missing | Yes / No | Yes / No | Yes / No | Yes / No |
| S: Burglary Supervision Missing | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ S: Door Left Open | Yes / No | Yes / No | Yes / No | Yes / No |
| Diagnostic Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| SDI Device Failure | Yes / No | Yes / No | Yes / No | Yes / No |
| SDI Device Restoral | Yes / No | Yes / No | Yes / No | Yes / No |
| Watchdog Reset | Yes / No | Yes / No | Yes / No | Yes / No |
| Parameter Checksum Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Reboot | Yes / No | Yes / No | Yes / No | Yes / No |
| Phone Line Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Phone Line Restoral | Yes / No | Yes / No | Yes / No | Yes / No |
| AC Failure | Yes / No | Yes / No | Yes / No | Yes / No |
| AC Restoral | Yes / No | Yes / No | Yes / No | Yes / No |
| Battery Missing | Yes / No | Yes / No | Yes / No | Yes / No |
| Battery Low | Yes / No | Yes / No | Yes / No | Yes / No |

Routing table continued on next page



NOTE: A heavy line box around a set of parameters indicates those parameters are available only when *View Events* is programmed YES.

Panel Wide Parameters (continued)

Routing (continued)

| Diagnostic Reports (continued) | Route 1 | Route 2 | Route 3 | Route 4 |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|
| Battery Restoral | Yes / No | Yes / No | Yes / No | Yes / No |
| Route Comm Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Route Comm Restore | Yes / No | Yes / No | Yes / No | Yes / No |
| Checksum Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Relay Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| Sensor Reset | Yes / No | Yes / No | Yes / No | Yes / No |
| Relay Set | Yes / No | Yes / No | Yes / No | Yes / No |
| Relay Reset | Yes / No | Yes / No | Yes / No | Yes / No |
| Auto Function Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| Sked Executed | Yes / No | Yes / No | Yes / No | Yes / No |
| Sked Changed | Yes / No | Yes / No | Yes / No | Yes / No |
| Fail to Execute | Yes / No | Yes / No | Yes / No | Yes / No |
| RAM Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| Event Log Threshold | Yes / No | Yes / No | Yes / No | Yes / No |
| Event Log Overflow | Yes / No | Yes / No | Yes / No | Yes / No |
| Parameters Changed | Yes / No | Yes / No | Yes / No | Yes / No |
| RAM Access OK | Yes / No | Yes / No | Yes / No | Yes / No |
| RAM Access Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Remote Reset | Yes / No | Yes / No | Yes / No | Yes / No |
| Program Access OK | Yes / No | Yes / No | Yes / No | Yes / No |
| Program Access Fail | Yes / No | Yes / No | Yes / No | Yes / No |
| Point Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| Service Start | Yes / No | Yes / No | Yes / No | Yes / No |
| Service End | Yes / No | Yes / No | Yes / No | Yes / No |
| Fire Walk Start | Yes / No | Yes / No | Yes / No | Yes / No |
| Fire Walk End | Yes / No | Yes / No | Yes / No | Yes / No |
| Walk Test Start | Yes / No | Yes / No | Yes / No | Yes / No |
| Walk Test End | Yes / No | Yes / No | Yes / No | Yes / No |
| Extra Point | Yes / No | Yes / No | Yes / No | Yes / No |
| Send Point Text | Yes / No | Yes / No | Yes / No | Yes / No |
| User Change Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| Date Changed | Yes / No | Yes / No | Yes / No | Yes / No |
| Time Changed | Yes / No | Yes / No | Yes / No | Yes / No |
| Delete User | Yes / No | Yes / No | Yes / No | Yes / No |
| User Code Change | Yes / No | Yes / No | Yes / No | Yes / No |
| Area Watch | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Card Assigned | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Change Level | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Access Reports ▼ | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Access Granted | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Access Denied | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Door Left Open | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Cycle Door | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Door Unlocked | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Door Secure | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Door Request | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Door Locked | Yes / No | Yes / No | Yes / No | Yes / No |

◆ D7412 only



NOTE: A heavy line box around a set of parameters indicates those parameters are available only when *View Events* is programmed YES.

Panel Wide Parameters (continued)

Power Supervision

| | | | |
|-----------------|-----------------|------------------|-----------------|
| AC Fail Time | <u>15</u> _____ | AC/Battery Buzz | Yes / No |
| AC Fail/Res Rpt | Yes / No | Bat Fail/Res Rpt | Yes / No |
| AC Tag Along | Yes / No | | |

Printer Parameters

| | | |
|--|----------------------------|---|
| | Address #17 | |
| Area Assignment Supervision Scope* | 1 _____ Yes / No | |
| Area 1 in Scope | Yes / No | These are individually programmed if Scope is programmed as "Custom." |
| Area 2 in Scope | Yes / No | |
| Area 3 in Scope | Yes / No | |
| Area 4 in Scope | Yes / No | |
| Area 5 in Scope | Yes / No | |
| Area 6 in Scope | Yes / No | |
| Area 7 in Scope | Yes / No | |
| Area 8 in Scope | Yes / No | |
| Fire Events | Yes / No | |
| Burglar Events | Yes / No | |
| ◆ Access Events | Yes / No | |
| User Events | Yes / No | |
| Test Events | Yes / No | |
| Diagnostic Events | Yes / No | |
| Auto Function Events | Yes / No | |
| RAM Events | Yes / No | |
| Relay Events | Yes / No | |
| Point Events | Yes / No | |
| User Change Events | Yes / No | |

*Scope Options: Account, Area, PanelWide, Custom, No Printer (Default = No Printer)

◆ D7412 only

NOTE: A heavy line box around a set of parameters indicates those parameters are available only when *Custom* is programmed YES.

R.A.M. Parameters

| | |
|------------------|---------------------|
| RAM Passcode | <u>999999</u> _____ |
| Log % Full | ____ |
| RAM Call Back | Yes / No |
| RAM Line Monitor | Yes / No |
| Answer Armed | <u>15</u> _____ |
| Answer Disarmed | <u>15</u> _____ |

RAM Phone: _____

Miscellaneous

| | |
|----------------|-----------------|
| Duress Type | 1 or 2 |
| Cancel Reports | Yes / No |

9000MAIN Handler

Area Parameters

| Area Parameters | Area 1 | Area 2 | Area 3 | Area 4 | Area 5 | Area 6 | Area 7 | Area 8 |
|-----------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Area On | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Account Number (0000) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| FA Bypass Max (1) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Delay Res | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Exit Tone | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Exit Dly Time (60) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Auto Watch | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Verify Time (60) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Duress Enable | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area Type* (Regular) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |

*Area Type options: Regular / Master / Assoc. / Shared.

| Bell Parameters | Area 1 | Area 2 | Area 3 | Area 4 | Area 5 | Area 6 | Area 7 | Area 8 |
|-------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Fire Time (6) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Fire Pattern** (Pulse) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Burg Time (6) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Burg Pattern** (Steady) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Single Ring | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Bell Test | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |

**Pattern options: Steady / Pulse March Time / CA Standard / Temporal Code 3.

| Open/Close Options | Area 1 | Area 2 | Area 3 | Area 4 | Area 5 | Area 6 | Area 7 | Area 8 |
|-----------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Acct O/C | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area O/C | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Disable O/C in Window | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Auto Close | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Fail To Open | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Fail To Close | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Restricted O/C | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Perimeter O/C | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |

Command Center

| Command Center Assignmnt | Addr 1 | Addr 2 | Addr 3 | Addr 4 | Addr 5 | Addr 6 | Addr 7 | Addr 8 |
|---|----------|----------|----------|----------|----------|----------|----------|----------|
| Supervision | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area Assigned (1) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Scope*** | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| NOTE: These parameters are individually programmable if CC Scope is programmed as "Custom." | | | | | | | | |
| Area 1 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 2 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 3 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 4 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 5 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 6 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 7 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Area 8 in Scope | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Enter Key Relay (A-64) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| ◆ Enter Key Cycle Door | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Assign Door (1-2) | _____ | _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| Trouble Tone | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Entry Tone | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Exit Tone | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| Arm Area Warning Tone | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |
| ◆ Close Door Warning Tone | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No | Yes / No |

*** Scope Options: Account, Area, PanelWide, Custom, No Keypad. Default Address 1 = Panel Wide; Address 2 - 8 = No Keypad.

◆ D7412 only

Command Center (continued)

Area Text

| | | | | |
|-------------------|------------------|---------------|------------------|---------------|
| | Default | Area 1 | Default | Area 2 |
| Area # Is On | A1 AREA 1 IS ON | _____ | A2 AREA 2 IS ON | _____ |
| Area # Not Ready | A1 NOT READY | _____ | A2 NOT READY | _____ |
| Area # Is Off | A1 AREA 1 IS OFF | _____ | A2 AREA 2 IS OFF | _____ |
| Area # Acct Is On | A1 ACCOUNT IS ON | _____ | A2 ACCOUNT IS ON | _____ |
| | Default | Area 3 | Default | Area 4 |
| Area # Is On | A3 AREA 3 IS ON | _____ | A4 AREA 4 IS ON | _____ |
| Area # Not Ready | A3 NOT READY | _____ | A4 NOT READY | _____ |
| Area # Is Off | A3 AREA 3 IS OFF | _____ | A4 AREA 4 IS OFF | _____ |
| Area # Acct Is On | A3 ACCOUNT IS ON | _____ | A4 ACCOUNT IS ON | _____ |
| | Default | Area 5 | Default | Area 6 |
| Area # Is On | A5 AREA 5 IS ON | _____ | A6 AREA 6 IS ON | _____ |
| Area # Not Ready | A5 NOT READY | _____ | A6 NOT READY | _____ |
| Area # Is Off | A5 AREA 5 IS OFF | _____ | A6 AREA 6 IS OFF | _____ |
| Area # Acct Is On | A5 ACCOUNT IS ON | _____ | A6 ACCOUNT IS ON | _____ |
| | Default | Area 7 | Default | Area 8 |
| Area # Is On | A7 AREA 7 IS ON | _____ | A8 AREA 8 IS ON | _____ |
| Area # Not Ready | A7 NOT READY | _____ | A8 NOT READY | _____ |
| Area # Is Off | A7 AREA 7 IS OFF | _____ | A8 AREA 8 IS OFF | _____ |
| Area # Acct Is On | A7 ACCOUNT IS ON | _____ | A8 ACCOUNT IS ON | _____ |

Custom Function

| | Text | Key Stroke |
|--------|-------------|-------------------|
| CF 128 | _____ | _____ |
| CF 129 | _____ | _____ |
| CF 130 | _____ | _____ |
| CF 131 | _____ | _____ |

| Custom Function Key Codes | | | |
|----------------------------------|---|---------|----------|
| 0-9 | = | 0-9 | C = ESC |
| A | = | COMMAND | D = NEXT |
| B | = | PREV | E = ENT |

User Interface

| # | Functions* | Command | E/P | Authority Levels | | | | | | | | | | | | | | |
|----------|-------------------------|-----------|----------|------------------|---|---|---|---|---|---|---|---|----|----|----|----|----|----|
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 1 | Disarm ? | | P | E | E | E | E | E | | | | | | | | | | |
| 2 | Master Arm Delay ? | CMD 1 | P | E | E | E | E | E | | | | | | | | | | |
| 3 | Master Arm Instant? | CMD 11 | | E | E | | | | | | | | | | | | | |
| 4 | Perimeter Instant ? | CMD 2 | P | E | E | E | E | | | | | | | | | | | |
| 5 | Perimeter Delay ? | CMD 3 | P | E | E | E | E | | | | | | | | | | | |
| 6 | Watch Mode ? | CMD 6 | E | E | E | E | | | | | | | | | | | | E |
| 7 | Perimeter Part ? | CMD 8 | P | E | E | E | E | | | | | | | | | | | |
| 8 | View Area Status ? | | P | E | E | | | | | | | | | | | | | E |
| 9 | View Memory ? | CMD 40 | E | E | E | E | | | | | | | | | | | | E |
| 10 | View Pt Status ? | | E | E | E | E | | | | | | | | | | | | E |
| 11 | Walk Test ? | CMD 44 | E | E | E | | | | | | | | | | | | | E |
| 12 | Fire Test ? | CMD 58 | P | E | E | | | | | | | | | | | | | E |
| 13 | Send Report ? | CMD 41/42 | P | | | | | | | | | | | | | | | E |
| 14 | ◆ Door Control ? | CMD 46 | P | E | E | | | | | | | | | | | | | E |
| | ◆ Cycle Door ? | | E | E | E | | | | | | | | | | | | | E |
| | ◆ Unlock Door ? | | E | E | E | | | | | | | | | | | | | E |
| | ◆ Secure Door ? | | E | E | | | | | | | | | | | | | | E |
| 37 | ◆ Access Control Level? | | P | E | | | | | | | | | | | | | | E |
| 15 | Change Display ? | CMD 49 | E | E | | | | | | | | | | | | | | E |
| 16 | Change Time/Date ? | CMD 45 | E | E | | | | | | | | | | | | | | E |
| 17 | Change Passcode ? | CMD 55 | P | E | | | | | | | | | | | | | | E |
| 18 | Add User ? | CMD 56 | P | E | | | | | | | | | | | | | | E |
| 19 | Del User ? | CMD 53 | P | E | | | | | | | | | | | | | | E |
| 20 | Extend Close ? | CMD 51 | P | | | | | | | | | | | | | | | E |
| 21 | View Log ? | | E | E | | | | | | | | | | | | | | E |
| 22 | Print Log ? | | P | E | | | | | | | | | | | | | | E |
| 23 | User Command 7 ? | CMD 7 | P | | | | | | | | | | | | | | | E |
| 24 | User Command 9 ? | CMD 9 | P | | | | | | | | | | | | | | | E |
| 25 | Bypass a Point ? | CMD 0 | P | E | E | E | E | | | | | | | | | | | E |
| 26 | Unbypass a Point ? | CMD 00 | P | E | E | E | E | | | | | | | | | | | E |
| 27 | Reset Sensors ? | CMD 47 | E | E | E | E | E | | | | | | | | | | | E |
| 28 | Change Relays ? | CMD 54 | P | E | E | | | | | | | | | | | | | E |
| 29 | Remote Program ? | CMD 43 | P | E | E | E | E | | | | | | | | | | | E |
| 30 | Move To Area ? | CMD 50 | P | E | E | | | | | | | | | | | | | E |
| 32 | Display Rev ? | CMD 59 | E | E | | | | | | | | | | | | | | E |
| 33 | Service Walk ? | | P | | | | | | | | | | | | | | | E |
| 34 | Default Text ? | CMD 57 | P | | | | | | | | | | | | | | | E |
| 35 | Change Skeds ? | CMD 52 | P | E | | | | | | | | | | | | | | E |
| # | Custom Functions | | | | | | | | | | | | | | | | | |
| 128 | Custom Function 128 | | P | E | | | | | | | | | | | | | | |
| 129 | Custom Function 129 | | P | E | | | | | | | | | | | | | | |
| 130 | Custom Function 130 | | P | E | | | | | | | | | | | | | | |
| 131 | Custom Function 131 | | P | E | | | | | | | | | | | | | | |

* Command Center Function Authority Level Options: Blank = Disabled, E = Enabled. A boldface **P** indicates that this command center function is invisible in the [CMD Ctr functions] menu of the D5200 Programmer. ◆ D7412 only.

TABLE CONTINUED ON NEXT PAGE

User Interface (continued)

| Report Levels | | | | | | | | | | | | | | | | |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Force Arm ? | P | E | E | E | E | E | E | | | | | | | | | |
| Area O/C ? | P | | | | | | | | | | | | | | | |
| Restricted O/C ? | P | | | | | | | | | | | | | | | |
| Perimeter O/C ? | P | | | | | | | | | | | | | | | |
| Send Duress ? | P | E | E | E | E | E | E | E | E | E | E | E | E | E | E | E |
| Passcode Arm ? | P | E | E | E | E | E | E | | | | | | | | | |
| Passcode Disarm ? | P | E | E | E | E | E | | | | | | | | | | |
| ◆ Access Levels** | | | | | | | | | | | | | | | | |
| ◆ Access Level ? | E | M | M | P | P | P | D | | | | | | | | | |
| ◆ Disarm Level ? | E | I | D | D | D | D | | | | | | | | | | |

* Command Center Function Authority Level Options: Blank = Disabled, E = Enabled. A boldface **P** or **E** in the E/P column indicates that this command center function is invisible in the [CMD Ctr functions] menu of the D5200 Programmer. ◆ D7412 only.

** Access Authority Level Options:

| | |
|----------------------|--|
| Access Level? | M = Any Armed State, P = Perimeter Armed, D = Disarmed, Blank = No Access |
| Disarm Level? | I = Disarm to Perimeter Instant, D = Disarm All, Blank = No Disarm Rights |

Function List

| Menu Item | Function | CC Address 1 | CC Address 2 | CC Address 3 | CC Address 4 | CC Address 5 | CC Address 6 | CC Address 7 | CC Address 8 |
|-----------|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 1 | <u>6</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 2 | <u>27</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 3 | <u>29</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 4 | <u>11</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 5 | <u>15</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 6 | <u>16</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 7 | <u>17</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 8 | <u>18</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 9 | <u>19</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 10 | <u>25</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 11 | <u>26</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 12 | <u>9</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 13 | <u>10</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 14 | <u>8</u> _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 15 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 16 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 17 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 18 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 19 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 20 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 21 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 22 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 23 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 24 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 25 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 26 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 27 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 28 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 29 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 30 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 31 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |
| 32 | _____ | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No | Yes/No |

Relay Parameters

| Area Relays | ----- AREA ----- | | | | | | | |
|-----------------|------------------|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Alarm Bell * | A | A | A | A | A | A | A | A |
| Fire Bell * | A | A | A | A | A | A | A | A |
| Reset Sensors * | C | C | C | C | C | C | C | C |
| Fail To Close | | | | | | | | |
| Force Armed | | | | | | | | |
| Watch Mode * | | | | | | | | |
| Area Armed * | | | | | | | | |
| Area Fault | | | | | | | | |
| Duress Relay * | | | | | | | | |
| Perim Fault | | | | | | | | |
| Silent Alarm | | | | | | | | |

Panel Wide Relays

| | |
|----------------------|--|
| AC Failure | |
| Battery Trouble | |
| Phone Fail | |
| Comm Fail | |
| Log % Full | |
| Summary Fire | |
| Summary Alarm | |
| Summary Fire Trouble | |
| Summary Supv Fire | |
| Summary Trouble | |
| Summary Supv Burg | |

* The same relay can be shared between areas and functions. A different relay must be used for each area and/or function unless indicated by the asterisk (*).

Relay # Description

Relay # Description

| | |
|----|----|
| A | 32 |
| B | 33 |
| C | 34 |
| 1 | 35 |
| 2 | 36 |
| 3 | 37 |
| 4 | 38 |
| 5 | 39 |
| 6 | 40 |
| 7 | 41 |
| 8 | 42 |
| 9 | 43 |
| 10 | 44 |
| 11 | 45 |
| 12 | 46 |
| 13 | 47 |
| 14 | 48 |
| 15 | 49 |
| 16 | 50 |
| 17 | 51 |
| 18 | 52 |
| 19 | 53 |
| 20 | 54 |
| 21 | 55 |
| 22 | 56 |
| 23 | 57 |
| 24 | 58 |
| 25 | 59 |
| 26 | 60 |
| 27 | 61 |
| 28 | 62 |
| 29 | 63 |
| 30 | 64 |
| 31 | |

RADXUSR1 Handler

User (Passcode) Worksheet (User 000 to 038)

| User ### | Passcode | User Group | Area Authority | | | | | | | | User Name |
|-------------|---------------|---------------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------------------|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 000 | <u>123</u> | | <u>15</u> | <u>15</u> | <u>15</u> | <u>15</u> | <u>15</u> | <u>15</u> | <u>15</u> | <u>15</u> | <u>SERVICE PASSCODE</u> |
| 001 | <u>123456</u> | --- | <u>1</u> | --- | --- | --- | --- | --- | --- | --- | <u>USER 1</u> |
| 002 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 2</u> |
| 003 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 3</u> |
| 004 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 4</u> |
| 005 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 5</u> |
| 006 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 6</u> |
| 007 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 7</u> |
| 008 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 8</u> |
| 009 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 9</u> |
| 010 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 10</u> |
| 011 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 11</u> |
| 012 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 12</u> |
| 013 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 13</u> |
| 014 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 14</u> |
| 015 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 15</u> |
| 016 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 16</u> |
| 017 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 17</u> |
| 018 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 18</u> |
| 019 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 19</u> |
| 020 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 20</u> |
| 021 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 21</u> |
| 022 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 22</u> |
| 023 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 23</u> |
| 024 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 24</u> |
| 025 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 25</u> |
| 026 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 26</u> |
| 027 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 27</u> |
| 028 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 28</u> |
| 029 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 29</u> |
| 030 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 30</u> |
| 031 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 31</u> |
| 032 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 32</u> |
| 033 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 33</u> |
| 034 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 34</u> |
| 035 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 35</u> |
| 036 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 36</u> |
| 037 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 37</u> |
| 038 | ----- | --- | --- | --- | --- | --- | --- | --- | --- | --- | <u>USER 38</u> |

◆ User (Token) Worksheet (User 000 to 038) D7412 Only

| User ### | Master ID ###-0 | | Sub-User ###-1 | | Sub-User ###-2 | | Sub-User ###-3 | |
|-------------|-----------------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|
| | Site | Card Data | Site | Card Data | Site | Card Data | Site | Card Data |
| 000 | | | | | | | | |
| 001 | | | | | | | | |
| 002 | | | | | | | | |
| 003 | | | | | | | | |
| 004 | | | | | | | | |
| 005 | | | | | | | | |
| 006 | | | | | | | | |
| 007 | | | | | | | | |
| 008 | | | | | | | | |
| 009 | | | | | | | | |
| 010 | | | | | | | | |
| 011 | | | | | | | | |
| 012 | | | | | | | | |
| 013 | | | | | | | | |
| 014 | | | | | | | | |
| 015 | | | | | | | | |
| 016 | | | | | | | | |
| 017 | | | | | | | | |
| 018 | | | | | | | | |
| 019 | | | | | | | | |
| 020 | | | | | | | | |
| 021 | | | | | | | | |
| 022 | | | | | | | | |
| 023 | | | | | | | | |
| 024 | | | | | | | | |
| 025 | | | | | | | | |
| 026 | | | | | | | | |
| 027 | | | | | | | | |
| 028 | | | | | | | | |
| 029 | | | | | | | | |
| 030 | | | | | | | | |
| 031 | | | | | | | | |
| 032 | | | | | | | | |
| 033 | | | | | | | | |
| 034 | | | | | | | | |
| 035 | | | | | | | | |
| 036 | | | | | | | | |
| 037 | | | | | | | | |
| 038 | | | | | | | | |

RADXUSR1 Handler

User (Passcode) Worksheet (User 039 to 075)

| User ### | Passcode | User Group | Area Authority | | | | | | | | User Name |
|-------------|----------|---------------|----------------|----|----|----|----|----|----|----|----------------|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 039 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 39</u> |
| 040 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 40</u> |
| 041 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 41</u> |
| 042 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 42</u> |
| 043 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 43</u> |
| 044 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 44</u> |
| 045 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 45</u> |
| 046 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 46</u> |
| 047 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 47</u> |
| 048 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 48</u> |
| 049 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 49</u> |
| 050 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 50</u> |
| 051 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 51</u> |
| 052 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 52</u> |
| 053 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 53</u> |
| 054 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 54</u> |
| 055 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 55</u> |
| 056 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 56</u> |
| 057 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 57</u> |
| 058 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 58</u> |
| 059 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 59</u> |
| 060 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 60</u> |
| 061 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 61</u> |
| 062 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 62</u> |
| 063 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 63</u> |
| 064 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 64</u> |
| 065 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 65</u> |
| 066 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 66</u> |
| 067 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 67</u> |
| 068 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 68</u> |
| 069 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 69</u> |
| 070 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 70</u> |
| 071 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 71</u> |
| 072 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 72</u> |
| 073 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 73</u> |
| 074 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 74</u> |
| 075 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 75</u> |

◆ User (Token) Worksheet (User 039 to 075) D7412 Only

| User ### | Master ID ###-0 | | Sub-User ###-1 | | Sub-User ###-2 | | Sub-User ###-3 | |
|-------------|-----------------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|
| | Site | Card Data | Site | Card Data | Site | Card Data | Site | Card Data |
| 039 | | | | | | | | |
| 040 | | | | | | | | |
| 041 | | | | | | | | |
| 042 | | | | | | | | |
| 043 | | | | | | | | |
| 044 | | | | | | | | |
| 045 | | | | | | | | |
| 046 | | | | | | | | |
| 047 | | | | | | | | |
| 048 | | | | | | | | |
| 049 | | | | | | | | |
| 050 | | | | | | | | |
| 051 | | | | | | | | |
| 052 | | | | | | | | |
| 053 | | | | | | | | |
| 054 | | | | | | | | |
| 055 | | | | | | | | |
| 056 | | | | | | | | |
| 057 | | | | | | | | |
| 058 | | | | | | | | |
| 059 | | | | | | | | |
| 060 | | | | | | | | |
| 061 | | | | | | | | |
| 062 | | | | | | | | |
| 063 | | | | | | | | |
| 064 | | | | | | | | |
| 065 | | | | | | | | |
| 066 | | | | | | | | |
| 067 | | | | | | | | |
| 068 | | | | | | | | |
| 069 | | | | | | | | |
| 070 | | | | | | | | |
| 071 | | | | | | | | |
| 072 | | | | | | | | |
| 073 | | | | | | | | |
| 074 | | | | | | | | |
| 075 | | | | | | | | |

RADXUSR1 Handler

User (Passcode) Worksheet (User 076 to 114)

| User ### | Passcode | User Group | Area Authority | | | | | | | | User Name |
|-------------|----------|---------------|----------------|----|----|----|----|----|----|----|----------------|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 076 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 76</u> |
| 077 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 77</u> |
| 078 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 78</u> |
| 079 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 79</u> |
| 080 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 80</u> |
| 081 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 81</u> |
| 082 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 82</u> |
| 083 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 83</u> |
| 084 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 84</u> |
| 085 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 85</u> |
| 086 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 86</u> |
| 087 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 87</u> |
| 088 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 88</u> |
| 089 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 89</u> |
| 090 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 90</u> |
| 091 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 91</u> |
| 092 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 92</u> |
| 093 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 93</u> |
| 094 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 94</u> |
| 095 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 95</u> |
| 096 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 96</u> |
| 097 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 97</u> |
| 098 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 98</u> |
| 099 | ----- | --- | -- | -- | -- | -- | -- | -- | -- | -- | <u>USER 99</u> |

◆ User (Token) Worksheet (User 076 to 114) D7412 Only

| User ### | Master ID ###-0 | | Sub-User ###-1 | | Sub-User ###-2 | | Sub-User ###-3 | |
|-------------|-----------------|-----------|----------------|-----------|----------------|-----------|----------------|-----------|
| | Site | Card Data | Site | Card Data | Site | Card Data | Site | Card Data |
| 076 | | | | | | | | |
| 077 | | | | | | | | |
| 078 | | | | | | | | |
| 079 | | | | | | | | |
| 080 | | | | | | | | |
| 081 | | | | | | | | |
| 082 | | | | | | | | |
| 083 | | | | | | | | |
| 084 | | | | | | | | |
| 085 | | | | | | | | |
| 086 | | | | | | | | |
| 087 | | | | | | | | |
| 088 | | | | | | | | |
| 089 | | | | | | | | |
| 090 | | | | | | | | |
| 091 | | | | | | | | |
| 092 | | | | | | | | |
| 093 | | | | | | | | |
| 094 | | | | | | | | |
| 095 | | | | | | | | |
| 096 | | | | | | | | |
| 097 | | | | | | | | |
| 098 | | | | | | | | |
| 099 | | | | | | | | |

RADXPNTS Handler

Point Index

Point Index Description

Point Index Default Descriptions

- 1 Hold Open on Short
- 2 Invisible/Silent Hold Up on Short
- 3 Fire Pull Station Alarm on Short
- 4 Smoke Detector with Reset Alarm on Short
- 5 Smoke Detector with Verification Reset and Alarm on Short
- 6 Bell Supervision Trouble on Open or Short
- 7 Perimeter Instant Alarm on Open or Short, Watch Point when Disarmed
- 8 Perimeter Delay on Short, Instant Arm on Short, Watch Point when Disarmed
- 9 Perimeter Instant Alarm on Open or Short, Local While Disarmed
- 10 Interior Instant Alarm on Open or Short

| Prompt | Point Index # | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------------------------|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Type (0-9) | | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 |
| Point Response (0-F) | | 0 | 1 | 1 | 1 | 1 | 3 | 1 | 7 | B | 1 |
| Entry Delay (5-600) | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 30 | 5 | 5 |
| Entry Tone Off | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Silent Bell | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Ring Until Restored | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Audible after 2 Fails | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Invisible Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Buzz on Fault (Blank, 1 - 2) | | | | | | | | | | | |
| Watch Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Relay Response Type (Blank, 1 - 2) | | | | | | | | | | | |
| Display as Device | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Local While Disarmed | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Local While Armed | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Disable Restorals | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| FA Returnable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Bypass Returnable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Bypassable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Swinger Bypass | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Report Bypass at Occurrence | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Defer Bypass Report | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Fire Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Alarm Verify | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Resettable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |

| Point Type Selections | |
|--------------------------|-----------------------------|
| Type | |
| 0 = 24 Hour | 6 = O/C Point |
| 1 = Perimeter | 7 = D279 (O/C Non-Priority) |
| 2 = Interior | 8 = D279 (O/C Priority) |
| 3 = Interior Follower | 9 = Easikey |
| 4 = Keyswitch Maintained | |
| 5 = Keyswitch Momentary | |

| Point Response Selections* | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | A | B | C | D | E | F |
|----------------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Armed | Open | I | I | I | I | D | D | I | I | D | I | I | I | I | I | T | |
| | Short | I | I | I | I | I | I | D | D | D | I | I | I | I | I | I | |
| Disarmed | Open | | T | | T | | | | T | | I | I | T | I | I | T | |
| | Short | | | T | T | | T | | | | I | T | I | I | I | | |
| 24-Hour | Open | I | T | I | T | | | I | T | S | T | S | | S | | | |
| | Short | I | I | T | T | I | T | | | T | S | | S | S | | | |

*Responses: T= Trouble, I = Instant Alarm, D = Delayed Response, S = Supervisory, Blank = No Response.

Point Index (continued)

Point Index Description

Point Index Default Descriptions

- 11 Interior Delay on Short, Alarm on Open
- 12 Interior Instant Alarm on Open or Short, Local While Disarmed
- 13 Interior Follower Delay on Short, Alarm on Open
- 14 Maintained Keyswitch
- 15 Momentary Keyswitch
- 16 Open/Close on Fault
- 17 D279 (Non-Priority)
- 18 D279 (Priority)
- 19 Easikey Input
- 20 POPIT Motion Sensor Interior

| Prompt | Point Index # | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|------------------------------------|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Type (0-9) | | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 2 |
| Point Response (0-F) | | 7 | 8 | 7 | 1 | 1 | 1 | 1 | 2 | 1 | E |
| Entry Delay (5-600) | | 30 | 5 | 30 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Entry Tone Off | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Silent Bell | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Ring Until Restored | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Audible after 2 Fails | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Invisible Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Buzz on Fault (Blank, 1 - 2) | | | | | | | | | | | |
| Watch Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Relay Response Type (Blank, 1 - 2) | | | | | | | | | | | |
| Display as Device | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Local While Disarmed | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Local While Armed | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Disable Restorals | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| FA Returnable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Bypass Returnable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Bypassable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Swinger Bypass | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Report Bypass at Occurrence | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Defer Bypass Report | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Fire Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Alarm Verify | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Resettable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |

| Point Type Selections | |
|--------------------------|-----------------------------|
| Type | |
| 0 = 24 Hour | 6 = O/C Point |
| 1 = Perimeter | 7 = D279 (O/C Non-Priority) |
| 2 = Interior | 8 = D279 (O/C Priority) |
| 3 = Interior Follower | 9 = Easikey |
| 4 = Keyswitch Maintained | |
| 5 = Keyswitch Momentary | |

| Point Response Selections* | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | A | B | C | D | E | F |
|----------------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Armed | Open | I | I | I | I | D | D | I | I | D | I | I | I | I | I | T | |
| | Short | I | I | I | I | I | I | D | D | D | I | I | I | I | I | I | |
| Disarmed | Open | | T | | T | | | | T | | I | I | T | I | I | T | |
| | Short | | | T | T | | T | | | | I | T | I | I | I | | |
| 24-Hour | Open | I | T | I | T | | | I | T | S | T | S | | S | | | |
| | Short | I | I | T | T | I | T | | | T | S | | S | S | | | |

*Responses: T= Trouble, I = Instant Alarm, D = Delayed Response, S = Supervisory, Blank = No Response.

RADXPNTS Handler

Point Index (continued)

Point Index Description

Point Index Default Descriptions

- 21 POPIT Motion Sensor Perimeter
- 22 Fire Supervisory on Open, Trouble on Short
- 23 Non-Fire Supervisory on Open, Trouble on Short
- 24 Local, No Visual or Audible Display on Any Fault Armed or Disarmed w/Relay Output
- 25 Perimeter Delay on Open, Alarm on Short

| | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|

| Prompt | Point Index # | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
|------------------------------------|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Type (0-9) | | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Point Response (0-F) | | E | 8 | 8 | F | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Entry Delay (5-600) | | 5 | 5 | 5 | 5 | 30 | 5 | 5 | 5 | 5 | 5 | 5 |
| Entry Tone Off | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Silent Bell | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Ring Until Restored | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Audible after 2 Fails | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Invisible Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Buzz on Fault (Blank, 1 - 2) | | | | | | | | | | | | |
| Watch Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Relay Response Type (Blank, 1 - 2) | | | | | | | | | | | | |
| Display as Device | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Local While Disarmed | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Local While Armed | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Disable Restorals | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| FA Returnable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Bypass Returnable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Bypassable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Swinger Bypass | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Report Bypass at Occurrence | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Defer Bypass Report | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Fire Point | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Alarm Verify | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |
| Resettable | | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N | Y/N |

| Point Type Selections | |
|--------------------------|-----------------------------|
| Type | |
| 0 = 24 Hour | 6 = O/C Point |
| 1 = Perimeter | 7 = D279 (O/C Non-Priority) |
| 2 = Interior | 8 = D279 (O/C Priority) |
| 3 = Interior Follower | 9 = Easikey |
| 4 = Keyswitch Maintained | |
| 5 = Keyswitch Momentary | |

| Point Response Selections* | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | A | B | C | D | E | F |
|----------------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Armed | Open | I | I | I | I | D | D | I | I | D | I | I | I | I | I | T | |
| | Short | I | I | I | I | I | I | D | D | D | I | I | I | I | I | I | |
| Disarmed | Open | | T | | T | | | | T | | I | I | T | I | | T | |
| | Short | | | T | T | | T | | | | I | T | I | | I | | |
| 24-Hour | Open | I | T | I | T | | | I | T | S | T | S | | S | | | |
| | Short | I | I | T | T | I | T | | | T | S | | S | S | | | |

*Responses: T= Trouble, I = Instant Alarm, D = Delayed Response, S = Supervisory, Blank = No Response.

Point Assignments (001 through 045)

| POPIT Switch Setting | Trans * | Point # | Point Index | Area Assign | Debounce (1-15) | BFSK/Relay | Point Text |
|----------------------|---------|---------|-------------|-------------|-----------------|------------|--------------------|
| | 100 | 001 | 3 | 1 | 2 | 1 | <u>P 1 FIRE</u> |
| | 200 | 002 | 1 | 1 | 2 | 2 | <u>P 2 PANIC</u> |
| | 300 | 003 | 25 | 1 | 2 | 3 | <u>P 3 DELAY</u> |
| | 400 | 004 | 13 | 1 | 2 | 4 | <u>P 4 FOLLOW</u> |
| | 500 | 005 | 7 | 1 | 2 | 5 | <u>P 5 INSTANT</u> |
| | 600 | 006 | 7 | 1 | 2 | 6 | <u>P 6 INSTANT</u> |
| | 700 | 007 | 7 | 1 | 2 | 7 | <u>P 7 INSTANT</u> |
| | 800 | 008 | 7 | 1 | 2 | 8 | <u>P 8 INSTANT</u> |
| 0123456 | 101 | 009 | | 1 | 2 | 1 | <u>P 9</u> |
| 012345- | 102 | 010 | | 1 | 2 | 1 | <u>P 10</u> |
| 01234-6 | 103 | 011 | | 1 | 2 | 1 | <u>P 11</u> |
| 01234-- | 104 | 012 | | 1 | 2 | 1 | <u>P 12</u> |
| 0123-56 | 105 | 013 | | 1 | 2 | 1 | <u>P 13</u> |
| 0123-5- | 106 | 014 | | 1 | 2 | 1 | <u>P 14</u> |
| 0123--6 | 107 | 015 | | 1 | 2 | 1 | <u>P 15</u> |
| 0123--- | 108 | 016 | | 1 | 2 | 1 | <u>P 16</u> |
| 012-456 | 109 | 017 | | 1 | 2 | 1 | <u>P 17</u> |
| 012-45- | 110 | 018 | | 1 | 2 | 1 | <u>P 18</u> |
| 012-4-6 | 111 | 019 | | 1 | 2 | 1 | <u>P 19</u> |
| 012-4-- | 112 | 020 | | 1 | 2 | 1 | <u>P 20</u> |
| 012--56 | 113 | 021 | | 1 | 2 | 1 | <u>P 21</u> |
| 012--5- | 114 | 022 | | 1 | 2 | 1 | <u>P 22</u> |
| 012---6 | 115 | 023 | | 1 | 2 | 1 | <u>P 23</u> |
| 012---- | 116 | 024 | | 1 | 2 | 1 | <u>P 24</u> |
| 01-3456 | 201 | 025 | | 1 | 2 | 1 | <u>P 25</u> |
| 01-345- | 202 | 026 | | 1 | 2 | 1 | <u>P 26</u> |
| 01-34-6 | 203 | 027 | | 1 | 2 | 1 | <u>P 27</u> |
| 01-34-- | 204 | 028 | | 1 | 2 | 1 | <u>P 28</u> |
| 01-3-56 | 205 | 029 | | 1 | 2 | 1 | <u>P 29</u> |
| 01-3-5- | 206 | 030 | | 1 | 2 | 1 | <u>P 30</u> |
| 01-3--6 | 207 | 031 | | 1 | 2 | 1 | <u>P 31</u> |
| 01-3--- | 208 | 032 | | 1 | 2 | 1 | <u>P 32</u> |
| 01--456 | 209 | 033 | | 1 | 2 | 1 | <u>P 33</u> |
| 01--45- | 210 | 034 | | 1 | 2 | 1 | <u>P 34</u> |
| 01--4-6 | 211 | 035 | | 1 | 2 | 1 | <u>P 35</u> |
| 01--4-- | 212 | 036 | | 1 | 2 | 1 | <u>P 36</u> |
| 01---56 | 213 | 037 | | 1 | 2 | 1 | <u>P 37</u> |
| 01---5- | 214 | 038 | | 1 | 2 | 1 | <u>P 38</u> |
| 01----6 | 215 | 039 | | 1 | 2 | 1 | <u>P 39</u> |
| 01----- | 216 | 040 | | 1 | 2 | 1 | <u>P 40</u> |
| 0-23456 | 301 | 041 | | 1 | 2 | 1 | <u>P 41</u> |
| 0-2345- | 302 | 042 | | 1 | 2 | 1 | <u>P 42</u> |
| 0-234-6 | 303 | 043 | | 1 | 2 | 1 | <u>P 43</u> |
| 0-234-- | 304 | 044 | | 1 | 2 | 1 | <u>P 44</u> |
| 0-23-56 | 305 | 045 | | 1 | 2 | 1 | <u>P 45</u> |

* Translation

RADXPNTS Handler

Point Assignments (046 through 090)

| POPI Switch Setting | Trans * | Point # | Point Index | Area Assign | Debounce (1-15) | BFSK/ Relay | Point Text |
|---------------------------|------------|------------|----------------|----------------|--------------------|----------------|-------------|
| 0-23-5- | 306 | 046 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 46</u> |
| 0-23--6 | 307 | 047 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 47</u> |
| 0-23--- | 308 | 048 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 48</u> |
| 0-2-456 | 309 | 049 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 49</u> |
| 0-2-45- | 310 | 050 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 50</u> |
| 0-2-4-6 | 311 | 051 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 51</u> |
| 0-2-4-- | 312 | 052 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 52</u> |
| 0-2--56 | 313 | 053 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 53</u> |
| 0-2--5- | 314 | 054 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 54</u> |
| 0-2---6 | 315 | 055 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 55</u> |
| 0-2---- | 316 | 056 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 56</u> |
| 0--3456 | 401 | 057 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 57</u> |
| 0--345- | 402 | 058 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 58</u> |
| 0--34-6 | 403 | 059 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 59</u> |
| 0--34-- | 404 | 060 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 60</u> |
| 0--3-56 | 405 | 061 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 61</u> |
| 0--3-5- | 406 | 062 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 62</u> |
| 0--3--6 | 407 | 063 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 63</u> |
| 0--3--- | 408 | 064 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 64</u> |
| 0---456 | 409 | 065 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 65</u> |
| 0---45- | 410 | 066 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 66</u> |
| 0---4-6 | 411 | 067 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 67</u> |
| 0---4-- | 412 | 068 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 68</u> |
| 0----56 | 413 | 069 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 69</u> |
| 0----5- | 414 | 070 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 70</u> |
| 0----6 | 415 | 071 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 71</u> |
| 0----- | 416 | 072 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 72</u> |
| -123456 | 501 | 073 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 73</u> |
| -12345- | 502 | 074 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 74</u> |
| -1234-6 | 503 | 075 | ___ | <u>1</u> __ | <u>2</u> __ | <u>1</u> __ | <u>P 75</u> |

* Translation

CMD 7 and CMD 9

| | Point Index | BFSK/ Relay | Point Text |
|-----------|----------------|----------------|------------------|
| COMMAND 7 | <u>31</u> __ | <u>1</u> __ | <u>COMMAND 7</u> |
| COMMAND 9 | <u>31</u> __ | <u>1</u> __ | <u>COMMAND 9</u> |

Windows

Opening and Closing

| W# | Day of Week | OPEN | | | CLOSE | | | Xept Holiday | Holiday Index | Areas |
|----|-------------|-------------|--------|------|-------------|--------|------|--------------|---------------|-----------------|
| | | Early Begin | Window | | Early Begin | Window | | | | |
| | | | Start | Stop | | Start | Stop | | | |
| 1 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 2 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 3 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 4 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 5 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 6 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 7 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |
| 8 | SMTWTFS | --- | --- | --- | --- | --- | --- | Yes/No | 1 2 3 4 | 1 2 3 4 5 6 7 8 |

Use this table to determine the proper entries for your application.

| Day of Week | The column below briefly describes the ways to activate an Opening/Closing Window. Use the guidelines shown in the other columns to choose the appropriate entries. | eXcept On Holiday | Holiday Index | Area(s) |
|----------------------------------|--|-------------------|---------------------------|-----------------------------------|
| Program at least one day as YES. | Day(s) of the Week | NO | None | Program at least one Area as YES. |
| Program at least one day as YES. | Day(s) of the Week, but NOT on Holidays | YES | Select at least one Index | Program at least one Area as YES. |
| Program at least one day as YES. | Day(s) of the Week, PLUS Holidays | NO | Select at least one Index | Program at least one Area as YES. |
| All days must be programmed NO. | Only On Holidays | NO | Select at least one Index | Program at least one Area as YES. |

User Group

| UW# | User Group | Day of Week | User Group Window | | Xept Holiday | Holiday Index |
|-----|------------|---------------|-------------------|---------|--------------|---------------|
| | | | Enable | Disable | | |
| 1 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 2 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 3 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 4 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 5 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 6 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 7 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |
| 8 | --- | S M T W T F S | --- | --- | Yes / No | 1 2 3 4 |

RADXSKE D Handler

Skeds

| Sked # | Time Edit | Function Code | Param 1 | Param 2 | Time | Date | Day of Week | XOH | Holiday Index | Description |
|--------|-----------|---------------|---------|---------|------|------|-------------|-----|---------------|-------------|
| 1 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 2 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 3 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 4 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 5 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 6 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 7 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 8 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 9 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 10 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 11 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 12 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 13 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 14 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 15 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 16 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 17 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 18 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 19 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 20 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 21 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 22 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 23 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 24 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 25 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 26 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 27 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 28 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 29 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 30 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 31 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 32 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 33 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 34 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 35 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 36 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 37 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 38 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 39 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |
| 40 | Y/N | --- | ----- | --- | --- | --- | SMTWTFS | Y/N | 1 2 3 4 | _____ |

Sked Function Code Table

| Function | Function Code | Parameter 1 | | Parameter 2 | |
|--|---------------|--|--|--------------------|---------------------|
| | | Description | Selection | Description | Selection |
| Blank Not in use (all inactive Skeds must have a Blank entry in Function Code for panel efficiency). | | | | | |
| Arm Area | 1 | Area 1 Area 2 Area 3 Area 4 Area 5 Area 6 Area 7 Area 8 | Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No | | |
| Disarm Area | 2 | Area 1 Area 2 Area 3 Area 4 Area 5 Area 6 Area 7 Area 8 | Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No | | |
| Bypass a Point A point can only be bypassed only if it is programmed to allow bypassing in Point Parameters. The bypassed point is reported if Bypass Reports is programmed Yes for the point. | 3 | Point Number | Blank, 1 - 64 | | |
| Unbypass a Point | 4 | Point Number | Blank, 1 - 64 | | |
| Unbypass All Points | 5 | Area 1 Area 2 Area 3 Area 4 Area 5 Area 6 Area 7 Area 8 | Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No | | |
| Relay On | 6 | Relay Number | Blank, 1 - 75 | | |
| Relay Off | 7 | Relay Number | Blank, 1 - 75 | | |
| All Relays Off | 8 | None | | | |
| Test Report Generates a test report. The report is sent to the Phone(s) programmed in the Phone Routing Chart. | 9 | Defer Test | Yes / No | Hourly Test Report | Yes / No |
| Status Report | 10 | Defer Status | Yes / No | | |
| Execute Custom Function | 11 | Cmd Center | Blank, 1 - 8 | Custom Function | Blank, 128 - 131 |
| Not Used | 12 | | | | |

RADXSKE D Handler

Sked Function Code Table (continued)

| Function | Function Code | Parameter 1 | | Parameter 2 | |
|--|---------------|---|--|-------------|-----------|
| | | Description | Selection | Description | Selection |
| Blank Not in use (all inactive Skeds must have a Blank entry in Function Code for panel efficiency). | | | | | |
| Adjust Time Forward 1 Hour (Daylight Savings Time adjustment) | 13 | None | | | |
| Adjust Time Backward 1 Hour (Daylight Savings Time adjustment) | 14 | None | | | |
| Sound Watch at Command Center | 15 | CC 1 CC 2 CC 3 CC 4 CC 5 CC 6 CC 7 CC 8 | Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No | | |
| ◆ Access Control Level On [D7412 only] | 16 | Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 Level 7 Level 8 Level 9 Level 10 Level 11 Level 12 Level 13 Level 14 | Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No | | |
| ◆ Access Control Level Off [D7412 only] | 17 | Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 Level 7 Level 8 Level 9 Level 10 Level 11 Level 12 Level 13 Level 14 | Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No Yes / No | | |
| ◆ Unlock Door [D7412 only] | 18 | Door 1 Door 2 | Yes / No Yes / No | | |

Sked Function Code Table (concluded)

| Function | Function Code | Parameter 1 | | Parameter 2 | |
|--|---------------|------------------|----------------------|-------------|-----------|
| | | Description | Selection | Description | Selection |
| Blank Not in use (all inactive Skeds must have a Blank entry in Function Code for panel efficiency). | | | | | |
| ◆ Secure Door [D7412 only] | 19 | Door 1 Door 2 | Yes / No Yes / No | | |
| ◆ Lock Door [D7412 only] | 20 | Door 1 Door 2 | Yes / No Yes / No | | |
| ◆ Access Granted Events On [D7412 only] | 21 | Door 1 Door 2 | Yes / No Yes / No | | |
| ◆ Access Granted Events Off [D7412 only] | 22 | Door 1 Door 2 | Yes / No Yes / No | | |
| ◆ Access Denied Events On [D7412 only] | 23 | Door 1 Door 2 | Yes / No Yes / No | | |
| ◆ Access Denied Events Off [D7412 only] | 24 | Door 1 Door 2 | Yes / No Yes / No | | |

RADXSKE D Handler

Holiday Indexes

| Holiday Index # | | | | | Holiday Index # | | | | | Holiday Index # | | | | |
|-----------------|---|---|---|---|-----------------|---|---|---|---|-----------------|---|---|---|---|
| Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 |
| Jan 1 | | | | | Feb 1 | | | | | Mar 1 | | | | |
| 2 | | | | | 2 | | | | | 2 | | | | |
| 3 | | | | | 3 | | | | | 3 | | | | |
| 4 | | | | | 4 | | | | | 4 | | | | |
| 5 | | | | | 5 | | | | | 5 | | | | |
| 6 | | | | | 6 | | | | | 6 | | | | |
| 7 | | | | | 7 | | | | | 7 | | | | |
| 8 | | | | | 8 | | | | | 8 | | | | |
| 9 | | | | | 9 | | | | | 9 | | | | |
| 10 | | | | | 10 | | | | | 10 | | | | |
| 11 | | | | | 11 | | | | | 11 | | | | |
| 12 | | | | | 12 | | | | | 12 | | | | |
| 13 | | | | | 13 | | | | | 13 | | | | |
| 14 | | | | | 14 | | | | | 14 | | | | |
| 15 | | | | | 15 | | | | | 15 | | | | |
| 16 | | | | | 16 | | | | | 16 | | | | |
| 17 | | | | | 17 | | | | | 17 | | | | |
| 18 | | | | | 18 | | | | | 18 | | | | |
| 19 | | | | | 19 | | | | | 19 | | | | |
| 20 | | | | | 20 | | | | | 20 | | | | |
| 21 | | | | | 21 | | | | | 21 | | | | |
| 22 | | | | | 22 | | | | | 22 | | | | |
| 23 | | | | | 23 | | | | | 23 | | | | |
| 24 | | | | | 24 | | | | | 24 | | | | |
| 25 | | | | | 25 | | | | | 25 | | | | |
| 26 | | | | | 26 | | | | | 26 | | | | |
| 27 | | | | | 27 | | | | | 27 | | | | |
| 28 | | | | | 28 | | | | | 28 | | | | |
| 29 | | | | | 29 | | | | | 29 | | | | |
| 30 | | | | | | | | | | 30 | | | | |
| 31 | | | | | | | | | | 31 | | | | |

| Holiday Index # | | | | | Holiday Index # | | | | | Holiday Index # | | | | |
|-----------------|---|---|---|---|-----------------|---|---|---|---|-----------------|---|---|---|---|
| Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 |
| Apr 1 | | | | | May 1 | | | | | Jun 1 | | | | |
| 2 | | | | | 2 | | | | | 2 | | | | |
| 3 | | | | | 3 | | | | | 3 | | | | |
| 4 | | | | | 4 | | | | | 4 | | | | |
| 5 | | | | | 5 | | | | | 5 | | | | |
| 6 | | | | | 6 | | | | | 6 | | | | |
| 7 | | | | | 7 | | | | | 7 | | | | |
| 8 | | | | | 8 | | | | | 8 | | | | |
| 9 | | | | | 9 | | | | | 9 | | | | |
| 10 | | | | | 10 | | | | | 10 | | | | |
| 11 | | | | | 11 | | | | | 11 | | | | |
| 12 | | | | | 12 | | | | | 12 | | | | |
| 13 | | | | | 13 | | | | | 13 | | | | |
| 14 | | | | | 14 | | | | | 14 | | | | |
| 15 | | | | | 15 | | | | | 15 | | | | |
| 16 | | | | | 16 | | | | | 16 | | | | |
| 17 | | | | | 17 | | | | | 17 | | | | |
| 18 | | | | | 18 | | | | | 18 | | | | |
| 19 | | | | | 19 | | | | | 19 | | | | |
| 20 | | | | | 20 | | | | | 20 | | | | |
| 21 | | | | | 21 | | | | | 21 | | | | |
| 22 | | | | | 22 | | | | | 22 | | | | |
| 23 | | | | | 23 | | | | | 23 | | | | |
| 24 | | | | | 24 | | | | | 24 | | | | |
| 25 | | | | | 25 | | | | | 25 | | | | |
| 26 | | | | | 26 | | | | | 26 | | | | |
| 27 | | | | | 27 | | | | | 27 | | | | |
| 28 | | | | | 28 | | | | | 28 | | | | |
| 29 | | | | | 29 | | | | | 29 | | | | |
| 30 | | | | | 30 | | | | | 30 | | | | |
| | | | | | 31 | | | | | | | | | |

Holiday Indexes

| Holiday Index # | | | | | Holiday Index # | | | | | Holiday Index # | | | | |
|-----------------|---|---|---|---|-----------------|---|---|---|---|-----------------|---|---|---|---|
| Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 |
| Jul 1 | | | | | Aug 1 | | | | | Sep 1 | | | | |
| 2 | | | | | 2 | | | | | 2 | | | | |
| 3 | | | | | 3 | | | | | 3 | | | | |
| 4 | | | | | 4 | | | | | 4 | | | | |
| 5 | | | | | 5 | | | | | 5 | | | | |
| 6 | | | | | 6 | | | | | 6 | | | | |
| 7 | | | | | 7 | | | | | 7 | | | | |
| 8 | | | | | 8 | | | | | 8 | | | | |
| 9 | | | | | 9 | | | | | 9 | | | | |
| 10 | | | | | 10 | | | | | 10 | | | | |
| 11 | | | | | 11 | | | | | 11 | | | | |
| 12 | | | | | 12 | | | | | 12 | | | | |
| 13 | | | | | 13 | | | | | 13 | | | | |
| 14 | | | | | 14 | | | | | 14 | | | | |
| 15 | | | | | 15 | | | | | 15 | | | | |
| 16 | | | | | 16 | | | | | 16 | | | | |
| 17 | | | | | 17 | | | | | 17 | | | | |
| 18 | | | | | 18 | | | | | 18 | | | | |
| 19 | | | | | 19 | | | | | 19 | | | | |
| 20 | | | | | 20 | | | | | 20 | | | | |
| 21 | | | | | 21 | | | | | 21 | | | | |
| 22 | | | | | 22 | | | | | 22 | | | | |
| 23 | | | | | 23 | | | | | 23 | | | | |
| 24 | | | | | 24 | | | | | 24 | | | | |
| 25 | | | | | 25 | | | | | 25 | | | | |
| 26 | | | | | 26 | | | | | 26 | | | | |
| 27 | | | | | 27 | | | | | 27 | | | | |
| 28 | | | | | 28 | | | | | 28 | | | | |
| 29 | | | | | 29 | | | | | 29 | | | | |
| 30 | | | | | 30 | | | | | 30 | | | | |
| 31 | | | | | 31 | | | | | | | | | |

| Holiday Index # | | | | | Holiday Index # | | | | | Holiday Index # | | | | |
|-----------------|---|---|---|---|-----------------|---|---|---|---|-----------------|---|---|---|---|
| Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 | Date | 1 | 2 | 3 | 4 |
| Oct 1 | | | | | Nov 1 | | | | | Dec 1 | | | | |
| 2 | | | | | 2 | | | | | 2 | | | | |
| 3 | | | | | 3 | | | | | 3 | | | | |
| 4 | | | | | 4 | | | | | 4 | | | | |
| 5 | | | | | 5 | | | | | 5 | | | | |
| 6 | | | | | 6 | | | | | 6 | | | | |
| 7 | | | | | 7 | | | | | 7 | | | | |
| 8 | | | | | 8 | | | | | 8 | | | | |
| 9 | | | | | 9 | | | | | 9 | | | | |
| 10 | | | | | 10 | | | | | 10 | | | | |
| 11 | | | | | 11 | | | | | 11 | | | | |
| 12 | | | | | 12 | | | | | 12 | | | | |
| 13 | | | | | 13 | | | | | 13 | | | | |
| 14 | | | | | 14 | | | | | 14 | | | | |
| 15 | | | | | 15 | | | | | 15 | | | | |
| 16 | | | | | 16 | | | | | 16 | | | | |
| 17 | | | | | 17 | | | | | 17 | | | | |
| 18 | | | | | 18 | | | | | 18 | | | | |
| 19 | | | | | 19 | | | | | 19 | | | | |
| 20 | | | | | 20 | | | | | 20 | | | | |
| 21 | | | | | 21 | | | | | 21 | | | | |
| 22 | | | | | 22 | | | | | 22 | | | | |
| 23 | | | | | 23 | | | | | 23 | | | | |
| 24 | | | | | 24 | | | | | 24 | | | | |
| 25 | | | | | 25 | | | | | 25 | | | | |
| 26 | | | | | 26 | | | | | 26 | | | | |
| 27 | | | | | 27 | | | | | 27 | | | | |
| 28 | | | | | 28 | | | | | 28 | | | | |
| 29 | | | | | 29 | | | | | 29 | | | | |
| 30 | | | | | 30 | | | | | 30 | | | | |
| 31 | | | | | | | | | | 31 | | | | |

System Notes

D9210 Switch Settings [D7412 Only]

| Door Controller | Switches | | | | | |
|-----------------|----------|----|----|----|----|----|
| | 1 | 2 | 3 | 4* | 5 | 6 |
| 1 | ON | ON | ON | ON | ON | ON |
| 2 | OFF | ON | ON | ON | ON | ON |

Switches 1-3: Address Setting

* Switch 4: Fail Safe Mode

ON = SDI Fail Door Open (default)

OFF = SDI Fail Door Close

Command Center Assignments

| Address # | Switches | | | | | |
|-----------|----------|-----|-----|----|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| Address 1 | ON | ON | ON | ON | * | ON |
| Address 2 | OFF | ON | ON | ON | * | ON |
| Address 3 | ON | OFF | ON | ON | * | ON |
| Address 4 | OFF | OFF | ON | ON | * | ON |
| Address 5 | ON | ON | OFF | ON | * | ON |
| Address 6 | OFF | ON | OFF | ON | * | ON |
| Address 7 | ON | OFF | OFF | ON | * | ON |
| Address 8 | OFF | OFF | OFF | ON | * | ON |

* ON = Encoding Tone On

OFF = Encoding Tone Off

Printer Address Settings

| Printer | Switches | | | | | |
|---------|----------|----|----|---|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 17 | ON | ON | ON | * | ON | ON |

* ON = Header and Form Feed

OFF = No Header or Form Feed

OctoRelay Switch Settings

| ZONEX Bus 1 Terminals 27 & 28 Relays 1 - 64 | Switches | | | |
|---|----------|-----|-----|-----|
| | 1 | 2 | 3 | 4 |
| 1 - 8 | OFF | ON | ON | ON |
| 9 - 16 | ON | OFF | ON | ON |
| 17 - 24 | OFF | OFF | ON | ON |
| 25 - 32 | ON | ON | OFF | ON |
| 33 - 40 | OFF | ON | OFF | ON |
| 41 - 48 | ON | OFF | OFF | ON |
| 49 - 56 | OFF | OFF | OFF | ON |
| 57 - 64 | ON | ON | ON | OFF |

D8128C OctoPOPIT Switch Settings

| ZONEX 1 Points 9-72 | D8128C Address Switches | | | | |
|------------------------|-------------------------|-----|-----|-----|----|
| | 0 | 1 | 2 | 3 | 4 |
| 9-16 | On | On | On | On | -- |
| 17-24 | On | On | On | Off | -- |
| 25-32 | On | On | Off | On | -- |
| 33-40 | On | On | Off | Off | -- |
| 41-48 | On | Off | On | On | -- |
| 49-56 | On | Off | On | Off | -- |
| 57-64 | On | Off | Off | On | -- |
| 65-72 | On | Off | Off | Off | -- |

NOTE: Use a D8125 POPEX Module and D9127 POPITs for points 73 through 75.



™ The Radionics logo is a registered trademark of Radionics, Inc., Salinas, CA, U.S.A.

© 1997 Radionics, Inc., Salinas, CA, U.S.A. All rights reserved.

Radionics, Inc., 1800 Abbott Street
Salinas, CA 93901, U.S.A.
Technical Support: (800) 538-5807